

ORIGINAL

FORM WR-38
(Affidavit of Plugging)

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

MCELROY COAL COMPANY
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
MCELROY COAL COMPANY
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
O.E & SARAH LOU BURGE
Lease or Property Owner
RD.3 BOX 33 CAMERON, WV 26033
Address

MCELROY COAL COMPANY
Name of Well Operator
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Complete Address
CAMERON, WV 7.5'
Well Location
CAMERON
District
MARSHALL
County
M-1527A
Well No.
BURGE, O.E & SARAH LOU
Farm

RECEIVED
Office of Oil & Gas

NOV 20 2012

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]*

AFFIDAVIT

**WV Department of
Environmental Protection**

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of June, 2012 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Removed 2300' of 5/8" sucker rods. Removed 1300' of 2 3/8" tubing from the surface to 1400'. Left unknown amount of sucker rods and 2 3/8" tubing in the hole from 1400' to an unknown depth. Removed 1400' of 4 1/2" casing from the surface to 1400'. Left unknown amount of 4 1/2" casing in the hole from 1400' to unknown depth. Removed 132' of 7" casing from the surface to 132'. The cement bond log that was run on the 7" casing indicated that the 7" casing was cemented in the hole from 132' to 1400'. Left unknown amount of 7" casing in the hole from 132' to unknown depth. 7" casing was cut at the following depths; 1398, 1162, 882, 600 and 280. Section milled 7" casing from 1381' to 1382, from 1297' to 1302' and from 1178' to 1201'. Left 10 3/4" casing from the surface to an unknown depth. Section milled a 23' window in 7" casing through Pittsburgh Coal (1182' to 1191'). Left 10' of 16" conductor pipe in the hole from 10' to surface.	16" Conductor	0'	10'	
	10 1/2" Casing	0'	Unknown	
	7" Casing	132'	Unknown	
	4 1/2" Casing	1400'	Unknown	
	2 3/8" Tubing	1300'	Unknown	
	5/8" Sucker Rods	2300'	Unknown	
Cemented hole from 1400' to surface as follows: From 1400' to 1249' with 30 sacks of Thixotropic Cement. From 1249' to 1082' with 50 sacks of Thixotropic Cement with green dye. From 1082' to surface with 170 sacks of Expandable Cement. A total of 250 sacks of cement, 170 sacks of Expandable Cement and 80 sacks of Thixotropic Cement, were used to fill the hole from 1400' to surface. Cement did circulate at the surface.				
Coal Seams		Description of Monument		
Pittsburgh	(1182' - 1191')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 1st day of August, 2012

And further deponents saith not.

[Signature]
Mark Wilson


[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 9th day of October, 2012

[Signature]
Notary Public

My commission expires:

March 18, 2020



Permit No. 47-051-01159-P
Well No. M-1527A

11/23/2012