

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, November 30, 2021
WELL WORK PLUGGING PERMIT
Vertical Plugging

MCELROY COAL COMPANY 46226 NATIONAL RD ST. CLAIRSVILLE, OH 43950

Re: Permit approval for M-1671 47-051-01572-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Operator's Well Number: M-1671

Farm Name: LILLEY, DANIEL & DANIEL

U.S. WELL NUMBER: 47-051-01572-00-00

Vertical Plugging Date Issued: 11/30/2021



PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date	OCTOB	ER 23 ,	20	21
2) Opera	tor's			
Well	No.	M-167	1	
3) API W	ell No.	47- 051	-	01572

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

		derground storage) Deep/ Shallow
5)	Location: Elevation 1187.37	Watershed GRAVE CREEK
	District LIBERTY	County MARSHALL Quadrangle CAMERON WV,PA
6)	Well Operator MCELROY COAL COMPANY	7) Designated Agent DAVID RODDY
	Address 6126 ENERGY ROAD	Address 1 BRIDGE STREET
	MOUNDSVILLE, WV 26041	MONONGAH, WV 26554
8)	Oil and Gas Inspector to be notified	9) Plugging Contractor
	Name Gayne Knitowski	Name
	Address Po Box 108	Address
	bormania, WV 26720	
.0)	Work Order: The work order for the mann	No. 1
.0)	See Exhibit	
(0)	See Exhibit	No. 1 1 C PETHION SUMMARY.
(0)	See Exhibit	No. 1
(0)	See Exhibit	No. 1 1 C PETTION SUMMARY. RECEIVED Office of Oil and Gas

EXHIBIT No.1

From the experience and technology developed since 1970 in plugging oil and gas wells for the mining through, West Virginia Land Resources will utilize the following method to plug all future wells.

SOLID PLUG METHOD

Well Clean Out

(a) If active well: Clean out to the total depth and plug back according to the state regulations to a minimum of 200 feet below the lowest minable coal seam.



(b) If abandoned well: Clean out to the first plug 200 feet below the lowest minable coal seam.

Cement

- (a) Circulate through the tubing or drill steel an expanding Class A cement plug from a minimum of 200 feet below the minable coal seam to a point 100 feet above the minable coal seam.
- (b) Circulate through the tubing or drill steel an expanding Class A cement plug from 100 feet above the coal seam to the surface

A monument will be installed with API number and stating "solid plug."

Marshall County 101C

Docket No. M-2016-016-C

RECEIVED

NOV 24 2021

WV Department of Environmental Protection **101C MSHA Petition Summary Marshall County Coal Ohio County Coal**

I. **Definitions**

A. Diligent Effort is defined as pulling 150% casing weight and making at least 3 attempts. Assume casing is 3,000' when length is unknown.

II. **Active Well**

- A. Check for Methane
- B. Notify MSHA we are plugging an active well
- C. Kill Well
- D. Pull Sucker Rods and tubing
- E. Make Diligent Effort to Pull Casing
- F. If casing cannot be pulled...
 - i. Run Bond Log
 - 1. Discuss Action Plan with Mine Personal
 - ii. Notify MSHA that casing cannot be pulled
 - iii. Cut, rip, or perforate every 200'. First cut will be 200' above the end of casing up to 200' below Pittsburgh coal
 - 1. MSHA can waive 200' cuts if bond log shows adequate material behind
 - iv. Cut, Rip, or Perforate every 50' from 200' below Pittsburgh to 100' above Pittsburgh (see Appendix A).
 - v. Cut, Rip, or Perforate every 5' from 10' below Pittsburgh Coal to 10' above Pittsburgh (see Appendix A).
- G. Pump Class A Cement from TD to 200' below Pittsburgh
- H. Pump Thixotropic Cement from 200' below Pittsburgh to 100' above
- I. Pump Class A cement from 100' above Pittsburgh to surface.
- J. Install Well Marker

III. **Abandoned Well**

A. Check for Methane

Office of Oil and Gas


- i. Notify MSHA if actively producing methane
- B. Kill Well

WV Department of **Environmental Protection**


- C. If well is less than 4,000' deep, clean out well 220' below Pittsburgh (cleanout an extra 20' to allow for variance in coal elevation).
- D. If well has casing, make diligent effort to pull casing as defined above.
- E. If casing cannot be pulled...
 - i. Run Bond Log
 - ii. Notify MSHA that casing cannot be pulled
 - iii. Cut, Rip, or Perforate every 50' from 200' below Pittsburgh to 100' above Pittsburgh (see Appendix A).

NOV 24 2021

- iv. Cut, Rip, or Perforate every 5' from 10' below Pittsburgh Coal to 10' above Pittsburgh (see Appendix A).
- F. Pump expanding cement under 200 PSI to form a plug 200' below Pittsburgh
- G. Verify plug
- H. Pump Class A Cement from verified plug to 200' below Pittsburgh
- I. Pump Thixotropic Cement from 200' below Pittsburgh to 100' above
- J. Pump Class A cement from 100' above Pittsburgh to surface.
- K. Install well marker



^{***}If the depth is greater than 4,000 feet, all 200' number change to 400' respectively



WW-4A Revised 6-07

1) Date:	OCTOBER 23,	2021			
2) Operator's Well Number					
	M-1671				
3) API Well No.: 47 -	051	4.	01572		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

(a) Name	JEDIDIAH N. & SHARLENE LUCEY	Name	MCELROY COAL COMPANY
Address	794 TUNNEL HILL RD.	Address	6126 ENERGY ROAD
	CAMERON, WV 26033		MOUNDSVILLE, WV 26041
(b) Name		(b) Coal Own	ner(s) with Declaration
Address		Name	
		Address	
(c) Name		Name	
Address		Address	
) Inspector	Gayne Knitowski	(c) Coal Less	see with Declaration
Address	PO Box 108	Name	see with Declaration
21441 688	hamme 's W// 3/.720	Address	
Telephone	bormania, WV 24720 304-546-8171	Address	

- well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas. West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

=	OFFICIAL SEAL
OT WEST L	STATE OF WEST VIRGINIA
= 82% 30 5 2	NOTARY PUBLIC
= 配/ 编版设施。	Christian K Warfield
三日二日日本	Murray American Energy Inc
= 1	6126 Energy Road
	Moundsville WV 26041
- Constant	My Commission Expires June 10, 2024
ZOMBOOM	

L SEAL
ST VIRGINIA
PUBLIC
Warfield
on Energy Inc
gy Road
WV 26041
res June 10, 2024

Well Operator	MCELROY COAL COMPANY	
By:	JAY HORES	RECEIVED Office of Oil and Gas
Its:	PROJECT ENGINEER	Office of off and day
Address	6126 ENERGY ROAD	NOV 24 2021
	MOUNDSVILLE, WV 26041	
Telephone	(304) 843-3565	WV Department of
		Environmental Protection

Subscribed and worn before	methis 9th day	of November
Charles L	while	Notary Public
My Commission Expires	Juny 10, 202	4

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

12/03/2021

U.S. Postal Service™ CERTIFIED MAIL® RE Domestic Mail Only For delivery information and	CEIPT
For delivery information, visit our websi	
L Portified Mail Fee	e at www.usps.com
Stra Services & Fees (check box, add fee as appropriate) Return Receipt (hardcopy)	
LIAdult Signature of 5	Postmark Here
Advit Signature Restricted Delivery \$ Postage Stotal Postage and Fees	157
Total Postage and Fees	
Sent bed X	
stand Juney	.]
Convin W. 2 (ARD	M-1471
PS Form 3800, April 2015 PSN 7550 PSN 7	e Reverse for least-

RECEIVED Office of Oil and Gas

NOV 24 2021

WV Department of Environmental Protection

WW-9 (5/16)

API Number 47 -	051	_ 01572
Operator's Well No.	M-	1471

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN
Operator Name MCELROY COAL COMPANY OP Code
Watershed (HUC 10) GRAVE CREEK Quadrangle CAMERON WV,PA
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No No
If so, please describe anticipated pit waste:
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP)
Underground Injection (UIC Permit Number) Reuse (at API Number)
Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain_Tanks, see attached letter
Will closed loop systembe used? If so, describe: Yes. Gel circulated from tank thru well bore and returned to tank
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Gel or Cement
-If oil based, what type? Synthetic, petroleum, etc
Additives to be used in drilling medium? Bentonite, Bicarbonate of Soda
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Shaker cutting buried on site.
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? N/A
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature
Company Official (Typed Name) Jay Hores NOV 24 2021
Company Official Title Project Engineer W Department of W Department of
Wy Department of Protection
Subscribed and swofn before me this 9th day of November , 20 12 10 OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC Christian K Warfield Murray American Energy Inc 6126 Energy Road 1 My Commission Expires June 10, 2024

AMERICAN CONSOLIDATED NATURAL RESOURCES & WEST VIRGINIA LAND RESOURCES

AMERICAN CONSOLIDATED NATURAL RESOURCES & WEST VIRGINIA LAND RESOURCES

46226 National Road St. Clairsville, OH 43950

phone: 304.843.3565 fax: 304.843.3546

e-mail: JayHores@acnrinc.com

JAY HORES
Project Engineer

November 9, 2021

Department of Environmental Protection Office of Oil and Gas 601-57th Street Charleston, WV 25320

To Whom It May Concern,

As per the Division of Environmental Protection, Office of Oil and Gas request, Consolidation Coal Company submits the following procedures utilizing pit waste.

Upon submitting a well work application (without a general permit for Oil & Gas Pit Waste Discharge Application), Consolidation Coal Company will construct no pits, but instead will use mud tanks to contain all drilling muds.

Once the well is completed, that material (minus the cave material) will be trucked to the next well to be plugged or to DEP facilities number U-0033-83, O-1001-00, U-1035-91U-46-84, U-78-83, O-1044-9, or U-100-83.

Sincerely,

RECEIVED Office of Oil and Gas


NOV 24 2021

WV Department of Environmental Protection

Jay Hores Project Engineer Form WW-9

Field Reviewed?

Operator's Well No. M-1471 Proposed Revegetation Treatment: Acres Disturbed 1 Preveg etation pH Tons/acre or to correct to pH 6.0 Fertilizer type 10-20-20 or equivalent Fertilizer amount 500 Mulch 2 **Seed Mixtures** Temporary Permanent Seed Type lbs/acre Seed Type lbs/acre Seed Mix in accordance with WVDEP Oil Seed Mix in accordance with WVDEP Oil and Gas, Erosion and Sediment Control and Gas, Erosion and Sediment Control Field Manual Field Manual Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area. Photocopied section of involved 7.5' topographic sheet. Plan Approved by:_____ Comments: ___ Reclaim location ASAP RECEIVED Office of Oil and Gas _WV.Department of **Environmental Protection** Inspector 11-15-21 Date: Title:





West Virginia Department of Environmental Protection Office of Oil and Gas

	WELL LOCATION	N FORM: GPS	
API:	47-051-01572	WELL NO.:_	M-1671
FARM N			
RESPON	SIBLE PARTY NAME: MCEL	ROY COAL (COMPANY
COUNTY	MARSHALL	DISTRICT: LI	BERTY
QUADRA	ANGLE: CAMERON WV	,PA	
	E OWNER: JEDIDIAH N. 6		E LUCEY
	Y OWNER:		
UTM GP:	S NORTHING: 4,408,009 r	n	1187
UTM GPS	S EASTING: 539,798 m	GPS ELEVAT	_{ION:} 362 m
the follow 1.	 The Office of Oil and Gas will not a ing requirements: Datum: NAD 1983, Zone: 17 North, height above mean sea level (MSL) - Accuracy to Datum – 3.05 meters Data Collection Method: 	Coordinate Units: me	eters, Altitude:
	grade GPS _x : Post Processed Dif	ferential	Office of Oil and Gas
	Real-Time Differe	ntial X	NOV 24 2021
Mappi	ng Grade GPS: Post Processed Real-Time Diff		WV Department of Environmental Protection
belief and	Letter size copy of the topography rsigned, hereby certify this data is conshows all the information required by by the Office of Oil and Gas.	map showing the wareet to the best of my law and the regulation	knowledge and ons issued and
	Profess	ional Surveyor	OCTOBER 23, 2021
Signature		Title	Date

12/03/2021



Stansberry, Wade A <wade.a.stansberry@wv.gov>

Plugging Well Work Permit (API: 47-051-00587)

1 message

Stansberry, Wade A <wade.a.stansberry@wv.gov>

Tue, Nov 30, 2021 at 1:56 PM

To: Jay Hores <jayhores@coalsource.com>, David Roddy <davidroddy@coalsource.com>, Eric Buzzard <ebuzzard@marshallcountywv.org>, "Knitowski, Gayne J" <e026012@wv.gov>

I have attached a copy of the newly issued well permit numbers:


47-051-00587 - 3223 47-051-00605 - M-1079 47-051-01572 - M-1671 47-051-02419 - M-1082 47-051-02420 - M-1598


This will serve as your copy.

If you have any questions, then please contact us here at the Office of Oil and Gas. Thank you,

Wade A. Stansberry
Environmental Resource Specialist 3
West Virginia Department of Environmental Protection
Office of Oil & Gas
601 57th St. SE
Charleston, WV 25304
(304) 926-0499 ext. 41115
(304) 926-0452 fax
Wade.A.Stansberry@wv.gov

5 attachments





47-051-00605 - Copy.pdf 1072K

47-051-01572 - Copy.pdf 1063K

47-051-02419 - Copy.pdf 1127K