

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Monday, September 17, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

CHEVRON APPALACHIA, LLC 700 CHERRINGTON PARKWAY

CORAOPOLIS, PA 15108

Re: Permit approval for LONGWORTH M02H 47-051-02079-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief Operator's Well Number: Farm Name: U.S. WELL NUMBER: Horizontal 6A Date Issued: 9/17/2018

Promoting a healthy environment.

API Number:

PERMIT CONDITIONS 47051021021029

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: 4705102079 **PERMIT CONDITIONS**

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, sending an email to DEPOOGNotify@wv.gov.

.

47051029027/2018

WW-6B (04/15)

API NO. 47-____

OPERATOR WELL NO. MO2H Well Pad Name: Longworth

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operate	or: Chevro	on Appalach	ia, LLC	49449935	Marshall	Clay	Glen Easton, WV
				Operator ID	County	District	Quadrangle
2) Operator's W	/ell Numbe	r: <u>M02H</u>		Well F	ad Name: Long	jworth	
3) Farm Name/	Surface Ow	ner: Graham	H Longwo	orth Jr. Public R	oad Access: Ro	berts Ridge	e Road/WV-21
4) Elevation, cu	rrent groun	d: <u>1294.1</u>	8' El	evation, propose	d post-construct	ion:	
5) Well Type	(a) Gas	<u>X</u>	_ Oil	Ur	derground Stora	ige	
	Other	•					
	(b)If Gas	Shallow	<u>×</u>	Deep		······	
		Horizontal	<u>×</u>			Ouc	120/10
6) Existing Pad	Yes or No	Yes				JN B	30 18
7) Proposed Tar Marcellus, 65				ipated Thickness	and Expected F	Pressure(s):	
8) Proposed Tot	al Vertical	Depth: 6,51	1'				
9) Formation at	Total Verti	cal Depth:	Marcellus	,			
10) Proposed To	otal Measur	ed Depth:	18,417'				
11) Proposed H	orizontal Le	eg Length: _	10,317'				
12) Approximat	e Fresh Wa	ter Strata Dej	oths:	568'			
13) Method to E	Determine F	resh Water D	epths: 1	mile radius se	arch around pa	d location	
14) Approximat	e Saltwater	Depths: 12	79', 1883'	, 2134'			
15) Approximat	e Coal Sear	n Depths: 52	20', 836'				
16) Approximat	e Depth to I	Possible Voic	l (coal mi	ne, karst, other):	None		
17) Does Propos directly overlyir				ns Yes	No	, <u>X</u>	
(a) If Yes, prov	vide Mine I	nfo: Name:					
		Depth:					
		Seam:					
		Owner	:				

API NO. 47-____

OPERATOR WELL NO 9/9/1/2018 Well Pad Name: Longworth

-

4705102079

18)

WW-6B

(04/15)

CASING AND TUBING PROGRAM

ТҮРЕ	<u>Size</u> (in)	<u>New</u> <u>or</u> <u>Used</u>	Grade	<u>Weight per ft.</u> (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	20	New			60	60	CTS
Fresh Water	13.375	New	J-55	54.5	618	618 🗸	CTS
Coal							
Intermediate	9.625	New	L-80/N-80	40	2,206	2,206	CTS
Production	5.5	New	P110	20	18,417	18,417	2706 (500' below 9.625" shoe)
Tubing						·····	
Liners							

Ju = 15

TYPE	Size (in)	<u>Wellbore</u> Diameter (in)	<u>Wall</u> <u>Thickness</u> (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	20	26"					
Fresh Water	13.375	17.5	0.38	2730	1911	Class A	
Coal							<u></u>
Intermediate	9.625	12.375 & 12.25	0.395	5750	2768	Class A	
Production	5.5	8.75 & 8.5	0.361	14360 🗸	9975	Class A, G or H	
Tubing							
Liners							

PACKERS

Kind:		
Sizes:		
Depths Set:		

RECEIVED Office of Cilland Gas

JUL 1 9 2018

VM Depaitment of Environment Protection

API NO. 47	× 245(18
OPERATOR	WELL NO 9/24/2018
	lame: Longworth 02079
4/05	702079

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill vertical depth to the Marcellus at an estimated total vertical depth of approximately 6,511 feet. Drill horizontal leg.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

9,525 bbl fluid - 400,000 lb sand/stage - 9,400 anticipated max psi - 100 bpm anticipated max rate

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 38.9

22) Area to be disturbed for well pad only, less access road (acres): 19.3

23) Describe centralizer placement for each casing string:

Surface: bow spring - (1) on shoe track w/ stop collar & (1) per jt over coupling to surface; Intermediate: bow spring - (1) on shoe track w/ stop collar & (1) per 3 jts over coupling; Vertical Production: bow spring - (1) per every other jt over coupling; Curve and Lateral: solid composite (1) per jt of csg to KOP.

24) Describe all cement additives associated with each cement type:

For the Water String the blend will contain class A cement, 3% CaCl2, and flake. The intermediate will contain class A cement, 3% CaCl2, Salt, and flake. The Production cement will have a lead and tail cement. The lead will contain class A, G, or H cement, KCl, dispersant, suspension agent, and retarder. The tail will contain class A, G, or H cement, Calcium Carbonate, KCl, dispersant, de-foamer, suspension agent, and friction reducer.


25) Proposed borehole conditioning procedures:

Air sections ensured to be clean via air circulation once TD is reached. Fluid sections will be circulated a minimum of 2 bottoms up once casing point has been reached and until uniform mud properties are achieved.

RECEIVED Office of Git and Gas

JUL 1 9 2018

*Note: Attach additional sheets as needed.



Well ID	Prior Operator On Record	Operator - DEP	Status	Latitude	Longitude	Vertical TD	Producing Formation	Producing Zones NOT Perforated
47-051-00307	Arrowhead Exploration Co.	Operator Unknown	Plugged	39.855780	-80.748193	3,000	Fourth	None
47-051-00553	Kentucky Central & Co.	Operator Unknown	Plugged	39.843735	-80.720930	1,168	Salt Sands	None

RECEIVED Office of Oil and Gas

JUL 1 9 2018

WV Department of Environmental Protection

Cement Additives

The Water String the blend will contain class A cement, 3% CaCl2, and flake.

The intermediate will contain class A cement, 10% CaCl2, Salt, and flake.

The Production cement will have a lead and tail cement.

The lead will contain class A, G, or H cement, KCl, dispersant, suspension agent, and retarder.

The tail will contain class A, G, or H cement, Calcium Carbonate, KCI, dispersant, de-foamer, suspension agent, and friction reducer.

RECEIVED Office of Oil and Gas

JUL 1 9 2018

W Department of Environmental Protection

				Long	gworth I	M02H		
y Twp, Marshall Co, WV						G	iround Level Elev. (ft above SL):	0 5 3 0 2 0
DRILLING FLUID / BIT TYPE / TFA	CENTRALIZEK PROGRAM	CASING SIZE / FORMATION	DEP MD (FT)	TH TVD (FT)	WELLHEAD DESIGN	HOLE	CASING SPECS	CEMENT PROGRAM
Core Barrel / Auger	2 Bowspring per #	20" Conductor	42	42	INC AZM	(1N)	<u>Conductor</u> 20" 78.67# X-52 Minimum 40 ft from GL or at i	Grout to Surface
	Bow Spring: (1) on the track w/ step color & (1) on (power coupling to surface						Surface As a set of the out of a the Sarface As a set of the out of a the 13:3/4" 54.54 J 55 BTC 0.38" Wall Coupling CD (int) 13:10 int) 13:11 (int) Drint (D (int)) Drint (D (int)) Collapse (bs) Collapse (bs) Vield (It Strength 1,000 (bs))	<u>Surface Blend (Class A)</u> Coment to Surface
	Bow Spring: (1) on shar track w/ stop collar & (1) per 3 its over roughing	33-1/#" Casing	618	618		17.5	Minimum 50 ft past deepest intermediate Casing 9-5/5* 402 J-55 BTC 0.305* Woll Doupling OD (in) 10.625 Diff (in) 8.632 Diff (10 (in)) 8.632 Burst (psi) 3.950 Collapce (pc) 2.570 Yield (J: Strength 1.000 lbs) 6.30	known fresh water Intermediate II Blend (Class A) Comont to Surface
	Vertical Bow Spring: (1) per every other) tover toxy fing Curve and Lateral Solid Composite [1] per it of csg to KOP	5-5/8" Casing	2,184	2,184		12.375 - 12.25	Production Casing 5-1/2* 204 P-110 EC, 0.361* Wull Coupling OD (ni) 6.300 ID (in) 4.77a Drift ID (in) 7.78 Yield (J: Strangth 1.000 lbs) 729	Production Lead Sturry Cement to Surface
		Middinsok Burkett Shale Tully Limestone Hamilton shale Upper Marcellus Lower Marcellus Binsol Marcellus		6,253 6,359 6,389 6,423 6,423 6,424 6,522 6,547			pr-2/5/1-	Production Tail Sturry TOC minimum 200 above Marcellus
Non-Conservation	Fleat Equip. (2) Its of Csg Float Equip.	5-1/2" Casing	18,417	6,511		8.5 - 8.75	2/5/1	

RECEIVED Office of Oil and Gas

JUL 1 9 2018

WV Department of Environmental Protection

(5/16) API Number 47 - 47 0 Operator's Well No. M02H LON	5 99022/201980 ngworth
STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS - FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN	
Operator Name_Chevron Appalachia, LLC - OP Code_49449935	
Watershed (HUC 10) Middle Grave Creek - Grave Creek Quadrangle Glen Easton, WV 7.5'	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes 🔽 No Will a pit be used? Yes No 🖌	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes No If so, what ml?	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a completed form WW-9-GPP) Underground Injection (UIC Permit Number Reuse (at API Number at next anticipated well Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain))
Will closed loop systembe used? If so, describe: Yes, we will be utilizing multiple open top tanks V Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.	RECEIVED
-If oil based, what type? Synthetic, petroleum, etc. Synthetic V	Office of Oil and Gas
Additives to be used in drilling medium? Barite, fluid loss, emulsifiers, rheological control	JUL 1 9 2018
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Removed offsite -If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)	WV Department of Environmental Protection
-Landfill or offsite name/permit number? Arden Landfill #100172; South Hills Landfill #100592; Short Creek Landfil	J#WV109517 🖌

WW O

Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings or associated wasterejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Company Official (Typed Name) Jenny Hayes Company Official Title Permitting Team Lead	Jenny Ha	yes	
Subscribed and sworn before me this 1944	day of January	, 20 <u>18</u> Notary Public	
My commission expires 5 Common wealth of Sennsylvania County of Allegheny	eptember 17,2018	Му	mmonwealth of Pennsylvania - Notary Seal Laura Savage, Notary Public Allegheny County commission expires September 17, 2018 Commission number 1285773 mber, Pennsylvania Association of Notaries

Form WW-9			4c7uch 5	ell No OM2HO LZ r 2
Proposed Revegetation Tre	atment: Acres Disturbed	14.2	Preveg ctation pl	l Per soil testing repor
Lime Per soil testing	report Tons/acre or to con	rrect to pH Per soil tes	ting report	
Fertilizer type Se	e table C attached			
Fertilizer amount_	1,000	lbs/acre		
		Seed Mixtures		
Т	`eniporary		Perma	nent
Seed Type	lbs/acre		Seed Type	lbs/acre
See table A atta	ched	See ta	able B attache	d

Attach:

.

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Juce Under	
Comments:	
	RECEIVED Office of Oil and Gas
	JUL 1 9 2018
	W/Department of Environmental Protection
Title: Oil & Cores (acped Date: Z/5//C Field Reviewed? ()Yes ()No	5
Field Reviewed? ()No	

TABLE A - TEMPORARY SEEDING MIXTURES (FROM WV DOT DOH STANDARD SPECIFICATIONS)							
	SPRING MAR 1 - MAY 15	SUMMER MAY 16 - AUG 15	FALL AND WINTER AUG 16 - APR 30				
VARIETY OF SEED	LBS/ ACRE	LBS/ ACRE	LBS/ ACRE				
ANNUAL RYEGRASS	10	·	10				
BARLEY OF OATS (LOCAL SEEDS)	50						
MILLET (HUNGARIAN, GERMAN OR JAPANESE)		50					
CEREAL RYE OR CEREAL WHEAT			50				
TOTAL	60	50	50				

TABLE 8 - SEED MIXTURES (FROM WV DOT DOH STANDARD SPECIFICATIONS)							
	TYPE D*	TYPE 1					
	(CUT AND FILL SLOPES)	(ALL OTHER AREAS)					
VARIETY OF SEED	LES/ ACRE	LBS/ ACRE					
KENTUCKY 31 FESCUE	20						
RED FESCUE (PENNLAWN)	20	41					
CROWNVETCH	20						
HARD FESCUE MIXTURE **		53					
ANNUAL RYEGRASS AUG 1 TO MAY 15 OR WEEPING		12					
LOVEGRASS MAY 15 TO AUGUST 1	i	5					

*30 LB OF CEREAL RYE OR WHEAT SHALL BE ADDED TO TYPE D MIXTURE WHEN WOOD CELLULOSE FIBER IS USED AS A MULCH **A COMBINATION OF APPROVED CERTIFIED VARIETIES WITH NO ONE VARIETY EXCEEDING 50% OF THE TOTAL HARD FESCUE

TABLE C - FERTILIZER							
ТҮРЕ	FORMULA	RATE (LBS/ ACRE					
MIXED GRASSES AND LEGUMES	10-10-20	1,000					
	5-20-10 (PREFERRED) OR	1 000					
LEGUME STANDS ONLY	10-20-10	1,000					
GRASS STANDS ONLY	10-10-20	1,000					

4705 *02079

٩

WY Department of Environmental Protection

RECEIVED Office of Oil and Gas

4705 102079



Chevron

Appalachian LLC WV Well Site Safety Plan Pad: Longworth Pad A Well # M02H 5962 Roberts Ridge Rd Moundsville, WV 26041 Washington District Marshall County, WV Access Point - [39.839575°N, 80.737044°W] Well Site - [39.847350°N, 80.726939°W] Marshall County, West Virginia

1/5/18

RECEIVED Office of Oil and Gas

JUL 1 9 2018

1

WV Department of Environmental Protection

Injection Well List

19-Oct-2017

,

Operating Company	Well Name	Latitude	Longitude	API Number	Permit Number
FQ Disposal - Dexter Facility	Warren #1	39.65709	-81.4806	34-121-2-3995-00-00	3995
	Travis #1	39.65385	-81.47508	34-121-2-4086-00-00	4086
FQ Disposal - Reno Facility	Helen Hall Well #1-19	39.4348	-81.31327	····	9577
FQ Disposal - Portland Facility	Roscoe Mills Well #1	38.94059	-81.78743		3619
	Roscoe Mills Well #2	38.93276	-81.78811		3652
	M. McKelvey Well #3	38.96469	-81.78568		3651
	William McKelvey Well #1-A	38.96434	-81.78573		1439
	Harris C&W Well #1	39.96963	-81.78599		3637
Nuverra - Nichols Facility	Nichols 1-A (SWIW#13)	39.347869	-81.590882	34-167-2-3862-00-00	3862
Nuverra - Goff Facility	Goff SWD Well#1 (SWIW#27)	39.977368	-81.806901	34-119-2-8776-00-00	8776
Silcor Oil Services	SOS-D1 (SWIW#12)	39.993615	-81.572975	34-059-2-4202-00-00	4202
	SOS-D2 (SWIW#14)	39.993787	-81.578511	34-059-2-4332-00-00	4332
EGO Water Solutions	Mozen #1 (SWIW#13)	40.283293	-81.578068	34-157-2-5511-00-00	5511
Buckeye Brine - Injection Facility	Adams Well #1 (SWIS#10)	40.30123	-81.84842	34-031-2-7177-00-00	7177
	Adams Well #2 (SWIW#11)	40.30269	-81.84677	34-031-2-7178-00-00	7178
	Adams Well #3 (SWIW#12)	40.30217	-81.85089	34-031-2-7241-00-00	7241
······					

RECEIVED Office of Cill and Gas



WATER SUPPLY EXHIBIT LONGWORTH BATCH #2

office of Oil and Cas JUL 1 9 2018

JLaureno - NAD

upph Exhibit_rev1 mod - Scale 1/25,163 - 1/22/2018 4/37/32 PM -

š

onEP (GIS/Unit Vialer

TOREA.

	Foll S	
L spl	E –	
	f	
	and the second	
		And the Art C
	NN	
AR AR		
N350	0' 0	Y
3000	P AI/AG	
A ANT A ANT AND A ANT	AND V	
V VI		
	a	
1500° A	20 	x
A KOTT II I L	22 18	WID I TO TO
AS 0 1014		
	MIGH ANULH 21000 000	AO 2
	L	PP
KK 27 29 1 2	EF 25 TODAW	
CO C AG	25 TUTAN	
	W	AU DD THE AU
AD 32		AU DD
	88 88 ⁶⁵ 88	
	84 6 85	
North CTT		
V SAL 1 L ASK	1	
Miles	1/ K	
	/ Source: Esti /Dinital	Blobe, GeoEye, Fanthstar Geographics, CNES/Alibus DS,
	ISDA, USGS, Aero	GRID, IGN, and the GIS User Community
LOT ON		
Late//OWNER IM Late//OWNER M Late//OWNER A M.DCAP.RAYMOND L.B.DCROTHYL 25.00 11001600112000 P IDdES BURRY M 25.04 12001200002000 E CARNY KASEN M & ABKAHAM A M.DCAP.RAYMOND L.B.DCROTHYL 25.04 11001600112000 P IDdES BURRY M 25.04 12001200002000 E CARNY KASEN M & ABKAHAM A WHITLATELIARNETH F THUR 75.04 1100160010000 P IDdES AGHY 75.04 120012000020000 E CARNY KASEN M & ABKAHAM	TM	MACE. FM fabr DAWNER TM GHINE KICHNID ET LX 25 04 1200540000000000000000000000000000000000
C HOLMES MARY 25-04 12003000000 # 10015 KATHY 25-04 1200310000000 # 10015 KATHY 25-04 1200310000000 # KLARK GLOBIT LIT & ANTAL D HANTLY LOREN & & HATEVILLA 25-01 1200360000000 \$ MARKEN HANLEN WIET UX 25-04 120031000000 # KLARK GLOBIT LIT & ANTAL E MARCER #ANYON ULET UX 25-04 1200350000000 \$ MARKEN HANLEN WIET UX 25-04 1200310000000 # HOLKARK GLOBIT LIT & ANTAL	AL M 25-05 300380000000 VV 370 - 25-05 300410000000 WW Wr	UCKPY JAMES A ET UX 25-04 11005-600270000 AL INCREMENDIN JAMES W ET UX 25-04 12001400030000 ILLIAAS TOWARD FT VX 25-04 11005400100001 AAN INVERT JOHN STT UK 25-04 32001400030000 LIJAAS TOWARD FT VX 25-04 1100540010000 AN INVERT JOHN STT UK 25-04 12001400270000
E. SOUGH DEAN ET U.K. 255-04. 130003000 [J000 [J1] ST-VKY MERH AT A ET U.K. 35-04. 120034000 [D000 [J1] ST-VKY MERH AT A ET U.K. 35-04. 120034000 [V1] UNIVERSITY AT U.K. 25-04. 1200340000 [V1] UNIVERSITY AT	25-54 1100010000000 /* HD 23-54 1100380000000 /2 FL	21.M15.M0AP 25.GH 11005100000000 AD SHAMLER RDE(H11.SHET US 25.GH 1200510000000 AD 20.M15.M0AP 25.GH 1100510000000 AD SHAMLER RDE(H11.SHET US 25.9H 1200510000000 AD 20.M15.M0AP 25.9H 1100510000000 AD SHAMLER RDE(H11.SHET US 25.9H 1200510000000 AD 20.M15.M0AP 25.9H 1200510000000 AD SHAMLER RDE(H11.SHET US 25.9H 120051000000000000000000000000000000000
ILIGHTMER IDHN D ET _X 25-04 T100540003000 K PCUSH HAMRY ET UX 25-04 T10050000000 MM LIONGWORTH XMILLE CITY LARKETT COV M 25-04 T10050000000 MM LIONGWORTH XMILLE CITY KINKLYN KITY MULLE 25-04 T20150000000 MM LIONGWORTH XMILLE CITY KINKLYN KITY MULLE CITY KINKLYN KITY MULLE CITY KINKLYN KITY MULLE CITY KINKLYN KITY KINKLYN KIN	25-04 1200160000000 AE M 25-04 1000010000000 AD FL	DCAP RAYMOND L & DOROTHY L 25-04 1300550012000 AF CONSOLIDATION CDAL CONFANY 23-04 2500750000000 GWERS CLINE & BRENEL 25-04 1300340000000 AS CUNNINGHAM DALE & MARY 25-04 13003420000000
FCK DELOVES 25:04 L1005400000000 An STUCKLY IMMESA ET UX 22-D4 L1005400000000 P RDUSI IMARY F M MIDCSP BRADY EST ET UX 22-04 L1005400000000 B THATHER JAMES C & MELSSA S 22-04 L10054000000000 Q RDUSI IMARY F	25-34 11000403000000 AF 110 25-34 1100050300000 AG /0	EH FAR EIN CIN-PROMIT 25:04 11005720010000 AU TECH PARK NON-PROHIT 25:09 100010000000000000000000000000000000
N IMUGRITHOMAST & CLARATE 25-04 1200000000 PC TYCLEVULY ET UX 25-04 13003000000 FK TECH-RARKON-PG011 D CUNNINGRAM DALE S MARY 25-04 130030000000 DD TECH-PARKAON-PR011 25-04 10003000000 FK MIDCAP KAYMOND L		BES KATHY 25-04-12001200010000 BES AATHY 25-04-120012000000
Surface Owner: GRAHAM H LONGWORTH, JR.	County:	MARSHALL
Oil/Gas Owner: GRAHAM H LONGWORTH, JR.	Township:	MOUNDSVILLE, WV
		GROUNDWATER & ENVIRONMENTAL
Well Operator: CHEVRON APPALACHIA, LLC	Surveyor:	SERVICES, INC.
Address: 700 CHERRINGTON PARKWAY	Address:	301 COMMERCE PARK DR
CORAOPOLIS, PA 15108		CRANBERRY TOWNSHIP, PA 16066
Phone: 724-564-3700	Phone:	800-267-2549

NOTICE: THE INTENT OF THIS EXHIBIT IS TO IDENTIFY EXISTING WATER SUPPLIES IN THE VICINITY OF A PROPOSED GAS WELL, AND IS NOT A COMPLETE BOUNDARY SURVEY. PROPERTY LINES AND OWNER INFORMATION WERE OBTAINED FROM DEEDS, TAX RECORDS, AERIAL PHOTOGRAPHY, GIS, AND FIELD SURVEYED EVIDENCE.



WATER SUPPLY EXHIBIT LONGWORTH BATCH #2

RECEIVED Office of Cil and Gas

JUL 1 9 2018



WV Department of

No.	WATER PURVEYOR	SUPPLY	ELEV.	ADDRESS	PHONE #
1	MIDCAP RAYMOND L & DOROTHY L	Stream	1,148	163 Roberts Ridge	304-845-6114
2	ARNETT, SUSAN DUNCAN- ARNETT	Well	1,272	356 Wilson Hill Lane	304-639-2314
3	CUNNINGHAM DALE & MARY	Well	1,294	446 Cunningham Lane	304-845-0864
4	CUNNINGHAM DALE & MARY	Cistern	1,291	446 Cunningham Lane	304-845-0864
5	CUNNINGHAM DALE & MARY	Spring	1,241	446 Cunningham Lane	304-845-0864
6	CUNNINGHAM DALE & MARY	Spring	1,220	446 Cunningham Lane	304-845-0864
7	MORRISON JAMES W ET UX	Well	715	94 Big Grave Crk	304-845-1835
8	MORRISON JAMES W ET UX	Spring	727	94 Big Grave Crk	304-845-1835
9	MORRISON JAMES W ET UX	Pond	652	94 Big Grave Crk	304-845-1835
10	SHAFFER ROBERT L SR ET UX	Drilled Well	670	95 Big Grave Crk	304-845-6083
11	SHAFFER ROBERT L SR ET UX	Dug Well	679	95 Big Grave Crk	304-845-6083
12	LONGWORTH GRAHAM H JR	Dug Well	1,312	2527 Fork Ridge Road	304-281-4840
13	LONGWORTH GRAHAM H JR	Dug Well	1,303	2527 Fork Ridge Road	304-281-4840
14	LONGWORTH GRAHAM H JR	Cistern	1,309	2527 Fork Ridge Road	304-281-4840
15	LONGWORTH GRAHAM H JR	Pond	1,251	2527 Fork Ridge Road	304-281-4840

No.	SUPPLY COORDINATES	1H	2H	1 3 H	14H	15H	16H	
1	39° 50' 31.99920"N 80° 43' 50.45880"W	2,152	2,152	2,180	2,181	2,182	2,182	
2	39° 50' 31.13880"N 80° 43' 35.65200"W	1,939	1,931	1,939	1,947	1,955	1,964	
3	39° 50' 47.99400"N 80° 44' 11.34600"W	2,736	2,748	2,790	2,779	2,767	2,755	
4	39° 50' 48.12000"N 80° 44' 11.46480"W	2,745	2,756	2,799	2,787	2,775	2,763	
5	39° 50' 47.55840"N 80° 44' 15.60840"W	3,071	3,083	3,125	3,114	3,102	3,090	
6	39° 50' 46.43880"N 80° 44' 05.11440"W	2,274	2,285	2,328	2,317	2,306	2,295	
7	39° 51' 12.27240"N 80° 43' 13.22040"W	2,865	2,864	2,831	2,832	2,834	2,835	
8	39° 51' 10.91160"N 80° 43' 12.61560"W	2,791	2,789	2,755	2,757	2,759	2,761	
9	39° 51' 10.99080"N 80° 43' 11.43120"W	2,859	2,856	2,822	2,824	2,827	2,829	
10	39° 50' 54.25800"N 80° 43' 01.44840"W	2,754	2,743	2,701	2,712	2,723	2,734	
11	39° 50' 49.15320"N 80° 42' 57.36240"W	3,046	3,033	2,992	3,005	3,017	3,030	
12	39° 50' 49.62840"N 80° 43' 44.71680"W	653	665	707	695	684	673	
13	39° 50' 49.76160"N 80° 43' 44.91480"W	667	679	721	709	698	686	
14	39° 50' 49.67160"N 80° 43' 44.91480"W	668	680	722	710	699	687	
15	39° 50' 44.37960"N 80° 43' 53.60520"W	1,470	1,478	1,520	1,512	1,504	1,496	

*ELEVATIONS SHOWN ARE INTERPOLATED FROM LIDAR TOPO AND SUPPLY COORDINATES ARE FROM OTHERS.



WATER SUPPLY EXHIBIT LONGWORTH BATCH #2



No.	WATER PURVEYOR	SUPPLY	ELEV.	ADDRESS	PHONE #
16	LONGWORTH GRAHAM H JR	Spring	1,190	2527 Fork Ridge Road	304-281-4840
17	LONGWORTH GRAHAM H JR	Spring	1,288	2527 Fork Ridge Road	304-281-4840
18	LONGWORTH DANIEL C	Spring	1,148	812 Spindle Lane	304-845-0413
19	LONGWORTH DANIEL C	Spring	1,168	812 Spindle Lane	304-845-0413
20	LONGWORTH DANIEL C	Dug Well	1,201	812 Spindle Lane	304-845-0413
21	LONGWORTH GRAHAM H JR	Spring	1,217	2527 Fork Ridge Road	304-281-4840
22	LONGWORTH GRAHAM H JR	Pond	1,151	2527 Fork Ridge Road	304-281-4840
23	LIGHTNER JOHN D ET UX	Stream	984	264 Wilson Hill Lane	304-280-9370
24	LIGHTNER JOHN D ET UX	Dug Well	1,082	264 Wilson Hill Lane	304-280-9370
25	MIDCAP RAYMOND L ET UX	Stream	1,132	5655 Roberts Ridge	304-845-6114
26	HOLMES MARY	Pond	1,241	197 Spindle Lane	304-845-0703
27	HOLMES MARY	Pond	1,241	197 Spindle Lane	304-845-0703
28	HOLMES MARY	Pond	1,189	197 Spindle Lane	304-845-0703
29	HOLMES MARY	Stream	1,055	197 Spindle Lane	304-845-0703
30	HOLMES MARY	Stream	1,137	197 Spindle Lane	304-845-0703

No.	SUPPLY COORDINATES	1H	2H	13H	14H	15H	16H			
16	39° 50' 37.55040"N 80° 43' 52.09320"W	1,779	1,781	1,817	1,814	1,811	1,808			
17	39° 50' 48.94440"N 80° 43' 42.63240"W	506	516	558	548	539	529			
18	39° 50' 55.43520"N 80° 43' 26.41440"W	936	930	891	896	902	908			1
19	39° 50' 55.37400"N 80° 43' 26.90760"W	900	895	856	861	867	872			1
20	39° 51' 00.00360"N 80° 43' 19.33680"W	1,653	1,648	1,610	1,615	1,620	1,625		1	
21	39° 50' 44.70720"N 80° 43' 34.83480"W	578	568	570	579	590	600			
22	39° 50' 54.42000"N 80° 43' 29.10720"W	705	700	662	666	671	676			
23	39° 50' 24.18360''N 80° 43' 33.22560''W	2,654	2,644	2,649	2,659	2,668	2,677			1
24	39° 50' 20.94000"N 80° 43' 19.41960"W	3,252	3,239	3,230	3,243	3,256	3,268		REGEN	50
25	39° 50' 30.21000"N 80° 43' 24.89880"W	2,221	2,209	2,200	2,212	2,225	2,238	0	fice of Oil	and Gas
26	39° 50' 38.04720"N 80° 43' 59.52000"W	2,189	2,195	2,234	2,228	2,222	2,217		1111 1 9	2018
27	39° 50' 37.13640"N 80° 43' 58.28520"W	2,166	2,170	2,209	2,204	2,199	2,194		006.20	2010
28	39° 50' 36.69360"N 80° 43' 56.34840"W	2,078	2,082	2,119	2,115	2,111	2,107	Env	WV Departi ronmantal	hent of Role Jon
29	39° 50' 32.17560"N 80° 43' 50.67840"W	2,146	2,145	2,174	2,175	2,175	2,176			
30	39° 50' 34.24200"N 80° 43' 50.41200"W	1,958	1,959	1,989	1,989	1,989	1,989			



WATER SUPPLY EXHIBIT LONGWORTH BATCH #2



No.	WATER PURVEYOR	SUPPLY	ELEV.	ADDRESS	PHONE #
31	FLOWERS CLINT E & BRENT B	Spring	1,272	6404 Roberts Ridge Road	304-639-4499
32	FLOWERS CLINT E & BRENT B	Spring	1,273	6404 Roberts Ridge Road	304-639-4499
33	FLOWERS CLINT E & BRENT B	Spring	1,284	6404 Roberts Ridge Road	304-639-4499
34	FLOWERS CLINT E & BRENT B	Spring	1,303	6404 Roberts Ridge Road	304-639-4499
35	FLOWERS CLINT E & BRENT B	Spring	1,297	6404 Roberts Ridge Road	304-639-4499
36	FLOWERS CLINT E & BRENT B	Spring	1,313	6404 Roberts Ridge Road	304-639-4499


No.	SUPPLY COORDINATES	1H	2H	13H	14H	15H	16H	
31	39° 50' 20.94360"N 80° 43' 53.01120"W	3,241	3,238	3,263	3,265	3,268	3,270	
32	39° 50' 17.44080"N 80° 43' 44.02560"W	3,377	3,372	3,387	3,393	3,399	3,405	
33	39° 50' 10.26600"N 80° 43' 29.49960"W	4,086	4,076	4,079	4,089	4,099	4,109	
34	39° 50' 08.39400"N 80° 43' 28.77240"W	4,281	4,271	4,274	4,284	4,294	4,304	
35	39° 50' 07.99800"N 80° 43' 27.40080"W	4,337	4,327	4,329	4,339	4,349	4,359	
36	39° 50' 07.10880"N 80° 43' 22.72800"W	4,498	4,487	4,485	4,496	4,507	4,518	

RECEIVED Office of Oil and Gas

JUL 1 9 2018

WV Dimertment of Environmental Protection

BH	• • • • • • • • • • • • • • • • • • •	0.000			1 1 mm 11
R1 S 36'19'58" E 213.08' SH	L is located on topo L is located on topo			of Latitude: <u>39 5</u> of Latitude: <u>39 5</u>	
R2 N 84*27'02" E 297.36' NOTES: R3 N 68*53'12" E 274.02' 1. The	e are no water wells or developed springs within 2	EV of processed well		-	
R5 N 86'31'42" W 1562.93' 2. Prop	osed well is greater than 100 from perennial streat woir or lake.	im, wetland, pand,	LONGWORTH MO	11	SHE
A. Prop.	e are no native trout streams within 300' of propos osed well is greater than 1000' from surface grour		83	BAK	v <u>v</u> . <u>v</u> .
5. tist	r supply. In the purpose or intendion of this plat to represent	surveyed locations of the	R2	WALNUT	located
TI MALLI ASS	ce or mineral parcels depicted hereon. The location nown, are based on record deed descriptions, field hap position, unless otherwise noted.		1		ted
6. The	e are no existing buildings within 825 of proposed	wet.	1 P	1	/21/20 38
ROULERIS R	DGE ST. JOSEPH RO.	1 marine	A REFER	ICINUE //	0 0
TALLEN TIMBE	R. RDFALLEN TIMBER UN	LEAL IN THEER		SURFACE HOLE LOCA	
	LAND BONAS	WELL PAD DRIENTATION DETAIL	U27+ ^G	N:4410842.9 E:523378.15	36 20
BH		Union.	11264 0	NADB3, WV NO	RTH
	TRIBUTARY TO GRAVE CREES	_	U17H U24H U18H U23		196 10 32
	SHOE STRING RD	M16	g 01911 g 120H g 115H g 02111 g	APPROX. LANDING	D83(M)
the states	· A XB-	MUH D	MINH O 1/22H	N:4410595.5 E:522667.37	
ATTING		MO2H	0 M12H 0	NAD83, WV NO N:492302.00	RTH 38 WG W
KANSAS RIDCE RO		11	MOSH O MOS MOELE O MOS	E:1621733.7 BOTTOM HOLE LOCAT	DON (RHI)
ROBERTS HIDDE IST. JOSEPH RO	CE LENOS STRING RIDGE	RD. N.T.S	MG7H MOBH		D83(M) 9, 9,
		TRIBUTARY TO	1	E:520673.56	Lon
LEGEND	(i)	/ 1	1 /2	NAD83. WV NO N:500421.12 E:1615324.9	27 27 27
田 - TOPO MAP POINT	5,003070 0	-	X		
→ → WELL ARE POINTS UNLESS → → ALL ARE POINTS UNLESS OTHERWISE NOTED.	1.	PROPOSED HORIZ. -LENGTH 10,317.36'±	SHL	L. Tour	80.
- MINERAL TRACT	T	AZ: 320.92'		CREEK RD	42 45
PARCEL LINES		TRIBUTARY T CRAVE UREE	A Rec Skave	WELL WELL	30
	N - A	O.P	- Optime	LONGWORTH	1. 1 = =
- PROPOSED HORZONIAL WELL -TAYLORS, NEXCE, RU	Nur Lax	1	: 11 10	MO2H	1-1
- ROAD - STREAM CENTER LINE	P.K. I.	X		4-2	S is
- LESSORS - SURFACE OWNERS			STANE R5	of the	1
GAS WELLS		1:11	1 BA		1 to the second
ODSTING WELLS ODEFRISE RODE S	T. IDSEPH OD		COSTINE	00	
PEODED HELLS	APPROVINATE LAND				1 . 14
	APPROXIMATE LAND POINT OF HORIZON		9 00	ALLONDON TO THE THE	15109553
~	POINT OF HORIZON	ING LEG	C CON AN	ANDERSON, JOLONA	15100553
	NIXON RODE RO	AL		ANDERSON JOLIONY	V5109553
Blue Mountain Inc.		AM IN T	STAULE RD	ANDERSON ICLOMA	15106553
11023 MASON DIXON HIGHWAY		MA IN-		ANDERSON, EQLOWING	15100553
	NEXON REDGE RO- CUNSINGH		ERS AND LES	SORS	
	NIXON RIDGE RO-CUNSINGH SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO	URFACE OWNI SIGNED, HEREB	CERTIFY THAT	SORS	ENSED
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486	NEXON RODE ROCUMBINGH SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO T BELIEF AND SHOWS AL	URFACE OWNI SIGNED, HEREB' THE BEST OF M' L THE INFORMA	CERTIFY THAT KNOWLEDGE AN TION REQUIRED	SORS THIS BY BY BY No.	E 0 S/4 2000
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AL LAW AND THE REGULA	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A	CERTIFY THAT CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED	SORS THIS BY BY BY SORS THIS BY BY BY BY BY SORS SORS SORS SORS SORS SORS SORS SOR	15104553 15104555 1510555 151045555 15104555 15104555 15104555 15105555 1510555 151055555 151055555 151055555 151055555 151055555 1510555555 151055
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H	NXON RODE DO CUNSINGH SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO T BELIEF AND SHOWS AL LAW AND THE REGULA THE DEPARTMENT OF	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A	CERTIFY THAT CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED	SORS THIS BY BY BY BY BY BY	E Q SIT
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 0F ACCURACY: 1/2500	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AL LAW AND THE REGULA	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A	CERTIFY THAT CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED	SORS THIS ND BY BY BY BY BY	E Q SA 2000 TE OF VIRGINITAL SURVICION
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 0F ACCURACY: 1/2500	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed:	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMATIONS ISSUED A ENVIRONMENTA	CERTIFY THAT CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED	SORS THIS BY BY BY BY BY BY BY BY BY BY BY BY BY	2000 TE OF VIRGINITION MAL SURVISION SEAL HERE
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81'	NXON RODE DO CUNSINGH SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO T BELIEF AND SHOWS AL LAW AND THE REGULA THE DEPARTMENT OF	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMATIONS ISSUED A ENVIRONMENTA	ERS AND LES	SORS THIS BY BY BY DO PLACE	2000 TE OF VIRCINITION SEAL HERE
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 0F ACCURACY: 1/2500	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed:	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A ENVIRONMENTA ENVIRONMENTA L.L.S.	ERS AND LES	PLACE:	2000 TE OF VIRGINITION MAL SURVENING SEAL HERE
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed:	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMATIONS ISSUED A ENVIRONMENTA L.L.S.	ERS AND LES CERTIFY THAT CERTIFY THAT CER	ER 20 2017	MO2H
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed:	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMATIONS ISSUED A ENVIRONMENTA L.L.S.	ERS AND LES CERTIFY THAT CERTIFY THAT CER	ER 20 2017	MO2H
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed:	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMATIONS ISSUED A ENVIRONMENTA L.L.S.	ERS AND LES CERTIFY THAT CERTIFY THAT CER	ER 20 2017 :: LONGWORT 51 02	TH MO2H
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AI LAW AND THE REGULA THE DEPARTMENT OF Signed: R.P.E.:	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A ENVIRONMENTA LLL.S. DATE OPER API W	ERS AND LES	ER 20 2017 ER 20 2017 ER 20 2017 ELONGWORT 51 02 COUNTY P	H MO2H
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET OIX OF MELT	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AI LAW AND THE REGULA THE DEPARTMENT OF Signed: R.P.E.:	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A ENVIRONMENTA LLL.S. DATE OPER API W	ERS AND LES	ER 20 2017 ER 20 2017 ER 20 2017 ELONGWORT 51 02 COUNTY P	H MO2H
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed: R.P.E.: Production	URFACE OWNI SIGNED, HEREB IHE BEST OF M L THE INFORMA TIONS ISSUED A ENVIRONMENTA L.L.S. DATE OPER API W	ERS AND LES	ER 20 2017 ER 20 2017 LONGWORT 51 072 COUNTY P n Storage 1294.18'	H MO2H
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: OII Waste Disposal WATERSHED: MIDDLE GRAVE CREEK-GRAVE C	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO T BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed: R.P.E.: X Production Deep REEK	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A ENVIRONMENTA L.L.S. DATE OPER API W	ERS AND LES	ER 20 2017 ER 20 2017 ER 20 2017 EN 201	H MO2H
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: Oil Waste Disposal WATERSHED: MIDDLE GRAVE CREEK-GRAVE C COUNTY/DISTRICT: MARSHALL / CLAY	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO T BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed: R.P.E.: X Production Deep REEK	MAIN WILSO URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A ENVIRONMENTA L.L.S. DATE OPER API W C. Cas [QUADRANC	CERTIFY THAT CERTIFY CERTIF	ER 20 2017 ER 20 2017 COUNTY P 1294.18' N EASTON, WV 7.5'	H MO2H
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: Oil Waste Disposal WATERSHED: MIDDLE GRAVE CREEK-GRAVE C COUNTY/DISTRICT: MARSHALL / CLAY SURFACE OWNER: GRAHAM H. LONGW	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO T BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed: R.P.E.: Production Deep REEK	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A ENVIRONMENTA LLL.S. DATE OPER API W	ERS AND LES	ER 20 2017 ER 20 2017 COUNTY P 1294.18' N EASTON, WV 7.5' AGE: 123.589±	H MO2H
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: Oil Waste Disposal WATERSHED: MIDDLE GRAVE CREEK-GRAVE C COUNTY/DISTRICT: MARSHALL / CLAY SURFACE OWNER: GRAHAM H. LONGW OIL & GAS ROYALTY OWNER: GRAHAM	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO T BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed: R.P.E.: X Production Deep REEK DORTH JR. H. LONGWORTH JR.	MAIN WILSO URFACE OWNI SIGNED, HEREB IHE BEST OF M L THE INFORMA TIONS ISSUED A ENVIRONMENTA L.L.S. DATE OPER API W C X Gas [QUADRANC	ERS AND LES	ER 20 2017 ER 20 2017 COUNTY P Storage 1294.18' N EASTON, WV 7.5' NGE: 123.589± AGE: 709.816±	TH MO2H 079HbA PERMIT X Shallow
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: Oil Waste Disposal WATERSHED: MIDDLE GRAVE CREEK-GRAVE C COUNTY/DISTRICT: MARSHALL / CLAY SURFACE OWNER: GRAHAM H. LONGW OIL & GAS ROYALTY OWNER: GRAHAM DRILL X CONVERT DRILL DEEPE	NEXON RIDGE RD CUNRENDER SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO TO BELIEF AND SHOWS ALL LAW AND THE REGULAT THE DEPARTMENT OF Signed: R.P.E.: Image: Image:	MAIN WILSO URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A ENVIRONMENTA L.L.S. DATE OPER API W C QUADRANC RACTURE OR S'		ER 20 2017 ER 20 2017 ER 20 2017 LONGWORT 0 2 COUNTY P n Storage 1294.18' N EASTON, WV 7.5' AGE: 123.589± AGE: 709.816± PLUG OFF OLD F	TH MO2H 079HbA PERMIT X Shallow
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: Oil Waste Disposal WATERSHED: MIDDLE GRAVE CREEK-GRAVE C COUNTY/DISTRICT: MARSHALL / CLAY SURFACE OWNER: GRAHAM H. LONGW OIL & GAS ROYALTY OWNER: GRAHAM DRILL X CONVERT DRILL DEEPE PERFORATE NEW FORMATION PLUG A	NEXON RIDGE RD CUNRENDER SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO TO BELIEF AND SHOWS ALL LAW AND THE REGULAT THE DEPARTMENT OF Signed: R.P.E.: Image: Image:	MAIN WILSO URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A ENVIRONMENTA L.L.S. DATE OPER API W C QUADRANC RACTURE OR S'		ER 20 2017 ER 20 2017 ER 20 2017 LONGWORT 0 2 COUNTY P n Storage 1294.18' N EASTON, WV 7.5' AGE: 123.589± AGE: 709.816± PLUG OFF OLD F	TH MO2H 079HbA PERMIT X Shallow
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: OII WDDLE CRAVE CREEK-GRAVE C COUNTY/DISTRICT: MARSHALL / CLAY SURFACE OWNER: GRAHAM H. LONGW OIL & GAS ROYALTY OWNER: GRAHAM DRILL X CONVERT DRILL DEEPE PERFORATE NEW FORMATION PLUG A (SPECIFY);	NEXON RIDGE RD CUNRENDER SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO TO BELIEF AND SHOWS ALL LAW AND THE REGULAT THE DEPARTMENT OF Signed: R.P.E.: Image: Image:	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMA TIONS ISSUED A ENVIRONMENTA L.L.S. DATE OPER API W CONT CONT CONT CONT CONT CONT CONT CONT	ERS AND LES	ER 20 2017 ER 20 2017 ER 20 2017 ER 20 2017 COUNTY P COUNTY P 1294.18' N EASTON, WV 7.5' AGE: 123.589± AGE: 709.816± PLUG OFF OLD F ER CHANGE	ORMATION
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (3D4) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: Oil WATERSHED: MIDDLE GRAVE CREEK-GRAVE C COUNTY/DISTRICT: MARSHALL / CLANSURFACE OWNER: SURFACE OWNER: GRAHAM H. LONGW OIL & GAS ROYALTY OWNER: GRAHAM DRILL X CONVERT DRILL DEEPE PERFORATE NEW FORMATION PLUG A (SPECIFY):	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO T BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed: R.P.E.: X Production Deep REEK ORTH JR. H. LONGWORTH JR. R REDRILL FR & ABANDON CLE	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMATIONS ISSUED A ENVIRONMENTA LLL.S. DATE OPER API W CONTERNATED I		SO PLACE : ER 20 2017 LONGWORT 51 O 2 COUNTY P 1294.18' P N EASTON, WV 7.5' AGE: 123.589± AGE: 709.816± PLUG OFF OLD F ER CHANGE Implied VD: 6,600'± TMD: 1	TH MO2H 079HbA PERMIT X Shallow
11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: OII WDDLE CRAVE CREEK-GRAVE C COUNTY/DISTRICT: MARSHALL / CLAY SURFACE OWNER: GRAHAM H. LONGW OIL & GAS ROYALTY OWNER: GRAHAM DRILL X CONVERT DRILL DEEPE PERFORATE NEW FORMATION PLUG A (SPECIFY);	SEE PAGE 2 FOR SI I, THE UNDER PLAT IS CORRECT TO T BELIEF AND SHOWS AL LAW AND THE REGULAT THE DEPARTMENT OF Signed: R.P.E.: X Production Deep REEK ORTH JR. H. LONGWORTH JR. R REDRILL FR & ABANDON CLE	URFACE OWNI SIGNED, HEREB THE BEST OF M L THE INFORMATIONS ISSUED A ENVIRONMENTA LLL.S. DATE OPER API W CONTENTA OPER API W CONTENTA CONTENTA OPER API W CONTENTA CON		ER 20 2017 ER 20 2017 ER 20 2017 ER 20 2017 COUNTY P COUNTY P Storage 1294.18' N EASTON, WV 7.5' AGE: 123.589± AGE: 709.816± PLUG OFF OLD F ER CHANGE	ORMATION



	LESSOR	DIST-TM/PAR
A	GRAHAM H. LONGWORTH JR. ET AL	4-11/1
В	HOLMES CWC LEGACY LLC	4-11/55
С	JEFFREY S. HOLMES ET UX	4-13/39.1
D	DALE CUNNINGHAM ET UX	4-13/34
E	DALE CUNNINGHAM ET UX	4-13/33
F	BRETT A. ANDREWS ET UX	4-12/19
G	RALPH E. WOOD	4-12/21
Н	RALPH E. WOOD	4-12/22
J	KENNETH D. TUCKER ET UX	4-12/1
K	GARY L. ECKHARDT	4-13/14.1
L	RICHARD D. ARRUDA ET UX	4-12/1.1
М	*LIONEL SCHWING ET UX	4-13/13
N	BYRON C. FREELAND ET UX	4-7/28
P	JOSEPH L. FREELAND ET UX	4-7/21

SURFACE HOLE LOCATION (SH	L)
UTM 17-NAD83() N:4410842.96 E:523378.15	42
NAD83, WV NORTH N:493075.069 E:1624079.796	
APPROX. LANDING POINT	-
UTM 17-NAD83() N:4410595.50 E:522667.37	4)
NAD83, WV NORTH N:492302.008 E:1621733.799	
BOTTOM HOLE LOCATION (BH	L)
UTM 17-NAD83() N:4413036.39 E:520673.56	4)

NAD83, WV NORTH N:500421.127 E:1615324.970

	SURFACE OWNER	DIST-TM/PAR
1	GRAHAM H. LONGWORTH JR.	4-11/1
2	HOLMES-CWC-LEGACY LLC	4-11/55
3	JEFFREY SCOTT HOLMES ET AL	4-13/39.1
4	DALE & MARY CUNNINGHAM	4-13/34
5	DALE & MARY CUNNINGHAM	4-13/33
6	CODY M. JARRETT	4-12/19
7	RALPH E. WOOD	4-12/21
8	RALPH E. WOOD	4-12/22
9	KEITH J. GUZEK	4-12/1
10	GARY L. ECKHARDT	4-13/14.1
11	RICHARD DAVID & TAMMY D. ARRUDA	4-12/1.1
12	*LIONEL SCHWING ET UX	4-13/13
13	BYRON FREELAND	4-7/28
14	JOSEPH L. FREELAND ET UX	4-7/21

* - DENOTES PARCEL WITHIN 30 FEET OF PLANNED WELL BORE

DECEMBER 20, 2017



D	II to be after the too	0.070			
	IL is located on topo IL is located on topo			of Latitude: <u>39</u>	
R2 N 84'27'02" E 297.36' R3 N 68'53'12" E 274.02' NOTES:		a			
R4 S 73'49'37" W 2269.37'	ere are no water wells or developed springs within sposed well is greater than 100' from perennial stre	250' of proposed well. am, wetland, pond,	LONGWORTH TO	105 102	017 9 2 2
R6 N 50'31'38" W 2213.26' 3. Th	ervoir or lake. are are no native trout streams within 300' of propo sposed well is greater than 1000' from surface grou		P3	- Sur]	<u>.</u>
1 1 1 1 1 1 Wa	ter supply. not the purpose or intention of this plat to represer		<u>B2</u>		A located
su su	face or mineral parcels depicted hereon. The local shown, are based on record deed descriptions, field	tion of the boundary lines.	1	BHL	The let
	map position, unless otherwise noted. ere are no existing buildings within 625' of propose	1	1. As	// 🖽	00
	RIDCE ST JOSEPH RD		REFER	UENCE // 09	/21/2018
T		LEALLEN TIMBER	OAK DET	SURFACE HOLE LOOM	TION (SHUT) OD O
CO CO FALLER IMA	FALLEN TIMBER IN	1	RD	UTM 17-NA	
1-1 Car		R CN. DETAIL	U27H D	N:4410842. E:523378.1	96 map
	TRIEUTARY TO GRAVE CREEK		U17H 0 U25H 0 U17H 0 U25H 0	NAD83. WV NO N:493075.0	
	GRAVE CREEK	~	U181) O U24H	E:1624079.	
	SHOE STRING BD.	MIGH V	15H C LI2CH C	UTM 17-NA	D83(M)
LA ANN	No XR	WDIH C	M14H (1 U22H	 N:4410595. E:522667.3 	
L		MO2H	3H 0 M12H 0 M04H 0 M11H 0	NAD83. WV NO N:492302.00	RTH
KANSAS RIDGE RD		11	MOSH D MOS	E:1621733.	TION (PUL)
sources more at more an	SHOR STRING RIDGE	RD N.T.S	M07H	UTM 17-NA	D83(M) 9, 9,
ROBERTS RIDGE IST. JOSEPH RD		TRIBUTARY TO	F	N:4413036. E:520673.56	
LEGEND	000	1	1 A	NAD83. WV NO N:500421.1	27 27 27 27
- TOPO MAP POINT		1	Y.	E:1615324.9	CREEK
O - ALL ARE POINTS UNLESS	5)00307	PROPOSED HORIZ.		- Growe	waara
OTHERWISE NOTED.	t	-LENGTH 10,317.36°± AZ: 320.92°	SHL	A Start	80. 0
BOUNDARY 	XX	TRIBUTARY TO CRAVE CREE	BIG GRAVE		42
	TI -XX		11	LONGWORTH	30
- PROPOSED TAYLORS FOGE RD.	$M \land M$	1.1	Optimie	MO2H	N. in
- ROAD	the film	J.	1 2	1 3 2400	1 3
 Sinche Centre Cinc LESSORS 		00 0-		XX	2. 1
() - SURFACE OWNERS		A VE	STANCE R5	A XX	1: 13
GAS WELLS					
- FYSTING WELLS	Aland	N:X	BA-BA		S-F-SM
- EXISTING WELLS - PLUCCED WELLS - VELOCED WELLS	ST. JOSEPH RO		Course BA	00	
	APPROXIMATE LANI POINT OF HORIZON		Come Bt	ANDERSCH HOLLOW	F5194553
	APPROXIMATE LAN	TAL LEG	Converting the service line	SH.	P5104553
* - PLUCCED WELLS	APPROXIMATE LAN	TAL LEG	State	SH.	Ke199553
Blue Mountain Inc.	APPROXIMATE LANI	TAL LEG	COTINE CO	SH.	65199553
Blue Mountain Inc.	APPROXIMATE LANI	M CH-	THE ROA	ANDERSON HOLLOW	Karpa553
Blue Mountain Inc.	APPROXIMATE LANI POINT OF HORZON RIXON RIDGE RD. CUNNINCH	URFACE OWNE	TRS AND LESS	ANDERSON HOLLOW	
Blue Mountain Inc.	SEE PAGE 2 FOR S	URFACE OWNER SIGNED, HEREBY	CERTIFY THAT KNOWLEDGE AN	ANDERSON HOLLOW	
PLICED WELLS ROPERPS RIDCE Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486	APPROXIMATE LANI POINT OF HORIZON NIXON RIDGE RD. CUNNINGH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT	CERTIFY THAT KNOWLEDGE AN TION REQUIRED	ANDERSON HOLLOW	6109553 6109553 E 0 5,4 NSE0
PLICED WELLS ROPERPS RIDGE Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WY 26562 PHONE: (304) 562–6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H	APPROXIMATE LANI POINT OF HORZON RIXON RIDGE RD. CUNNINGH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO T BELIEF AND SHOWS AI LAW AND THE REGULA	URFACE OWNE SIGNED, HEREBY THE BEST OF MY LL THE INFORMAT TIONS ISSUED AT	CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED	ANDERSON HOLLOW	6109553 E 0 54 2000 TE OF
Image: Price of the second	APPROXIMATE LANI POINT OF HORIZON NIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL	CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED	ANDERSON HOLLOW	E Q SA 2000 TE OF BOOM
Image: Price of the second	APPROXIMATE LANI POINT OF HORIZON NIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF	URFACE OWNE SIGNED, HEREBY THE BEST OF MY LL THE INFORMAT TIONS ISSUED AT	CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED	ANDERSON HOLLOW	E Q SAL
Image: Price of the second	APPROXIMATE LANI POINT OF HORIZON NIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY LL THE INFORMAT TIONS ISSUED AT ENVIRONMENTAL	CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED PROTECTION.	ANDERSON HOLLOWS	6109553
Image: Price of the second state Image	APPROXIMATE LANI POINT OF HORZON NIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF	URFACE OWNE SIGNED, HEREBY THE BEST OF MY LL THE INFORMAT TIONS ISSUED AT ENVIRONMENTAL	CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED	ANDERSON HOLLOWS	E Q SA 2000 TE OF COMMUNICATION VIRGINIC COMMUNICATION SEAL HERE
Image: Price of the image: state of	APPROXIMATE LANI POINT OF HORIZON NIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY LL THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL	CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED PROTECTION.	ANDERSON HOLLOWS	E Q SIL
Image: Price of the second state Image	APPROXIMATE LANI POINT OF HORIZON NIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY LL THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL LL.L.S.: DATE:	CERTIFY THAT KNOWLEDGE AN ION REQUIRED ND PRESCRIBED PROTECTION.	ANDERSON HOLLOW SORS THIS D BY BY BY BY D BY BY D BY BY C C C C C C C C C C C C C	SEAL HERE
Image: Price of the image: state of	APPROXIMATE LANI POINT OF HORIZON NIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL L.L.S.: DATE: OPER/	CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED PROTECTION. P.S. No. 200 DECEMBE	ANDERSON HOLLOW SORS THIS D BY BY BY BY BY BY BY BY BY BY	SEAL HERE
Image: Price of the image is a constraint o	APPROXIMATE LANI POINT OF HORIZON NIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL L.L.S.: DATE: OPER/	CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED PROTECTION. P.S. No. 200 DECEMBE	ANDERSON HOLLOW SORS THIS D BY BY BY BY BY BY BY BY BY BY	SEAL HERE
Image: Price of the image: state of	APPROXIMATE LANI POINT OF HORIZON NIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL L.L.S.: DATE: OPER/	CERTIFY THAT KNOWLEDGE AN TION REQUIRED ND PRESCRIBED PROTECTION. P.S. No. 200 DECEMBE TOR'S WELL #: ELL #: 47	ANDERSON HOLLOW SORS THIS D BY BY BY BY BY BY BY BY BY BY	H M02H
Blue Mountain Inc. Ince the second	APPROXIMATE LANI POINT OF HORIZON RIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed: R.P.E.:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY LL THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL DATE: OPER/ API W	P.S. No. 200 DECEMBER TOR'S WELL #: ELL #: 47 STATE	ANDERSON HOLLOW SORS THIS D BY BY BY BY COUNTY PLACES SORS THIS TH	H M02H
Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WY 26562 PHONE: (304) 662–6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 1/2500 PROVEN SOURCE OF ACCURACY: 1/2500 PROVEN SOURCE OF ELEVATION: 1/2500 PROVEN SOURCE OF ELEVATION: 1/2500 PROVEN SOURCE OF ACCURACY: 1/2500 PROVEN SOURCE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: 0 OI Waste Disposal	APPROXIMATE LANI POINT OF HORIZON RIXON RIDGE RD. CUMMINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed: R.P.E.:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL DATE: OPER/ API W	CERTIFY THAT KNOWLEDGE AN TON REQUIRED ND PRESCRIBED PROTECTION. P.S. No. 200 DECEMBE ATOR'S WELL #: ELL #: 47 STATE Liquid Injection	ANDERSON HOLLOW SORS THIS D BY BY BY BY COUNTY COUNTY COUNTY COUNTY D Storage	H M02H
Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WY 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: 1/2500 PROVEN SOURCE OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: 0il U Waste Disposal WATERSHED: MIDDLE GRAVE CREEK-GRAVE O	APPROXIMATE LAN POINT OF HORIZON NIXON RIDGE RD. SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed: R.P.E.:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY LL THE INFORMAT TIONS ISSUED AT ENVIRONMENTAL ULL.S.: DATE: OPER/ API W	P.S. No. 200 PROTECTION. P.S. No. 200 DECEMBE TOR'S WELL #: ELL #: 47 STATE Liquid Injection ELEVATION:	ANDERSON HOLLOW SORS THIS D BY BY BY BY COUNTY	H MO2H
Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WY 26562 PHONE: (304) 662–6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 1/2500 PROVEN SOURCE OF ACCURACY: 1/2500 PROVEN SOURCE OF ELEVATION: 1/2500 PROVEN SOURCE OF ELEVATION: 1/2500 PROVEN SOURCE OF ACCURACY: 1/2500 PROVEN SOURCE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: 0 OI Waste Disposal	APPROXIMATE LAN POINT OF HORIZON NIXON RIDGE RD. SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed: R.P.E.:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY LL THE INFORMAT TIONS ISSUED AT ENVIRONMENTAL ULL.S.: DATE: OPER/ API W	P.S. No. 200 PROTECTION. P.S. No. 200 DECEMBE TOR'S WELL #: ELL #: 47 STATE Liquid Injection ELEVATION:	ANDERSON HOLLOW SORS THIS D BY BY BY BY COUNTY	H M02H
Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WY 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: 1/2500 PROVEN SOURCE OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: 0il U Waste Disposal WATERSHED: MIDDLE GRAVE CREEK-GRAVE O	APPROXIMATE LANI POINT OF HORIZON RIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL L.L.S.: DATE: OPER/ API W	ERS AND LESS CERTIFY THAT KNOWLEDGE AN TON REQUIRED ND PRESCRIBED PROTECTION. P.S. No. 200 DECEMBE ATOR'S WELL #: ELL #: 47 STATE Liquid Injection ELEVATION: LE: GLEN	ANDERSON HOLLOW SORS THIS D BY BY BY No. STAT NO. PLACE COUNTY P COUNTY P Storage 1294.18' LANDERSON WY 7.5'	H M02H
Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WY 26562 PHONE: (304) 662–6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 1/2500 PROVEN SOURCE OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: HIGHWAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: OII Waste Disposal WATERSHED: MIDDLE GRAVE CREEK-GRAVE O COUNTY/DISTRICT: MARSHALL / CLAY SURFACE OWNER: GRAHAM H. LONGW	APPROXIMATE LANI POINT OF HORIZON RIXON RIDGE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed: R.P.E.: R.P.E.:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL L.L.S.: DATE: OPER/ API W	CERTIFY THAT KNOWLEDGE AN ION REQUIRED ND PRESCRIBED PROTECTION. P.S. No. 200 DECEMBE TOR'S WELL #: ELL #: 47 STATE Liquid Injection ELEVATION: LE: GLEN ACREA	ANDERSON HOLLOW SORS THIS D BY BY BY No. STAT O PLACE COUNTY PLACE STAT No. STAT	H M02H
Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WY 26562 PHONE: (304) 662–6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVA	APPROXIMATE LAN POINT OF HORIZON NIXON RIDGE RD. SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed: R.P.E.: R.P.E.: Production Deep REEK CORTH JR. H. LONGWORTH JR.	URFACE OWNE SIGNED, HEREBY THE BEST OF MY LL THE INFORMAT TIONS ISSUED AT ENVIRONMENTAL ULL.S.: DATE: OPER/ API W	CERTIFY THAT KNOWLEDGE AN TON REQUIRED PROTECTION. P.S. No. 200 DECEMBE TOR'S WELL #: ELL #: 47 STATE Liquid Injection ELEVATION: LE: GLEN ACREA ACREA	ANDERSON HOLLOW SORS THIS D BY BY BY BY No. STAT COUNTY COU	ERMIT
Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WY 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: THOMAS 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: Oil Waste Disposal WATERSHED: MIDDLE GRAVE CREEK-GRAVE O COUNTY/DISTRICT: MARSHALL / CLA SURFACE OWNER: GRAHAM H. LONGW OIL & GAS ROYALTY OWNER: GRAHAM DRILL X CONVERT DIRILL DEEPE	APPROXIMATE LANI POINT OF HORIZON RIXON RIDCE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL L.L.S.: DATE: OPER/ API W		ANDERSON HOLLOW SORS THIS D BY BY BY No. STAT STAT ST	ERMIT
Blue Mountain Inc. Inc.	APPROXIMATE LANI POINT OF HORIZON RIXON RIDCE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL L.L.S.: DATE: OPER/ API W		ANDERSON HOLLOW SORS THIS D BY BY BY No. STAT STAT ST	ERMIT
Blue Mountain Inc. Inc.	APPROXIMATE LANI POINT OF HORIZON RIXON RIDCE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL COPER/ API W COPER/ API W COPER/ API W COPER/ API W COPER/ API W COPER/ API W	P.S. No. 200 PROTECTION. P.S. No. 200 DECEMBE TOR'S WELL #: ELL #: 47 STATE Liquid Injection ELEVATION: LE: GLEN MULATE X UG OTHE	ANDERSON HOLLOW SORS THIS D BY BY BY No. STAT COUNTY PLACE S COUNTY PLACE S COUNTY	ERMIT
Blue Mountain Inc. Inc.	APPROXIMATE LANI POINT OF HORIZON RIXON RIDCE RD. CUNNINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed:	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AI ENVIRONMENTAL L.L.S.: DATE: OPER/ API W	P.S. No. 200 PROTECTION. P.S. No. 200 DECEMBE TOR'S WELL #: ELL #: 47 STATE Liquid Injection ELEVATION: LE: GLEN MULATE X UG OTHE	ANDERSON HOLLOW SORS THIS D BY BY BY No. STAT COUNTY	H MO2H ERMIT X Shallow
Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WY 26562 PHONE: (304) 662-6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: 0il Waste Disposal WATERSHED: MIDDLE GRAVE CREEK-GRAVE O COUNTY/DISTRICT: MARSHALL / CLA SURFACE OWNER: GRAHAM H. LONGW OIL & GAS ROYALTY OWNER: GRAHAM DRILL X CONVERT DRILL DEEPE PERFORATE NEW FORMATION PLUG A (SPECIFY):	APPROXIMATE LAN POINT OF HORIZON REXAM RIDGE RD. CUMMINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed: R.P.E.: R.P.E.: Production Deep REEK CORTH JR. H. LONGWORTH JR. R C REDRILL FR & ABANDON CLEA	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AT ENVIRONMENTAL COPERA API W COPERA API M COPERA API M COPERA AP		ANDERSON HOLLOW SORS THIS D BY BY BY No. STAT COUNTY PLACE S COUNTY PLACE S COUNTY COUN	ERMIT
Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WY 25562 PHONE: (304) 662–6486 FILE #: LONGWORTH M02H DRAWING #: LONGWORTH M02H DRAWING #: LONGWORTH M02H SCALE: 1" = 2000' MINIMUM DEGREE OF ACCURACY: 1/2500 PROVEN SOURCE U.S.G.S. MONUMENT OF ELEVATION: 1498.81' (+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS WVDEP OFFICE OF OIL & GAS 601 57TH STREET CHARLESTON, WV 25304 Well Type: 0il Waste Disposal WATERSHED: MIDLE GRAVE CREEK-GRAVE O COUNTY/DISTRICT: MARSHALL / CLA SURFACE OWNER: GRAHAM H. LONGW OIL & GAS ROYALTY OWNER: GRAHAM DRILL X CONVERT DRILL DEEPE PERFORATE NEW FORMATION PLUG A (SPECIFY):	APPROXIMATE LAN POINT OF HORIZON REXAM RIDGE RD. CUMMINCH SEE PAGE 2 FOR S I, THE UNDER PLAT IS CORRECT TO TO BELIEF AND SHOWS AN LAW AND THE REGULA THE DEPARTMENT OF Signed: R.P.E.: R.P.E.: Production Deep REEK CORTH JR. H. LONGWORTH JR. R C REDRILL FR & ABANDON CLEA	URFACE OWNE SIGNED, HEREBY THE BEST OF MY L THE INFORMAT TIONS ISSUED AN ENVIRONMENTAL COPERA API W COPERA API API API API API API API API API API		ANDERSON HOLLOW SORS THIS D BY BY BY No. STAT COUNTY PLACE S COUNTY PLACE S COUNTY C	ERMIT

4705 + 02079

LONGWORTH M02H PAGE 2 OF 2

09/21/2018

	LESSOR	DIST-TM/PAR
A	GRAHAM H. LONGWORTH JR. ET AL	4-11/1
В	HOLMES CWC LEGACY LLC	4-11/55
С	JEFFREY S. HOLMES ET UX	4-13/39.1
D	DALE CUNNINGHAM ET UX	4-13/34
E	DALE CUNNINGHAM ET UX	4-13/33
F	BRETT A. ANDREWS ET UX	4-12/19
G	RALPH E. WOOD	4-12/21
н	RALPH E. WOOD	4-12/22
J	KENNETH D. TUCKER ET UX	4-12/1
К	GARY L. ECKHARDT	4-13/14.1
L	RICHARD D. ARRUDA ET UX	4-12/1.1
М	*LIONEL SCHWING ET UX	4-13/13
N	BYRON C. FREELAND ET UX	4-7/28
Р	JOSEPH L. FREELAND ET UX	4-7/21

SURFACE HOLE LOCATION (SHL	
UTM 17-NAD83(M N:4410842.96	D
E:523378.15 NAD83. WV NORTH	
N:493075.069 E:1624079.796	
APPROX. LANDING POINT	

 ITIM
 17-NADB3(M)

 N:4410595.50
 E:522667.37

 NADB3, WV NORTH
 N:492302.008

 E:1621733.799
 E:1621733.799

EOTTOM HOLE LOCATION (BHL) UTM 17-NAD83(M) N:4413036.39 E:520673.56 NAD83, WV NORTH N:500421.127 E:1615324.970

	SURFACE OWNER	DIST-TM/PAR
1	GRAHAM H. LONGWORTH JR.	4-11/1
2	HOLMES-CWC-LEGACY LLC	4-11/55
3	JEFFREY SCOTT HOLMES ET AL	4-13/39.1
4	DALE & MARY CUNNINGHAM	4-13/34
5	DALE & MARY CUNNINGHAM	4-13/33
6	CODY M. JARRETT	4-12/19
7	RALPH E. WOOD	4-12/21
8	RALPH E. WOOD	4-12/22
9	KEITH J. GUZEK	4-12/1
10	GARY L. ECKHARDT	4-13/14.1
11	RICHARD DAVID & TAMMY D. ARRUDA	4-12/1.1
12	*LIONEL SCHWING ET UX	4-13/13
13	BYRON FREELAND	4-7/28
14	JOSEPH L. FREELAND ET UX	4-7/21

RECEIVED Office of Oil and Gas

JUL 1 9 2018

WV Department of Environmental Protection

* - DENOTES PARCEL WITHIN 30 FEET OF PLANNED WELL BORE

DECEMBER 20, 2017

Blue Mountain Inc. 11023 MASON DIXON HIGHWAY BURTON, WY 26562 PHONE: (304) 662-6486

4705102079

WW-6A1 (5/13)

Operator's Well No. Longworth M02H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, 1 depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number Grantor, Lessor, etc. Grantee, Lessee, etc. Royalty Book/Page

See Attached

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Chevron Appalachia, LLC			
By:	Jenny Hayes Chenny	Hayes		
Its:	Permitting Team Lead			
RECEIVED Office of Oil and Gas	0 0	~		
JUL 1 9 2018		Page 1 of		
WV Department of Environmental Protection				

4705102079

Plat ID	Lessor	Lessee	Royalty	Book/Page	Assignment #1
4-11-1.0	LONGWORTH GRAHAM H JR ET AL	Chevron U.S.A. Inc.	0.14	BK 790 - PG 129	n/a
4-11-55.0	HOLMES CWC LEGACY LLC	Chevron U.S.A. Inc.	0.14	BK 790 - PG 120	n/a
4-13-39.1	HOLMES JEFFREY S ET UX	Chesapeake Appalachia, LLC	0.15	BK 681 - PG 520	BK 30 - PG 392 Chesapeake Appalachia, LLC to Chevron U.S.A. Inc.
4-13-34.0	CUNNINGHAM DALE ET UX	Chesapeake Appalachia, LLC	0.15	BK 681 - PG 502	BK 30 - PG 392 Chesapeake Appalachia, LLC to Chevron U.S.A. Inc.
4-13-33.0	CUNNINGHAM DALE ET UX	Chesapeake Appalachia, LLC	0.15	BK 681 - PG 502	BK 30 - PG 392 Chesapeake Appalachia, LLC to Chevron U.S.A. Inc.
4-12-19.0	ANDREWS BRETT A ET UX	Chevron U.S.A. Inc.	0.15	BK 773 - PG 43	n/a
4-12-21.0	WOOD RALPH E	Chevron U.S.A. Inc.	0.18	BK 835 - PG 028	n/a
4-12-22.0	WOOD RALPH E	Chevron U.S.A. Inc.	0.18	BK 835 - PG 028	n/a BK 29 - PG 288
4-12-1.0	TUCKER KENNETH D ET UX	NPAR, LLC	0.16	BK 754 - PG 60	NPAR, LLC to Chevron U.S.A. Inc.
4-13.14.1	ECKHARDT GARY L	Chevron U.S.A. Inc.	0.14	BK 763 - PG 614	n/a BK 28 - PG 348
4-12.1.1	ARRUDA RICHARD D ET UX	TRIENERGY HOLDINGS LLC	0.16	BK 752 - PG 403	Trienergy Holdings, LLC to Chevron U.S.A Inc.
4-13-13.0	SCHWING LIONEL ET UX	Chevron U.S.A. Inc.	0.16	BK 831 - PG 381	n/a
4-7-28.0	FREELAND BYRON C ET UX	Chevron U.S.A. Inc.	0.14	BK 786 - PG 217	n/a
4-7-21.0	FREELAND JOSEPH L ET UX	Chevron U.S.A. Inc.	0.18	BK 932 - PG 374	n/a







Luke Slagel Land Representative

4705 02079

February 1, 2018

West Virginia D.E.P. Office of Oil & Gas 601 57th Street SE Charleston, WV 25304-2345

RE: Longworth 1H, 2H, 13H, 14H, 15H, 16H

To whom it may concern:

This letter is to confirm that Chevron U.S.A. Inc. has the rights to access minerals under any road along the above referenced laterals. If you should have any further questions or need additional documentation, please feel free to contact me.

Sincerely,

, noe A flagel

Luke Slagel Land Representative

Appalachian Mountain Business Unit Chevron North America Exploration and Production Company A Division of Chevron U.S.A. Inc. 700 Chemngton Parkway, Coraopolis, PA 15108 Tel 412 865 1425 Luke Slagel@chevron.com

RECEIVED Office of Oil and Gas

JUL 1 9 2018

WV Department of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE CERTIFICATION**

Date of Notice Certification: 01/22/2018

API No. 47-	
Operator's Well N	lo. M02H
Well Pad Name: _	Longworth

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	UTM NAD 83	Easting:	523378.15
County:	Marshall	UTMINAD 65	Northing:	4410842.96
District:	Clay	Public Road Access:		Roberts Ridge Road/WV-21
Quadrangle:	Glen Easton, WV 7.5'	Generally used f	arm name:	Longworth
Watershed:	Middle Grave Creek - Grave Creek			

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following: *PLEASE CHECK ALL THAT APPLY	OOG OFFICE USE ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or ■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/ NOT REQUIRED
□ 2. NOTICE OF ENTRY FOR PLAT SURVEY or ■ NO PLAT SURVEY WAS CONDUCTED	
 3. NOTICE OF INTENT TO DRILL or NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH) 	RECEIVED/ NOT REQUIRED
4. NOTICE OF PLANNED OPERATION	
■ 5. PUBLIC NOTICE	
6. NOTICE OF APPLICATION	

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

JUL 1 9 2018

WV Department of **Environmental Protection**

4705 +09/21/2018

Certification of Notice is hereby given:

THEREFORE, | Jenny Hayes

, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	Chevron Appalachia, LLC	Address:	700 Cherrington Parkway		
By:	Jenny Hayes		Coraopolis, PA 15108		
Its:	Permitting Team Lead	Facsimile:	412-865-2403		
Telephone:	412-865-1533	Email:	JZYK@chevron.com		
Li My comm Cc	NOTARY SEAL wealth of Pennsylvania - Notary Seal hura Savage, Notary Public Allegheny County hission expires September 17, 2018 mmission number 1285773 Pennsylvania Association of Notaries		of henry luanca equery period as a wage		

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office of Cil and Gas

JUL 1 9 2018

" / Department of Environmental Protection WW-6A (9-13)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 23/18	Date Permit Application Filed: 7	18	18	1
Notice of:			1	

\checkmark	PERMIT FOR ANY			
	WELL WORK			

CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

PERSONAL	□ REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sie] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

☑ SURFACE OWNER(s)	COAL OWNER OR LESSEE
Name: Graham H. Longworth Jr.	Name: Consolidated Coal Company
Address: 2527 Fork Ridge Road	Address: 1000 Consol Energy Drive
Moundsville, WV 26041	Canonsburg, PA 15317
Name:	COAL OPERATOR
Address:	Name: Murray Energy Corporation
	Address: 46226 National Road
SURFACE OWNER(s) (Road and/or Other Disturbance)	St Clairsville, OH 43950
Name: Mary Holmes	SURFACE OWNER OF WATER WELL
Address: 197 Spindle Lane	AND/OR WATER PURVEYOR(s)
Moundsville, WV 26041	Name: Daniel C. Longworth
Name: The Estate of Barbara J. Derrow	Address: 812 Spindle Lane
Address: 6247 Roberts Ridge Road	Moundsville, WV 26041
Moundsville, WV 26041	OPERATOR OF ANY NATURAL GAS STORAGE FIELD
□ SURFACE OWNER(s) (Impoundments or Pits)	Name:
Name:	Address:
Address:	
	*Please attach additional forms if necessary

Office of Alland Gas

JUL 1 9 2018

V/V Department of Environmental Protoction Unice of On and Gas

JUL 1 9 2018



Notice is hereby given:

WV Department of Environmental Projection

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items WW-6A (8-13)



examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at: $\frac{\text{RECEIVED}}{\text{Office of Cil and Gas}}$

Chief, Office of Oil and Gas

Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450 JUL **19** 2018 WV Department of

Environmental Projection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13)



Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <u>http://www.dep.wv.gov/oil-and-gas/Horizontal-</u> <u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.


Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.



JUL 1 9 2018

Constant of E. Camental Protection

WW-6A	
(8-13)	

API NO. 47	
OPERATOR WELL NO.	M0209/21/2018
Well Pad Name: Longworth	

4705 102079

Notice is hereby given by:

Oil and Gas Privacy Notice:

Well Operator: Chevron Appalachia, LLC Telephone: 412-865-1533 Email: jzyk@chevron.com

Address: 700 Cherrington Parkway Coraopolis, PA 15108 Facsimile: 412-865-2403

Hays The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

onni


ommonwealth of Pennsylvania - Notary Sea
Laura Savage, Notary Public
Allegheny County
ly commission expires September 17, 201
Commission number 1285773

Commonwealth of ferr County of Allegherry	nsylvania	
Subscribed and sworn before	me this <u>[9th</u> day of <u></u>	Sannary 2018.
Laura	Savage	Notary Public
My Commission Expires	September 17	,2018

RECEIVED Office of Oil and Gas

JUL 1 9 2018

W⁶ Demontment of Environmental Protection



NOTICE: THE INTENT OF THIS EXHIBIT IS TO IDENTIFY EXISTING WATER SUPPLIES IN THE VICINITY OF A PROPOSED GAS WELL, AND IS NOT A COMPLETE BOUNDARY SURVEY. PROPERTY LINES AND OWNER INFORMATION WERE OBTAINED FROM DEEDS, TAX RECORDS, AERIAL PHOTOGRAPHY, GIS, AND FIELD SURVEYED EVIDENCE.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF INTENT TO DRILL</u>

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application. Date of Notice: 1/22/18 Date Permit Application Filed: 7/18/18

Delivery method pursuant to West Virginia Code § 22-6A-16(h)

HAND	Ш	CERTIFIED MAIL	
DELIVERY		RETURN RECEIPT	REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):		Office of Oil and Gas
Name: Graham H Longworth Jr	Name:	010 1 0 0010
Address: 2527 Fork Ridge Road	Address:	JUL 1 9 2018
Moundsville, VVV 26041		Wy Department of
Notice is hereby size		Environmental Protection

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	UTM NAD 83 Ea	sting:	523378 15	
County:	Marshall	UTMINAD 83 No	orthing:	4410842.96	
District:	Clay	Public Road Access:		Roberts Ridge Road/WV-21	
Quadrangle:	Glen Easton, WV 7.5'	Generally used farm	name:	Longworth	
Watershed:	Middle Grave Creek - Grave Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Notice is hereby given by:

Well Operator:	Chevron Appalachia, LLC	Authorized Representative:	
Address:	700 Cherrington Parkway	Address:	
Coraopolis, WV 15	108		
Telephone:	412-865-1533	Telephone:	
Email:	JZYK@chevron.com	Email:	
Facsimile:	412-865-2403	Facsimile:	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

WW-6A4 (1/12)

			09/21/2018								
						M02H				or	11
4	7	0	5	**	0	2	0	7	9		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF INTENT TO DRILL</u>

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application. Date of Notice: $\frac{1/23/18}{28}$ Date Permit Application Filed: $\frac{718}{18}$

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

	HAND	11	CERTIFIED MAIL			
	DELIVERY		RETURN RECEIPT REQUESTED			

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*. That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name: Mary Holmes	Name:	BECEIVED Office of Oil and Gas	
Address: 197 Spindle Lane	Address:		
Moundsville, WV 26041		1111 1 0 0010	
		JUL 1 9 2018	

Notice is hereby given:

WV Department of

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has a Folditent to enter uponion the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	UTMANAD 02	Easting:	523378 15	
County:	Marshall	UTM NAD 83	Northing:	4410842.96	
District:	Clay	Public Road Acc	ess:	Roberts Ridge Road/WV-21	
Quadrangle:	Glen Easton, WV 7.5'	Generally used f	arm name:	Longworth	
Watershed:	Middle Grave Creek - Grave Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE. Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Notice is hereby given by:

Well Operator:	Chevron Appalachia, LLC	Authorized Representative:	
Address:	700 Cherrington Parkway	Address;	
Coraopolis, WV 15	108		
Telephone:	412-865-1533	Telephone:	
Email:	JZYK@chevron.com	Email:	
Facsimile:	412-865-2403	Facsimile:	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

WW-6A4 (1/12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF INTENT TO DRILL</u>

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application. Date of Notice: 1/22/18 Date Permit Application Filed: 7/18/18

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND	E	CERTIFIED MAIL
DELIVERY		RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*. That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OW	NER(s):	RECEIVED
Name: The Estate of Barbara J Derrow	Name:	Office of Oil and Gas
Address: 6247 Roberts Ridge Road	Address:	
Moundsville, WV 26041		JUL 1 9 2018

Notice is hereby given:

WV Department of Environmental Protection

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	UTM NAD 83	asting:	523378.15	
County:	Marshall	UTMINAD 83 N	lorthing:	4410842.96	
District:	Clay	Public Road Access	s:	Roberts Ridge Road/WV-21	
Quadrangle:	Glen Easton, WV 7.5'	Generally used farm	n name:	Longworth	
Watershed:	Middle Grave Creek - Grave Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Notice is hereby given by:

Well Operator:	Chevron Appalachia, LLC	Authorized Representative:	
Address:	700 Cherrington Parkway	Address:	
Coraopolis, WV 15	108		
Telephone:	412-865-1533	Telephone:	
Email:	JZYK@chevron.com	Email:	
Facsimile:	412-865-2403	Facsimile:	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

WW-6A5 (1/12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF PLANNED OPERATION</u>

47051029/27/9018 Operator Well No. MOZH Conquest

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: $\frac{1/22/18}{18}$ Date Permit Application Filed: $\frac{7/18}{18}$

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL
 CERTIFIED MAIL
 HAND
 RETURN RECEIPT REQUESTED
 DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: Graham H Longworth Jr	Name:
Address: 2527 Fork Ridge Road	Address:
Moundsville, WV 26041	5 1 2 C 1 2

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	1173431415 03	Easting:	523378.15	
County:	Marshall	UTM NAD 83	Northing:	4410842.96	
District:	Clay	Public Road Acc	cess:	Roberts Ridge Road/WV 21	
Quadrangle:	Glen Easton 7.5'	Generally used 1	farm name:	Langworth	
Watershed:	Middle Grave Creek - Grave Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Operator:	Chevron Appalachia, LLC	Address:	700 Cherrington Parkway	
Telephone:	412-865-1533		Corappolis, PA 15108	
Email:	JZYK@chevron.com	Facsimile:	412-865-2403	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

Offici of OI and Gas

JUL 1 9 2018

WW-6A5 (1/12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF PLANNED OPERATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 1/32/18 Date Permit Application Filed: 7/18/18

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

8	CERTIFIED MAIL	HAND
	RETURN RECEIPT REOUESTED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at	the time of notice):
Name: Mary Holmes	Name:
Address: 197 Spindle Lane	Address:
Moundsville, WV 26041	

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	LITM NAD 02	Easting:	523378 15	
County:	Marshall	UTM NAD 83	Northing:	4410842.96	
District:	Clay	Public Road Acc	ess:	Roberts Ridge Road/WV 21	
Quadrangle:	Glen Easton 7.5'	Generally used f	arm name:	Longworth	
Watershed:	Middle Grave Creek - Grave Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE. Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Operator:	Chevron Appalachia, LLC	Address:	700 Cherrington Parkway	
Telephone:	412-865-1533		Coraopolis, PA 15108	
Email:	JZYK@chevron.com	Facsimile:	412-865-2403	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

RECEIVED Office of Oil and Gas

JUL 1 9 2018

WW-6A5 (1/12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF PLANNED OPERATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 1/22/18 Date Permit Application Filed: 7/18/18

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL		HAND
RETURN RECEIPT REQUESTED		DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: The Estate of Barbara J. Derrow	Name:
Address: 6247 Roberts Ridge Road	Address:
Moundsville, WV 26041	

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	UTM NAD 83 Eastin	1g:	523378,15	
County:	Marshall	North	ing:	4410342,96	
District:	Clay	Public Road Access:		Roberts Ridge Road/WV 21	
Quadrangle:	Glen Easton 7.5	Generally used farm na	me:	Longworth	
Watershed:	Middle Grave Creek - Grave Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Operator:	Chevron Appalachia, LLC	Address:	700 Cherrington Parkway	
Telephone;	412-865-1533		Coraopolis, PA 15108	
Email:	JZYK@chevron.com	Facsimile:	412-865-2403	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

RECEIVED Office of Oil and Gas

470510 09/21/2018

JUL 1 9 2018

API NO. 47-	15				
API NO. 47 OPERATOR WE Well Pad Name:	LIND	190/	21/20	18	
Well Pad Name:	Longworth	1	051	۰×	-
			~~(/ /	g

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

1, <u>Michael War</u>, hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form WW-6A and attachments consisting of pages one (1) through ______, including the erosion and sediment control plan, if

required, and	the well plat, all for proposed well work on the	tract of land as fol	lows:		
State:	West Virginia	UTM NAD 83	Easting:	523378.15	
County:	Marshall	UTMINAD 65	Northing:	4410842.96	
District:	Clay	Public Road Access:		Roberts Ridge Road / WV 21	
Quadrangle:	Glen Easton, WV 7.5'	Generally used f	farm name:	Longworth	
Watershed:	Middle Grave Creek - Grave Creek				

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
SURFACE OWNER	Signature: <u>Micalus am Darrow</u> Print Name: M: chast Wm. Derrow
□ SURFACE OWNER (Road and/or Other Disturbance)	Print Name: <u>M: cha. 4/ WM. Derro w</u> Date: <u>1-26-2018</u>
□ SURFACE OWNER (Impoundments/Pits)	FOR EXECUTION BY A CORPORATION, ETC.
COAL OWNER OR LESSEE	Company:
□ COAL OPERATOR	By: Its:
□ WATER PURVEYOR	Signature:
OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date:

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

JUL 1 9 2018

24

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

1. Marilyn Keilley	, hereby state that I have read the I	Instructions to Persons	Named on Page WW-6	5A and the associated
provisions listed above, and	that I have received copies of a Noti	ce of Application, an A	pplication for a Well V	Work Permit on Form
WW-6A and attachments c	consisting of pages one (1) through	15(?) , including	g the erosion and sedi	ment control plan, if
required, and the well plat, a	Il for proposed well work on the tract	of land as follows:		

State:	West Virginia	UTM NAD 83	Easting:	523378 15	
County:	Marshall	UTMINAD 83	Northing:	4410842.96	
District:	Clay	Public Road Access:		Roberts Ridge Road / WV 21	
Quadrangle:	Glen Easton, WV 7.5'	Generally used f	farm name:	Longworth	
Watershed:	Middle Grave Creek - Grave Creek				

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
□ SURFACE OWNER	Signature: Marily Reilley Print Name: Marily Reilley
X SURFACE OWNER (Road and/or Other Disturbance)	Date: 2-102018
□ SURFACE OWNER (Impoundments/Pits)	FOR EXECUTION BY A CORPORATION, ETC.
□ COAL OWNER OR LESSEE	Company:
□ COAL OPERATOR	By:
□ WATER PURVEYOR	Signature:
□ OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date:

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

JUL 1 9 2018

Λ

API NO. 47-	
API NO. 47- OPERATOR WELZ NO. Well Pad Name: Longworth	500/01/2018

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

I, (asky V. Saurdes, hereby state that I have read the Instruct	tions to Persons Named on Page WW-6A and the associated
provisions listed above, and that I have received copies of a Notice of A	Application, an Application for a Well Work Permit on Form
WW-6A and attachments consisting of pages one (1) through	, including the erosion and sediment control plan, if
required, and the well plat, all for proposed well work on the treat of land	as fallows:

required, and the well plat, all for proposed well work on the fraction and as follows.							
State:	West Virginia	UTM NAD 83	Easting:	523378.15			
County:	Marshall	UTWINAD 05	Northing:	4410842.96			
District:	Clay	Public Road Access:		Roberts Ridge Road / WV 21			
Quadrangle:	Glen Easton, WV 7.5'	Generally used f	farm name:	Longworth			
Watershed:	Middle Grave Creek - Grave Creek						

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.


*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
□ SURFACE OWNER	Signature:
□ SURFACE OWNER (Road and/or Other Disturbance)	Print Name: Date:
□ SURFACE OWNER (Impoundments/Pits)	FOR EXECUTION BY A CORPORATION, ETC.
∇ coal owner or lessee	Company: Corsol Energy
COAL OPERATOR	By: Coscy Vi Samplers Its: Manager Coal/Gas Coordination
□ WATER PURVEYOR	Signature: 000 V. Summ
□ OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date:

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Office of Oil and Gas

JUL 1 9 2018



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

I, <u>Mason Smith</u>, hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form WW-6A and attachments consisting of pages one (1) through ______, including the erosion and sediment control plan, if required, and the well plat, all for proposed well work on the tract of land as follows:

I and a tollows.						
State:	West Virginia		Easting:	523378.153		
County:	Marshall	UTM NAD 83	Northing:	4410842.983	-	
District:	Clay	Public Road Access: Generally used farm name:		Roberts Ridge Road	-	
Quadrangle:	Glen Easton 7.5			Longworth		
Watershed:	Upper Chio-Beaver	•				

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
□ SURFACE OWNER	Signature:
□ SURFACE OWNER (Road and/or Other Disturbance)	Print Name: Date:
SURFACE OWNER (Impoundments/Pits)	
COAL OWNER OR LESSEE	FOR EXECUTION BY A CORPORATION, ETC. Company: Consolidation Coal Company
COAL OPERATOR	By: Mason Smith
	Its: Coal, Cil and Gas Relations Manager
U WATER PURVEYOR	Signature: / Manger Sunso
OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date: 07/18/2018

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, personal information. If you have any questions about our use or your personal information. Becelived DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

JUL 1 9 2018

09/21/2018 4705 * 02079



4705 020

WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Jim Justice Governor Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

January 10, 2018

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Longworth A Well Pad, Marshall County

Longworth M02H

Dear Mr. Martin,

The West Virginia Division of Highways has issued Permit #06-2016-0411 for the subject site to Chevron Appalachia, LLC for access to the State Road for the well site located off of Marshall County Route 21 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Dany K. Claytons

Gary K. Clayton, P.E. Regional Maintenance Engineer Central Office Oil &Gas Coordinator

Cc: Mandy Fordyce Chevron Appalachia, LLC CH, OM, D-6 File



E.E.O./AFFIRMATIVE ACTION EMPLOYER

09/21/2018

Hydraulic Fracturing Fluid Additives


Hydraulic Fracturing Fluid Additives		47051020	7
Supplier	Name	Purpose	6
Universal	7.5% HCl Acid	Acid - To open perforations	
Universal	Unislick ST50	Friction Reducer for Water and Brine (Anionic)	
Universal	Scale Inhibitor A	Scale Inhibitor	
Universal	Iron Control A	Iron Control	
Universal	Unihib G	Corrosion Inhibitor for Acid	
Universal	K-Bac 1020	Biocide/Bactericide	
Universal	CMHPG (Polyfrac Gel)	Gel	
Universal	LEB 10X	Gel Breaker	
Universal	100 Mesh White Sand	Proppant	
Universal	40-70 Mesh White Sand	Proppant	

RECEIVED Office of Oil and Gas


JUL 1 9 2018

HETERDINCES	CONSULTANTS CON & LYVINGWARTH, COSCULNT, JA: CON & LYVING, SHE ZOO Prod. 7.4 JANES Prod. 7.4 JANES Prod	APPROVED WVDEP OOG WVDEP OOG CLAY DISTRIC
Higher and State		DN AND SEDIM ROBERTS RIDGE SAINT CLAY DISTRICT, MARSHALL CHEVRON APP 800 MOUNTAIN SMITHFIELD

.



WV Department of Environmental Protection



phane a namana seu can hattan se a Confrager vich a ana a pana tata ta Consta ta Andres ang Tha Baran bija mining pana kayangana inani na ka sunani situ bati ta binaka

WV Department of Environmunital Protocol

JUL I 9 2018

RECEIVED Office of Oil and Gas

