

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, April 5, 2021 PERMIT MODIFICATION APPROVAL Horizontal 6A / New Drill

TUG HILL OPERATING, LLC 380 SOUTHPOINTE BOULEVARD, PLAZA II SUITE 200 CANONSBURG, PA 15317

Re: Permit Modification Approval for KEITH STERN S-8HM

47-051-02103-00-00

Casing Modification

TUG HILL OPERATING, LLC

The Office of Oil and Gas has reviewed the attached permit modification for the above referenced permit. The attached modification has been approved and well work may begin. Please be reminded that the oil and gas inspector is to be notified twenty-four (24) hours before permitted well work is commenced.

If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: KEITH STERN S-8HM Farm Name: TH EXPLORATION, LLC

U.S. WELL NUMBER: 47-051-02103-00-00

Horizontal 6A New Drill Date Modification Issued: 4/5/2021

Promoting a healthy environment.



March 3, 2021

WADE STANSBERRY WV DEP OFFICE OF OIL & GAS 601 57TH STREET SE CHARLESTON, WV 25304-2345

VIA USPS

RE:

Keith Stern S-8HM API #47-051-02103 (H6A Permit Modification)

Meade District, Marshall County, WV

Dear Wade:

Tug Hill Operating, LLC is submitting a permit modification for its permitted well, Keith Stern S-8HM to update the freshwater depth as well as freshwater/coal casing string. Therefore, enclosed please find the following:

- · Modified WW-6B with changes highlighted in yellow.
- WW-6A with certified mail receipts to notice appropriate parties of freshwater and coal string changes.

If you have any questions or need any additional information, please do not hesitate to call me at (304) 376-0111. Thank you for attention to this matter, it is greatly appreciated.

Sincerely,

AMY MORRIS

PERMIT SPECIALIST-APPALACHIA REGION

TUG HILL OPERATING, LLC

any loves

Enclosures

RECEIVED
Office of Oil and Gas

MAR 0 5 2021

Modification

API NO. 47-051	. 02103	
OPERATOR WE	LL NO.	Keith Stern S-8HM
Well Pad Name	· Keith	Stern

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Opera	tor: Tug Hill Op	perating, LLC	494510851	Marshall	Meade	Glen Easton 7.5'
			Operator ID	County	District	Quadrangle
2) Operator's	Well Number: Ke	eith Stern S-8H	Mell F	ad Name: Keit	h Stern	
3) Farm Name	/Surface Owner:	TH Exploratio	n, LLC Public R	oad Access: Fig	sh Creek Ro	ad (County Route 74)
4) Elevation, c	current ground:	747'	Elevation, propose	d post-construc	tion: 747'	
5) Well Type	(a) Gas X Other	Oil .	Ur	derground Stor	age	
	,	allow x	Deep	_	b	12020
6) Existing Pa	d: Yes or No Ye				Jujol	16/2020
			ticipated Thickness	and Expected		
			ated approximate pressure of 3800 ps		,	
8) Proposed To	otal Vertical Dep	th: 6,402'				
9) Formation a	nt Total Vertical I	Depth: Ononda	aga			
10) Proposed	Гotal Measured D	Depth: 14,754	ı			
11) Proposed I	Horizontal Leg Le	ength: 7,694.7	71'			
12) Approxima	ate Fresh Water S	Strata Depths:	70'; 406'			
	Determine Fresh		Use shallow offset wells to determine de	sepest freshwater, or determine usin	ng pre-drill tests, testing while	c drilling or petrophysical evaluation of resistivity.
	ate Saltwater Dep		0 1 007		4001	
15) Approxima	ate Coal Seam De	epths: Sewickle	ey Coal - <mark>307'</mark> and	l Pittsburgh Co	al - 400'	RECEIVED
16) Approxima	ate Depth to Poss	ible Void (coal	mine, karst, other):	None		Office of Oil and Gas
	osed well location			N	o X	MAR 0 5 2021
	ovide Mine Info:					AVV Department of Environmental Protection
		Depth:				
		Seam:				
		Owner:				

API NO. 47- 051 _ 02103

OPERATOR WELL NO. Keith Stern S-8HM

Well Pad Name: Keith Stern

18)

CASING AND TUBING PROGRAM

ТҮРЕ	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	30"	NEW	BW	BW	120'	120'	259ft^3(CTS)
Fresh Water	13 3/8"	NEW	J55	54.5#	490'	490'	690ft^3(CTS)
Coal	13 3/8"	NEW	J55	54.5#	490'	490'	690ft^3(CTS)
Intermediate	9 5/8"	NEW	J55	36#	2,202'	2,202'	714ft^3(CTS)
Production	5 1/2"	NEW	P110	20#	14,754'	14,754'	3778ft^3(CTS)
Tubing	2 3/8"	NEW	N80	4.7#	6,851'		
Liners							

grip/1000

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	30"	36"	1.0	2,333	1,866	CLASS A	1.2
Fresh Water	13 3/8"	17.5"	.33	2,740	2,192	SEE #24	1.2
Coal	13 3/8"	17.5"	.33	2,740	2,192	SEE #24	1.2
Intermediate	9 5/8"	12 1/4"	.352	3,520	2,816	SEE #24	1.19
Production	5 1/2"	8 7/8"_8 3/4"	.361	12,640	10,112	SEE #24	1.17/1.19
Tubing	2 3/8"		.19	11,200	8,960		
Liners							

PACKERS

Kind:	N/A	RECEIVED Office of Oil and Gas
Sizes:	N/A	MAR 0 5 702
Depths Set:	N/A	Francisco De residente

W	W	-	6	В
(1	0/	1	4)

API NO. 47- 051 - 02103

OPERATOR WELL NO. Keith Stern S-8HM

Well Pad Name: Keith Stern

19) Describe	proposed wel	l work, including	g the drilling ar	nd plugging	back of any pilot hole:
--------------	--------------	-------------------	-------------------	-------------	-------------------------

Drill through the Marcellus tagging less than 100' from the top of the Onondaga to get depths and log data. Plug back to proposed kick off point. Drill the horizontal section to planned and proposed TD. Run casing and cement to surface. Run Bond Log from app. 60 deg to surface. Make clean out run and stimulate.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well to completed with approximately 19,232,500 lb. proppant and 297,348 barrels of water. Max rate = 80bpm; max psi = 9,000#.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 10.35 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 4.32 acres
- 23) Describe centralizer placement for each casing string:

Will run 3 centralizers on surface casing at equal distance. Intermediate will have 1 centralizer every other joint. Production casing will have one centralizer every other joint in lateral, one centralizer every joint through curve, one centralizer every other joint to surface.

24) Describe all cement additives associated with each cement type:

 $Sfc - Premium \, NE-1 + 2\% \, CaCl; \, Int1 - Premium \, NE-1 + 1.5\% \, CaCL + Flake; \, Int2 - Lead: \, Premium \, NE-1 + 5\% \, BA-90 + .85\% \, R-3 + 3\% \, KCl + .75 \, gals/100sk \, FP-13L + 1% \, MPA-170 \, Tail: \, Premium \, NE-1 + .1% \, R-3 + .5\% \, KCl + 1% \, CD-32 + .4\% \, FL-52 + .2% \, ASA-301 + .6\% \, Sodium \, Metasilicate; \, Kick \, Plug - Class \, H \, Cement + 1% \, CD-32 + .7% \, Sodium \, Metasilicate + .1% \, R-3 + .75 \, gal/100sk \, FP-13L; \, Prod - Lead: \, 50:50 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .75 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .375 \, gal/100sk \, FP-13L \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .3% \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, R-3 + .3% \, MPA-250 + .3% \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, Tail: \, 25:75 \, (Poz:Class \, H) + .3% \, Tail:$

25) Proposed borehole conditioning procedures:

Will circulate a minimum of 3 hours at TD, short trip to curve, circulate bottoms up, check for flow, POOH.


RECEIVED Office of Office

MAR 0.5

WV Department or

*Note: Attach additional sheets as needed.

Environmental Protection





Database: Company: Project:

DB_Jul2216dt_v14 Tug Hill Operating LLC Marshall County, West Virginia

Site: Keith Stern

Well:

Keith Stern S-08 HM (slot B)

Original Hole Wellbore:

Design: rev1 Local Co-ordinate Reference:

TVD Reference: MD Reference:

North Reference: Survey Calculation Method: Well Keith Stern S-08 HM (slot B)

GL @ 744,00usft GL @ 744.00usft

Grid

Minimum Curvature

Marshall County, West Virginia Project

Map System: Geo Datum:

Universal Transverse Mercator (US Survey Feet)

NAD83 West Virginia - HARN

System Datum:

Mean Sea Level

Zone 17N (84 W to 78 W) Map Zone:

Keith Stern Site

Site Position: From: Position Uncertainty:

Lat/Long

Northing: Easting: 0.00 usft

Slot Radius:

14,444,890.33 usft 1,726,932.47 usft

13-3/16 "

Latitude: Longitude:

Grid Convergence:

39.77483004 -80.69208048

0.20

Well Keith Stern S-08 HM (slot B)

Well Position

+N/-S +F/-W 0.00 usft 0.00 usft Northing: Easting:

14,444,856.49 usft 1,726,892.49 usft Latitude: Longitude:

39.77473749 -80.69222317

Position Uncertainty

0.00 usft

Wellhead Elevation:

Ground Level:

744.00 usft

Wellbore Original Hole **Model Name** Declination Field Strength Magnetics Sample Date Dip Angle (°) (°) (nT) IGRF2015 1/17/2018 66.90 52,102.47667723 -8.71

Design rev1 Audit Notes: PLAN 0.00 Version: Phase: Tie On Depth: Vertical Section: Depth From (TVD) +N/-S +E/-W Direction (usft) (usft) (usft) (°) 0.00 0.00 0.00 159.94

> RECEIVED Office of Oil and Gas

Plan Survey Tool Program

0.00

Depth From

(usft)

7/21/2018 Date

Depth To Survey (Wellbore)

Tool Name

Remarks

MAR 0 5 2021

(usft) 14,754.35 rev1 (Original Hole)

MWD

MWD - Standard

WV Department of Environmental Protection

Plan Sections Vertical Measured Dogleg Build Turn Depth Inclination Azimuth Depth +N/-S +E/-W Rate Rate Rate TFO (usft) (°) (usft) (usft) (usft) (°/100usft) (°/100usft) (°/100usft) (°) (°) Target 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 1,400.00 0.00 0.00 1,400.00 0.00 0.00 0.00 0.00 0.00 0.00 1,650.00 5.00 225.00 -7.71 -7.71 1,649.68 2.00 2.00 0.00 225.00 3,105.86 5.00 225.00 3,100.00 -97.43 -97.43 0.00 0.00 0.00 0.00 4,020.21 32.07 204.54 -351.27 3,959.35 -228.91 3.00 2.96 -2.24 -23.76 6,350.73 32.07 204.54 5,934.33 -1,476.79 -742.67 0.00 0.00 0.00 0.00 7,061.05 89.00 150.31 6,288.00 -2,029.46 -630.28 10.00 8.02 -7.63 -59.07 LP Keith Stern S-08 F 14,754.35 89.00 150.31 6,422.00 -8,711.45 3,180.22 0.00 0.00 0.00 0.00 BHL Keith Stern S-08





Database: Company: Project

Site:

DB_Jul2216dt_v14 Tug Hill Operating LLC Marshall County, West Virginia

Keith Stern

Well: Wellbore: Keith Stern S-08 HM (slot B)

Original Hole rev1 Design:

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Keith Stern S-08 HM (slot B) GL @ 744.00usft

GL @ 744.00usft Grid Minimum Curvature

MAR 0 5 2021

								-12.7 V	vironmental Prot
lanned Survey									
Measured Depth	Inclination	Azimuth	Vertical Depth	+N/-S	+E/-W	Map Northing	Map Easting (usft)	100mm	4.7754.75
(usft)	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usit)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80,692223
100.00	0.00	0.00	100.00	0.00	0.00	14,444,856.49	1,726,892.49	39,77473749	-80.692223
200.00	0.00	0.00	200.00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80.692223
300.00	0.00	0.00	300,00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80.692223
400.00	0.00	0.00	400.00	0.00	0.00	14,444,856.49	1,726,892.49	39,77473749	-80.692223
500.00	0.00	0,00	500.00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80.692223
600.00	0.00	0.00	600.00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80.692223
700.00	0.00	0.00	700.00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80.692223
800.00	0.00	0.00	800.00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80.692223
900.00	0.00	0.00	900.00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80.692223
1,000.00	0.00	0.00	1,000.00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80.692223
1,100.00	0.00	0.00	1,100.00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80.692223
1,200.00	0.00	0.00	1,200.00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80.692223
1,300.00	0.00	0.00	1,300.00	0.00	0.00	14,444,856,49	1,726,892.49	39.77473749	-80.692223
1,400.00	0.00	0.00	1,400.00	0.00	0.00	14,444,856.49	1,726,892.49	39.77473749	-80,692223
	in 2°/100' bui	ld							
1,500.00	2.00	225.00	1,499,98	-1.23	-1.23	14,444,855.25	1,726,891.26	39.77473411	-80.692227
1,600.00	4.00	225.00	1,599.83	-4.93	-4.93	14,444,851.55	1,726,887.56	39.77472399	-80.692240
1,650.00	5.00	225.00	1,649.68	-7.71	-7.71	14,444,848.78	1,726,884.79	39.77471640	-80.692250
		220.00	110.10.00		741.1	11,111,0100	1,7 20,00 1.1 0	199111 11 1919	-24143000
1,700.00	00° tangent 5.00	225.00	1,699.49	-10.79	-10.79	14,444,845.70	1,726,881.70	39,77470796	-80.692261
1,800.00	5.00	225.00	1,799.11	-16.95	-16.95	14,444,839.54	1,726,875.54	39.77469110	-80.692283
1,900.00	5.00	225.00	1,898.73	-23.12	-23.12	14,444,833.37	1,726,869.38	39.77467423	-80.692305
2,000.00	5.00	225.00	1,998.35	-29.28	-29.28		1,726,863.22	39.77465736	-80.692327
2,100.00	5.00	225.00	2,097.97	-35.44	-35.44	14,444,827.21	1,726,857.05	39.77464050	-80.692349
		225.00				14,444,821.05	The second secon	39.77462363	-80.692371
2,200.00	5.00	225.00	2,197.59	-41.60 -47.77	-41.60 47.77	14,444,814.88	1,726,850.89	39.77460676	-80,692393
2,300.00	5.00	225.00	2,297.20		-47.77	14,444,808.72	1,726,844.73	39.77458990	-80,692415
2,400.00	5.00		2,396.82	-53.93	-53.93	14,444,802.56	1,726,838.56		-80.692437
2,500.00	5.00	225.00	2,496.44	-60.09	-60.09	14,444,796.40	1,726,832.40	39.77457303	
2,599.99	5.00	225.00	2,596.06	-66.26	-66.26	14,444,790.23	1,726,826.24	39.77455616	-80,692459
2,699.99	5.00	225.00	2,695.68	-72.42	-72.42	14,444,784.07	1,726,820.08	39.77453930	-80,692481
2,799.99	5,00	225.00	2,795,30	-78.58	-78,58	14,444,777.91	1,726,813.91	39.77452243	-80,692503
2,899.99	5.00	225.00	2,894.92	-84.74	-84.74	14,444,771.74	1,726,807.75	39.77450556	-80.692525
2,999.99	5.00	225.00	2,994.54	-90.91	-90.91	14,444,765.58	1,726,801.59	39,77448870	-80.692547
3,099.99	5.00	225.00	3,094.16	-97.07	-97.07	14,444,759,42	1,726,795.42	39.77447183	-80.692569
3,105.86	5.00	225.00	3,100.00	-97.43	-97.43	14,444,759,06	1,726,795.06	39.77447084	-80.692571
	/100' build/tur		-0.0000	102.00	- 41.46	TAXABLE DAY	751377374	A CONTRACTOR OF	
3,199.99	7.67	216.45	3,193,56	-105.39	-104.06	14,444,751.10	1,726,788.43	39.77444906	-80,692594
3,299.99	10.59	212.15	3,292.28	-118.54	-112.92	14,444,737.95	1,726,779.57	39.77441302	-80.692626
3,399.99	13,55	209.70	3,390.06	-136.50	-123.62	14,444,719.99	1,726,768.87	39.77436379	-80,692664
3,499.99	16.52	208.12	3,486.62	-159.22	-136.13	14,444,697.27	1,726,756.36	39.77430151	-80.692709
3,599.99	19.50	207.01	3,581.71	-186.64	-150.42	14,444,669.85	1,726,742.08	39,77422635	-80,692760
3,699.99	22.49	206.19	3,675.06	-218.68	-166.44	14,444,637.81	1,726,726.05	39.77413852	-80.692818
3,799.99	25.48	205.55	3,766.42	-255.25	-184.16	14,444,601.24	1,726,708.33	39.77403824	-80,692881
3,899.99	28.47	205.04	3,855.53	-296.26	-203.53	14,444,560.23	1,726,688.97	39.77392581	-80.692951
3,999.99	31.46	204.61	3,942.16	-341.59	-224.48	14,444,514.90	1,726,668.01	39.77380152	-80.693026
4,020,21	32.07	204,54	3,959.35	-351,27	-228,91	14,444,505.22	1,726,663.58	39.77377498	-80.693042
Begin 32	.07° tangent								
4,099.99	32.07	204.54	4,026.96	-389.80	-246.50	14,444,466.69	1,726,646.00	39.77366933	-80.693105
4,199.99	32.07	204.54	4,111.70	-438.09	-268.54	14,444,418.40	1,726,623.95	39.77353691	-80.693184
4,299.99	32.07	204.54	4,196.44	-486.39	-290.59	14,444,370.10	1,726,601.91	39.77340449	-80.693263
4,399.99	32.07	204.54	4,281.19	-534.68	-312.63	14,444,321.81	1,726,579.86	39.77327207	-80.693342
4,499.99	32.07	204.54	4,365.93	-582.98	-334.68	14,444,273.51	1,726,557.82	39.77313964	-80.693421
4,599.99	32.07	204.54	4,450.68	-631.27	-356.72	14,444,225.22	1,726,535.77	39.77300722	-80.693500



Database: Company: Project:

Site:

DB_Jul2216dt_v14 Tug Hill Operating LLC Marshall County, West Virginia

Keith Stern

Well:

Keith Stern S-08 HM (slot B)

Wellbore: Original Hole
Design: rev1

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Keith Stern S-08 HM (slot B)

GL @ 744.00usft GL @ 744.00usft

Grid

Minimum Curvature

) RECEIVED Office of Oil and Gas

MAR 0 5 2021

MV Debottbrent of

gn:	rev1								TY Peparatial Prot
nned Survey									in the state of the Little
Measured Depth (usft)	Inclination (°)	Azimuth	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
4,699.99	32.07	204.54	4,535.42	-679,56	-378,77	14,444,176.92	1,726,513.73	39.77287480	-80.69357950
4,799.99	32.07	204.54	4,620.17	-727.86	-400.81	14,444,128.63	1,726,491.68	39.77274237	-80.69365855
4,899.99	32,07	204.54	4,704.91	-778.15	-422.86	14,444,080.33	1,726,469.64	39.77260995	-80.69373759
4,999.99	32.07	204.54	4,789.65	-824.45	-444.90	14,444,032.04	1,726,447.59	39.77247753	-80.69381664
5,099.99	32.07	204.54	4,874.40	-872.74	-466.95	14,443,983.74	1,726,425.55	39.77234510	-80,69389568
5,199.99	32.07	204.54	4,959.14	-921.04	-488,99	14,443,935.45	1,726,403.50	39,77221268	-80,69397472
5,299.99	32.07	204.54	5,043.89	-969.33	-511.04	14,443,887.15	1,726,381.46	39.77208026	-80.69405377
5,399.99	32,07	204.54	5,128.63	-1,017.63	-533.08	14,443,838.86	1,726,359.41	39.77194783	-80.69413281
5,499.99	32.07	204.54	5,213.38	-1,065.92	-555.13	14,443,790.57	1,726,337,37	39.77181541	-80.69421185
5,599.99	32.07	204.54	5,298.12	-1,114.22	-577.17	14,443,742.27	1,726,315,32	39.77168299	-80.69429089
5,699.99	32,07	204.54	5,382.86	-1,162.51	-599.22	14,443,693.98	1,726,293.28	39.77155056	-80,69436994
5,799.99	32,07	204.54	5,467,61	-1,210.81	-621,26	14,443,645.68	1,726,271.23	39.77141814	-80.69444898
5,899.99	32.07	204.54	5,552.35	-1,259.10	-643.31	14,443,597.39	1,726,249.19	39.77128571	-80,69452802
5,999.99	32.07	204.54	5,637.10	-1,307.40	-665.35	14,443,549.09	1,726,227.14	39.77115329	-80.69460708
6,099.99	32.07	204.54	5,721.84	-1,355.69	-687.40	14,443,500.80	1,726,205.10	39.77102087	-80.69468610
6,199.99	32.07	204.54	5,806.59	-1,403.99	-709.44	14,443,452.50	1,726,183.05	39.77088844	-80.69476514
6,299.99	32.07	204.54	5,891.33	-1,452.28	-731.49	14,443,404.21	1,726,161.01	39.77075602	-80.69484418
6,350.73	32.07	204.54	5,934.33	-1,476.79	-742.67	14,443,379.70	1,726,149.82	39.77068882	-80.69488429
Begin 10	°/100' build/tu	urn.							
6,399.99	34,83	197.12	5,975.45	-1,502.14	-752.25	14,443,354.35	1,726,140.25	39,77061929	-80.69491868
6,499.99	41.53	185.07	6,054.12	-1,562.60	-763.61	14,443,293.88	1,726,128,88	39,77045334	-80,69495986
6,599.99	49.19	176.00	6,124.40	-1,633.56	-763.91	14,443,222,93	1,726,128.59	39,77025848	-80.69496177
6,699,99	57.41	168.88	6,184.16	-1,712.85	-753.12	14,443,143.64	1,726,139.37	39.77004063	-80.69492433
6,799,99	65.96	162.98	6,231.58	-1,798.07	-731.58	14,443,058.42	1,726,160.92	39.76980639	-80,69484870
6,899.99	74.71	157.83	6,265.21	-1,886.63	-699.93	14,442,969.86	1,726,192,56	39.76956290	-80.69473717
6,999.99	83.57	153.10	6,284.04	-1,975.83	-659.15	14,442,880.66	1,726,233.34	39,76931755	-80.69459312
7,061.05	89.00	150.31	6,288.00	-2,029.45	-630.28	14,442,827.03	1,726,262.22	39,76917001	-80.69449100
Begin 89	.00° lateral se	ection							
7,099.99	89.00	150,31	6,288.68	-2,063,27	-610.99	14,442,793,22	1,726,281.50	39.76907695	-80.69442278
7,199.99	89.00	150,31	6,290.42	-2,150.13	-561.46	14,442,706.36	1,726,331.03	39,76883796	-80.69424757
7,299.99	89.00	150.31	6,292.16	-2,236,98	-511.93	14,442,619,51	1,726,380.56	39.76859897	-80,69407236
7,399.99	89.00	150.31	6,293,90	-2,323.83	-462.40	14,442,532.65	1,726,430.09	39.76835998	-80.69389716
7,499.99	89.00	150.31	6,295,65	-2,410.69	-412.87	14,442,445.80	1,726,479.62	39,76812099	-80,69372195
7,599.98	89.00	150,31	6,297.39	-2,497.54	-363.34	14,442,358.94	1,726,529.15	39.76788200	-80.69354674
7,699.98	89.00	150,31	6,299.13	-2,584.40	-313.81	14,442,272.09	1,726,578.68	39.76764301	-80.69337154
7,799.98	89.00	150.31	6,300.87	-2,671.25	-264.28	14,442,185.24	1,726,628.21	39.76740402	-80.69319634
7,899.98	89.00	150.31	6,302.61	-2,758.11	-214.75	14,442,098.38	1,726,677.74	39,76716503	-80.69302113
7,999.98	89.00	150,31	6,304.35	-2,844.96	-165.22	14,442,011.53	1,726,727.27	39.76692604	-80.69284593
8,099.98	89.00	150.31	6,306.10	-2,931.82	-115.69	14,441,924.67	1,726,776.80	39.76668704	-80.69267073
8,199.98	89.00	150.31	6,307.84	-3,018.67	-66.16	14,441,837.82	1,726,826.33	39.76644805	-80.69249553
8,299.98	89.00	150.31	6,309.58	-3,105.53	-16.63	14,441,750.96	1,726,875.86	39,76620906	-80.69232034
8,399.98	89.00	150.31	6,311.32	-3,192.38	32.90	14,441,664.11	1,726,925.39	39.76597007	-80.69214514
8,499.98	89.00	150.31	6,313.06	-3,279.23	82.43	14,441,577.25	1,726,974.92	39.76573107	-80.69196995
8,599.98	89.00	150.31	6,314.80	-3,366.09	131.96	14,441,490.40	1,727,024.45	39.76549208	-80.69179475
8,699.98	89.00	150.31	6,316.55	-3,452.94	181.49	14,441,403.54	1,727,073.98	39,76525309	-80.69161956
8,799.98	89.00	150.31	6,318.29	-3,539.80	231.02	14,441,316.69	1,727,123.51	39.76501409	-80.69144437
8,899.98	89.00	150.31	6,320.03	-3,626.65	280.55	14,441,229,84	1,727,173.04	39.76477510	-80.69126918
8,999.98	89.00	150.31	6,321.77	-3,713.51	330.08	14,441,142.98	1,727,222.57	39.76453610	-80.69109399
9,099,98	89.00	150.31	6,323.51	-3,800.36	379,61	14,441,056.13	1,727,272.10	39,76429711	-80,69091880
9,199.98	89.00	150.31	6,325.26	-3,887.22	429.14	14,440,969.27	1,727,321.63	39.76405811	-80.69074362
9,299.98	89.00	150.31	6,327.00	-3,974.07	478.67	14,440,882.42	1,727,371.16	39.76381912	-80.69056843
9,399.98	89.00	150.31	6,328.74	-4,060,93	528.20	14,440,795.56	1,727,420.69	39.76358012	-80.69039325
9,499.98	89.00	150.31	6,330.48	-4,147.78	577.73	14,440,708.71	1,727,470.22	39.76334113	-80.69021806
9,599.98	89.00	150.31	6,332.22	-4,234.63	627.26	14,440,621.85	1,727,519.75	39.76310213	-80.69004288



Database: Company: Project:

Site:

DB_Jul2216dt_v14 Tug Hill Operating LLC Marshall County, West Virginia

Keith Stern

Well: Keith Stern S-08 HM (slot B)

Wellbore: Original Hole
Design: rev1

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Keith Stern S-08 HM (slot B)

GL @ 744.00usft GL @ 744.00usft

Grid

Minimum Curvature

MAR 0 5 2021

anned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
9,699.98	89.00	150.31	6,333.96	-4,321.49	676,79	14,440,535.00	1,727,569,28	39.76286313	-80.689867
9,799.98	89.00	150,31	6,335.71	-4,408.34	726,32	14,440,448.14	1,727,618.81	39.76262414	-80,689692
9,899.98	89.00	150.31	6,337.45	-4,495.20	775.85	14,440,361.29	1,727,668.34	39.76238514	-80.689517
9,999.98	89,00	150.31	6,339.19	-4,582.05	825.38	14,440,274.44	1,727,717.87	39.76214614	-80.689342
10,099,98	89.00	150.31	6,340.93	-4,668.91	874.91	14,440,187.58	1,727,767.40	39.76190715	-80.689166
10,199.98	89.00	150.31	6,342.67	-4,755.76	924.44	14,440,100.73	1,727,816.93	39.76166815	-80,68899
10,299.98	89.00	150.31	6,344.42	-4,842.62	973.97	14,440,013.87	1,727,866.46	39.76142915	-80.688810
10,399.98	89.00	150.31	6,346.16	-4,929.47	1,023.50	14,439,927.02	1,727,915.99	39.76119015	-80,68864
10,499.98	89.00	150.31	6,347.90	-5,016.33	1,073.03	14,439,840.16	1,727,965.52	39.76095115	-80.688466
10,599.98	89.00	150.31	6,349.64	-5,103.18	1,122.56	14,439,753,31	1,728,015.05	39.76071215	-80.68829
10,699,98	89.00	150.31	6,351.38	-5,190.03	1,172.09	14,439,666,45	1,728,064,58	39.76047316	-80.68811
10,799.98	89.00	150.31	6,353.12	-5,276.89	1,221.62	14,439,579,60	1,728,114.11	39.76023416	-80.687940
10,899.98	89,00	150.31	6,354.87	-5,363.74	1,271.15	14,439,492.74	1,728,163.64	39.75999516	-80.68776
10,999.98	89.00	150.31	6,356.61	-5,450.60	1,320.68	14,439,405.89	1,728,213.17	39.75975616	-80,68759
11,099.98	89.00	150.31	6,358.35	-5,537.45	1,370.21	14,439,319.04	1,728,262,70	39.75951716	-80,68741
11,199.98	89.00	150.31	6,360.09	-5,624.31	1,419.74	14,439,232.18	1,728,312.23	39.75927816	-80.68724
11,299.98	89.00	150.31	6,361.83	-5,711.16	1,469.27	14,439,145,33	1,728,361.76	39.75903915	-80.68706
11,399.98	89,00	150.31	6,363,57	-5,798.02	1,518.80	14,439,058.47	1,728,411.29	39.75880015	-80.68688
11,499,98	89.00	150.31	6,365.32	-5,884.87	1,568.33	14,438,971.62	1,728,460.82	39.75856115	-80,68671
11,599.98	89.00	150.31	6,367.06	-5,971.73	1,617.86	14,438,884.76	1,728,510.35	39.75832215	-80,68653
11,699.98	89.00	150.31	6,368.80	-6,058.58	1,667.39	14,438,797.91	1,728,559.88	39.75808315	-80,68636
11,799.98	89,00	150.31	6,370,54	-6,145.43	1,716.92	14,438,711.05	1,728,609,41	39.75784415	-80.68618
11,899,98	89.00	150.31	6,372.28	-6,232.29	1,766.45	14,438,624.20	1,728,658.94	39.75760514	-80,68601
11,999,98	89.00	150.31	6,374.03	-6,319.14	1,815.98	14,438,537.35	1,728,708.47	39.75736614	-80.68583
12,099.98	89.00	150.31	6,375.77	-6,406.00	1,865.51	14,438,450.49	1,728,758.00	39.75712714	-80.68566
12,199.98	89.00	150.31	6,377.51	-6,492.85	1,915.04	14,438,363.64	1,728,807.53	39.75688814	-80.68548
12,299.98	89.00	150.31	6,379.25	-6,579.71	1,964.57	14,438,276.78	1,728,857.06	39.75664913	-80.68531
12,399.98	89.00	150.31	6,380.99	-6,666.56	2,014.10	14,438,189.93	1,728,906.59	39.75641013	-80.68513
12,499.98	89.00	150.31	6,382.73	-6,753.42	2,063.63	14,438,103.07	1,728,956.12	39.75617112	-80.68496
12,599.98	89.00	150.31	6,384.48	-6,840.27	2,113.16	14,438,016.22	1,729,005.65	39.75593212	-80.68478
12,699.97	89.00	150.31	6,386,22	-6,927.13	2,162,69	14,437,929,36	1,729,055.18	39.75569312	-80,68461
12,799,97	89.00	150.31	6,387.96	-7,013.98	2,212.22	14,437,842.51	1,729,104.71	39,75545411	-80,68443
12,899,97	89.00	150.31	6,389.70	-7,100.83	2,261.75	14,437,755.65	1,729,154.24	39,75521511	-80.68426
12,999,97	89.00	150,31	6,391,44	-7,187,69	2,311.28	14,437,668.80	1,729,203.77	39.75497610	-80.68408
13,099.97	89.00	150.31	6,393.18	-7,274.54	2,360.81	14,437,581.95	1,729,253.30	39.75473710	-80.68391
13,199.97	89.00	150.31	6,394.93	-7,361.40	2,410.34	14,437,495.09	1,729,302.83	39.75449809	-80.68373
13,299.97	89.00	150.31	6,396.67	-7,448,25	2,459.87	14,437,408.24	1,729,352.36	39,75425908	-80.68356
13,399.97	89.00	150.31	6,398.41	-7,535.11	2,509.39	14,437,321.38	1,729,401.89	39.75402008	-80.68338
13,499.97	89.00	150.31	6,400.15	-7,621,96	2,558.92	14,437,234.53	1,729,451.42	39.75378107	-80.68321
13,599.97	89.00	150.31	6,401.89	-7,708.82	2,608.45	14,437,147.67	1,729,500.95	39.75354206	-80.68303
13,699.97	89.00	150,31	6,403.64	-7,795.67	2,657.98	14,437,060.82	1,729,550.48	39,75330306	-80.68286
13,799.97	89.00	150.31	6,405.38	-7,882.53	2,707.51	14,436,973.96	1,729,600.01	39.75306405	-80.68268
13,899.97	89.00	150.31	6,407.12	-7,969.38	2,757.04	14,436,887.11	1,729,649.54	39.75282504	-80.68251
13,999.97	89.00	150.31	6,408.86	-8,056.23	2,806.57	14,436,800.25	1,729,699.07	39.75258603	-80.68233
14,099.97	89.00	150,31	6,410.60	-8,143.09	2,856.10	14,436,713.40	1,729,748.60	39.75234702	-80.68216
14,199.97	89.00	150,31	6,412.34	-8,229.94	2,905.63	14,436,626.55	1,729,798,13	39,75210802	-80.68198
14,299.97	89.00	150.31	6,414.09	-8,316.80	2,955,16	14,436,539.69	1,729,847.66	39.75186901	-80.68181
14,399.97	89.00	150,31	6,415,83	-8,403.65	3,004.69	14,436,452.84	1,729,897.19	39.75163000	-80.68163
14,499.97	89.00	150.31	6,417.57	-8,490.51	3,054.22	14,436,365.98	1,729,946,72	39.75139099	-80.68146
14,599.97	89.00	150.31	6,419.31	-8,577.36	3,103.75	14,436,279.13	1,729,996.25	39.75115198	-80.68128
14,699.97	89.00	150.31	6,421.05	-8,664.22	3,153.28	14,436,192.27	1,730,045.78	39.75091297	-80.68111
14,754.34	89.00	150.31	6,422.00	-8,711.44	3,180,21	14,436,145.05	1,730,072.71	39.75078302	-80.68101
PBHL/TD	14754.34 MD	6422.00 TVE							
14,754.35	89.00	150.31	6,422.00	-8,711.45	3,180.22	14,436,145.04	1,730,072,71	39.75078300	-80.68101



Database: Company: Project: DB_Jul2216dt_v14 Tug Hill Operating LLC Marshall County, West Virginia

Keith Stern

Wellbore:

Site:

Keith Stern S-08 HM (slot B)

Wellbore: Original Hole
Design: rev1

Local Co-ordinate Reference:

TVD Reference: MD Reference:

North Reference: Survey Calculation Method: Well Keith Stern S-08 HM (slot B)

GL @ 744.00usft GL @ 744.00usft

Grid

Minimum Curvature

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle	Dip Dir.	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
LP Keith Stern S-08 HM - plan hits target cer - Point	0.00 nter	0.00	6,288.00	-2,029.46	-630.28	14,442,827.03	1,726,262.22	39.76917000	-80.69449100
LP Keith Stern S-08 HM - plan misses target - Point	0.00 center by 86.6	0.00 1usft at 703	6,288.00 8,54usft MD	-2,050.82 (6287.21 TVD	-717.53 0, -2009.81 N,	14,442,805.66 -641.25 E)	1,726,174.97	39.76911213	-80.69480177
BHL Keith Stern S-08 Hf - plan hits target cer - Point		0.01	6,422.00	-8,711.45	3,180.22	14,436,145.04	1,730,072.71	39.75078300	-80.68101500

Measured	Vertical	Local Coor	dinates		
Depth (usft)	Depth (usft)	+N/-S (usft)	+E/-W (usft)	Comment	
1,400.00	1,400.00	0.00	0.00	KOP Begin 2°/100' build	
1,650.00	1,649.68	-7.71	-7.71	Begin 5.00° tangent	
3,105.86	3,100.00	-97.43	-97.43	Begin 3°/100' build/turn	
4,020.21	3,959.35	-351.27	-228.91	Begin 32.07° tangent	
6,350.73	5,934.33	-1,476.79	-742.67	Begin 10°/100' build/turn	
7,061.05	6,288.00	-2,029.45	-630.28	Begin 89.00° lateral section	
14,754,34	6,422.00	-8,711.44	3,180.21	PBHL/TD 14754.34 MD/6422.00 TVD	

RECEIVED
Office of Oil and Gas

MAR 0 5 2021

WW-6A (9-13)

API NO. 47- 051 -	
OPERATOR WELL NO.	see attached list
Well Pad Name: Keith Stern	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 2/24/2021 Date Permit Application Filed: 2/25/2021 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ REGISTERED ☑ METHOD OF DELIVERY THAT REQUIRES A ☐ PERSONAL **SERVICE** MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice ☑ Well Plat Notice is hereby provided to: RECEIVED Office of Oil and Gas ☑ COAL OWNER OR LESSEE ☑ SURFACE OWNER(s) Name: CONSOL Energy, Inc. Attn: Casey Saunders MAR 0 5 2021 Name: TH Exploration, LLC (Access Road and Well Pad) Address: 380 Southpointe Boulevard, Plaza II, Suite 200 Address: 1000 CONSOL Energy Drive Canonsburg, PA 15317 WV Department of Canonsburg, PA 15318 Name: _____ ☐ COAL OPERATOR Environmental Protection Name: Address: Address: ☐ SURFACE OWNER(s) (Road and/or Other Disturbance) ☑ SURFACE OWNER OF WATER WELL Address: AND/OR WATER PURVEYOR(s) Name: *See attached list Name: Address: Address: ☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD SURFACE OWNER(s) (Impoundments or Pits) Name: Address: Name: Address: *Please attach additional forms if necessary

API NO. 47-051

OPERATOR WELL NO. see attached list

Well Pad Name: Keith Stern

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx. MAR 0 5 2021

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located, Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items 04/09/202

API NO. 47-051

OPERATOR WELL NO. see attached list

Well Pad Name: Keith Stern

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

RECEIVED
Office of Oil and Gas

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

MAR 0 5 2021

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13)

API NO. 47-051

OPERATOR WELL NO. see attached list

Well Pad Name: Keith Stern

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

> RECEIVED Office of Oil and Gas

WV Department of Environmental Protection

RECEPTER Environmental Protection WW-6A (8-13)

API NO. 47- 051 OPERATOR WELL NO. see attached list
Well Pad Name: Keith Stern

Notice is hereby given by:

Well Operator: Tug Hill Operating, LLC

Telephone: 724-749-8388

Email: amiller@tug-hillop.com

Address: 380 Southpointe Boulevard, Plaza II, Suite 200

Canonsburg, PA 15317

Facsimile: 724-338-2030

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Commonwealth of Pennsylvania - Notary Seal Susanne Deliere, Notary Public Washington County My commission expires January 15, 2025 Commission number 1382332

Member, Pennsylvania Association of Notaries

Subscribed and sworn before me this 23rd day of Sehryare, 2021

Subscribed and sworn before me this 23rd day of Sehryare, 2021

Notary Public

My Commission Expires

RECEIVED
Office of Oil and Gas

MAR 0 5 2021

WW-6A Notice of Application Well Number Attachment

Keith Stern N-1HM

Keith Stern N-2HM

Keith Stern N-3HM

Keith Stern N-4HM

Keith Stern N-5HM

Keith Stern N-6HM (47-051-02098)

Keith Stern N-7HM (47-051-02101)

Keith Stern S-8HM (47-051-02103)

Keith Stern S-9HM (47-051-02102)

Keith Stern S-10HM (47-051-02105)

Keith Stern S-12HM (47-051-02104)

RECEIVED
Office of Oil and Gas

MAR 0 5 2021

Exhibit WW-6A

Tug Hill Operating, LLC 380 Southpointe Blvd, Suite 200 Cannonsburg, PA 15137

Residences within Two-Thousand Feet (2,000')

Well:

KEITH STERN S – 8HM

District:

Meade (House #'s 1-5)

State:

WV

There are five (5) residences, no businesses, no churches, no schools or no emergency facilities within two-thousand feet (2,000') of the above referenced well location.

House 1

TM 14 Pcl. 20

William K. Stern, Et Ux

Phone: 304-843-1478 (Per Address – Keith, Betty & Ginger Sue Stern)

Physical Address: 14912 Fish Creek Rd. Glen Easton, WV 26039

Tax Address:

Same

House 2

TM 14 Pcl. 20.1 William K. Stern, Et Ux

Phone: 304-843-1478 (Per Address – Keith, Betty & Ginger Sue Stern)

Physical Address: 15056 Fish Creek Rd.

Glen Easton, WV 26039 Tax Address:

14912 Fish Creek Rd.

Glen Easton, WV 26039

House 3

TM 14 Pcl. 21 Eleanore M. Fox Est.

Phone: 304-845-6016 (Per Tax Address –

Thomas Fox)
Physical Address:

None Found – Appears to be an old

home.

Tax Address:

100 Lynn Camp Ln.

Glen Easton, WV 26039-9707

House 4

TM 14 Pcl. 27

Patrick J. Shellhase

Phone: 304-845-0742; 304-810-0258

Physical Address:

593 Crow Dr.

Glen Easton, WV 26039

Tax Address: 2300 7th St.

Moundsville, WV 26041

House 5

TM 14 Pcl. 25 Patricia A. Dugas

Tatricia A. Dagas

Phone: None Found **Physical Address:**

681 Crow Dr.

Glen Easton, WV 26039

Tax Address:


Same

RECEIVED
Office of Oil and Gas

MAR 0 5 2021

PROPOSED KEITH STERN S - 8HM

SUPPLEMENT PG. 1B



NOTE: THERE APPEARS TO BE FIVE (5) POSSIBLE WATER SOURCES WITHIN 2,000'.



Land	& Energy Development
	Solutions from the ground up.
O. Box 150	• 12 Vanhorn Drive • Glerville, WV 26351 • (304) 462-5634 www.slssurveys.com

TOPO SECTION:		OPERATOR: PREPARED FOR: TUG HILL OPERATING, LLC	
GLEN EASTON 7.5'			
COUNTY	DISTRICT	380 SOUTHPOINTE BLVD SUITE 200 CANONSBURG, PA 15317	
MARSHALL	MEADE		
DRAWN BY	JOB NO.	DATE	SCALE
K.G.M.	8811	07/31/2018	1" - 1000'
	GLEN EAS COUNTY MARSHALL DRAWN BY	GLEN EASTON 7.5' COUNTY DISTRICT MARSHALL MEADE DRAWN BY JOB NO.	GLEN EASTON 7.5' COUNTY DISTRICT MARSHALL MEADE DRAWN BY JOB NO. DATE



