

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, March 16, 2021 WELL WORK PERMIT Horizontal 6A / New Drill

TUG HILL OPERATING, LLC 380 SOUTHPOINTE BOULEVARD, PLAZA II SUITE 200 CANONSBURG, PA 15317

Re:

Permit approval for VAN WINKLE N-1HM

47-051-02363-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

> James A. Martin Chief

Operator's Well Number: VAN WINKLE N-1HM

Farm Name: XCL MIDSTREAM OPERATIN

U.S. WELL NUMBER: 47-051-02363-00-00

Horizontal 6A New Drill

Date Issued: 3/16/2021

API Number: 47 0 5 1 0 2 3 6 3

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

WW-6B (04/15) API NO. 47-051 OPERATOR WELL NO. Van Winkle N-1HM
Well Pad Name: Hunter Pethtel

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Tug Hill O	Operating, LLC	494510851	Marshall	Meade	Glen Easton 7.5'
		Operator ID	County	District	Quadrangle
2) Operator's Well Number:	Van Winkle N-1H	M Well P	ad Name: Hur	nter Pethtel	
3) Farm Name/Surface Owne	r: XcL Midstream Oper	rating, LLC Public R	oad Access: C	ounty Route	e 74
4) Elevation, current ground:	754'	Elevation, propose	d post-construc	ction: 754'	
5) Well Type (a) Gas X Other	Oil _	Un	derground Stor	age	
F	Shallow X Horizontal X	Deep	12-		
6) Existing Pad: Yes or No	es			-13	an Atellus 1-5
6) Existing Pad: Yes or No \(\frac{1}{2}\) 7) Proposed Target Formation Marcellus is the target formation at a depth of 6070'-6	n(s), Depth(s), Ant	icipated Thickness	and Expected	Pressure(s):	The state of the s
madeliad is the target formation at a depth of our of	TES, INOMISCO DI CO CINCIPACO.	procedure of approximations pair.			
8) Proposed Total Vertical De	epth: 6,220'				
9) Formation at Total Vertical	Depth: Ononda	aga			
10) Proposed Total Measured	Depth: 19,015'				
11) Proposed Horizontal Leg	Length: 11,117.	32'			
12) Approximate Fresh Water	Strata Depths:	70; 415'			
13) Method to Determine Free	sh Water Depths:	Offset well reports or	noticeable flow at	the flowline or v	when need to start soaping
14) Approximate Saltwater D	epths: 870'				
15) Approximate Coal Seam I	Depths: Sewickle	ey Coal - 314' and	Pittsburgh Co	oal - 409'	
16) Approximate Depth to Po	ssible Void (coal r	nine, karst, other):	None anticip	ated	
17) Does Proposed well locati directly overlying or adjacent			N	Io X	
(a) If Yes, provide Mine Info	o: Name:				RECEIVED Office of Oil and Que
Are at the supplied that the	Depth:				FFB 0.8 2021
	Seam:				
	Owner:				WV Deparment of Environmental Protection

WW-6B (04/15) API NO. 47-7051 0 5 1 0 2 3 6 3

OPERATOR WELL NO. Van Winkle N-1HM
Well Pad Name: Hunter Pethtel

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	30"	NEW	BW	BW	120'	120'	259ft^3(CTS)
Fresh Water	13 3/8"	NEW	J55	54.5#	515'	515'	708ft^3(CTS)
Coal	13 3/8"	NEW	J55	54.5#	515'	515'	708ft^3(CTS)
Intermediate	9 5/8"	NEW	J55	36#	2,256'	2,256'	732ft^3(CTS)
Production	5 1/2"	NEW	P110	20#	19,015'	19,015'	4861ft^3(CTS)
Tubing	2 3/8"	NEW	N80	4.7#		7,432'	
Liners			11				

						B5-	1-20-21
ТҮРЕ	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	30"	36"	1.0	2,333	1,866	CLASS A	1.2
Fresh Water	13 3/8"	17 1/2"	.38	2,740	2,192	SEE #24	1.2
Coal	13 3/8"	17 1/2"	.38	2,740	2,192	SEE #24	1.2
Intermediate	9 5/8"	12 1/4"	.352	3,520	2,816	SEE #24	1.19
Production	5 1/2"	8 7/8"_8 3/4"	.361	12,640	10,112	SEE #24	1.17/1.19
Tubing	2 3/8"		.19	11,200	8,960		
Liners							

PACKERS

Kind:	N/A	RECEIVED Office of Oil and Class
Sizes:	N/A	FEB 0 3 2021
Depths Set:	N/A	WV Deparment of Environmental Protection

WW-6B (10/14) API NO. 47-_051 OPERATOR WELL NO. Van Winkle N-1HM
Well Pad Name: Hunter Pethtel

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill through the Marcellus and TD Pilot Hole 100' into the Onondaga. Log vertical section and run a solid cement plug back to proposed KOP. Drill curve and lateral per proposed well plan, run and cement production casing. Perform CBL from 60 deg to surface, make cleanout run, and stimulate.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well to be completed with approximately 27,750,000 lb proppant and 500,000 bbl of water. Max rate = 80 bpm; max psi = 9,000#.

881-28-21

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 16.63 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 4.87 acres

23) Describe centralizer placement for each casing string:

Will run 3 centralizers on surface casing at equal distance. Intermediate will have 1 centralizer every other joint. Production casing will have one centralizer every other joint in lateral, one centralizer every joint through curve, one centralizer every other joint to surface.

24) Describe all cement additives associated with each cement type:

Sfc - Premium NE-1 + 2% CaCl; Int1 - Premium NE-1 + 1.5% CaCL + Flake; Int2 - Lead: Premium NE-1 + 5% BA-90 + .85% R-3 + 3% KCl + .75 gals/100sk FP-13L + 1% MPA-170 Tail: Premium NE-1 + .1% R-3 + 5% KCl + 1% CD-32 + .4% FL-52 + .2% ASA-301 + .6% Sodium Metasilicate; Kick Plug - Class H Cement + 1% CD-32 + .7% Sodium Metasilicate + .1% R-3 + .75 gal/100sk FP-13L; Prod - Lead: 50:50 (Poz:Class H) + .3% R-3 + .3% MPA-250 + .75 gal/100sk FP-13L Tail: 25:75 (Poz:Class H) + .3% R-3 + .3% MPA-250 + .375 gal/100sk FP-13L

25) Proposed borehole conditioning procedures:

Will circulate a minimum of 3 hours at TD, short trip to curve, circulate bottoms up, check for flow, POOH

FEB 0 3 2021

WV Department of Environmental Protection

*Note: Attach additional sheets as needed.

30" Csg @ 120' MD / 120' TVD 13 3/8" Csg @ 515' MD / 515' TVD

9 5/8" Csg @ 2,256' MD /

2,225° TVD

WELL NAME:	Van Winkle N	-1HM		
STATE:	wv	COUNTY:	Marshall	
DISTRICT:	Meade			
DF Elev:	754'	GL Elev:	754'	
TD:	19,015			
TH Latitude:	39.781921			
TH Longitude:	-80.726342			
BH Latitude:	39.80409			
BH Longitude:	-80.75791			

FORMATION TO	PS
Formation	Depth TVI
Deepest Fresh Water	415
Sewickley Coal	314
Pittsburgh Coal	409
Big Lime	1557
Weir	1849
Berea	2048
Gordon	2318
Rhinestreet	5435
Geneseo/Burkett	5940
Tully	5967
Hamilton	6002
Marcellus	6070
Landing Depth	6105
Onondaga	6120
Pilot Hole Depth	6220

CASING SUMMARY										
Туре	Hole Size (in)	Csg Size (in)	Depth (MD)	Depth (TVD)	Weight [lb/ft]	Grade	Top of Cement			
Conductor	36	30	120'	120'	BW	BW	Surface			
Surface	17.5	13 3/8	515'	515'	54.5	J55	Surface			
Intermediate 1	12 1/4	9 5/8	2,256'	2,225'	36	J55	Surface			
Production	87/8×83/4	5 1/2	19,015'	5,911'	20	CYHP110	Surface			

	CEMENT SUM	MARY			DRILLING DETAILS			
	Sacks Class		Density	Fluid Type	Centralizer Notes			
Conductor	338	А	15.6	Air	None			
Surface	687	A	15.6	Air	3 Centralizers at equal distance			
Intermediate 1	767	A	15	Air	1 Centralizer every other jt			
Production	4,477	A	14.5	Air / SOBM	1 every other joint in lateral; 1 per joint in curve; 1 every other jt to sfc			

Bany Stlys

KOP @ 6,932' ft MD

Pilot Hole PH TD @ 6,220' TVD Landing Point @ 7,899' MD / 6,760' TVD. V Department of PH TVD = 100' below Onondaga Topmental Protection

RECEIVED
Office of Oil and Gas FEB 0 3 2021

Lateral TD @

19,015' ft MD 5,911 ft TVD



Tug Hill Operating, LLC Casing and Cement Program

Van Winkle N-1HM

Casing

	String	Grade	Bit Size	Depth (Measured)	Cement Fill Up
Conductor	30"	BW	36"	120'	CTS
Surface	13 3/8"	J55	17 1/2"	515'	CTS
Intermediate	9 5/8"	J55	12 1/4"	2,256'	CTS
Production	5 1/2"	CYHP110	8 7/8 x 8 3/4	19,015'	CTS

Cement

Conductor: Premium NE-1 + 2% bwoc CaC12 + 46.5% Fresh Water – Conductor Cement mixed at 15.6 ppg, Y=1.2

Surface: Premium NE-1 + 2% bwoc CaC12 + 46.5% Fresh Water – Surface Cement mixed at 15.6 ppg, Y=1.2

Intermediate: Premium NE-1 + 1% bwoc CaC12 + 46.5% Fresh Water – Intermediate Cement mixed at 15.6 ppg, Y=1.19

Kick Off Plug: Class H Cement + 1% CD-32 + .7% Sodium Metasilicate + .1% R-3 + .75 gal/100sk FP-13L - KOP Plug

50:50 Poz: Premium NE-1 + .1% bwoc ASA-301 + 60lb/sk ASCA-1 + .35% bwoc BA-10A + .25% bwoc MPA-170,

Production: 44 lb sack + .5% bwoc R-3 + .75 gals/100sk FP-13L — Production Cement mixed at 15.2ppg, Y = 1.19

RECEIVED
Office of Oil and Gas

JAN 25 2021

WV Department of Environmental Protection

Area of Review

Sources of information to Support 35CSR8 - 5.11: 9.3 et seq.

Description of process to identify potential pathways for well communication during hydraulic fracturing activities.

Data Sources Reviewed:

- 1. IHS Well Data service: Public nationwide data service that pulls directly from State agency Oil and Gas databases
- 2. Farm Maps
- 3. Topo Maps: Recent and older (contact WVGES)
- 4. Check with DPS

Contacted Adam Picard 724-485-9331, <u>apicard@dpslandservices.com</u>, DPS GIS (12/04/2020) to have him make maps of the wellbores with his information. DPS utilizes WVGES maps for their mapping seems it as the best publicly available. See attached map he provided.

Request maps for:

- 1. Wellbore with IHS All Wells Layer
- 2. Map with Farm lines overlain and any well spots identified on Farm Maps
- 3. More recent (1970s vintage) topos and older topos

Discussion with Phil Dinterman WVGES GIS Department (7/15/2016)

- WVGES has plotted every well spot they have access to and are aware of with that contains a
 coordinate. 30000, 70000, and 90000 series wells are available via the WVGES online map. Some
 locations aren't great due to vintage and manipulation of maps through time
- 30000 series any well drilled prior to 1929 APIs were not assigned to original wells
- 70000 series Well spots pulled from old Farm line maps that the WVGES has access to
- 90000 series Any sources that the WVGES has access that shows a well spot but has no additional supporting information. DEP does not have 90000 series on their maps.
- There can be duplication between wells in the 3 series
- Phil indicated that other Operators are providing a screenshot of the WVGES map with their planned well and using that for permits

RECEIVED

Office of Oil and Gas

JAN 2 5 2021

WV Department of Environmental Protection Page 1 of 4

Permit well - Van Winkle N-1HM
Wells within 500' Buffer
Note: Well spots depicted on Area of Review map are derived from State held coordinates. The spots may differ from those depicted on the Well Plat because the Plat

Note: Well spots depicted on Area of Review map are derived from State held coordinates. The spots may differ from those depicted on the Well Plat because the Plat

API Number	Operator Name	Total Depth	Perforated Fms	Producing zones not perforated	Is this well "known or reasonably expected to penetrate a depth that could be within the range of Fracture propagation"? 1000' is max limit I would assign to wells that might be within in range of fracture propagation	Comments
4705101330	Tug Hill Operating	10154' MD, 6151' TVD	Marcellus	Unknown	Yes, existing Marcellus producer. Proper casing and cement should prevent migration of fluids from new wellbore to existing wellbore.	Producing Marcellus horizontal well. Tug Hill Operating is considering plugging this well.
4705101284	Tug Hill Operating	6340' TVD	None	None	Yes, existing vertical pilot drilled into Onondaga. Well was not perforated. Proper casing and cement should prevent migration of fluids from new wellbore to existing wellbore.	Well is not producing.
4705101859	EQT Production Company	No Depth/Not Drilled	None	None	No, well is a proposed well. The well was not drilled. This is a canceled permit.	A canceled permit.
1705101860	EQT Production Company	No Depth/Not Drilled	None	None	No, well is a proposed well. The well was not drilled. This is a canceled permit.	A canceled permit.
705101866	EQT Production Company	No Depth/Not Drilled	None	None	No, well is a proposed well. The well was not drilled. This is a canceled permit.	A canceled permit.
705101846	EQT Production Company	No Depth/Not Drilled	None	None	No, well is a proposed well. The well was not drilled. This is a canceled permit.	A canceled permit.
1705101847	EQT Production Company	No Depth/Not Drilled	None	None	No, well is a proposed well. The well was not drilled. This is a canceled permit.	A canceled permit.

RECEIVED Office of Oil and Gas

JAN 25 2021

WV Department of **Environmental Protection**

Location Information: View Map COUNTY PERMIT TAX, DISTRICT QUAD 75 QUAD 15 LAT_OD LON_OD LON_OD COUNTY PERMIT TAX, DISTRICT QUAD 75 QUAD 15 LAT_OD LON_OD COUNTY PERMIT TAX, DISTRICT QUAD 75 QUAD 15 LAT_OD LON_OD COUNTY PERMIT TAX DISTRICT PERMIT PERMI There is no Bottom Hole Location data for this well Owner Information:

API CMP DT SUFFIX STATUS SURFACE OWNER WELL_NUM CO_NUM LEASE LEASE NUM MINERAL_OWN OPERATOR AT COMPLETION PROP VD PROP_TRST_FM TFM_EST_PR (4705101284 11:252009 Original Loc Compileted Denvis Virbuniar 1 Hunter Denvis Willhammer Stone Ensign Corporation 6239 Marcelus Fm Completion information:

API CMP DT SPUD DT ELEV DATUM FIELD DEEPEST FM DEEPEST FM DEEPEST FM DEEPEST FM DEEPEST FM DEEPEST FM INITIAL CLASS FINAL CLASS TYPE RIG CMP_MTHD TYD TMD NEW FTG KOD G_BEF G_AFT O_BEF O_AFT NGL_BEF NGL_AFT P_BEF TLBEF P_AFT TLAFT BH_P_BEF BH_P_AFT G_MSRD_BY 1705101284 11/25/2009 822/2009 752 Ground Level Cameron-Garner Onordings Ls Marcelus Fm Development Well Development Well Cameron-Garner Onordings Ls Marcelus Fm Devel DEPTH BOT FM BOT G BEF G AFT O BEF O AFT WATER ONTY 630 Pennsylvanian System 6050 Genesee Fm 6180 Marcelus Fm 6025 Genesae Fm 6165 Marcellus Fm 4705101284 11/25/2009 Pay 4705101284 EQT Production Company

 Production Water Information: (Volumes in Gallons)

 API
 FREQUECING_OPERATOR PRO_VEAR: ANN_WITH JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM

 APIS1910324 EQT Photochen Centamy
 2016
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0

Stratigraphy Information:

Stratigraphy Information:

Stratigraphy Information:

APT SUFFIX FM
4705101240 Original Loc Elevatory Control (MR)
4705101240 Original Loc General (MR)
4705101240 Ori

Wirelina (E-Log) Information:

API LOG_TOP LOG_BOT DEEPEST_FML LOGS_AVAIL SCAN DIGITIZED GR_TOP GR_BOT D_TOP D_BOT N_TOP N_BOT L_TOP 1_BOT 1_TOP 1_TOP 1_BOT 1_TOP 1_BOT 1_TOP 1_TOP

Downloadable Log Images: We advise you to save the log image file to your PC for viewing. To do so, right-click the .tif image of interest and select the save option. Then you can direct the file to a location of your choice. Please note these images very in size and some may take several minutes to download, especially if using a 56k or slower dialup connection.

Quick Reference Guide for Log File Names. For more info about WVGES scanned logs click here



gamma ray
 Induction (includes dual induction, medium induction, deep induction, etc.)

Indicator includes dual induction, medium induction, deep induction.
 Interrolg midgineter
 nineutron (includes neutron parasity, sidewall neutron—SWN, etc.)

c other

e street

symmetric or valority

symmetric excitates birefold temperature, EHT, differential temperature, etc.;

synchraneous potential or potential

synchraneous potential or potential

b dementational

c religior

c collipir

p perforation depth control or perforate

other logs may include but are not limited to, such curves as audio, bit size, CCL—casing collar locator continuous meter, directional survey gas detector, guard, NCTL—Nuclear Cement Top Locator, racticective tracer, tension

There is no Plugging data for this well

There is no Sample data for this well

Environments) м У Бараптань JAN 00 37 2021 disction C

Tilice of Oil and

CHAIL

RECEIVED

Da CI -0 N CAN 0

```
| Location Information: View Mag. | API | COUNTY PERMIT TAX, DISTRICT QUAD_75 QUAD_15 LAT_DD LON_DD UTME UTAIN | UTAIN
   API EP FLAG UTME UTMN LON DD LAT DD 4705181330 1 As Proposed 523166.9 4402272.8 -80,729502 39,770071
   Owner Information
                                                                                                                          STATUS SURFACE OWNER WELL NUM CO NUM LEASE
                                                                                                                                                                                                                                                                                                                                               LEASE NUM MINERAL OWN OPERATOR AT COMPLETION PROP VD PROP TRGT FM TFM EST PR
   4705101330 8/19/2010 Dvtd Orgal Loc Completed Dennis W Hunter
                                                                                                                                                                                                                                                                                                   Hunter-Pethtel
                                                                                                                                                                                                                                                                                                                                                                                           Dennis W Hunter Stone Energy Corporation
                                          CMP_DT_SPUD_DT_ELEV_DATUM FIELD
                                                                                                                                                                                                                               DEEPEST_FM DEEPEST_FMT INITIAL_CLASS FINAL CLASS TYPE RIG CMP_MTHD TVD TMD NEW_FTG KOD G_BEF G_AFT O_BEF O_AFT NGL_BEF NGL_AFT P_BEF TI_BEF P_AFT TI_AFT BH_P_BEF BH_P_AFT G_MSRD_BY
    1995010 2502010 755 Ground Level Cameron-Games Opendagas La Marcellus Fin Development Well Development Well Gas Rotary Fractured 6151 10154
 Pay/Show/Water Information
    Pay/Snow/veater information:
API CMP_DT ACTIVITY PRODUCT
4705101330 6/19/2010 Water
4705101330 6/19/2010 Water
4705101330 6/19/2010 Pay
Gas Deviated
4705101330 6/19/2010 Pay
Gas Deviated
6838 Marcellos
                                                                                                                                                                                                                                                                       DEPTH BOT FM BOT
                                                                                                                                                                                                                                                                                                                                                                                      G_BEF G_AFT O_BEF O_AFT WATER_ONTY
                                                                                                                                                                                                                                                                                                  295 Pennsylvanian System
845 Pennsylvanian System
                                                                                                                                                                                                              6838 Marcellus Fm
                                                                                                                                                                                                                                                                                               10015 Marcellus Fm
       Production Gas Information: (Volumes in Mcf)
   Production Gas Information: (Volumes in McI)
API PRODUCTING, OPERATOR PRO, YEAR ANN, GAS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM 4705101330 Stone Energy Corporation 2011 155.371 0 0 0 0 0 1.1075 63.344 71.982 4705101330 Stone Energy Corporation 2012 408.215 27.306 61.659 47.710 44.720 45.388 41.149 43.220 43.002 357.53 36.025 31.478 36.858 4705101330 Stone Energy Corporation 2013 276.174 35.958 64.70 23.011 34.757 32.078 26.969 29.163 28.382 26.570 36.547 2.810 12.581 4705101330 Stone Energy Corporation 2013 276.174 35.958 64.70 23.011 34.757 32.078 26.969 29.163 28.382 26.570 36.547 2.810 12.581 4705101330 Stone Energy Corporation 2014 155.169 42.790 55.658 13.241 0 1.4555 26.555 14.640 14.720 13.803 66.51 172 4705101330 Stone Energy Corporation 2015 162.070 34.658 26.518 26.6518 26.497 32.461 27.687 25.118 20.858 26.6518 26.497 32.461 27.687 25.118 20.858 26.6518 26.497 32.461 27.687 25.118 20.858 26.6518 26.497 32.461 27.687 25.118 20.858 26.6518 26.497 32.461 27.687 25.118 20.858 26.6518 26.497 32.461 27.687 25.118 20.858 26.6518 26.497 32.461 27.687 25.118 20.858 26.6518 26.497 32.461 27.687 25.118 20.858 26.6518 26.497 32.461 27.687 25.118 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207 26.207
                                                                                                                                                                                                                                           0 13 771
                                                                                                                                                                          33.946 10.213
124.120 0
                                                                                                                                                                                                                                                                                     0 0 0 0 0 9.962 0 0
0 0 29.620 37.086 27.440 21.577 8.397
       4705101330 EQT Production Company
                                                                                                                                                   2018
   4705101330 EQT Production Company
2011
2012
2013
2014
2015
2016
2017
2018
                                                                                                                                                                                                                                                                                                                                                                                                        1.770
77
150
0
     4705101330 Stone Energy Corporation
4705101330 EQT Production Company
4705101330 EQT Production Company
4705101330 EQT Production Company
4705101330 EQT Production Company
   4705101330 EQT Production Company
 2013
2014
2015
2016
2017
2016
     4705101330 Stone Energy Corporation
4705101330 Stone Energy Corporation
4705101330 EQT Production Company
4705101330 EQT Production Company
    4705101330 EQT Production Compan
  Production Water Information: (Volumes in Gallons)

API PRODUCING OPERATOR PROLYEAR ANN_WITH JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM.
API PRODUCING OPERATOR
4705101330 EQT Production Company
4705101330 EQT Production Company
4705101330 EQT Production Company
4705101330 EQT Production Company
 Stratigraphy Information:

API SUFFIX FM
4705101330 Dutd Orgni Loc Pritishurgh coal
4705101330 Dvtd Orgni Loc Little Lime
                                                                                                                                                       FM_QUALITY_DEPTH_TOP_DEPTH_QUALITY_THICKNESS_THICKNESS_QUALITY_ELEV_DATUM
Well Record 432 Reasonable 4 Reasonable 755 Ground 1
                                                                                                                                                                                                                                                                                                                                                                                                                            ELEV DATUM
TS Ground Level
TSS Ground Level
                                                                                                                                                                                                                                                                                                                                  4 Reasonable
20 Reasonable
84 Reasonable
2 Reasonable
  4705101330 Dold Orgal Loc Little Lints
4705101330 Dold Orgal Loc Big Injun (PriceSeq)
4705101330 Dold Orgal Loc Welr
4705101330 Dold Orgal Loc Welr
4705101330 Dold Orgal Loc Gordon Stray
4705101330 Dold Orgal Loc Berea St
4705101330 Dold Orgal Loc Berea St
4705101330 Dold Orgal Loc Berea
4705101330 Dold Orgal Loc Alexanders
4705101330 Dold Orgal Loc Alexanders
4705101330 Dold Orgal Loc Minesteel Sh
4705101330 Dold Orgal Loc Well Reserved
4705101330 Dold Orgal Loc Under Reserved
47051013
                                                                                                                                                        Wed Record
                                                                                                                                                                                                                           1416 Reasonable
                                                                                                                                                                                                                         1416 Reasonable
1700 Reasonable
1928 Reasonable
2130 Reasonable
2402 Reasonable
4572 Reasonable
4670 Reasonable
4688 Reasonable
                                                                                                                                                       Well Record
                                                                                                                                                        Well Record
                                                                                                                                                                                                                                                                                                                                   20 Reasonable
                                                                                                                                                                                                                                                                                                                                  25 Reasonable
55 Reasonable
30 Reasonable
3 Reasonable
                                                                                                                                                        Well Record
                                                                                                                                                       Viell Record
Well Record
Viell Record
Well Record
                                                                                                                                                                                                                                                                                                                                  112 Reasonable
                                                                                                                                                                                                                            4888 Reasonable
                                                                                                                                                                                                                                                                                                                                 328 Reasonable
                                                                                                                                                        Well Record
                                                                                                                                                                                                                           5538 Reasonable
                                                                                                                                                       Well Record
                                                                                                                                                                                                                           5866 Reasonable
                                                                                                                                                                                                                                                                                                                                  38 Reasonable
24 Reasonable
                                                                                                                                                       V/ell Record
                                                                                                                                                                                                                          5954 Reasonable
5978 Reasonable
                                                                                                                                                                                                                                                                                                                                   58 Reasonable
18 Reasonable
                                                                                                                                                       Well Record
                                                                                                                                                                                                                           6036 Reasonable
6054 Reasonable
    4705101330 Dvtd Orgal Loc Tully Ls
4705101330 Dvtd Orgal Loc Hamilton Grp
4705101330 Dvtd Orgal Loc Marcellus Fm
4705101330 Dvtd Orgal Loc Onondaga Ls
                                                                                                                                                       Well Record
                                                                                                                                                                                                                                                                                                                                   89 Reasonable
                                                                                                                                                       Well Record
Well Record
Well Record
                                                                                                                                                                                                                          6143 Reasonable
6154 Reasonable
                                                                                                                                                                                                                                                                                                                                   11 Reasonable
51 Reasonable
                                                                                                                                                                                                                                                                                                                                                                                                                                   55 Ground Leve
  Wireline (E-Log) Information
 API LOG_TOP LOG_BOT DEEPEST_FML LOGS_AVAIL SCAN DIGITIZED GR_TOP GR_BOT D_TOP D_BOT N_TOP N_BOT LTOP LBOT T_TOP T_BOT S_TOP S_BOT O_TOP O_BOT INCHZ INCHS REDUCED KOP LOGMD ELEV_KB ELEV_GL ELEV_DF LOG_MSRD_FROM LTOP N_BOT LTOP N_BOT LTOP N_BOT T_TOP N_BOT T_TOP N_BOT T_TOP N_BOT T_TOP N_BOT N_TOP N_T
       Downloadable Log Images: We advise you to save the log image file to your PC for viewing. To do so, right-click the .tif image of interest and select the save
       option. Then you can direct the file to a location of your choice. Please note these images vary in size and some may take several minutes to download, especially if
       using a 56k or slower dialup connection.
                                                                                                                             Quick Reference Guide for Log File Names For more info about WVGES scanned logs click here
                                                                                                                              geologic log types:
d density (includes bulk density compensated density, density, density porosity, grain density, matrix density, etc.)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    Environmental Prote
       FILENAME
       4705101330ag 5in mit tvd pdf
4705101330ag 5in mit tvd tif
                                                                                                                                    e photoelectric accorption (PE or Pe. etc.)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 Office of Oil and
                                                                                                                                    g garma ray

I induction (includes dual induction, medium induction, deep induction, etc.)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       WV Department
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              D
                                                                                                                                     I laterolog
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Z
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               HECEWEL
                                                                                                                                 m dipmeter in neutron porosity, sidewall neutron-SWN, etc.)
                                                                                                                                    o other
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          100
                                                                                                                                    o coner solution includes barehole temperature, BHT, differential temperature, etc.) a spontaneous potential or potential
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          27
                                                                                                                                mechanical log types:
                                                                                                                                    b cement band
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         92
                                                                                                                                    o caliper
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  0
                                                                                                                                    o other
```

There is no Plugging data for this well

a perforation death control or perforate

gas detector, guard, NGTL-Nuclear Coment Top Locator, radioactive tracer, len

other logs may include, but are not limited to, such curves as audio, bit size. CCL-casing collar locator, continuous meter, directional survey

There is no Sample data for this well

WV Geological & Economic Survey. Well: County = 51 Permit = 01846

Ocation Information: View Map.

API COUNTY PERMIT TAX_DISTRICT QUAD_75 QUAD_16 LAT_DD LON_DD UTME UTMN
1705101846 Marshati 1846 Meade Glen Easton Cameron 38,781827 -80,728602 523411,3 4403578.3

AVMENT INTORMISSION.

NOR OF DT SUFFIX STATUS SURFACE OWNER WELL_NUM CO_NUM LEASE LEASE_NUM MINERAL_OWN OPERATOR_AT_COMPLETION PROP_VID PROP_TRGT_FM TFM_EST_PR

1705101846 4.4- Dvtd Orgnl.Loc Cancelled Dennis W.Hunter 9H Hunter Petitled Dennis W.Hunter et al. Stone Energy Corporation 6140 Marcellus Fm

FINE CHAPT SPUID_OT ELEV DATUM FIELD DEEPEST_FM DEEPEST_FMT INITIAL_CLASS FINAL_CLASS TYPE RIG CMP_MTHD TVD TMD NEW_FTG KOD G_BEF G_AFT O_BEF O_AFT NGL_BEF NGL_AFT P_BEF TI_BEF P_AFT TI_AFT BH_P_BEF BH_P_AFT G_MSRD_BY 1705101846 44- 44- 755 Ground Level

here is no Pay data for this well

'roduction Gas information: (Volumes in Mcf) API PRODUCING_OPERATOR PRD_YEAR ANN_GAS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM 1705101846 EQT Production Company 2018 0 0 0 0 0 0 0 0 0 0 0 0 0

Yoduction Oli Information: (Volumes in Bbl) ** some operators may have reported NGL under Oli IPI PRODUCING OPERATOR PRD_YEAR ANN_OIL JAN FEB MAR APR MAY JUNI JULIA LGE SEP OCT NOV DCM INFOSTOSIASE ECIT Producion Company 2018 0 0 0 0 0 0 0 0 0 0 0 0

TODUCTION NGL Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil
PI PRODUCING_OPERATOR PRD_YEAR ANN_NGL JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM
1705101846 EQT Production Company 2018 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

here is no Stratigraphy data for this well

here is no Wireline (E-Log) data for this well

here is no Plugging data for this well

here is no Sample data for this well

Environmental Protection

RECEIVEL
Office of Oil and Ga.

JAN

S ಲಾ

UT N **O** CN

Report Time: Thursday, December 03, 2020 4:00.51 PM

WV Geological & Economic Survey.

Well: County = 51 Permit = 01847

Report Time: Thursday, December 03, 2020 4 01:16 PM

Ocation Information: <u>View Map.</u>

API COUNTY PERMIT TAX_DISTRICT QUAD_75 QUAD_15 LAT_DD LON_DD UTIME UTIMN 1725101847 Marshall 1847 Meade Glen Easton Cameron 39.781755 -59.72647 523422.6 4403570.4

 Sottom Hole Location Information.

 API
 EP FLAG
 UTME
 UTMN
 LON_DD
 LAT_DD

 4705101847
 1
 As Proposed
 523970
 4401941.7
 -80.720137
 39.767065

Owner Information:

API CMP_DT SUFFIX STATUS SURFACE_OWNER WELL_NUM CO_NUM LEASE LEASE_NUM MINERAL_OWN OPERATOR_AT_COMPLETION PROP_VD PROP_TRGT_FM TFM_EST_PR

4705101847 44- Dvtd Orgnt Loc Cancelled Dennis W Hunter 4H Hunter Pethtel Dennis W Hunter et al. Stone Energy Corporation 6250 Marcelius Fm

Completion Information:

API CMP_OT SPUD_OT ELEV DATUM FIELD DEEPEST_FM DEEPEST_FMT INITIAL_CLASS FINAL_CLASS TYPE RIG CMP_MTHD TVD TMD NEW_FTG KOD G_BEF G_AFT O_BEF O_AFT NGL_BEF NGL_AFT P_BEF TI_BEF P_AFT TI_AFT BH_P_BEF BH_P_AFT G_MSRO_BY

1705101847 -1/1- -1/2- 755 Ground Level

here is no Pay data for this well

 Production Gas Information: (Volumes in Mcf)

 API
 PRODUCING_OPERATOR PRD_YEAR ANN_GAS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM

 4705101847
 EQT Production Company
 2018
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0

Production Oil Information: (Volumes in Bbi) ** some operators may have reported NGL under Oil
PRODUCING_OPERATOR PRD_YEAR ANN_OIL JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM
201501647; EGD TPRODUCTOR COMPANY ... 2016 0 0 0 0 0 0 0 0 0

Production NGL Information: (Volumes in Bbl) *** some operators may have reported NGL under Oil

API PRODUCING_OPERATOR PRD_YEAR ANN_NGL JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM |

1705101847 EQT Production Company 2018 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Production Water Information: (Volumes in Gallons)

API PRODUCING_OPERATOR PRD_YEAR ANN_WTR_JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM
75051018/T_EGT Preduction Company 2018 0 0 0 0 0 0 0 0 0 0 0 0

here is no Stratigraphy data for this well

here is no Wireline (E-Log) data for this well

here is no Plugging data for this well

here is no Sample data for this well

RECEIVED
Office of Oil and Gas JAN 00

Environmental Protection

WV Department of

No 9 CN

WV Geological & Economic Survey:

Well: County = 51 Permit = 01859

Report Time: Thursday, December 03, 2020 3:58:46 PM

Ocation Information: View Map API COUNTY PERMIT TAX DISTRICT QUAD_75 QUAD_15 LAY_DD LON_DD UTME UTMN 1705101859 Marshall 1859 Meade Glen Easton Cameron 39.78156 -80.726875 52338 4403548.6

ottom Hole Location Information; API EP FLAG UTME UTMN LON_DD LAT_DD 1705101859 1 As Proposed 521903.3 4404881.6 -80.744175 39.791808

Owner Information:

API CMP_DT SUFFIX STATUS SURFACE_OWNER WELL_NUM CO_NUM LEASE LEASE_NUM MINERAL_OWN OPERATOR_AT_COMPLETION PROP_VD PROP_TRGT_FM TFM_EST_PR

1705101859 44- Dvid Organ Loc Cancelled Dennis W Hunter 6H Hunter Pethtel Dennis W Hunter et al Stone Energy Corporation 6140 Marcellus Fm

completion Information:

IPI CMP_DT SPUD_DT ELEV DATUM FIELD DEEPEST_FM DEEPEST_FMT INITIAL_CLASS FINAL_CLASS TYPE RIG CMP_MTHD TVD TMD NEW_FTG KOD G_BEF G_AFT O_BEF O_AFT NGL_BEF NGL_AFT P_BEF TI_BEF P_AFT TI_AFT BH_P_BEF BH_P_AFT G_MSRD_BY

1705101859 1.4- 1.4- 755 Ground Level

Comment: -1-4- Pial coordinates hard to read, blurry Per WVDEP OOG website, well was cancelled 12/11/2017. No cancellation documents available.

here is no Pay data for this well

roduction Oil Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API PRODUCING_OPERATOR PRD_YEAR ANN_OIL JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM
1705101859 EQT Production Company 2018 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

here is no Stratigraphy data for this well

here is no Wireline (E-Log) data for this well

here is no Plugging data for this well

here is no Sample data for this well

Environmental Protection WV Dopartment of

RECEIVED Office of Oil and Gaa JAN **6**3 ಲಾ 2021

C.57 N **O** CN WV Geological & Economic Survey: Well: County = 51 Permit = 01860

 ocation Information:
 View Max

 IPI
 COUNTY FERRMT TAX DISTRICT
 QUAD_75
 QUAD_15
 LAT_DD
 LON_00
 UTME
 UTMN

 795101860
 Marshall
 1850
 Meade
 Glen Easton
 Cameron
 39.781673
 -80.726548
 523416
 4403561.3

Ottom Hole Location Information:

API EP FLAG UTME UTMN LON_DD LAT_DD

1705101860 1 A9 Proposed 522074.3 4405230.4 -80.74216 39.795748

Owner Information:

API CMP_DT SUFFIX STATUS SURFACE_OWNER WELL_NUM CO_NUM LEASE LEASE_NUM MINERAL_OWN OPERATOR_AT_COMPLETION PROP_VD PROP_TRGT_FM YFM_EST_PR

4705101860 44- Dvid Orgal Loc Cancelled Dennis W Hunter 10H Hunter Pethlel Dennis W Hunter et al Stone Energy Corporation 6140 Marcellus Fm

completion Information:

One DT SPUD OT ELEV DATUM FIELD DEEPEST_FM DEEPEST_FMT INITIAL_CLASS FINAL_CLASS TYPE RIG CMP_MTHD TVD TMD NEW_FTG KOD G_BEF G_AFT O_BEF O_AFT NGL_BEF NGL_AFT P_BEF TL_BEF P_AFT TL_AFT BH_P_BEF BH_P_AFT G_MSRD_BY

One DEEP COMP OF TWO DEEP COOR Website, well was cancelled 12/11/2017. No cancellation documents available.

here is no Pay data for this well

'roduction Gas Information: (Volumes in Mcf) IRI PRODUCING_OPERATOR PRD_YEAR ANN_GAS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM IN75011888 CET Production Company 2018 0 0 0 0 0 0 0 0 0 0 0 0 0

Toduction Oil Information: (Volumes In Bbl) ** some operators may have reported NGL under Oil
PRODUCING_OPERATOR PRD_YEAR ANN_OIL JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM
2015191680 EQT Production Company 2016 0 0 0 0 0 0 0 0 0 0

roduction NGL Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil
PRODUCING_OPERATOR PRD_YEAR ANN_NGL JAM FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM
T05191696 ED7 Production Company 2018 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

here is no Stratigraphy data for this well

here is no Wireline (E-Log) data for this well

here is no Plugging data for this well

here is no Sample data for this well

JAN N ೮ 2021

RECEIVED
Office of Oil and Gas

Environmental Protection

CTI N CN **O**

Report Time: Thursday, December 03, 2020 3:59:50 PM

WV Geological & Economic Survey:

Well: County = 51 Permit = 01866

Ocation Information: <u>View Mep.</u> API COUNTY PERMIT TAX_DISTRICT QUAD_76 QUAD_16 LAT_DD LON_DD UTME UTMN 1705101866 Marshall 1866 Meade Glen Easten Cameron 39.781782 -80.726409 523427.8 4403573.4

ottom Hole Location information; IPI EP FLAG UTME UTMN LON_DD LAT_DD 1705101866 1 As Proposed 524237.2 4402287.1 -80.717005 39.77017

wner Information:

INVIRIENTINOTRIBUDIT:
IP CMP_DT SUFFIX STATUS SURFACE_OWNER WELL_NUM CO_NUM LEASE LEASE_NUM MINERAL_OWN OPERATOR_AT_COMPLETION PROP_YO PROP_TRGT_FM TFM_EST_PR
1705101866 14- Dvid Orgni Loc Cancelled Dennis W Hunter 5H Hunter/Pethlel Dennis W Hunter et al. Stone Energy Corporation 6250 Marcellum Fm 4200

completion information:

IN CMP_DT SUD_OT ELEV DATUM FIELD DEEPEST_FM DEEPEST_FMT INITIAL_CLASS FINAL_CLASS TYPE RIG CMP_MTHD TVD TMD NEW_FTG KOD G_BEF G_AFT O_BEF O_AFT NGL_BEF NGL_AFT P_BEF TI_BEF P_AFT TI_AFT BH_P_BEF BH_P_AFT G_MSRD_BY

INDICATION OF THE COMP OF THE

here is no Pay data for this well

'roduction Gas Information: (Volumes in Mcf) IPI PRODUCING, OPERATOR PRD, YEAR ANN_GAS JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM I705119186E EDT Production Company 2018 0 0 0 0 0 0 0 0 0 0 0 0 0

roduction OII Information: (Volumes in Bbi). ** some operators may have reported NGL under OII
IPT PRODUCING_OPERATOR PRD_YEAR ANN_OIL JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DCM
T05101656_ECT Production Company 2018 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

here is no Stratigraphy data for this well

here is no Wireline (E-Log) data for this well

here is no Plugging data for this well

here is no Sample data for this well

JAN S O 2021


RECEIVEL
Office of Oil and (

Ş

CIT N **O**


Report Time: Thursday, December 03, 2020 4:00:22 PM

Environmental Protection





Marshall County, WV





Name Van Winkle N-01HM PBHL r1

Well:

Site: Van Winkle

TUG HILL

OPERSTINE

Van Winkle N-01 HM (slot P)

Project: Marshall County, West Virginia

DESIGN TARGET DETAILS

8046.83

+E/-W Northing Easting -8890.5714455487.89 1708407.59

Longitude -80.75791000

251

Latitude

39.80409000

TVD

5911.00



Planning Report - Geographic



Database: Company: Project:

DB_Aug1919_v14 Tug Hill Operating LLC Marshall County, West Virginia

Van Winkle Site:

Well:

Van Winkle N-01 HM (slot P)

Original Hole Wellbore: rev1 Design:

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Van Winkle N-01 HM (slot P)

GL @ 754.00ft GL @ 754.00ft

Grid

Minimum Curvature

Project

Marshall County, West Virginia

Map System:

Universal Transverse Mercator (US Survey Feet)

System Datum:

Mean Sea Level

Geo Datum: Map Zone:

NAD83 West Virginia - HARN

Zone 17N (84 W to 78 W)

Site Van Winkle

Site Position:

Lat/Long

Northing: Easting:

14,447,369.50 usft 1,717,188.44 usft

Latitude: Longitude:

39.78172533 -80.72673327

0.175°

From: **Position Uncertainty:**

0.00 ft Slot Radius: 13-3/16"

Grid Convergence:

Well

Van Winkle N-01 HM (slot P)

IGRF2020

Well Position

+N/-S +E/-W 0.00 ft 0.00 ft Northing: Easting:

14,447,441.08 usft 1.717.298.14 usft

-8.646

Latitude: Longitude:

39.78192100 -80.72634200

Position Uncertainty

0.00 ft

Wellhead Elevation:

Ground Level:

754.00 ft

Wellbore

Original Hole

Magnetics

Model Name

rev1

Sample Date

11/13/2020

Declination (°)

Dip Angle (°)

Field Strength (nT)

51,812.28622457

Design

Audit Notes:

Vertical Section:

Phase:

Depth From (TVD)

(ft) 0.00 PLAN

+N/-S (ft)

Tie On Depth: +E/-W (ft)

0.00

0.00 Direction

66.595

(°) 312.148 RECEIVED

Plan Survey Tool Program

Depth From

(ft)

12/10/2020 Date

Depth To

(ft)

Survey (Wellbore)

Tool Name

0.00

Remarks

JAN 25 777

0.00

19,014.53 rev1 (Original Hole)

MWD

MWD - Standard

MV Gangunian U Environmental Protection

lan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.00	0.00	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.000	
1,100.00	0.00	0.000	1,100.00	0.00	0.00	0.00	0.00	0.00	0.000	
2,350.00	25.00	210.000	2,310.71	-232.45	-134.20	2.00	2.00	0.00	210.000	
3,665,19	45,60	239.668	3,385.71	-718.98	-688.47	2.00	1.57	2.26	52.949	
6,932.40	45.60	239.668	5,671.55	-1,897.90	-2,703.36	0.00	0.00	0.00	0.000	
7,206.82	50.00	268,871	5,858.03	-1,950.12	-2,895.42	8.00	1.60	10.64	88,689	
7,899.26	91.00	330.358	6,105.39	-1,612.33	-3,394.02	10.00	5.92	8.88	69.976	
19,014.53	91.00	330,358	5,911.00	8,046.83	-8,890.57	0.00	0.00	0.00	0.000	Van Winkle N-01HM I

4705102363



Planning Report - Geographic



Database: Company: Project:

Site:

DB_Aug1919_v14 Tug Hill Operating LLC Marshall County, West Virginia

Van Winkle

Well: Van Winkle N-01 HM (slot P)

Wellbore: Original Hole
Design: rev1

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Van Winkle N-01 HM (slot PRECEIVED GL @ 754.00ft Office of Oil and Ges

GL @ 754.00ft Grid

Minimum Curvature

JAN 25 2021

WV Department or

sign:	revi							Enviro	onmental Protes
anned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.000	0.00	0.00	0.00	14,447,441.08	1,717,298.14	39.78192100	-80.72634
100.00	0.00	0.000	100.00	0.00	0.00	14,447,441.08	1,717,298.14	39.78192100	-80.72634
200.00	0.00	0.000	200,00	0.00	0.00	14,447,441.08	1,717,298.14	39.78192100	-80.72634
300.00	0.00	0.000	300.00	0.00	0.00	14,447,441.08	1,717,298.14	39.78192100	-80.72634
400.00	0.00	0.000	400.00	0.00	0.00	14,447,441.08	1,717,298.14	39.78192100	-80,72634
500.00	0.00	0.000	500.00	0.00	0.00	14,447,441.08	1,717,298.14	39,78192100	-80.72634
600.00	0.00	0.000	600.00	0.00	0.00	14,447,441.08	1,717,298.14	39.78192100	-80.7263
700.00	0.00	0.000	700.00	0.00	0.00	14,447,441.08	1,717,298.14	39.78192100	-80.7263
800.00	0.00	0.000	800,00	0.00	0.00	14,447,441.08	1,717,298.14	39.78192100	-80.7263
900.00	0.00	0.000	900.00	0.00	0.00	14,447,441.08	1,717,298.14	39.78192100	-80.7263
1,000.00	0.00	0,000	1,000.00	0.00	0.00	14,447,441.08	1,717,298.14	39,78192100	-80.7263
1,100.00	0.00	0.000	1,100.00	0.00	0.00	14,447,441.08	1,717,298.14	39,78192100	-80.7263
			1,100.00		0.00	- April 1 and 100	1,11,200.11	24112122122	-22.711.272
	jin 2º/100' bui		1 100 00	4 54	0.07	14 447 490 57	1 717 207 27	39.78191686	-80,7263
1,200.00	2.00	210.000	1,199.98	-1.51	-0.87	14,447,439.57	1,717,297.27	39.78190443	-80.7263
1,300.00	4.00	210.000	1,299.84	-6.04	-3,49	14,447,435.04	1,717,294.65	0.00000.00000.000	
1,400.00	6.00	210,000	1,399.45	-13.59	-7.85	14,447,427.49	1,717,290.30	39,78188374	-80.7263
1,500.00	8.00	210.000	1,498,70	-24.14	-13.94	14,447,416,94	1,717,284.20	39.78185481	-80.7263
1,600.00	10.00	210,000	1,597.47	-37.69	-21.76	14,447,403.39	1,717,276.38	39.78181767	-80.7264
1,700.00	12.00	210,000	1,695.62	-54.22	-31.30	14,447,386.87	1,717,266.84	39.78177237	-80.7264
1,800.00	14.00	210.000	1,793.06	-73.70	-42.55	14,447,367.39	1,717,255.60	39.78171897	-80,7264
1,900.00	16.00	210,000	1,889.64	-96.11	-55.49	14,447,344.97	1,717,242.66	39.78165753	-80.7265
2,000.00	18.00	210,000	1,985,27	-121.43	-70.11	14,447,319.65	1,717,228.04	39,78158812	-80.7265
2,100.00	20.00	210,000	2,079,82	-149,62	-86,38	14,447,291.46	1,717,211.76	39,78151083	-80.7266
2,200.00	22.00	210.000	2,173.17	-180.66	-104.30	14,447,260.43	1,717,193.84	39.78142575	-80.7267
2,300.00	24.00	210.000	2,265.21	-214.49	-123.84	14,447,226.59	1,717,174.31	39.78133299	-80.7267
2,350.00	25.00	210.000	2,310.71	-232.45	-134.20	14,447,208.63	1,717,163.94	39.78128376	-80.7268
Begin 2°	100' build/tur	n							
2,400.00	25,61	211.846	2,355.91	-250.78	-145.19	14,447,190.30	1,717,152.95	39.78123351	-80,7268
2,500.00	26.91	215.296	2,445.60	-287.61	-169.67	14,447,153.47	1,717,128.47	39.78113256	-80.7269
2,600.00	28,28	218,443	2,534.23	-324,64	-197.48	14,447,116.44	1,717,100.67	39.78103112	-80.7270
2,700.00	29.71	221.317	2,621.69	-361,81	-228.57	14,447,079,27	1,717,069.58	39.78092930	-80.7271
2,800.00	31.21	223.944	2,707.89	-399.08	-262.91	14,447,042.01	1,717,035.23	39.78082724	-80.7272
2,900.00	32.75	226.351	2,792.72	-436.40	-300,46	14,447,004.68	1,716,997.68	39.78072505	-80.7274
3,000.00	34.33	228,563	2,876.07	-473.73	-341.18	14,446,967.35	1,716,956.97	39.78062286	-80.7275
3,100.00	35.95	230.600	2,957.85	-511.03	-385.00	14,446,930.05	1,716,913.14	39.78052080	-80.7277
3,200.00	37,60	232.483	3,037.95	-548.25	-431.89	14,446,892.83	1,716,866,25	39.78041898	-80.7278
3,300.00	39.28	234.229	3,116.27	-585.34	-481.78	14,446,855.74	1,716,816.36	39.78031754	-80.7280
3,400.00	40.99	235.853	3,192.72	-622.25	-534.61	14,446,818.83	1,716,763.53	39.78021660	-80.7282
3,500.00	42.71	237.370	3,267.21	-658.95	-590.32	14,446,782.13	1,716,707.82	39.78011628	-80.7284
3,600.00	44.46	238.789	3,339.64	-695.39	-648.84	14,446,745.69	1,716,649.30	39.78001670	-80.7286
3,665.19	45.60	239.668	3,385.71	-718.98	-688.47	14,446,722.10	1,716,609.68	39.77995224	-80.7288
		239.000	3,303.71	-710.90	-000,47	14,440,722.10	1,710,009.00	39.77993224	-00.7200
	.60° tangent						5 - 55 - 55 - 55		
3,700.00	45.60	239.668	3,410.07	-731.54	-709.94	14,446,709.54	1,716,588.21	39.77991792	-80.7288
3,800.00	45.60	239.668	3,480.03	-767.63	-771.61	14,446,673.45	1,716,526.54	39.77981934	-80.7290
3,900.00	45.60	239.668	3,550.00	-803.71	-833.28	14,446,637.37	1,716,464.87	39.77972076	-80.7293
4,000.00	45.60	239.668	3,619.96	-839.79	-894.95	14,446,601.29	1,716,403.20	39,77962218	-80.7295
4,100,00	45.60	239,668	3,689.92	-875.88	-956.62	14,446,565.21	1,716,341.53	39.77952359	-80.7297
4,200.00	45.60	239,668	3,759.88	-911.96	-1,018.29	14,446,529.12	1,716,279.86	39.77942501	-80.7299
4,300.00	45.60	239.668	3,829,85	-948.04	-1,079.96	14,446,493.04	1,716,218.19	39,77932643	-80,7301
4,400.00	45.60	239.668	3,899.81	-984.13	-1,141,63	14,446,456,96	1,716,156.52	39,77922784	-80,7304
4,500.00	45.60	239,668	3,969.77	-1,020.21	-1,203.30	14,446,420.87	1,716,094.85	39.77912926	-80.7306
4,600.00	45.60	239,668	4,039.74	-1,056.29	-1,264.97	14,446,384.79	1,716,033.18	39.77903067	-80.7308
4,700.00	45.60	239,668	4,109.70	-1,092.38	-1,326.64	14,446,348.71	1,715,971.51	39,77893209	-80.73107
4,800.00	45.60	239.668	4,179.66	-1,128.46	-1,388.31	14,446,312.62	1,715,909.84	39,77883350	-80,73129

4705102363



Planning Report - Geographic



Database: Company: Project

Site:

DB_Aug1919_v14 Tug Hill Operating LLC Marshall County, West Virginia

Van Winkle

Well:

Van Winkle N-01 HM (slot P)

Wellbore: Original Hole Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Van Winkle N-01 HM (slot P)


GL @ 754.00ft GL @ 754.00ft Grid

Minimum Curvature

RECEIVED Onice of Oil and Gas.

JAN 2 5 2021

ned Survey									
Measured									Environment
Depth (ft)	Inclination	Azimuth	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
(14)	(°)	(°)	11.57		hel	fearly			Control of the Control
4,900.00	45.60	239.668	4,249.62	-1,164.54	-1,449.98	14,446,276.54	1,715,848.17	39.77873492	-80.73151553
5,000.00	45.60	239,668	4,319.59	-1,200.63	-1,511,65	14,446,240.46	1,715,786.50	39.77863633	-80,73173541
5,100.00	45.60	239,668	4,389.55	-1,236.71	-1,573.32	14,446,204.37	1,715,724.83	39.77853774	-80.73195530
5,200.00	45.60	239,668	4,459,51	-1,272.79	-1,634.99	14,446,168.29	1,715,663.16	39.77843916	-80.73217518
5,300.00	45,60	239,668	4,529.48	-1,308.88	-1,696.66	14,446,132.21	1,715,601.49	39.77834057	-80.73239506
5,400.00	45.60	239.668	4,599.44	-1,344.96	-1,758.33	14,446,096.12	1,715,539.82	39,77824198	-80.73261495
5,500.00	45.60	239.668	4,669.40	-1,381.04	-1,820.00	14,446,060.04	1,715,478.15	39.77814339	-80.73283483
5,600.00	45.60	239.668	4,739.36	-1,417.13	-1,881.67	14,446,023.96	1,715,416.48	39.77804480	-80.73305471
5,700.00	45.60	239.668	4,809.33	-1,453.21	-1,943.34	14,445,987.87	1,715,354.81	39,77794621	-80.73327459
5,800.00	45.60	239.668	4,879.29	-1,489.29	-2,005.01	14,445,951.79	1,715,293.14	39.77784762	-80.73349447
5,900.00	45.60	239.668	4,949.25	-1,525.38	-2,066.68	14,445,915.71	1,715,231.47	39.77774903	-80.73371435
6,000.00	45.60	239.668	5,019.22	-1,561.46	-2,128.35	14,445,879.63	1,715,169.80	39.77765044	-80.73393423
6,100.00	45.60	239.668	5,089.18	-1,597.54	-2,190.02	14,445,843.54	1,715,108.13	39,77755185	-80.73415411
6,200.00	45.60	239.668	5,159.14	-1,633.63	-2,251.69	14,445,807.46	1,715,046.46	39.77745326	-80.73437398
6,300.00	45.60	239,668	5,229.10	-1,669.71	-2,313,36	14,445,771.38	1,714,984.79	39.77735467	-80.73459386
6,400.00	45.60	239,668	5,299.07	-1,705.79	-2,375,03	14,445,735.29	1,714,923.12	39.77725608	-80.73481374
6,500.00	45.60	239,668	5,369.03	-1,741.87	-2,436.70	14,445,699.21	1,714,861.45	39.77715748	-80.73503361
6,600.00	45.60	239.668	5,438.99	-1,777.96	-2,498.37	14,445,663.13	1,714,799.78	39,77705889	-80.73525349
6,700.00	45.60	239,668	5,508.96	-1,814.04	-2,560.04	14,445,627.04	1,714,738.11	39.77696030	-80.73547336
6,800.00	45.60	239.668	5,578.92	-1,850.12	-2,621.71	14,445,590.96	1,714,676.44	39.77686170	-80,73569324
6,900.00	45.60	239,668	5,648.88	-1,886.21	-2,683,38	14,445,554.88	1,714,614.77	39.77676311	-80.73591311
6,932.40	45.60	239,668	5,671.55	-1,897,90	-2,703,36	14,445,543.19	1,714,594.79	39.77673116	-80.73598435
	100' build/tur						11. 11.17.11.11		
7,000.00	45.97	247.198	5,718.72	-1,919.53	-2,746.64	14,445,521,55	1,714,551.51	39.77667211	-80.73613862
7,100.00	47.41	258.022	5,787.42	-1,941.14	-2,815.90	14,445,499.95	1,714,482.25	39.77661333	-80,73638536
7,200.00	49.80	268.205	5,853.64	-1,949.99	-2,890.20	14,445,491.10	1,714,407.94	39,77658963	-80,73664991
7,206.82	50.00	268,871	5,858.03	-1,950.12	-2,895.42	14,445,490.96	1,714,402.73	39,77658930	-80,73666847
	/100' build/tu		-24222000	- ((-,,-	-4	1.111.101.100.00	My Collaboration	A. 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1,000,1000,000,00
7,300.00	53,71	279,750	5,915.68	-1,944.45	-2,968,28	14,445,496.63	1,714,329,87	39.77660546	-80.73692772
7,400,00	58.68	290.207	5,971.40	-1,922.82	-3,048.28	14,445,518,27	1,714,249.87	39.77666551	-80.73721226
7,500.00	64.40	299.543	6,019.12	-1,885.74	-3,127.80	14,445,555.35	1,714,170.35	39.77676799	-80.73749489
7,600.00	70.67	307.988	6,057.37	-1,834.33	-3,204.41	14,445,606.75	1,714,093.74	39.77690978	-80.73776702
7,700.00	77.29	315.792	6,085.00	-1,770.17	-3,275.79	14,445,670.92	1,714,022.36	39.77708656	-80.73802038
7,800.00	84.12	323.192	6,101.16	-1,695,19	-3,339.76	14,445,745.89	1,713,958.39	39.77729297	-80.73824729
7,899.26	91.00	330.358	6,105.39	-1,612.33	-3,394.02	and the second s		39.77752098	-80.73843955
marine and the second		000.000	0,100.08	-1,012,33	-0,004.02	14,445,828.76	1,713,904.13	33.11132080	-00.7 0040933
	00° lateral	220.250	B 40F 20	1 244 00	2 204 20	14 445 000 40	1 710 000 77	20 77750074	00 720 44000
7,900.00	91,00	330.358	6,105.38	-1,611,69	-3,394.38	14,445,829.40	1,713,903,77	39.77752274	-80.73844083
8,000.00	91.00 91.00	330.358	6,103.63	-1,524.79	-3,443.83	14,445,916.29	1,713,854,32	39.77776179	-80.73861594
8,100.00		330.358	6,101.88	-1,437.89	-3,493.28	14,446,003.19	1,713,804.87	39.77800083	-80.73879104
8,200.00	91.00	330,358 330,358	6,100.13	-1,350.99	-3,542.73	14,446,090.09	1,713,755.42	39.77823988	-80.73896614
8,300.00	91.00		6,098.38	-1,264.09	-3,592.18	14,446,176.99	1,713,705.97	39.77847892	-80.73914125
8,400.00	91.00	330.358	6,096.63	-1,177.19	-3,641.63	14,446,263,89	1,713,656.52	39.77871797	-80.73931636
8,500.00	91.00	330.358	6,094.88	-1,090.29	-3,691.08	14,446,350.79	1,713,607.07	39.77895702	-80.73949146
8,600.00	91.00	330,358	6,093.13	-1,003.39	-3,740.53	14,446,437.69	1,713,557.62	39.77919606	-80.73966657
8,700.00	91.00	330.358	6,091.39	-916.49	-3,789.98	14,446,524.59	1,713,508.17	39.77943511	-80,73984168
8,800.00	91.00	330.358	6,089.64	-829.59	-3,839.43	14,446,611.49	1,713,458.72	39,77967415	-80.74001680
8,900.00	91.00	330.358	6,087.89	-742.69	-3,888.88	14,446,698.39	1,713,409.27	39.77991319	-80.74019191
9,000.00	91.00	330.358	6,086.14	-655.79	-3,938.34	14,446,785.29	1,713,359.82	39.78015224	-80.74036702
9,100.00	91.00	330.358	6,084.39	-568.89	-3,987.79	14,446,872.19	1,713,310.37	39,78039128	-80.74054214
9,200.00	91.00	330.358	6,082.64	-481.99	-4,037.24	14,446,959.09	1,713,260.92	39.78063032	-80.74071725
9,300,00	91.00	330,358	6,080,89	-395.09	-4,086.69	14,447,045.99	1,713,211.47	39.78086937	-80.74089237
9,400.00	91.00	330.358	6,079,14	-308.19	-4,136.14	14,447,132.89	1,713,162.01	39.78110841	-80.74106749
9,500.00	91.00 91.00	330,358 330,358	6,077.39 6,075.65	-221.29 -134.39	-4,185,59 -4,235.04	14,447,219.79 14,447,306.69	1,713,112.56 1,713,063.11	39.78134745 39.78158650	-80.74124261 -80.74141773





Planning Report - Geographic

Database: Company: Project:

Site:

DB_Aug1919_v14 Tug Hill Operating LLC Marshall County, West Virginia

Van Winkle

Van Winkle N-01 HM (slot P) Well:

Original Hole Wellbore: rev1 Design:

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Van Winkle N-01 HM (slot P)

GL @ 754.00ft GL @ 754,00ft

Grid

Minimum Curvature

RECEIVED ombe of Disand Cac

JAN 25 7021

MV Devenment of noire

Measured			Vertical			Мар	Мар		
Depth (ft)	Inclination (°)	Azimuth	Depth (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
9,700.00	91.00	330,358	6,073,90	-47.49	-4,284,49	14,447,393.59	1,713,013.66	39.78182554	-80,741592
9,800.00	91.00	330,358	6,072.15	39.41	-4,333.94	14,447,480.49	1,712,964.21	39.78206458	-80,741767
9,900.00	91.00	330.358	6,070.40	126.31	-4,383.39	14,447,567.39	1,712,914.76	39,78230362	-80.741943
10,000.00	91.00	330,358	6,068.65	213.21	-4,432,84	14,447,654.29	1,712,865.31	39.78254266	-80.742118
10,100.00	91.00	330.358	6,066.90	300,11	-4,482.29	14,447,741.19	1,712,815.86	39.78278170	-80.742293
10,200.00	91,00	330,358	6,065.15	387.01	-4,531.74	14,447,828.09	1,712,766.41	39.78302074	-80.742468
10,300.00	91.00	330.358	6,063.40	473.91	-4,581.19	14,447,914.99	1,712,716.96	39.78325978	-80,742643
10,400.00	91.00	330,358	6,061.66	560.81	-4,630,64	14,448,001.89	1,712,667.51	39.78349882	-80.742818
10,500.00	91.00	330.358	6,059.91	647.71	-4,680.09	14,448,088.79	1,712,618.06	39.78373786	-80,742993
10,600.00	91.00	330.358	6,058.16	734.61	-4,729.54	14,448,175.69	1,712,568.61	39,78397690	-80.743169
10,700.00	91.00	330.358	6,056.41	821.51	-4,778.99	14,448,262.59	1,712,519.16	39.78421594	-80.743344
10,800.00	91.00	330.358	6,054.66	908.41	-4,828.44	14,448,349.49	1,712,469.71	39.78445498	-80,743519
10,900.00	91.00	330,358	6,052.91	995,31	-4,877.89	14,448,436,39	1,712,420.26	39.78469402	-80.743694
11,000.00	91.00	330,358	6,051.16	1,082.21	-4,927.35	14,448,523.29	1,712,370.81	39.78493306	-80.743869
11,100.00	91.00	330,358	6,049,41	1,169.11	-4,976.80	14,448,610.19	1,712,321,36	39,78517210	-80,744044
11,200.00	91.00	330,358	6,047,66	1,256.01	-5,026.25	14,448,697.09	1,712,271.91	39,78541114	-80,744219
11,300.00	91.00	330.358	6,045.92	1,342,91	-5,075.70	14,448,783.99	1,712,222.46	39,78565017	-80.744394
11,400.00	91.00	330,358	6,044,17	1,429.81	-5,125.15	14,448,870.89	1,712,173.01	39.78588921	-80.744570
11,500.00	91.00	330,358	6,042.42	1,516.71	-5,174,60	14,448,957.78	1,712,123.56	39.78612825	-80.744745
11,600.00	91.00	330,358	6,040,67	1,603,61	-5,224.05	14,449,044,68	1,712,074.11	39.78636728	-80.744920
11,700.00	91,00	330,358	6,038.92	1,690.51	-5,273.50	14,449,131.58	1,712,024.66	39,78660632	-80,745095
11,800.00	91.00	330,358	6,037.17	1,777.41	-5,322.95	14,449,218.48	1,711,975.21	39,78684536	-80.745270
11,900.00	91.00	330.358	6,035.42	1,864.31	-5,372.40	14,449,305.38	1,711,925.75	39.78708439	-80.745445
12,000.00	91.00	330.358	6,033.67	1,951.21	-5,421.85	14,449,392.28	1,711,876.30	39.78732343	-80.745621
12,100.00	91.00	330,358	6,031.92	2,038.11	-5,471.30	14,449,479.18	1,711,826.85	39.78756247	-80.745796
12,200.00	91.00	330.358	6,030.18	2,125.01	-5,520.75	14,449,566.08	1,711,777.40	39.78780150	-80.745971
12,300.00	91.00	330.358	6,028.43	2,211.91	-5,570.20	14,449,652.98	1,711,727.95	39.78804054	-80.746146
12,400.00	91.00	330.358	6,026.68	2,298.81	-5,619.65	14,449,739.88	1,711,678.50	39.78827957	-80.746321
12,500.00	91.00	330.358	6,024.93	2,385.71	-5,669.10	14,449,826.78	1,711,629.05	39.78851860	-80.746498
12,600.00	91.00	330.358	6,023.18	2,472.61	-5,718.55	14,449,913.68	1,711,579.60	39,78875764	-80.746671
12,700.00	91.00	330,358	6,021.43	2,559.51	-5,768.00	14,450,000.58	1,711,530.15	39,78899667	-80.746847
12,700.00	91.00	330,358	6,019.68	2,646,41	-5,817.45		1,711,480.70	39,78923571	-80.747022
	91.00	330,358				14,450,087.48			-80.747197
12,900.00	91.00	330.358	6,017.93 6,016.19	2,733,31	-5,866.90	14,450,174,38	1,711,431,25	39.78947474 39.78971377	-80.747372
13,100.00	91.00	330.358	6,014.44	2,820.21 2,907.11	-5,916.36 -5,965.81	14,450,261,28 14,450,348.18	1,711,381.80 1,711,332.35	39.78995281	-80.747547
13,200.00	91.00	330.358	6,012.69	2,994.01	-6,015,26		1,711,282,90	39.79019184	-80.747722
13,300.00	91.00	330,358	6,010.94	3,080.91	-6,064.71	14,450,435.08	1,711,233.45	39.79013184	-80.747898
13,400.00	91.00	330.358		3,167.81		14,450,521.98	1,711,184.00		-80.748073
	91.00	330.358	6,009.19		-6,114.16	14,450,608.88	The second second	39.79066990 39.79090893	-80.748248
13,500.00			6,007.44	3,254.70	-6,163.61	14,450,695.78	1,711,134.55		
13,600.00	91.00 91.00	330.358 330.358	6,005.69 6,003.94	3,341.60	-6,213.06 -6,262.51	14,450,782.68	1,711,085.10	39,79114797	-80.748423 -80.748598
13,700.00				3,428.50		14,450,869.58	1,711,035,65	39.79138700	
13,800.00	91.00	330.358	6,002.19	3,515.40	-6,311,96	14,450,956.48	1,710,986.20	39.79162603	-80.748773 -80.748949
13,900.00	91.00	330.358	6,000.45	75.750.000.000	-6,361.41	14,451,043.38	1,710,936.75	39.79186506 39.79210409	
14,000.00	91.00	330,358	5,998.70	3,689.20	-6,410.86	14,451,130.28	1,710,887.30		-80.749124
14,100.00	91.00	330.358 330.358	5,996.95	3,776.10	-6,460.31 -6,500.76	14,451,217.18	1,710,837.85	39.79234312	-80.749299
14,200.00	91.00		5,995.20	3,863.00	-6,509.76	14,451,304.08	1,710,788.40	39,79258215	-80.749474
14,300.00	91.00	330.358	5,993.45	3,949.90	-6,559.21	14,451,390.98	1,710,738.95	39,79282118	-80.749649
14,400.00	91.00	330.358	5,991.70	4,036.80	-6,608.66	14,451,477.88	1,710,689.49	39.79306021	-80.749824
14,500.00	91.00	330,358	5,989,95	4,123.70	-6,658.11	14,451,564.78	1,710,640.04	39.79329924	-80.750000
14,600.00	91.00	330.358	5,988,20	4,210.60	-6,707,56	14,451,651.68	1,710,590.59	39.79353827	-80.750175
14,700.00	91.00	330.358	5,986.45	4,297.50	-6,757.01	14,451,738.58	1,710,541.14	39,79377729	-80.750350
14,800.00	91.00	330,358	5,984.71	4,384.40	-6,806.46	14,451,825.48	1,710,491.69	39.79401632	-80.750525
14,900.00	91.00	330,358	5,982.96	4,471.30	-6,855.91	14,451,912.38	1,710,442.24	39.79425535	-80.750700
15,000.00	91.00	330.358	5,981.21	4,558.20	-6,905.37	14,451,999.27	1,710,392.79	39.79449438	-80.750876
15,100.00	91.00	330.358	5,979.46	4,645.10	-6,954.82	14,452,086.17	1,710,343.34	39.79473341	-80,75105

03/19/2021



Planning Report - Geographic



Database: Company: Project: Site:

DB_Aug1919_v14 Tug Hill Operating LLC Marshall County, West Virginia

Van Winkle

Van Winkle N-01 HM (slot P) Well:

Wellbore! Original Hole Design:

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference: Survey Calculation Method: Well Van Winkle N-01 HM (slot P)

GL @ 754.00ft GL @ 754.00ft Grid

Minimum Curvature

RECEIVED Office of Oil and Gas

JAN 25 2021

			NAME AND ADDRESS OF THE PARTY O
у			Environmental Protection
	 4400	Man	

ned Survey									Environmental S
Measured Depth (ft)	Inclination (°)	Azimuth	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
15,200.00	91.00	330.358	5,977.71	4,732.00	-7,004.27	14,452,173.07	1,710,293.89	39,79497243	-80.751226
15,300.00	91.00	330,358	5,975.96	4,818.90	-7,053.72	14,452,259.97	1,710,244,44	39.79521146	-80.751401
15,400.00	91.00	330,358	5,974.21	4,905.80	-7,103.17	14,452,346.87	1,710,194,99	39.79545049	-80,751576
15,500.00	91.00	330,358	5,972.46	4,992.70	-7,152.62	14,452,433.77	1,710,145,54	39.79568951	-80.751752
15,600.00	91.00	330,358	5,970.72	5,079.60	-7,102.02	14,452,520,67	1,710,096.09	39,79592854	-80.751927
15,700.00	91.00	330,358	5,968.97	5,166.50	-7,251.52	14,452,607.57	1,710,046.64	39,79616756	-80,752102
15,800.00	91.00	330.358	5,967.22	5,253.40	-7,300.97	14,452,694.47	1,709,997.19	39.79640659	-80.752277
15,900.00	91.00	330.358	5,965.47	5,340.30	-7,350.42	14,452,781.37	1,709,947.74	39,79664562	-80.752452
16,000.00	91.00	330.358	5,963.72	5,427.20	-7,399.87	14,452,868.27	1,709,898.29	39.79688464	-80.752628
16,100.00	91.00	330.358	5,961.97	5,514.10	-7.449.32	14,452,955.17	1,709,848.84	39.79712367	-80.752803
16,200.00	91.00	330.358	5,960.22	5,601.00	-7.498.77	14,453,042.07	1,709,799.39	39,79736269	-80.752978
16,300.00	91.00	330,358	5,958.47	5,687.90	-7,548.22	14,453,128,97	1,709,749.94	39.79760171	-80.753153
16,400.00	91.00	330.358	5,956.72	5,774.80	-7,597.67	14,453,215.87	1,709,700.49	39.79784074	-80.753328
16,500.00	91.00	330.358	5,954.98	5,861.70	-7,647.12	14,453,302.77	1,709,651.04	39.79807976	-80.753504
16,600.00	91.00	330.358	5,953.23	5,948.60	-7,696.57	14,453,389.67	1,709,601.59	39.79831878	-80,753679
16,700.00	91.00	330.358	5,951.48	6,035.50	-7,746.02	14,453,476.57	1,709,552,14	39.79855781	-80.753854
16,800.00	91.00	330.358	5,949.73	6,122.40	-7,795.47	14,453,563,47	1,709,502.69	39,79879683	-80.75402
16,900.00	91.00	330,358	5,947.98	6,209,30	-7,844.92	14,453,650,37	1,709,453,23	39.79903585	-80.75420
17,000.00	91.00	330,358	5,946.23	6,296.20	-7,894.38	14,453,737.27	1,709,403.78	39.79927488	-80.754380
17,100.00	91.00	330,358	5,944.48	6,383.10	-7,943.83	14,453,824.17	1,709,354.33	39.79951390	-80.75455
17,200.00	91.00	330.358	5,942.73	6,470.00	-7,993.28	14,453,911.07	1,709,304.88	39.79975292	-80.754730
17,300.00	91,00	330.358	5,940.98	6,556.90	-8,042.73	14,453,997.97	1,709,255.43	39.79999194	-80.75490
17,400.00	91.00	330.358	5,939.24	6,643.80	-8,092.18	14,454,084.87	1,709,205.98	39.80023096	-80.75508
17,500.00	91.00	330.358	5,937.49	6,730,70	-8,141.63	14,454,171.77	1,709,156,53	39.80046998	-80.755256
17,600.00	91.00	330.358	5,935.74	6,817.60	-8,191.08	14,454,258.67	1,709,107.08	39.80070900	-80.75543
17,700.00	91.00	330.358	5,933.99	6,904.50	-8,240.53	14,454,345.57	1,709,057.63	39.80094802	-80.75560
17,800.00	91.00	330.358	5,932.24	6,991.40	-8,289.98	14,454,432.47	1,709,008.18	39.80118704	-80.75578
17,900.00	91.00	330.358	5,930.49	7,078.30	-8,339.43	14,454,519.37	1,708,958.73	39.80142606	-80.75595
18,000.00	91.00	330,358	5,928.74	7,165.20	-8,388.88	14,454,606.27	1,708,909.28	39.80166508	-80.75613
18,100.00	91.00	330.358	5,926.99	7,252.10	-8,438.33	14,454,693.17	1,708,859.83	39.80190410	-80.756307
18,200.00	91.00	330.358	5,925.25	7,339.00	-8,487.78	14,454,780.07	1,708,810.38	39.80214312	-80.756482
18,300.00	91.00	330,358	5,923.50	7,425.90	-8,537.23	14,454,866.97	1,708,760.93	39.80238214	-80.756657
18,400.00	91.00	330,358	5,921.75	7,512.80	-8,586.68	14,454,953.86	1,708,711.48	39.80262116	-80.756833
18,500.00	91.00	330,358	5,920.00	7,599.70	-8,636.13	14,455,040.76	1,708,662.03	39,80286018	-80.757008
18,600.00	91.00	330,358	5,918,25	7,686.60	-8,685.58	14,455,127.66	1,708,612.58	39.80309920	-80,757183
18,700.00	91.00	330,358	5,916.50	7,773.50	-8,735.03	14,455,214.56	1,708,563.13	39.80333821	-80.757358
18,800.00	91.00	330.358	5,914.75	7,860.40	-8,784.48		1,708,513.68	39,80357723	-80.757534
18,900.00	91.00	330.358	5,913.00	7,947.30	-8,833.93	14,455,301.46	The same of the same of the same	39,80381625	-80.757709
19,000.00	91.00	330.358	5,913.00	8,034.20	-8,883.39	14,455,388.36 14,455,475.26	1,708,464.23 1,708,414.78	39.80405526	-80.757884
19,000.00	91.00	330.358	5,911.00	8,046.83	-8,890.57	14,455,487.89	1,708,407.59	39.80409000	-80.757910

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
Van Winkle N-01HM PBI - plan hits target cent - Point	0.00 er	0.005	5,911.00	8,046.83	-8,890.57	14,455,487.89	1,708,407,59	39,80409000	-80.75791000
Van Winkle N-01HM LP - plan misses target c - Point	0.00 enter by 25.6	0.000 64ft at 7881.8	6,105.00 85ft MD (610	-1,613.32 5.51 TVD, -16	-3,363.80 627.36 N, -338	14,445,827.76 35.24 E)	1,713,934.35	39.77751800	-80.73833200



4705102363

Planning Report - Geographic

DB_Aug1919_v14 Tug Hill Operating LLC

Project: Marshall County, West Virginia Van Winkle Site:

Van Winkle N-01 HM (slot P) Well:

Original Hole Wellbore: rev1

Design:

Database: Company: Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well Van Winkle N-01 HM (slot P)

GL @ 754.00ft GL @ 754.00ft Grid

Minimum Curvature

Measured	Vertical	Local Coor	dinates		
Depth	Depth	+N/-S	+E/-W		
(ft)	(ft)	(ft)	(ft)	Comment	
1,100.00	1,100.00	0.00	0.00	KOP Begin 2°/100' build	
2,350.00	2,310.71	-232.45	-134.20	Begin 2°/100' build/turn	
3,665.19	3,385.71	-718.98	-688.47	Begin 45.60° tangent	
6,932.40	5,671.55	-1,897.90	-2,703.36	Begin 8°/100' build/turn	
7,206.82	5,858.03	-1,950.12	-2,895.42	Begin 10°/100' build/turn	
7,899.26	6,105.39	-1,612.33	-3,394.02	Begin 91.00° lateral	
19,014.53	5,911.00	8,046.83	-8,890.57	PBHL/TD 19014.53 MD/5911.00 TVD	

RECEIVED Office of Oil and Gas

JAN 2 5 2021

WV Department of Environmental Protection

4705102363

API Number 47 - 051 Operator's Well No. Van Winkle N-1HM

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Tug Hill Operating, LLC	OP Co	ode 494510851
Watershed (HUC 10) Fish Creek	Quadrangle Glen Eas	
the first of the second		
Will a synthetic liner be used in the		ml.? AST Tanks will be used with proper consum
Reuse (at API N	n ection(UIC Permit Number_UIC 2459; UIC 965,	UIC 359, UIC 2D0732540, UIC 2D0732523)
Will closed loop system be used? If so, des	cribe: Yes - For vertical and horizontal drilling	
Drilling medium anticipated for this well (v	rertical and horizontal)? Air, freshwater, oil ba	sed, etc. Air for vertical/ Oil for Horizontal
-If oil based, what type? Synthetic	c, petroleum, etc. Synthetic Oil Base	
Additives to be used in drilling medium?	Barite for weight	
Drill cuttings disposal method? Leave in pi	t, landfill, removed offsite, etc. All drill cuttings	to be disposed of in a Landfill
-If left in pit and plan to solidify w	hat medium will be used? (cement, lime, sawc	lust) N/A
-Landfill or offsite name/permit nu	imber? Wetzel County Santlary Landfill (SWF-1021 / WV0109185) and Westmo	reland Sanitary Landfill, LLC: (SAN1405 / PA DEP EC#1386426
	Office of Oil and Gas of any load of drill cutti ce shall be provided within 24 hours of rejectio	
on August 1, 2005, by the Office of Oil and provisions of the permit are enforceable by law or regulation can lead to enforcement at I certify under penalty of law tha application form and all attachments ther obtaining the information, I believe that t	Gas of the West Virginia Department of Envir Flaw. Violations of any term or condition of ection. It I have personally examined and am familia reto and that, based on my inquiry of those the information is true, accurate, and complete including the possibility of fine or imprisonment	onmental Protection. I understand that the the general permit and/or other applicable ar with the information submitted on this individuals immediately responsible for it. I am aware that there are significant
Company Official (Typed Name) James P	ancake	Office of Olivanilly III
Company Official Title Vice President - Ge		FEB 0 3 2021
		WV-Beparenem o
Subscribed and sworp before the this /3	day of JANUAZ	, 20 Z
73630-60	Commonwealth of Pennsylvania - Notary Seal David Gabriel Delallo, Notary Public	Notary Public
My commission expires	Washington County My commission expires February 16, 2024	03/19/2021


Member, Pennsylvania Association of Notaries

	5.63 Prevegetation pl	6.0
Lime 3 Tons/acre or to correct	t to pH 6.5	
Fertilizer type 10-20-20		
Fertilizer amount 500	lbs/acre	
Mulch 2.5	_Tons/acre	
	Seed Mixtures	
Temporary	Perma	nent
Seed Type lbs/acre Annual Ryegrass 40	Seed Type Orchard Grass	lbs/acre 12
Spring Oats 96	Ladino	3
	White Clover	2
Attach: Maps(s) of road, location, pit and proposed area for land provided). If water from the pit will be land applied, incl acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	application (unless engineered plans include	ling this info have been dimensions (L x W), and
Maps(s) of road, location, pit and proposed area for land provided). If water from the pit will be land applied, includes a policy of the land application area.	application (unless engineered plans include	dimensions (L x W), and
Maps(s) of road, location, pit and proposed area for land provided). If water from the pit will be land applied, includereage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	application (unless engineered plans included imensions (L x W x D) of the pit, and	dimensions (L x W), and
Maps(s) of road, location, pit and proposed area for land provided). If water from the pit will be land applied, includerage, of the land application area. Photocopied section of involved 7.5' topographic sheet. Plan Approved by:	application (unless engineered plans included imensions (L x W x D) of the pit, and	dimensions (L x W), and
Maps(s) of road, location, pit and proposed area for land provided). If water from the pit will be land applied, includerage, of the land application area. Photocopied section of involved 7.5' topographic sheet. Plan Approved by:	application (unless engineered plans included imensions (L x W x D) of the pit, and	dimensions (L x W), and
Maps(s) of road, location, pit and proposed area for land provided). If water from the pit will be land applied, includerage, of the land application area. Photocopied section of involved 7.5' topographic sheet. Plan Approved by:	application (unless engineered plans included imensions (L x W x D) of the pit, and	dimensions (L x W), and
Maps(s) of road, location, pit and proposed area for land provided). If water from the pit will be land applied, includerage, of the land application area. Photocopied section of involved 7.5' topographic sheet. Plan Approved by:	application (unless engineered plans included imensions (L x W x D) of the pit, and	dimensions (L x W), and
Maps(s) of road, location, pit and proposed area for land provided). If water from the pit will be land applied, includerage, of the land application area. Photocopied section of involved 7.5' topographic sheet. Plan Approved by:	application (unless engineered plans included imensions (L x W x D) of the pit, and	dimensions (L x W), and

PROPOSED VAN WINKLE N - 1HM

SUPPLEMENT PG. 1

4705102363



380 SOUTHPOINTE BLVD

CANONSBURG, PA 15317

SCALE

NONE

SUITE 200

DATE

12/24/2020

K.G.M

DRAWN BY

COUNTY

MARSHALL

1412 Kanawha Boulevard, East | Charleston, WV 25301 | 304.346.3952 254 East Beckley Bypass | Beckley, WV 25801 | 504.255.5296

= siswv.com

DISTRICT

MEADE

JOB NO.

8952

OPERATING

03/19/2021



Well Site Safety Plan

Tug Hill Operating, LLC

Bany Stilly 1-20-21

Well Name: Van Winkle N-1HM

Pad Name: Hunter Pethtel

UTM (meters), NAD83, Zone 17:

Northing: 4,403,588.88 Easting: 523,433.50


January 2021

RECEIVED
Office of Oil and Gas

FEB 0 3 2021

WV Department of Environmental Protection WW-6A

PROPOSED SUPPLEMENT PG. 1B VAN WINKLE N - 1HM 47 0 5 1 0 2 3 6 3



NOTE: THERE APPEARS TO BE SIX (6) POSSIBLE WATER SOURCES WITHIN 2,000'. NUMBER 6 IS A WATER WELL ONLY (NO RESIDENCE).



12 Vanhorn Drive | P.O. Box 150 | Glenville, WV 26351 | 304.462.5634 1412 Kanawha Boulevard, East | Charleston, WV 25301 | 304.346.3952 254 East Beckley Bypass | Beckley, WV 25801 | 304.255.5296

TOPO S	ECTION:	OPER	ATOR:			
GLEN EAS	STON 7.5'	PREPARED FOR: TUG HILL OPERATING, LLC				
COUNTY	DISTRICT	380 SOUTHPOINTE BLVD SUITE 200 CANONSBURG, PA 15317				
MARSHALL	MEADE					
DRAWN BY	JOB NO.	DATE	SCALE			
K.G.M. 8952		12/24/2020 1" - 100				



HUNTER PETHTEL LEASE

VAN WINKLE N 1HM WELL

TUG HILL OPERATING

80°42'30" LONGITUDE B.H.

NAD'83 UTM (M) NAD'83 S.P.C.(FT) NAD'83 GEO. NAD'83 UTM (M)

NAD'83 S.P.C.(

NAD'83 UTM (M

NAD'83 GEO.

N. 467,711.8 LAT-(N) 39.777521 N. 4,403,097.4

N. 4,403,588.88

BOTTOM HOLE

N. 477,464.7 LAT-(N) 39.804090

E. 1,615,105.9 E. 520,723.7

REFERENCES

VAN WINKLE N 1HM

1

NAD'83 S.P.C.(FT) N. 469,267.84

PARCEL.	SURFACE ADJOINER	ACRES
5-9-13	KAREN M. KAZEMKA (NKA KAREN M. WILSON)	3,69
5-9-14	DENNIS P. CADMUS	136 POLES
5-9-15	DENNIS P. CADMUS	3.85
5-9-16	SHEENA ROSE	1.65
5-9-17	DENNIS P. CADMUS	28.063
5-9-24	DENNIS P. CADMUS	21 AC. 49 P.
5-10-4.2	JACK E. RECTOR	2.887
5-10-4.3	ANTHONY A. & KAREN L. ANKROM	5.697
5-10-4.7	LINDA BECHTOLD, ET AL	2.110
5-10-4.8	SAMUEL FRANKLIN	1.8808
5-10-4.9	JAMES E. & KAREN M. WILSON	0.8692
5-10-4.10	SHEENA ROSE	0.803
5-10-4.11	JASON E. BONNETTE	1.5
5-10-6	WILLIAM F. RULONG, ET AL	P/O 1.00
5-10-8.1	SAMUEL D. & BECKY ROBINSON	1.511
9-10-1.1	CONNIE S. CUNNINGHAM	0.482
9-10-1.2	JOSHUA A. & SHANNON N. HOYT	2.436
9-10-1.3	FINLEY D. MONTGOMERY, ET UX	20,294
9-10-2.1	SHERRY VAN SCYOC YOCUM & BLAINE VAN SCYOC	5.00
9-10-2.2	WALTER J. FECAT, JR., ET UX	5.00
9-10-10	LOUIS DELBERT VAN SCYOC	24.50
9-10-12	JOSEPH LEE CROW	11,279
9-10-13	JOSEPH LEE CROW	12.18
9-10-20	JOSHUA A. & SHANNON N. HOYT	9,942
9-10-21	JAMES & VICKIE J. MASON	2.00
9-10-22	JAMES & VICKIE J. MASON	1,169
9-13-4.1	H & L EOUIPMENT, LLC	0.449

NOTES ON SURVEY

- NO WATER WELLS WERE FOUND WITHIN 250' OF PROPOSED GAS WELL. NO AGRICULTURAL BUILDINGS ≥ 2500 SQ. FT. OR DWELLINGS WERE FOUND WITHIN 625' OF THE CENTER OF PROPOSED WELL PAD.
 WELL SPOT CIRCLE & TOPO MARK SCALE IS 1"=2000'.
- ON WY DOT COUNTY ROUTE 74 IS A 40' OF LAND ACQUIRED IN NUMEROUS DEEDS,



254 East Beckley Bypass | Beckley, WV 25801 | 304,255,5296

I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE REGULATIONS ISSUED AND PRESCRIBED BY THE DIVISION OF ENVIRONMENTAL PROTECTION.

1/2500

P.S 849

No. 849
** STATE OF **
** OF VIRGINIAL SORTIONAL SORTION 8952P1HM.dwg FILE NO.

VAN WINKLE N 1HM-REV1

1" = 2000" SCALE HORIZONTAL & VERTICAL

DGPS (SURVEY GRADE TIE TO CORS NETWORK) CONTROL DETERMINED BY LIQUID GAS_X_ INJECTION. "GAS" PRODUCTION X STORAGE DEEP_ DISPOSAL TYPE:

GROUND: 756.10' PROPOSED: 753.50' FISH CREEK (HUC 10) ELEVATION . WATERSHED_ DISTRICT _ MEADE COUNTY MARSHALL SURFACE OWNER _ XCL MIDSTREAM OPERATING, LLC

ROYALTY OWNER __ DENNIS HUNTER, ET AL - SEE WW-6A1

DRILL X CONVERT ____ DRILL DEEPER __ FORMATION_

PERFORATE NEW FORMATION ____

PLUG AND ABANDON ____

REDRILL FRACTURE OR STIMULATE X PLUG OFF OLD

SEE WW-6A1

CLEAN OUT AND REPLUG___ MARCELLUS _ TARGET FORMATION _

ACREAGE

ACREAGE _

PHYSICAL CHANGE IN WELL (SPECIFY) ESTIMATED DEPTH_ TVD: 6,220' / TMD: 19,015'

DESIGNATED AGENT

DIANNA STAMPER CT CORPORATION SYSTEM

QUADRANGLE GLEN EASTON 7.5'

OPERATORS WELL NO. VAN WINKLE N 1HM API WELL STATE COUNTY STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

47-051-01284

DATE_

REVISED

(+) DENOTES LOCATION OF WELL ON UNITED

STATES TOPOGRAPHIC MAPS. JANUARY 20



SHALLOW

1" = 200'

, 20

03/19/2021

MINIMUM DEGREE


OF ACCURACY

LOCATION:

WELL OPERATOR TUG HILL OPERATING, LLC

ADDRESS 1320 SOUTH UNIVERSITY DRIVE, SUITE 500 FORT WORTH, TX 76107

5400 D BIG TYLER ROAD CHARLESTON, WV 25313



WW-6A1 (5/13) Operator's Well No. Van Winkle N-1HM

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or
Number Grantor, Lessor, etc. Grantee, Lessee, etc. Royalty Book/Page

*See attached pages

*Co-tenancy utilization – At least 7 mineral owners in tract. At least 75% of the royalty owners have executed a lease on the tract. The interests of the remaining co-tenants were acquired pursuant to the Co-tenancy Modernization and Majority Protection Act.

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

WV Division of Water and Waste Management

WV Division of Natural Resources WV Division of Highways

- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

JAN 2 5 2021

WV Department or Environmental Protection

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Tug Hill Operating, LLC

By: Amy L. Morris

Its: Permitting Specialist - Appalachia Region

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Book	Page	Assignment	Assignment	Assignment
10*31312	9-13-5	Α	DENNIS W HUNTER AND KATHY A HUNTER	CENTRAL MICHIGAN EXPLORATION LLC	1/8+	668	155	N/A	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*19250	9-13-4	В	LOUIS AULENBACHER	CHEVRON USA INC	1/8+	902	444	N/A	N/A	Chevron USA Inc to TH Exploration LLC: 40/127
10*22355	9-13-4	В	DEL T KELLEY AND DEBORAH A KELLEY	AMERICAN PETROLEUM PARTNERS LLC	1/8+	916	84	N/A	N/A	American Petroleum Partners LLC to TH Exploration LLC: 42/109
10*22362	9-13-4	В	TOD M KELLEY	AMERICAN PETROLEUM PARTNERS LLC	1/8+	916	81	N/A	N/A	American Petroleum Partners LLC to TH Exploration LLC: 42/109
10*22382	9-13-4	В	BETTY LOU KAMPE	AMERICAN PETROLEUM PARTNERS LLC	1/8+	919	399	N/A	N/A	American Petroleum PartnersOperating LLC to TH Exploration LLC: 42/109
10*19894	9-10-2	С	CAROL L VANSCYOC	TH EXPLORATION LLC	1/8+	941	392	N/A	N/A	N/A
10*19894	9-10-1	D	CAROL L VANSCYOC	TH EXPLORATION LLC	1/8+	941	392	N/A	N/A	N/A
10*19249	5-10-9	E	HERBERT M AULENBACHER	CHEVRON USA INC	1/8+	914	551	N/A	N/A	Chevron USA Inc to TH Exploration LLC: 40/127
10*23458	FISH CREEK	F	WEST VIRGINIA DIVISION OF NATURAL RESOURCES	TH EXPLORATION LLC	1/8+	1019	373	N/A	N/A	N/A
10*27752	FISH CREEK	F	WEST VIRGINIA DIVISION OF NATURAL RESOURCES	TH EXPLORATION LLC	1/8+	1068	550	N/A	N/A	N/A
10*18726	5-10-8	G	EMILY K RULONG AND WILLIAM F RULONG SR	TH EXPLORATION LLC	1/8+	941	441	N/A	N/A	N/A
10*18837	5-10-8	G	THE RODGERS FAMILY TRUST	TH EXPLORATION LLC	1/8+	935	122	N/A	N/A	N/A
10*18943	5-10-8	G	BRANDY SUE MOORE AND DELMAS L MOORE	TH EXPLORATION LLC	1/8+	940	124	N/A	N/A	N/A
10*19607	5-10-8	G	DAVA HARTLEY SMITH	TH EXPLORATION LLC	1/8+	944	186	N/A	N/A	N/A
10*19666	5-10-8	G	RALPH TERRY AND MONICA TERRY	TH EXPLORATION LLC	1/8+	944	182	N/A	N/A	N/A
10*22324	5-10-8	G	RHONDA RISDEN	TH EXPLORATION LLC	1/8+	965	600	N/A	N/A	N/A
10*22542	5-10-8	G	VINCE E OSER AND KAY J OSER	TH EXPLORATION LLC	1/8+	966	198	N/A	N/A	N/A
10*23487	5-10-8	G	ELMER RICHARDSON ET AL CAROLYN FLANNERY AS SPECIAL COMMISSIONER	TH EXPLORATION LLC	1/8+	1009	255	N/A	N/A	N/A
10*23491	5-10-8	G	GENERAL RECEIVER OF MARSHALL COUNTY ATTN: BERNIE TWIGG	TH EXPLORATION LLC	1/8+	1014	498	N/A	N/A	N/A
10*27959	5-10-8	G	STONE HILL MINERALS HOLDINGS LLC	TH EXPLORATION LLC	1/8+	1063	594	N/A	N/A	N/A
10*28563	5-10-8	G	MARGARET TOLER	TH EXPLORATION LLC	1/8+	1074	630	N/A	N/A	N/A
10*28616	5-10-8	G	SILVIA J NEEHOUSE	TH EXPLORATION LLC	1/8+	1075	37	N/A	N/A	N/A
10*28617	5-10-8	G	RICKY E DAVIS AIF ALISA M DAVIS	TH EXPLORATION LLC	1/8+	1075	35	N/A	N/A	N/A
10*28812	5-10-8	G	ROBERT N BAKER AND THERESA L BAKER	TH EXPLORATION LLC	1/8+	1077	33	N/A	N/A	N/A
10*28855	5-10-8	G	PAMELA J WHORTON AND ROBERT D WHORTON	TH EXPLORATION LLC	1/8+	1077	264	N/A	N/A	N/A
10*28926	5-10-8	G	DAVID M AND SHERRY L TOLER	TH EXPLORATION LLC	1/8+	1078	13	N/A	N/A	N/A
10*28950	5-10-8	G	ANTHONY C BENEDETTA AND MARY A BENEDETTA	TH EXPLORATION LLC	1/8+	1078	188	N/A	N/A	N/A
10*28969	5-10-8	G	HARRY MCCRACKEN AND BETH ANN MCCRACKEN	TH EXPLORATION LLC	1/8+	1078	436	N/A	N/A	N/A
10*28988	5-10-8	G	HAROLD L GOUDY AND DONNA D GOUDY	TH EXPLORATION LLC	1/8+	1080	536	N/A	N/A	N/A

Operator's Well No. Van Winkle N - 1HM

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Book	Page	Assignment	Assignment	Assignment
10*28989	5-10-8	G	SANDRA K LYTTON AND CHARLES E LYTTON	TH EXPLORATION LLC	1/8+	1080	538	N/A	N/A	N/A
10*28993	5-10-8	G	CALVIN MCGUIRE	TH EXPLORATION LLC	1/8+	1080	541	N/A	N/A	N/A
10*28994	5-10-8	G	JENNIFER T PUMPA AND RICHARD PUMPA	TH EXPLORATION LLC	1/8+	1080	543	N/A	N/A	N/A
10*28995	5-10-8	G	ELLEN SCHMIDT	TH EXPLORATION LLC	1/8+	1080	545	N/A	N/A	N/A
10*28996	5-10-8	G	SHAWN MARIE SEWGARD AND JERRY SWEGARD	TH EXPLORATION LLC	1/8+	1083	124	N/A	N/A	N/A
10*29043	5-10-8	G	DONALD LESTER GOUDY JR AND BILLIE GOUDY	TH EXPLORATION LLC	1/8+	1083	121	N/A	N/A	N/A
10*29044	5-10-8	G	GARREN RAY GOUDY AND HOLLEE J GOUDY	TH EXPLORATION LLC	1/8+	1083	377	N/A	N/A	N/A
10*29073	5-10-8	G	JOEL B MATHIS II AND DEBORAH MATHIS	TH EXPLORATION LLC	1/8+	1083	563	N/A	N/A	N/A
10*29206	5-10-8	G	PAMELA R BENEDETTA	TH EXPLORATION LLC	1/8+	1085	598	N/A	N/A	N/A
10*29245	5-10-8	G	AMFLO ENTERPRISES LLC CO BARRY STIFFLER	TH EXPLORATION LLC	1/8+	1086	508	N/A	N/A	N/A
10*29267	5-10-8	G	ELNORA M BARANICH	TH EXPLORATION LLC	1/8+	1090	141	N/A	N/A	N/A
10*29394	5-10-8	G	WILLIAM ELLIOTT AND MARY MARCIA ELLIOTT	TH EXPLORATION LLC	1/8+	1096	303	N/A	N/A	N/A
10*29512	5-10-8	G	KERRY R AND BARBARA MOORE	TH EXPLORATION LLC	1/8+	1096	305	N/A	N/A	N/A
10*29664	5-10-8	G	DALE BRUCE MOORE	TH EXPLORATION LLC	1/8+	1100	89	N/A	N/A	N/A
10*29669	5-10-8	G	JEFFREY & MELISSA M MOORE	TH EXPLORATION LLC	1/8+	1100	91	N/A	N/A	N/A
10*29721	5-10-8	G	CHARLES MICHAEL & TRACEY L BAKER	TH EXPLORATION LLC	1/8+	1100	250	N/A	N/A	N/A
10*29795	5-10-8	G	LOUIS M BENEDETTA	TH EXPLORATION LLC	1/8+	1101	25	N/A	N/A	N/A
10*29801	5-10-8	G	KIRCHGESSNER CONSULTING GROUP*	TH EXPLORATION LLC	1/8+	1100	300	N/A	N/A	N/A
10*29807	5-10-8	G	DANIEL J NABUDA*	TH EXPLORATION LLC	1/8+	1101	294	N/A	N/A	N/A
10*29809	5-10-8	G	RICHARD D & JULIA M REPASKY*	TH EXPLORATION LLC	1/8+	1101	288	N/A	N/A	N/A
10*29813	5-10-8	G	HELEN E ROBINSON	TH EXPLORATION LLC	1/8+	1101	23	N/A	N/A	N/A
10*29833	5-10-8	G	SKYPOINT RESOURCES LLC	TH EXPLORATION LLC	1/8+	1103	556	N/A	N/A	N/A
10*29857	5-10-8	G	DEAN A BENEDETTA*	TH EXPLORATION LLC	1/8+	1102	298	N/A	N/A	N/A
10*29858	5-10-8	G	H3 LLC	TH EXPLORATION LLC	1/8+	1103	567	N/A	N/A	N/A
10*31355	5-10-8	G	KERRY R MOORE ET UX	CHEVRON USA INC	1/8+	772	546	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31356	5-10-8	G	AMY M TOLER FKN AMY M PARKER	STONE ENERGY CORPORATION	1/8+	874	502	N/A	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company t TH Exploration LLC: 48/21
10*31357	5-10-8	G	LORI E KESTNER	STONE ENERGY CORPORATION	1/8+	886	251	N/A	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31360	5-10-8	G	AVA SMITH	CHEVRON USA INC	1/8+	801	572	Chevron USA Inc to Stone Energy Corporation: 34/143	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31361	5-10-8	G	JAMES W HARTLEY	CHEVRON USA INC	1/8+	801	563	Chevron USA Inc to Stone Energy Corporation: 34/143	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21

Operator's Well No. Van Winkle N - 1HM

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Book	Page	Assignment	Assignment	Assignment
10*31364	5-10-8	G	JEFFREY MOORE ET UX	CHEVRON USA INC			443	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
					1/8+	776		Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
10*31365	5-10-8	G	RHONDA SUE DEPAUL	CHEVRON USA INC		777	84	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
					1/8+			Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
10*31366	5-10-8	G	MARY RENEE WHITE	CHEVRON USA INC		777	76	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
					1/8+			Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
10*31367	5-10-8	G	RICHARD NEWMAN WHITE	CHEVRON USA INC		771	51	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
					1/8+			Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
10*31368	5-10-8	G	RUSSELL ALBERT WHITE	CHEVRON USA INC	1/8+	777	68	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
								Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
10*31369	5-10-8	G	JAMES ROBERT WHITE	CHEVRON USA INC	1	778	189	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
					1/8+			Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
10*31370	5-10-8	G	DALE BRUCE MOORE	CHEVRON USA INC		781	514	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
					1/8+			Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
10*31371	5-10-8	G	DANNY MOORE ET UX	CHEVRON USA INC		780	160	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
					1/8+			Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
10*31372	5-10-8	G	ROBERT LEE WHITE JR	CHEVRON USA INC		781	522	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
					1/8+			Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
10*31373	5-10-8	G	JOYCE FELLERS ET VIR	CHEVRON USA INC	1/8+		267	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
						780		Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
10*31377	5-10-8	G	WILLIAM L ROBINSON ET UX	CHEVRON USA INC	1/8+	779	608	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
								Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
	5-10-8	G	KIMBERLY LAKE	CHEVRON USA INC			427	Chevron USA Inc to	Stone Energy Corporation to	EQT Production Company to TH Exploration LLC: 48/21
10*31383					1/8+	784		Stone Energy	EQT Production Company:	
								Corporation: 33/325	38/75	
10*18726	5-10-7	Н	EMILY K RULONG AND WILLIAM F RULONG SR	TH EXPLORATION LLC	1/8+	941	441	N/A	N/A	N/A
10*18837	5-10-7	Н	THE RODGERS FAMILY TRUST	TH EXPLORATION LLC	1/8+	935	122	N/A	N/A	N/A
10*18943	5-10-7	Н	BRANDY SUE MOORE AND DELMAS L MOORE	TH EXPLORATION LLC	1/8+	940	124	N/A	N/A	N/A
10*19607	5-10-7	Н	DAVA HARTLEY SMITH	TH EXPLORATION LLC	1/8+	944	186	N/A	N/A	N/A
10*19666	5-10-7	Н	RALPH TERRY AND MONICA TERRY	TH EXPLORATION LLC	1/8+	944	182	N/A	N/A	N/A

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Book	Page	Assignment	Assignment	Assignment
10*22324	5-10-7	Н	RHONDA RISDEN	TH EXPLORATION LLC	1/8+	965	600	N/A	N/A	N/A
10*22542	5-10-7	H	VINCE E OSER AND KAY J OSER	TH EXPLORATION LLC	1/8+	966	198	N/A	N/A	N/A
10*23487	5-10-7	н	ELMER RICHARDSON ET AL CAROLYN FLANNERY AS SPECIAL COMMISSIONER	TH EXPLORATION LLC	1/8+	1009	255	N/A	N/A	N/A
10*23491	5-10-7	н	GENERAL RECEIVER OF MARSHALL COUNTY ATTN: BERNIE TWIGG	TH EXPLORATION LLC	1/8+	1014	498	N/A	N/A	N/A
.0*26513	5-10-7	_ H	CLIFFORD C HARTLEY AND BARBARA T HARTLEY	TH EXPLORATION LLC	1/8+	1034	226	N/A	N/A	N/A
0*27959	5-10-7	H	STONE HILL MINERALS HOLDINGS LLC	TH EXPLORATION LLC	1/8+	1063	594	N/A	N/A	N/A
0*28119	5-10-7	H	WILMA JEAN OSER	TH EXPLORATION LLC	1/8+	1057	328	N/A	N/A	N/A
10*28563	5-10-7	H	MARGARET TOLER	TH EXPLORATION LLC	1/8+	1074	630	N/A	N/A	N/A
10*28616	5-10-7	Н	SILVIA J NEEHOUSE	TH EXPLORATION LLC	1/8+	1075	37	N/A	N/A	N/A
10*28617	5-10-7	н	RICKY E DAVIS AIF ALISA M DAVIS	TH EXPLORATION LLC	1/8+	1075	35	N/A	N/A	N/A
10*28812	5-10-7	н	ROBERT N BAKER AND THERESA L BAKER	TH EXPLORATION LLC	1/8+	1077	33	N/A	N/A	N/A
10*28855	5-10-7	Н	PAMELA J WHORTON AND ROBERT D WHORTON	TH EXPLORATION LLC	1/8+	1077	264	N/A	N/A	N/A
10*28926	5-10-7	н	DAVID M AND SHERRY L TOLER	TH EXPLORATION LLC	1/8+	1078	13	N/A	N/A	N/A
10*28950	5-10-7	Н	ANTHONY C BENEDETTA AND MARY A BENEDETTA	TH EXPLORATION LLC	1/8+	1078	188	N/A	N/A	N/A
10*28969	5-10-7	Н	HARRY MCCRACKEN AND BETH ANN MCCRACKEN	TH EXPLORATION LLC	1/8+	1078	436	N/A	N/A	N/A
10*28988	5-10-7	н	HAROLD L GOUDY AND DONNA D GOUDY	TH EXPLORATION LLC	1/8+	1080	536	N/A	N/A	N/A
10*28989	5-10-7	H	SANDRA K LYTTON AND CHARLES E LYTTON	TH EXPLORATION LLC	1/8+	1080	538	N/A	N/A	N/A
10*28993	5-10-7	H	CALVIN MCGUIRE	TH EXPLORATION LLC	1/8+	1080	541	N/A	N/A	N/A
10*28994	5-10-7	н	JENNIFER T PUMPA AND RICHARD PUMPA	TH EXPLORATION LLC	1/8+	1080	543	N/A	N/A	N/A
10*28995	5-10-7	H	ELLEN SCHMIDT	TH EXPLORATION LLC	1/8+	1080	545	N/A	N/A	N/A
10*28996	5-10-7	Н	SHAWN MARIE SEWGARD AND JERRY SWEGARD	TH EXPLORATION LLC	1/8+	1083	124	N/A	N/A	N/A
10*29043	5-10-7	Н	DONALD LESTER GOUDY JR AND BILLIE GOUDY	TH EXPLORATION LLC	1/8+	1083	121	N/A	N/A	N/A
10*29044	5-10-7	Н	GARREN RAY GOUDY AND HOLLEE J GOUDY	TH EXPLORATION LLC	1/8+	1083	377	N/A	N/A	N/A
10*29073	5-10-7	H	JOEL B MATHIS II AND DEBORAH MATHIS	TH EXPLORATION LLC	1/8+	1083	563	N/A	N/A	N/A
10*29206	5-10-7	Н	PAMELA R BENEDETTA	TH EXPLORATION LLC	1/8+	1085	598	N/A	N/A	N/A
10*29245	5-10-7	н	AMFLO ENTERPRISES LLC CO BARRY STIFFLER	TH EXPLORATION LLC	1/8+	1086	508	N/A	N/A	N/A
10*29267	5-10-7	Н	ELNORA M BARANICH	TH EXPLORATION LLC	1/8+	1090	141	N/A	N/A	N/A
10*29394	5-10-7	H	WILLIAM ELLIOTT AND MARY MARCIA ELLIOTT	TH EXPLORATION LLC	1/8+	1096	303	N/A	N/A	N/A
10*29512	5-10-7	Н	KERRY R AND BARBARA MOORE	TH EXPLORATION LLC	1/8+	1096	305	N/A	N/A	N/A
10*29643	5-10-7	Н	JAMES AND DEBRA LEE MATHIS	TH EXPLORATION LLC	1/8+	1100	83	N/A	N/A	N/A
10*29664	5-10-7	н	DALE BRUCE MOORE	TH EXPLORATION LLC	1/8+	1100	89	N/A	N/A	N/A
10*29669	5-10-7	Н	JEFFREY & MELISSA M MOORE	TH EXPLORATION LLC	1/8+	1100	91	N/A	N/A	N/A
10*29721	5-10-7	н	CHARLES MICHAEL & TRACEY L BAKER	TH EXPLORATION LLC	1/8+	1100	250	N/A	N/A	N/A
10*29795	5-10-7	H	LOUIS M BENEDETTA	TH EXPLORATION LLC	1/8+	1101	25	N/A	N/A	N/A
10*29801	5-10-7	н	KIRCHGESSNER CONSULTING GROUP*	TH EXPLORATION LLC	1/8+	1100	300	N/A	N/A	N/A
10*29807	5-10-7	Н	DANIEL J NABUDA*	TH EXPLORATION LLC	1/8+	1101	294	N/A	N/A	N/A
10*29809	5-10-7	н	RICHARD D & JULIA M REPASKY*	TH EXPLORATION LLC	1/8+	1101	288	N/A	N/A	N/A
10*29813	5-10-7	H	HELEN E ROBINSON	TH EXPLORATION LLC	1/8+	1101	23	N/A	N/A	N/A
10*29833	5-10-7	Н	SKYPOINT RESOURCES LLC	TH EXPLORATION LLC	1/8+	1103	556	N/A	N/A	N/A

Operator's Well No. Van Winkle N - 1HM

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Book	Page	Assignment	Assignment	Assignment
10*29857	5-10-7	H	DEAN A BENEDETTA*	TH EXPLORATION LLC	1/8+	1102	298	N/A	N/A	N/A
10*29858	5-10-7	Н	H3 LLC	TH EXPLORATION LLC	1/8+	1103	567	N/A	N/A	N/A
10*31355	5-10-7	Н	KERRY R MOORE ET UX	CHEVRON USA INC	1/8+	772	546	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31356	5-10-7	н	AMY M TOLER FKN AMY M PARKER	STONE ENERGY CORPORATION	1/8+	874	502	N/A	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31357	5-10-7	Н	LORI E KESTNER	STONE ENERGY CORPORATION	1/8+	886	251	N/A	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31360	5-10-7	H	AVA SMITH	CHEVRON USA INC	1/8+	801	572	Chevron USA Inc to Stone Energy Corporation: 34/143	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31361	5-10-7	н	JAMES W HARTLEY	CHEVRON USA INC	1/8+	801	563	Chevron USA Inc to Stone Energy Corporation: 34/143	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31364	5-10-7	н	JEFFREY MOORE ET UX	CHEVRON USA INC	1/8+	776	443	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31365	5-10-7	н	RHONDA SUE DEPAUL	CHEVRON USA INC	1/8+	777	84	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31366	5-10-7	н	MARY RENEE WHITE	CHEVRON USA INC	1/8+	777	76	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31367	5-10-7	н	RICHARD NEWMAN WHITE	CHEVRON USA INC	1/8+	771	51	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31368	5-10-7	н	RUSSELL ALBERT WHITE	CHEVRON USA INC	1/8+	777	68	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31369	5-10-7	н	JAMES ROBERT WHITE	CHEVRON USA INC	1/8+	778	189	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31370	5-10-7	н	DALE BRUCE MOORE	CHEVRON USA INC	1/8+	781	514	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31371	5-10-7	н	DANNY MOORE ET UX	CHEVRON USA INC	1/8+	780	160	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Book	Page	Assignment	Assignment	Assignment
					1			Chevron USA Inc to	Stone Energy Corporation to	
10*31372	5-10-7	н	ROBERT LEE WHITE JR	CHEVRON USA INC	1/8+	781	522	Stone Energy	EQT Production Company:	EQT Production Company to
								Corporation: 33/325	38/75	TH Exploration LLC: 48/21
								Chevron USA Inc to	Stone Energy Corporation to	507.0
10*31373	5-10-7	н	JOYCE FELLERS ET VIR	CHEVRON USA INC	1/8+	780	267	Stone Energy	EQT Production Company:	EQT Production Company to
								Corporation: 33/325	38/75	TH Exploration LLC: 48/21
21								Chevron USA Inc to	Stone Energy Corporation to	507.5 1 11 6
10*31377	5-10-7	н	WILLIAM L ROBINSON ET UX	CHEVRON USA INC	1/8+	779	608	Stone Energy	EQT Production Company:	EQT Production Company to
								Corporation: 33/325	38/75	TH Exploration LLC: 48/21
								Chevron USA Inc to	Stone Energy Corporation to	FOT David attack
10*31383	5-10-7	Н	KIMBERLY LAKE	CHEVRON USA INC	1/8+	784	427	Stone Energy	EQT Production Company:	EQT Production Company to
	1							Corporation: 33/325	38/75	TH Exploration LLC: 48/21
10*18350	5-10-5	ı	PEGGY SUE HILL DOLIN FORDYCE	TH EXPLORATION LLC	1/8+	931	401	N/A	N/A	N/A
10*18385	5-10-5	1	RICHARD A DOLIN AND MARGARET ANN DOLIN	TH EXPLORATION LLC	1/8+	932	496	N/A	N/A	N/A
10*18388	5-10-5	ı	ELIZABETH R MERCER AKA ROSE LEMASTERS MERCER	TH EXPLORATION LLC	1/8+	932	465	N/A	N/A	N/A
10*18389	5-10-5	1	HERSHEL DUTTON AND KATHY DOLIN DUTTON	TH EXPLORATION LLC	1/8+	932	459	N/A	N/A	N/A
10*18390	5-10-5		DOLLY M BOYER AND HUBERT R BOYER	TH EXPLORATION LLC	1/8+	932	462	N/A	N/A	N/A
10*18391	5-10-5		CAROL A JONES	TH EXPLORATION LLC	1/8+	932	456	N/A	N/A	N/A
10*18392	5-10-5	ı	RUSSELL C LEMASTERS	TH EXPLORATION LLC	1/8+	932	453	N/A	N/A	N/A
10*18393	5-10-5	ı	BRANDON S FORRESTER AND CASSIDY M FORRESTER	TH EXPLORATION LLC	1/8+	932	450	N/A	N/A	N/A
10*18394	5-10-5	l	BEATRICA P MADDEN & JOHN R MADDEN SR	TH EXPLORATION LLC	1/8+	932	447	N/A	N/A	N/A
10*18395	5-10-5	T	KELLY JO DOLIN	TH EXPLORATION LLC	1/8+	932	612	N/A	N/A	N/A
10*18473	5-10-5	1	MARY ALICE THOMAS MELLOTT	TH EXPLORATION LLC	1/8+	933	133	N/A	N/A	N/A
10*18581	5-10-5	1	EMMA KATHERINE GILBERT	TH EXPLORATION LLC	1/8+	935	1	N/A	N/A	N/A
10*18582	5-10-5	I	MARGARET GILBERT	TH EXPLORATION LLC	1/8+	934	648	N/A	N/A	N/A
10*18723	5-10-5	1	TERRI K SONDERGARD	TH EXPLORATION LLC	1/8+	938	525	N/A	N/A	N/A
10*18726	5-10-5	I	EMILY K RULONG AND WILLIAM F RULONG SR	TH EXPLORATION LLC	1/8+	941	441	N/A	N/A	N/A
10*18728	5-10-5	ı	TRACY J GILBERT	TH EXPLORATION LLC	1/8+	938	458	N/A	N/A	N/A
10*18837	5-10-5	1	THE RODGERS FAMILY TRUST	TH EXPLORATION LLC	1/8+	935	122	N/A	N/A	N/A
10*18838	5-10-5	i	ROBERT A BAKER	TH EXPLORATION LLC	1/8+	937	403	N/A	N/A	N/A
10*18943	5-10-5	ı	BRANDY SUE MOORE AND DELMAS L MOORE	TH EXPLORATION LLC	1/8+	940	124	N/A	N/A	N/A
10*18944	5-10-5	1	CAROLE A GILBERT	TH EXPLORATION LLC	1/8+	940	121	N/A	N/A	N/A
40#40036	5-10-5		MARSHA LASHARE BOVEE	CHEVRON USA INC	1/8+	805	21	N/A	N/A	Chevron USA Inc to TH
10*19026	2-10-2	\'	IVIARSHA LASHARE BOVEE	CHEVRON OSA INC	1/6+	803	21	N/A	N/A	Exploration LLC: 40/127
40#40027	5-10-5		BRENDA G KITCHENS	CHEVRON USA INC	1/8+	804	383	N/A	N/A	Chevron USA Inc to TH
10*19027	2-10-2	'	BRENDA G KITCHENS	CHEVRON OSA INC	1/0+	804	363	N/A	N/A	Exploration LLC: 40/127
10*10030	5-10-5	1	MARK ANTHONY LASHARE	CHEVRON USA INC	1/8+	804	641	N/A	N/A	Chevron USA Inc to TH
10*19029	2-10-2		IVIANA AIVI HOIVI LASHARE	CILVION OSA INC	1/0+	004	041	IV/A	N/A	Exploration LLC: 40/127
10#10053	5-10-5	1	TIMOTHY JOHNSON	CHEVRON USA INC	1/8+	818	18	N/A	N/A	Chevron USA Inc to TH
10*19052	3-10-5	'	THREATH JOHNSON	CHEVICON OSA INC	1,0+	010	10	IV/A	IV/A	Exploration LLC: 40/127

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Book	Page	Assignment	Assignment	Assignment
10*19149	5-10-5		ROBERT C MCKOWN & HELEN V MCKOWN, HUSBAND & WIFE	CHEVRON USA INC	1/8+	771	294	N/A	N/A	Chevron USA Inc to TH
10 19149	3-10-3	'	ROBERT C MICROWN & TILLEN V MICROWN, HOSBAND & WILL	CHEVNON OSA INC	1,0.	//1	234	N/A	19/6	Exploration LLC: 40/127
10*19157	5-10-5		ROBERT E EARLEWINE JR	CHEVRON USA INC	1/8+	771	638	N/A	N/A	Chevron USA Inc to TH
10 19157	3-10-3		NODENT E D'INEEVINEST			,,,_		.,,,,	19/6	Exploration LLC: 40/127
10*19161	5-10-5	١,	CAROL L DUNCIL EARLEWINE	CHEVRON USA INC	1/8+	773	637	N/A	N/A	Chevron USA Inc to TH
10 19101	3-10-3	<u>'</u>	O MODE DOMOLE LI MEETIME		1,0			14/7	17.5	Exploration LLC: 40/127
10*19166	5-10-5	1	ROSE MARIE BOWMAN	CHEVRON USA INC	1/8+	775	36	N/A	N/A	Chevron USA Inc to TH
10 15100	3 20 3							.4	.,,,	Exploration LLC: 40/127
10*19209	5-10-5		BILL DAWSON	CHEVRON USA INC	1/8+	783	181	N/A	N/A	Chevron USA Inc to TH
10 13203									.,,.	Exploration LLC: 40/127
10*19210	5-10-5	1	KEITH DAWSON	CHEVRON USA INC	1/8+	783	171	N/A	N/A	Chevron USA Inc to TH
					ļ	ļ			.,	Exploration LLC: 40/127
10*19212	5-10-5	1	GREG ALLEN LASHARE KATHLEEN JANE LASHARE	CHEVRON USA INC	1/8+	784	6	N/A	N/A	Chevron USA Inc to TH
	ļ					1		·		Exploration LLC: 40/127
10*19214	5-10-5	l ı	CHARLES T LASHARE AND MELISSA S LASHARE	CHEVRON USA INC	1/8+	786	201	N/A	N/A	Chevron USA Inc to TH
				·	<u> </u>				·	Exploration LLC: 40/127
10*19216	5-10-5	1	DAVID A JOHNSON AND KELLI A JOHNSON	CHEVRON USA INC	1/8+	786	357	N/A	N/A	Chevron USA Inc to TH
	ļ	ļ			<u> </u>	-		-		Exploration LLC: 40/127
10*19253	5-10-5	1	BARBARA A FARMER	AB RESOURCES LLC	1/8+	757	391	N/A	AB Resources LLC to Chevron	Chevron USA Inc to TH
		ļ		THE EVEL OF A TION HIS	1/0:	040		21/2	USA Inc: 29/277	Exploration LLC: 40/127
10*19468	5-10-5	 	NANCY C LONG AND RONALD LONG	TH EXPLORATION LLC	1/8+	942 942	577	N/A	N/A	N/A
10*19469	5-10-5	<u> </u>	DONALD E GILBERT	TH EXPLORATION LLC	1/8+		600	N/A	N/A	N/A
10*19470	5-10-5	! ! .	BARBARA M CHESNUT AND WAYNE H CHESNUT	TH EXPLORATION LLC	1/8+	942	581	N/A	N/A	N/A
10*19471	5-10-5	 	CANDY JO BAKER	TH EXPLORATION LLC	1/8+	942	585	N/A	N/A	N/A
10*19501	5-10-5	<u> </u>	LARRY RAY GILBERT	TH EXPLORATION LLC	1/8+	942	596	N/A	N/A	N/A
10*19607	5-10-5	 	DAVA HARTLEY SMITH	TH EXPLORATION LLC	1/8+	944	186	N/A	N/A	N/A
10*19666	5-10-5	!	RALPH TERRY AND MONICA TERRY	TH EXPLORATION LLC	1/8+	944	182	N/A	N/A	N/A
10*19838	5-10-5	<u> </u>	ROBERT ALLAN PATERSON AND LEZLIE PATERSON	TH EXPLORATION LLC	1/8+	945	625	N/A	N/A	N/A
10*19888	5-10-5		EMMA JEAN LASHARE WILSON	TH EXPLORATION LLC	1/8+	945	622	N/A	N/A	N/A
10*19889	5-10-5	 	BRITTANY N LEMASTERS	TH EXPLORATION LLC	1/8+	945 947	488 571	N/A	N/A	N/A
10*19977	5-10-5	 	MILDRED ALICE GILBERT SAPP AND EDGAR SAPP	TH EXPLORATION LLC	1/8+	952	155	N/A	N/A	N/A
10*21184	5-10-5	1 .	TERRY LEE SOVINSKY AND DAWN S SOVINSKY	TH EXPLORATION LLC				N/A	N/A	N/A
10*21186	5-10-5	 	SYLVIA A GILBERT KRAFFT	TH EXPLORATION LLC	1/8+	952 960	152 7	N/A	N/A	N/A
10*21915	5-10-5		MICHAEL WAYNE THOMAS AND DARLA R THOMAS	TH EXPLORATION LLC	1/8+		9	N/A	N/A	N/A
10*21921	5-10-5	+	MARLENE HRIVNAK	TH EXPLORATION LLC TH EXPLORATION LLC	1/8+	960 965	600	N/A	N/A	N/A
10*22324	5-10-5	+ +-	RHONDA RISDEN	TH EXPLORATION LLC	1/8+	965	487	N/A	N/A	N/A
10*22491	5-10-5	+	MARK A THOMAS AND MICHELLE D J THOMAS		1/8+	964	198	N/A	N/A	N/A
10*22542	5-10-5	+	VINCE E OSER AND KAY J OSER	TH EXPLORATION LLC	1/8+	966	198	N/A	N/A	N/A
10*22719	5-10-5	ı	ROMAN CATHOLIC DIOCESE OF WHEELING BY MICHAEL J BRANSFIELD BISHOP	TH EXPLORATION LLC	1/8+	968	292	N/A	N/A	N/A
10*22781	5-10-5	1	PAMELA J THOMAS KNIRSCH	TH EXPLORATION LLC	1/8+	972	19	N/A	N/A	N/A

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Book	Page	Assignment	Assignment	Assignment
10*22815	5-10-5	1	VIRGINIA R THOMAS	TH EXPLORATION LLC	1/8+	972	21	N/A	N/A	N/A
10*23347	5-10-5	1	MICHAEL BAUM	TH EXPLORATION LLC	1/8+	985	8	N/A	N/A	N/A
10*23487	5-10-5	ı	ELMER RICHARDSON ET AL CAROLYN FLANNERY AS SPECIAL COMMISSIONER	TH EXPLORATION LLC	1/8+	1009	255	N/A	N/A	N/A
10*23491	5-10-5	ı	GENERAL RECEIVER OF MARSHALL COUNTY ATTN: BERNIE TWIGG	TH EXPLORATION LLC	1/8+	1014	498	N/A	N/A	N/A
10*25700	5-10-5	ı	ANGEL M ROLLINS	TH EXPLORATION LLC	1/8+	1033	302	N/A	N/A	N/A
10*26513	5-10-5	1	CLIFFORD C HARTLEY AND BARBARA T HARTLEY	TH EXPLORATION LLC	1/8+	1034	226	N/A	N/A	N/A
10*26566	5-10-5	I	KATIE LASHARE	TH EXPLORATION LLC	1/8+	1038	458	N/A	N/A	N/A
10*26586	5-10-5	ı	CATHY D SOVINSKY	TH EXPLORATION LLC	1/8+	1034	567	N/A	N/A	N/A
10*26587	5-10-5	1	JAMES L LITMAN AND CAROLE J LITMAN	TH EXPLORATION LLC	1/8+	1034	570	N/A	N/A	N/A
10*26588	5-10-5	i	TRAVIS H GREER AND BETTY J GREER	TH EXPLORATION LLC	1/8+	1034	561	N/A	N/A	N/A
10*26815	5-10-5	1	RONALD G BAKER	TH EXPLORATION LLC	1/8+	1038	193	N/A	N/A	N/A
10*26816	5-10-5	1	BARBARA JO JOHNSON AND STEVEN R JOHNSON	TH EXPLORATION LLC	1/8+	1038	199	N/A	N/A	N/A
10*26817	5-10-5	ı	WILLIAM RICHARD HEISER	TH EXPLORATION LLC	1/8+	1039	493	N/A	N/A	N/A
10*26938	5-10-5	1	TIMOTHY LASHARE	TH EXPLORATION LLC	1/8+	1046	444	N/A	N/A	N/A
10*27528	5-10-5	ı	LAWRENCE ROBERT EARLEWINE	TH EXPLORATION LLC	1/8+	1060	191	N/A	N/A	N/A
10*27599	5-10-5	1	LORI KAY JARVIS	TH EXPLORATION LLC	1/8+	1060	587	N/A	N/A	N/A
10*27959	5-10-5	1	STONE HILL MINERALS HOLDINGS LLC	TH EXPLORATION LLC	1/8+	1063	594	N/A	N/A	N/A
10*28119	5-10-5	ı	WILMA JEAN OSER	TH EXPLORATION LLC	1/8+	1057	328	N/A	N/A	N/A
10*28524	5-10-5	ı	MONICA ANDERSON	TH EXPLORATION LLC	1/8+	1073	377	N/A	N/A	N/A
10*28525	5-10-5	1	MONICA ANDERSON	TH EXPLORATION LLC	1/8+	1073	375	N/A	N/A	N/A
10*28532	5-10-5	1	JONI HEBERT	TH EXPLORATION LLC	1/8+	1073	379	N/A	N/A	N/A
10*28563	5-10-5	1	MARGARET TOLER	TH EXPLORATION LLC	1/8+	1074	630	N/A	N/A	N/A
10*28616	5-10-5	1	SILVIA J NEEHOUSE	TH EXPLORATION LLC	1/8+	1075	37	N/A	N/A	N/A
10*28617	5-10-5	1	RICKY E DAVIS AIF ALISA M DAVIS	TH EXPLORATION LLC	1/8+	1075	35	N/A	N/A	N/A
10*28812	5-10-5	1	ROBERT N BAKER AND THERESA L BAKER	TH EXPLORATION LLC	1/8+	1077	33	N/A	N/A	N/A
10*28855	5-10-5	1	PAMELA J WHORTON AND ROBERT D WHORTON	TH EXPLORATION LLC	1/8+	1077	264	N/A	N/A	N/A
10*28926	5-10-5	ı	DAVID M AND SHERRY L TOLER	TH EXPLORATION LLC	1/8+	1078	13	N/A	N/A	N/A
10*28950	5-10-5	1	ANTHONY C BENEDETTA AND MARY A BENEDETTA	TH EXPLORATION LLC	1/8+	1078	188	N/A	N/A	N/A
10*28969	5-10-5	1	HARRY MCCRACKEN AND BETH ANN MCCRACKEN	TH EXPLORATION LLC	1/8+	1078	436	N/A	N/A	N/A
10*28988	5-10-5	I	HAROLD L GOUDY AND DONNA D GOUDY	TH EXPLORATION LLC	1/8+	1080	536	N/A	N/A	N/A
10*28989	5-10-5		SANDRA K LYTTON AND CHARLES E LYTTON	TH EXPLORATION LLC	1/8+	1080	538	N/A	N/A	N/A
10*28993	5-10-5	I	CALVIN MCGUIRE	TH EXPLORATION LLC	1/8+	1080	541	N/A	N/A	N/A
10*28994	5-10-5		JENNIFER T PUMPA AND RICHARD PUMPA	TH EXPLORATION LLC	1/8+	1080	543	N/A	N/A	N/A
10*28995	5-10-5	1	ELLEN SCHMIDT	TH EXPLORATION LLC	1/8+	1080	545	N/A	N/A	N/A
10*28996	5-10-5	1	SHAWN MARIE SEWGARD AND JERRY SWEGARD	TH EXPLORATION LLC	1/8+	1083	124	N/A	N/A	N/A
10*29043	5-10-5	1	DONALD LESTER GOUDY JR AND BILLIE GOUDY	TH EXPLORATION LLC	1/8+	1083	121	N/A	N/A	N/A
10*29044	5-10-5	1	GARREN RAY GOUDY AND HOLLEE J GOUDY	TH EXPLORATION LLC	1/8+	1083	377	N/A	N/A	N/A
10*29073	5-10-5		JOEL B MATHIS II AND DEBORAH MATHIS	TH EXPLORATION LLC	1/8+	1083	563	N/A	N/A	N/A
10*29206	5-10-5	1	PAMELA R BENEDETTA	TH EXPLORATION LLC	1/8+	1085	598	N/A	N/A	N/A

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Book	Page	Assignment	Assignment	Assignment
10*29245	5-10-5		AMFLO ENTERPRISES LLC CO BARRY STIFFLER	TH EXPLORATION LLC	1/8+	1086	508	N/A	N/A	N/A
10*29267	5-10-5	1	ELNORA M BARANICH	TH EXPLORATION LLC	1/8+	1090	141	N/A	N/A	N/A
10*29394	5-10-5		WILLIAM ELLIOTT AND MARY MARCIA ELLIOTT	TH EXPLORATION LLC	1/8+	1096	303	N/A	N/A	N/A
10*29512	5-10-5	10-1	KERRY R AND BARBARA MOORE	TH EXPLORATION LLC	1/8+	1096	305	N/A	N/A	N/A
10*29643	5-10-5	- D- 191	JAMES AND DEBRA LEE MATHIS	TH EXPLORATION LLC	1/8+	1100	83	N/A	N/A	N/A
10*29664	5-10-5		DALE BRUCE MOORE	TH EXPLORATION LLC	1/8+	1100	89	N/A	N/A	N/A
10*29669	5-10-5	1 - 1 - 4	JEFFREY & MELISSA M MOORE	TH EXPLORATION LLC	1/8+	1100	91	N/A	N/A	N/A
10*29721	5-10-5	1 - 1 - 1	CHARLES MICHAEL & TRACEY L BAKER	TH EXPLORATION LLC	1/8+	1100	250	N/A	N/A	N/A
10*29722	5-10-5		ROBERT E EARLEWINE JR	TH EXPLORATION LLC	1/8+	1034	226	N/A	N/A	N/A
10*29795	5-10-5	1 - 1	LOUIS M BENEDETTA	TH EXPLORATION LLC	1/8+	1101	25	N/A	N/A	N/A
10*29797	5-10-5		SHIRLEY C EARLEWINE*	TH EXPLORATION LLC	1/8+	1101	273	N/A	N/A	N/A
10*29799	5-10-5	1 1	TAMMY L & DOUGLAS E GOULDSBERRY*	TH EXPLORATION LLC	1/8+	1101	270	N/A	N/A	N/A
10*29801	5-10-5	1 1	KIRCHGESSNER CONSULTING GROUP*	TH EXPLORATION LLC	1/8+	1100	300	N/A	N/A	N/A
10*29803	5-10-5	1	LILLIAN H & JOHN Kurpil*	TH EXPLORATION LLC	1/8+	1101	264	N/A	N/A	N/A
10*29805	5-10-5	i F	HELEN VIRGINIA MCKOWN*	TH EXPLORATION LLC	1/8+	1101	258	N/A	N/A	N/A
10*29807	5-10-5	1 - 1 - 1	DANIEL J NABUDA*	TH EXPLORATION LLC	1/8+	1101	294	N/A	N/A	N/A
10*29809	5-10-5	1 1	RICHARD D & JULIA M REPASKY*	TH EXPLORATION LLC	1/8+	1101	288	N/A	N/A	N/A
10*29811	5-10-5	The state of	TERESA ANN ZIANTS AND THOMAS F ZIANTS*	TH EXPLORATION LLC	1/8+	1101	282	N/A	N/A	N/A
10*29813	5-10-5	Terlocation	HELEN E ROBINSON	TH EXPLORATION LLC	1/8+	1101	23	N/A	N/A	N/A
10*29833	5-10-5	10 = 10	SKYPOINT RESOURCES LLC	TH EXPLORATION LLC	1/8+	1103	556	N/A	N/A	N/A
10*29857	5-10-5	1	DEAN A BENEDETTA*	TH EXPLORATION LLC	1/8+	1102	298	N/A	N/A	N/A
10*29858	5-10-5		H3 LLC	TH EXPLORATION LLC	1/8+	1103	567	N/A	N/A	N/A
10*29859	5-10-5	1 1	H3 LLC	TH EXPLORATION LLC	1/8+	1103	559	N/A	N/A	N/A
10*31356	5-10-5	ı	AMY M TOLER FKN AMY M PARKER	STONE ENERGY CORPORATION	1/8+	874	502	N/A	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31357	5-10-5	Ť	LORI E KESTNER	STONE ENERGY CORPORATION	1/8+	886	251	N/A	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31360	5-10-5	1	AVA SMITH	CHEVRON USA INC	1/8+	801	572	Chevron USA Inc to Stone Energy Corporation: 34/143	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31361	5-10-5	Ī	JAMES W HARTLEY	CHEVRON USA INC	1/8+	801	563	Chevron USA Inc to Stone Energy Corporation: 34/143	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31364	5-10-5	4	JEFFREY MOORE ET UX	CHEVRON USA INC	1/8+	776	443	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company t TH Exploration LLC: 48/21
10*31365	5-10-5	1	RHONDA SUE DEPAUL	CHEVRON USA INC	1/8+	777	84	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company t TH Exploration LLC: 48/21

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Book	Page	Assignment	Assignment	Assignment
10*31366	5-10-5	1	MARY RENEE WHITE	CHEVRON USA INC	1/8+	777	76	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31367	5-10-5	Í	RICHARD NEWMAN WHITE	CHEVRON USA INC	1/8+	771	51	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31368	5-10-5	l l	RUSSELL ALBERT WHITE	CHEVRON USA INC	1/8+	777	68	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31369	5-10-5	t	JAMES ROBERT WHITE	CHEVRON USA INC	1/8+	778	189	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31370	5-10-5	1	DALE BRUCE MOORE	CHEVRON USA INC	1/8+	781	514	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31371	5-10-5	1	DANNY MOORE ET UX	CHEVRON USA INC	1/8+	780	160	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31372	5-10-5	1	ROBERT LEE WHITE JR	CHEVRON USA INC	1/8+	781	522	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31373	5-10-5	i.	JOYCE FELLERS ET VIR	CHEVRON USA INC	1/8+	780	267	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31377	5-10-5	1	WILLIAM L ROBINSON ET UX	CHEVRON USA INC	1/8+	779	608	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*31383	5-10-5	Ţ	KIMBERLY LAKE	CHEVRON USA INC	1/8+	784	427	Chevron USA Inc to Stone Energy Corporation: 33/325	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*19248	SCHOOL LOT	1	ALBERT F KAZEMKA	CHEVRON USA INC	1/8+	848	419	N/A	N/A	Chevron USA Inc to TH Exploration LLC: 40/127
10*19248	5-10-4	к	ALBERT F KAZEMKA	CHEVRON USA INC	1/8+	848	419	N/A	N/A	Chevron USA Inc to TH Exploration LLC: 40/127
10*19248	5-10-4.12	L	ALBERT F KAZEMKA	CHEVRON USA INC	1/8+	848	419	N/A	N/A	Chevron USA Inc to TH Exploration LLC: 40/127
0*47051.307.0	5-9-13.2	M	JASON J STEED	TH EXPLORATION LLC	1/8+	894	508	N/A	N/A	N/A
0*47051.305.0	5-9-12	N	ROBERT G & TERRI L MCGUIRE	TH EXPLORATION LLC	1/8+	895	45	N/A	N/A	N/A

^{*}Co-tenancy utilization — At least 7 mineral owners in tract. At least 75% of the royalty owners have executed a lease on the tract. The interests of the remaining co-tenants were acquired pursuant to the Co-tenancy Modernization and Majority Protection Act.

MR 0648 NE 082 I

ASSIGNMENT AND BILL OF SALE

This ASSIGNMENT AND BILL OF SALE (this "Assignment") dated as of December 1, 2020 (the "Execution Date"), is made by and between EQT PRODUCTION COMPANY, a Pennsylvania corporation, with an address at 625 Liberty Avenue, Suite 1700, Pittsburgh, Pennsylvania 15222 ("EQT"), and TH EXPLORATION, LLC, a Texas limited liability company, with an address at 1320 S. University Drive, Suite 500, Fort Worth, Texas 76107 ("TH") pursuant to the terms of that certain Acreage Trade Agreement by and among EQT, TH and TH Exploration II, LLC ("TH II"), dated July 8, 2020 (the "Agreement"). EQT and TH may be referred to herein together as the "Parties", and each individually as a "Party".

RECITALS

WHEREAS, EQT desires to transfer, convey and assign to TH certain of EQT's oil and gas leasehold interests located in Marshall County, West Virginia set forth on Exhibit A attached hereto and incorporated herein ("EQT Leases") in accordance with this Assignment and the Agreement; and

WHEREAS, TH desires to receive from EQT, all of EQT's right, title and interest in and to the EQT Leases in accordance with this Assignment and the Agreement.

NOW, THEREFORE, for and in consideration of the mutual promises contained herein and in the Agreement, the benefits to be derived by each Party hereunder and under the Agreement, and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby agree as follows:

ARTICLE I DEFINED TERMS

1.1 Definitions. Capitalized terms used herein and not otherwise defined throughout this Assignment shall have the meanings given such terms in the Agreement.

ARTICLE II ASSIGNMENT OF ASSETS

- 2.1 Assignment. Subject to the terms and conditions of this Assignment and the Agreement, EQT does hereby assign, convey and transfer to TH all of the right, title and interest of EQT in and to the following (collectively for purposes of this Assignment, the "EQT Assets"):
- (a) Subject to the conveyance of the Wells Assets from EQT to TH II as described in the Agreement, the EQT Leases and appurtenances thereto (including rights of access and to install facilities), all Hydrocarbons within, produced from, derived from, or sold from the EQT Leases (and all proceeds related thereto), on and after the Valuation Date, and all Surface Contracts including but not limited to those set forth on Exhibit B attached hereto and incorporated herein (the "EQT Surface Contracts") related to the EQT Leases and such Hydrocarbons; and
- (b) Copies of deeds, files and all other ownership information directly related to the acquisition, operations and maintenance of the EQT Leases, lease files for the EQT Leases

Ş

RECEIVED
Office of Oil and Gas

JAN 25 2021

33.00

BON 0040 RATE 0 127

MICHAEL MORAN BRIGHTON RESOURCES 5851 ELLSWORTH AVENUE, #1 PITTSBURGH PA 15232-1707

STATE OF WEST VIRGINIA §
COUNTY OF MARSHALL §

Marshall County
Jan Pest, Clerk
Instrument 1428356
08/16/2017 @ 12:08:49 PM
ASSIGNMENTS
Book 40 @ Page 127
Pages Recorded 25

Recording Cost \$

ASSIGNMENT AND CONVEYANCE

THIS ASSIGNMENT AND CONVEYANCE (the "Assignment") is made and entered into this day of AUAUSY 2017 (the "Effective Date"), by and between CHEVRON U.S.A. INC. (hereinafter "Assignor") and TH EXPLORATION, LLC (hereinafter "Assignee") pursuant to the terms of that certain Acreage Trade Agreement between the Assignor and the Assignee dated the 1st day of August, 2017 (the "Acreage Trade Agreement"). Capitalized terms used but not defined herein and defined in the Acreage Trade Agreement shall have the meanings given to such terms in the Acreage Trade Agreement.

WITNESSETH:

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right, title, and interest in and to those certain Oil and Gas Leases situated in Marshall County, West Virginia, as described in Exhibit "A", attached hereto and made a part hereof (hereinafter the "Leases"), less and except certain overriding royalty interests and exclusions; and

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right, title, and interest in and to the Leases as described below, subject to certain overriding royalty interests and less and except certain exclusions.

NOW, THEREFORE, for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, and subject to the limited warranties, restrictions and conditions hereinafter mentioned, the parties hereto, intending to be legally bound, do covenant and agree as follows:

- 1. <u>Assignment.</u> Assignor does hereby grant, bargain, sell, convey, deliver, assign, set over and transfer, as of the Effective Date, to Assignee, its respective successors and assigns, forever, all of Assignor's right, title and interest in and to the Leases, and the lands covered thereby, together with all rights incident thereto and appurtenances thereon, except that Assignor excepts and reserves from this Assignment the following:
 - A. The Chevron ORRI previously conveyed to Assignor and as described in that certain Memorandum of Assignment of Oil and Gas Lease Interests dated November 6, 2012 by and between Cornell Holdings Incorporated and Chevron U.S.A. Inc., which is recorded at Book 0028, Page 0239 in the Office of the County Clerk of Marshall County, West Virginia, and
 - B. As to each of the Leases and all oil, gas, and associated hydrocarbons produced, saved and sold thereunder, an overriding royalty interest equal to the difference between 82% and the

RECEIVED
Office of Oil and Gas

JAN 25 2021

STATE OF WEST VIRGINIA
COUNTY OF MARSHALL

ASSIGNMENT AND CONVEYANCE

THIS ASSIGNMENT AND CONVEYANCE (the "Assignment") is made and entered into this 18th day of May, 2018, and made effective December 12, 2017 (the "Effective Date"), by and between AMERICAN PETROLEUM PARTNERS OPERATING, LLC, (hereinafter "Assignor") and TH EXPLORATION, LLC (hereinafter "Assignee") pursuant to the terms of that certain Acreage Trade Agreement between the Assignor and the Assignee dated December 12, 2017 (the "Acreage Trade Agreement"). Capitalized terms used but not defined herein and defined in the Acreage Trade Agreement shall have the meanings given to such terms in the Acreage Trade Agreement.

WITNESSETH:

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right, title, and interest in and to those certain Oil and Gas Leases situated in Marshall County, West Virginia, as described in Exhibit "A"; attached hereto and made a part hereof (hereinafter the "Leases"); and

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right, title, and interest in and to the Leases as described below.

NOW, THEREFORE, for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, and subject to the limited warranties, restrictions and conditions hereinafter mentioned, the parties hereto, intending to be legally bound, do covenant and agree as follows:

1. <u>Assignment.</u> Assignor does hereby grant, bargain, sell, convey, deliver, assign, set over and transfer, as of the Effective Date, to Assignee, its respective successors and assigns, forever, all of Assignor's right, title and interest in and to the Leases, and the lands covered thereby, together with all rights incident thereto and appurtenances thereon.

TO HAVE AND TO HOLD such right, title and interest in and to the Leases unto Assignee or its designee, and their respective successors and assigns, forever, in accordance with the provisions of this Assignment.

2. <u>Special Warranty</u>. Assignor represents and warrants that Assignor has not conveyed or otherwise encumbered (other than Permitted Encumbrances) its interest in the

Marshall County
Jan Pest, Clerk
Instrument 1440860
October 1450860
ASSIGNMENTS
Book 42 @ Page 109
Pages Recorded 9

15.00

Recording Cost \$

: RECEIVED Office of Oil and Gas

JAN 25 2021



January 21, 2020

WV Department of Environmental Protection Office of Oil & Gas 601 57th Street, SE Charleston, WV 25304 Attention: Wade Stansberry

RE: Van Winkle N-1HM

Subject: Marshall County Route 74 Road Crossing Letter

Dear Wade:

Tug Hill Operating, LLC (THO) hereby submits this letter as confirmation that THO has obtained the right to drill, extract and produce the minerals under Marshall County Route 74 in the area reflected on the Van Winkle N-1HM well plat. THO has conducted a full title search in the relevant Court House to confirm its ownership under said County Routes and is not currently aware of any recorded document that would suggest an ownership other than THO.

If your office has any questions or concerns regarding the contents of this letter, please do not hesitate to contact me directly at 304-376-0111, or by email at amorris@tug-hillop.com.

Sincerely,

any llouris

Amy Morris Permit Specialist – Appalachia Region Cell 304-376-0111

Email: amiller@tug-hillop.com

RECEIVED
Office of Oil and Gas

JAN 25 2021

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Noti	ee Certification: 01/22/2021	API No. 4/- 001 -						
	7.4.		Operator's	s Well No. Van Winkle N-1HM				
			Well Pad Name: Hunter Pethtel					
Notice has								
Pursuant to th	e provisions in West Virginia Code § 2	2-6A, the Operator has pro	vided the rea	quired parties with the Notice Forms listed				
	tract of land as follows:							
State:	West Virginia	UTM NAD 83	Easting:	523,433.50				
County:	Marshall	OTM NAD 63	Northing:	4,403,588.88				
District:	Meade	Public Road Acc	cess:	County Route 74				
Quadrangle:	Glen Easton 7.5	Generally used f	farm name:	XcL Midstream Operating, LLC				
Watershed:	Fish Creek (HUC 10)							
				is section shall be on a form as may be				

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Opthat the Operator has properly served the require *PLEASE CHECK ALL THAT APPLY	erator has attached proof to this Notice Certification d parties with the following:	OOG OFFICE USE ONLY
☐ 1. NOTICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/ NOT REQUIRED
2. NOTICE OF ENTRY FOR PLAT SURV	YEY or ☐ NO PLAT SURVEY WAS CONDUCTED	RECEIVED
☐ 3. NOTICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or	☐ RECEIVED/ NOT REQUIRED
	☐ WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	
■ 4. NOTICE OF PLANNED OPERATION	Office of On U.S.	RECEIVED
■ 5. PUBLIC NOTICE	JAN 2 5 (771	RECEIVED
■ 6. NOTICE OF APPLICATION	WV Department :	RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE,			the notice requirements within West Virginia Code § 22-
6A. I certify the	at as required under West Virginia Code §	22-6A, I have s	erved the attached copies of the Notice Forms, identified
above, to the re	equired parties through personal service, by	y registered mail	or by any method of delivery that requires a receipt or
signature confir	mation. I certify under penalty of law that l	I have personally	examined and am familiar with the information submitted
in this Notice (Certification and all attachments, and tha	it based on my i	inquiry of those individuals immediately responsible for
			d complete. I am aware that there are significant penalties
for submitting f	alse information, including the possibility of	f fine and impriso	onment.
Well Operator:	Tug Hill Operating, LLC	Address:	380 Southpointe Boulevard, Plaza II, Suite 200
By:	/ MILV Trace	- 71001033.	Canonsburg, PA 15317
5.7 Page	My Rue dus	Facsimile:	724-338-2030
Its:	Permitting Specialist - Appalachia Region	_	1-1-2 Exit 0.330
Telephone:	724-749-8388	Email:	amorris@tug-hillop.com
	onwealth Off PARITY SYLVARIA - Notary Seal	bearihad and any	orn before me this 21 day of JANUAR 1, 2021.
Commo	. J Cabriel Delallo, Notari	ibscribed and swe	officerole methis 2 day of JANOTA 1, 2021.
Dav	Washington County	1	Notary Public
Mycol	- cypires February 10, 200	1	Notary 1 done
liviy ss	mmission expires 1 of 1267492 Commission number 1267492	y Commission E	xpires 2/16/24
Memb	er, Pennsylvania Association of Notaries M	y Commission E	xpires 2/19/21

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

JAN 25 2021

WW-6A (9-13)

4705102363

API NO. 47-051

OPERATOR WELL NO. Van Winkle N-1HM

Well Pad Name: Hunter Pethtel

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 1/26/2022 Date Permit Application Filed: 1/22/2020 Notice of: PERMIT FOR ANY CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ PERSONAL ☐ REGISTERED ☑ METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION **SERVICE MAIL** Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice ☑ Well Plat Notice is hereby provided to: COAL OWNER OR LESSEE ☐ SURFACE OWNER(s) Name: CNX Land, LLC RECEIVE Name: XcL Midstream Operating, LLC (Well Pad & Access Road) Office of October Address: 1000 Consol Energy Drive Address: 380 Southpointe Boulevard, Plaza II, Suite 215 Canonsburg, PA 15317 Canonsburg, PA 15317 FEB 03 2221 Name: Frank E. & Mary Virginia Pethtel, Life Estate (Well Pad) COAL OPERATOR Address: 9845 Fish Creek Road Name: WV Dopar, makes a Glen Easton, WV 26039 Address: ☑ SURFACE OWNER(s) (Road and/or Other Disturbance) Environmental Protection Name: Regina M. & Aaron D. Murray, Remainderman ☑ SURFACE OWNER OF WATER WELL Address: 5 Mound Manor AND/OR WATER PURVEYOR(s) St. Mary's, WV 26170 Name: *See attached Address: Name: Address: ☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD ☐ SURFACE OWNER(s) (Impoundments or Pits) Name: Name: Address: Address: *Please attach additional forms if necessary

WW-6A (8-13) API NO. 47- 051

OPERATOR WELL NO. Van Winkle N-1HM

Well Pad Name: Hunter Pethtel

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

03/19/2021

WW-6A (8-13)

API NO. 47-051

OPERATOR WELL NO. Van Winkle N-1HM

Well Pad Name: Hunter Pethtel

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

FEB 03 2021

Office of Oil and Gas

and beginning or

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13) API NO. 47- 051 OPERATOR WELL NO. Van Winkle N-1HM
Well Pad Name: Hunter Pethtel

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Office III , Co.

FEB U 3 2021

WV Department of

WW-6A (8-13) 47.0 5 1 0 2 3 6 3 API NO. 47-051 NO. Van Winkle N-1HM

OPERATOR WELL NO. Van Winkle N-1HM
Well Pad Name: Hunter Pethtel

Notice is hereby given by:

Well Operator: Tug Hill Operating, LLC

Telephone: 724-749-8388

Email: amorris@tug-hillop.com

Address: 380 Southpointe Boulevard, Plaza II, Suite 200

Canonsburg, PA 15317

Facsimile: 724-338-2030

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

Commonwealth of Pennsylvania - Notary Seal Susanne Deliere, Notary Public Washington County My commission expires January 15, 2025 Commission number 1382332

Member, Pennsylvania Association of Notaries

Subscribed and sworn before me this

O Notary Public

My Commission Expires

RECEIVED Office of the Mindel

FEB 0 3 7021

Exhibit WW-6A

Supplement Pg. 1A

Tug Hill Operating, LLC 380 Southpointe Blvd, Suite 200 Cannonsburg, PA 15137

Residences within Two-Thousand Feet (2,000')

Well:

Van Winkle N – 1HM

District:

Meade

State:

WV

There are four (4) possible residences, one (1) possible commercial or business site, no churches, no schools and no emergency facilities within two-thousand feet (2,000') of the above referenced well location. Number 6 is a water well only and is not a residence.


Residence (#1)	Residence (#2)	Commercial/Business (#3)*
TM 13 Pcl. 6	TM 13 Pcl. 7	TM 13 Pcl. 5
Mary Virginia Pethtel	Mary Virginia Pethtel	XcL Midstream Operating, LLC
Phone: 304-684-2646, 304-845-3423	Phone: 304-684-2646, 304-845-3423	Phone: 1-888-751-0434
Physical Address:	Physical Address:	Physical Address:
None Found – Possible Mobile Home	9845 Fish Creek Rd	9269 Fish Creek Rd.
Tax Address:	Glen Easton, WV 26039	Glen Easton, WV 26039
9845 Fish Creek Rd	Tax Address:	Tax Address:
Glen Easton, WV 26039	Same	1320 S University DR STE 500
		Fort Worth, TX 76107
		*Physical address appears to be related
		to Oil & Gas Well Pad.
Residence (#4)	Residence (#5)	(#6)
TM 13 Pcl. 5	TM 13 Pcl. 5	Water Well Only (No Residence)
XcL Midstream Operating, LLC	XcL Midstream Operating, LLC	Joseph L. Blake & Michael A. Walker
Phone: 1-888-751-0434	Phone: 1-888-751-0434	1207 Roberts Ridge Road
Physical Address:	Physical Address:	Moundsville, WV 26041
None Found – Appears to be newer	9201 Fish Creek Rd.	
home	Glen Easton, WV 26039	
Tax Address:	Tax Address:	
1320 S University DR STE 500	1320 S University DR STE 500	
Fort Worth, TX 76107	Fort Worth, TX 76107	

RECEIVED
Office of Oil and Gas

FEB 0 3 2021

PROPOSED VAN WINKLE N - 1HM

SUPPLEMENT PG. 1B 4705102363



NOTE: THERE APPEARS TO BE SIX (6) POSSIBLE WATER SOURCES WITHIN 2,000'. NUMBER 6 IS A WATER WELL ONLY (NO RESIDENCE).



12 Vanhorn Drive | P.O. Box 150 | Glenville, WV 26351 | 304.452.5654 1412 Kanawha Boulevard, East | Charleston, WV 25301 | 304.346.3952 254 East Beckley Bypass | Beckley, WV 25801 | 304.255.5296

TOPO S	ECTION:	OPER	ATOR:			
GLEN EAS	STON 7.5'	PREPARED FOR: TUG HILL OPERATING, LLC				
COUNTY	DISTRICT	380 SOUTHPOI	NTE BLVD			
MARSHALL	MEADE	SUITE 200 CANONSBURG	. PA 15317			
DRAWN BY	JOB NO.	DATE	SCALE			
K.G.M.	8952	12/24/2020	1" - 1000'			



03/19/2021

WW-6A3 (1/12)

47 25 22262

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

entr		Requirement:	Notice shall be prov	ided at least	SEVEN (7) da	ys but no more tha	n FORTY-FIVE	(45) days prior to
	e of Notice	e: 12/11/2020	Date of Plan	ned Entry:	12/18/2020			
Deli	ivery meth	od pursuant	to West Virginia Co	ode § 22-6A-	-10a			
П	PERSON	JAL 🗆	REGISTERED	■ MET	THOD OF DEL	IVERY THAT RE	EQUIRES A	
	SERVICE		MAIL			NATURE CONFIR		
on t but bend own and Secretarial	o the surfaction of more the eath such the eath such the eath such the eath sediment (sediment (sediment), which is the surfaction of the	ce tract to con an forty-five of ract that has five rals underlying Control Manuch statement searce owner to o	ode § 22-6A-10(a), P duct any plat surveys lays prior to such ent led a declaration pun g such tract in the co al and the statutes an shall include contact in obtain copies from the	s required putry to: (1) The suant to secti unty tax reco d rules relate information,	rsuant to this are surface owner to thirty-six, a ords. The noticed to oil and gas	rticle. Such notice : r of such tract; (2) rticle six, chapter t e shall include a sta s exploration and p	shall be provided a to any owner or lest wenty-two of this of atement that copies toduction may be of	at least seven days ssee of coal seams code; and (3) any s of the state Erosion obtained from the
Not	ice is here	by provided t	:0:					
	SURFAC	E OWNER(s)			COAT	L OWNER OR LE	SSEE	
		The second secon	.C (Well Pad & Access Road)		Name: CN	X Land, LLC		
			rd, Plaza II, Suite 215	Ī.	and the same of th	1000 Consol Energy Drive		
Cano	nsburg, PA 15	317			Canonsburg, F	PA 15317		
			ntel, Life Estate (Well Pad)					
Add	lress: 9845 F	Fish Creek Road			■ MINE	ERAL OWNER(s)		
	Easton, WV 26				Name: Fra	nk E. & Mary Virginia Peth	tel, Life Estate	
Name: Regina M. & Aaron D. Murray, Remainderman				Address: 9845 Fish Creek Road				
Add	Iress: 5 Mou	ind Manor		_	Glen Easton, WV 26039 **See attached list			
St. M	arys, WV 2617	70			*please attac	h additional forms if ne	cessary	
Purs a pla Stat Cou	suant to We at survey of e: inty:	n the tract of I West Virginia Marshall	ode § 22-6A-10(a), n and as follows:	otice is here	Approx. Latit	ude & Longitude:	39.78176850; -80.7266 County Route 74	77.0
Purs a pla Stat Cou Dist	suant to We at survey of e: inty: rict:	est Virginia Co in the tract of l West Virginia		otice is here	Approx. Latit	ude & Longitude: Access:	39,78176850; -80,7266	1368
Purs a pla Stat Cou Dist Qua Cop may Cha obta	suant to We at survey of e: e: enty: criet: drangle: eies of the s be obtained from the survey of th	est Virginia Con the tract of I West Virginia Marshall Meade Glen Easton 7.5' state Erosion a ed from the Se V 25304 (304 the Secretary	and as follows: and Sediment Control ceretary, at the WV Dispersion of the control of the ceretary and the WV Dispersion of the ceretary and the ceretary at the WV Dispersion of the ceretary and the ceretary and the cere	Manual and Department of of such docu	Approx. Latite Public Road A Watershed: Generally use the statutes and f Environmenta ments or additi	ude & Longitude: Access: d farm name: d rules related to o l Protection headquional information r	39.78176850; -80.7266 County Route 74 Middle Fish Creek Xct. Midstream Operatir il and gas explorativarters, located at 6	ion and production 601 57th Street, SE, al drilling may be
Purs a pla Stat Cou Dist Qua Cop may Cha obta	suant to We at survey of e: e: enty: crict: drangle: eies of the s be obtained from the crice is here is here.	est Virginia Con the tract of I West Virginia Marshall Meade Glen Easton 7.5' state Erosion a ed from the Se V 25304 (304 the Secretary	and as follows: and Sediment Control ecretary, at the WV Dispersion of the control of the contr	Manual and Department of of such docu	Approx. Latite Public Road A Watershed: Generally use the statutes and f Environmenta iments or additionand-gas/pages/c	ude & Longitude: Access: d farm name: d rules related to o l Protection headqional information r	39.78176850; -80.7266 County Route 74 Middle Fish Creek Xct. Midstream Operatir il and gas explorativarters, located at elated to horizonta	ion and production 601 57 th Street, SE, al drilling may be
Purs a pla Stat Cou Dist Qua Cop may Cha obta Not	suant to We at survey or e: crict: drangle: ies of the s be obtained rleston, W ined from ice is here I Operator:	est Virginia Con the tract of I West Virginia Marshall Meade Glen Easton 7.5' State Erosion a ed from the Se V 25304 (304 the Secretary eby given by Tug Hill Operation	and as follows: and Sediment Control ecretary, at the WV Dispersion of the control of the contr	Manual and Department of of such docu	Approx. Latite Public Road A Watershed: Generally use the statutes and f Environmenta ments or additi	ude & Longitude: Access: d farm name: d rules related to o l Protection headquional information r default.aspx.	39.78176850; -80.7266 County Route 74 Middle Fish Creek Xct Midstream Operatir il and gas explorativarters, located at delated to horizontal	ion and production 601 57 th Street, SE, al drilling may be RECEIVED Thice of Oil and Gas
Purs a pla Stat Cou Dist Qua Cop may Cha obta Not	suant to We at survey or e: inty: irict: drangle: ies of the s be obtained from the control of t	est Virginia Con the tract of I West Virginia Marshall Meade Glen Easton 7.5' state Erosion a ed from the Se V 25304 (304 the Secretary	and as follows: and Sediment Control cretary, at the WV D -926-0450). Copies by visiting www.dep y: ng, LLC	Manual and Department of of such docu	Approx. Latite Public Road A Watershed: Generally use the statutes and f Environmenta iments or additionand-gas/pages/c	ude & Longitude: Access: d farm name: d rules related to o l Protection headqional information r	39.78176850; -80.7266 County Route 74 Middle Fish Creek Xct Midstream Operatir il and gas explorativarters, located at delated to horizontal	ion and production 601 57 th Street, SE, al drilling may be

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

WW-6A3 Notice of Entry for Plat Survey Additional Parties to Notice Van Winkle Wells

4705102363

Additional Mineral Owner:

Dennis W. Hunter 3322 Rainbow Lane North Ft. Myers, FL 33903

RECEIVED
Office of Oil and Gas

JAN 25 2021

WW-6A5 (1/12)

Operator Well No. Van Winkle N-1HM 4705102363

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Noti		ided no later than the filing date of permit mit Application Filed: 01/22/2021	application.
Delivery me	thod pursuant to West Virginia C	ode § 22-6A-16(c)	
■ CERTI	FIED MAIL	■ HAND	
	RN RECEIPT REQUESTED	DELIVERY	
return receipt the planned required to be drilling of a damages to the (d) The notice	requested or hand delivery, give the operation. The notice required by a provided by subsection (b), section horizontal well; and (3) A propose ne surface affected by oil and gas or	e surface owner whose land will be used for this subsection shall include: (1) A copy in ten of this article to a surface owner whose d surface use and compensation agreement perations to the extent the damages are com- given to the surface owner at the address li	ication, an operator shall, by certified mail for the drilling of a horizontal well notice of of this code section; (2) The information se land will be used in conjunction with the not containing an offer of compensation for appensable under article six-b of this chapter, sted in the records of the sheriff at the time
	eby provided to the SURFACE O		
		at the time of notice):	
(at the addres	s listed in the records of the sheriff	at the time of notice): Name: Frank E. & Mary Virgi	inia Pethtel (Life Estate)
(at the addres Name: XCL Mid	s listed in the records of the sheriff		
(at the address Name: XcL Mid Address: 380 Canonsburg, PA	is listed in the records of the sheriff stream Operating, LLC Southpointe Boulevard, Plaza II, Suite 200 15317 eby given:	Name: Frank E. & Mary Virgi Address: 9845 Fish Creek F Glen Easton, WV 26039	Road
(at the address Name: XcL Mid Address: 380 Canonsburg, PA Notice is her Pursuant to Voperation on State: County: District:	s listed in the records of the sheriff stream Operating, LLC Southpointe Boulevard, Plaza II, Suite 200 15317 eby given: Vest Virginia Code § 22-6A-16(c), r the surface owner's land for the pur West Virginia Marshall Meade	Name: Frank E. & Mary Virgi Address: 9845 Fish Creek F Glen Easton, WV 26039 notice is hereby given that the undersigned rpose of drilling a horizontal well on the tra UTM NAD 83 Public Road Access:	well operator has developed a planned act of land as follows: 523,433.50 4,403,588.88 County Route 74
(at the addres Name: XcL Mid Address: 380 Canonsburg, PA Notice is her Pursuant to V	is listed in the records of the sheriff stream Operating, LLC Southpointe Boulevard, Plaza II, Suite 200 15317 eby given: Vest Virginia Code § 22-6A-16(c), r the surface owner's land for the put West Virginia Marshall	Name: Frank E. & Mary Virgi Address: 9845 Fish Creek F Glen Easton, WV 26039 notice is hereby given that the undersigned rpose of drilling a horizontal well on the tra UTM NAD 83 Easting: Northing:	well operator has developed a planned act of land as follows: 523,433.50 4,403,588.88
(at the addres Name: XcL Mid Address: 380 Canonsburg, PA Notice is her Pursuant to Voperation on State: County: District: Quadrangle: Watershed: This Notice: Pursuant to Voto be provide horizontal we surface affect information in headquarters, gas/pages/del	is listed in the records of the sheriff stream Operating, LLC Southpointe Boulevard, Plaza II, Suite 200 15317 reby given: Vest Virginia Code § 22-6A-16(c), rethe surface owner's land for the purwest Virginia Marshall Meade Glen Easton 7.5' Fish Creek (HUC 10) Shall Include: Vest Virginia Code § 22-6A-16(c), red by W. Va. Code § 22-6A-10(b) ell; and (3) A proposed surface use ted by oil and gas operations to the related to horizontal drilling may be located at 601 57th Street, SE, fault.aspx.	Name: Frank E. & Mary Virgi Address: 9845 Fish Creek F Glen Easton, WV 26039 notice is hereby given that the undersigned rpose of drilling a horizontal well on the tra UTM NAD 83 Public Road Access: Generally used farm name: this notice shall include: (1)A copy of this to a surface owner whose land will be and compensation agreement containing are extent the damages are compensable under obtained from the Secretary, at the WV	well operator has developed a planned act of land as follows: 523,433.50 4,403,588.88 County Route 74
(at the addres Name: XcL Mid Address: 380 Canonsburg, PA Notice is her Pursuant to Voperation on State: County: District: Quadrangle: Watershed: This Notice State Pursuant to Voto be provide horizontal we surface affect in feadquarters, gas/pages/def	is listed in the records of the sheriff stream Operating, LLC Southpointe Boulevard, Plaza II, Suite 200 15317 reby given: Vest Virginia Code § 22-6A-16(c), rethe surface owner's land for the purwest Virginia Marshall Meade Glen Easton 7.5' Fish Creek (HUC 10) Shall Include: Vest Virginia Code § 22-6A-16(c), red by W. Va. Code § 22-6A-10(b) ell; and (3) A proposed surface use ted by oil and gas operations to the related to horizontal drilling may be located at 601 57th Street, SE, fault.aspx.	Name: Frank E. & Mary Virgi Address: 9845 Fish Creek F Glen Easton, WV 26039 notice is hereby given that the undersigned rpose of drilling a horizontal well on the tra UTM NAD 83 Public Road Access: Generally used farm name: this notice shall include: (1)A copy of this to a surface owner whose land will be and compensation agreement containing and extent the damages are compensable under obtained from the Secretary, at the WV Charleston, WV 25304 (304-926-0450)	well operator has developed a planned act of land as follows: 523,433.50 4,403,588.88 County Route 74 XcL Midstream Operating, LLC code section; (2) The information required used in conjunction with the drilling of an offer of compensation for damages to the der article six-b of this chapter. Additional 7 Department of Environmental Protection
(at the addres Name: XcL Mid Address: 380 Canonsburg, PA Notice is her Pursuant to Voperation on State: County: District: Quadrangle: Watershed: This Notice is Pursuant to Voto be provide horizontal we surface affect information in headquarters,	is listed in the records of the sheriff stream Operating, LLC Southpointe Boulevard, Plaza II, Suite 200 15317 reby given: Vest Virginia Code § 22-6A-16(c), rethe surface owner's land for the purwest Virginia Marshall Meade Glen Easton 7.5' Fish Creek (HUC 10) Shall Include: Vest Virginia Code § 22-6A-16(c), red by W. Va. Code § 22-6A-10(b) ell; and (3) A proposed surface use ted by oil and gas operations to the related to horizontal drilling may be located at 601 57th Street, SE, fault.aspx.	Name: Frank E. & Mary Virgi Address: 9845 Fish Creek F Glen Easton, WV 26039 notice is hereby given that the undersigned rpose of drilling a horizontal well on the tra Easting: Northing: Public Road Access: Generally used farm name: this notice shall include: (1)A copy of this to a surface owner whose land will be and compensation agreement containing and extent the damages are compensable under obtained from the Secretary, at the WV Charleston, WV 25304 (304-926-0450)	well operator has developed a planned act of land as follows: 523,433.50 4,403,588.88 County Route 74 XcL Midstream Operating, LLC code section; (2) The information required used in conjunction with the drilling of an offer of compensation for damages to the der article six-b of this chapter. Additional / Department of Environmental Protection) or by visiting www.dep.wv.gov/oil-and-

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov. RECEIVED

Office of Oil and Gra-



Additional Surface Owner – Van Winkle Wells WW-6A5

Regina M. & Aaron D. Murray 5 Mound Manor St. Marys, WV 26170

RECEIVED
Office of Oil and Gas

JAN 25 2021

WV Department of Environment of Environment



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

January 21, 2021

Byrd E. White, III Secretary of Transportation/ Commissioner of Highways

Jimmy Wriston, P. E.
Deputy Secretary/
Deputy Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Hunter-Pethtel Pad, Marshall County Van Winkle N-1HM Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2009-0275 which has been transferred to Tug Hill Operating for access to the State Road for a well site located off Marshall County Route 74 SLS.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a DISTRICT WIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from this letter's date.

Very Truly Yours,

RECEIVED

Iffice of Oil and Gas

JAN 2 5 2021

WV Department of Environmental Protection

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Jary K. Clayton

Cc: Amy Morris

Tug Hill Operating CH, OM, D-6

File

03/19/2021



PLANNED ADDITIVES TO BE USED IN FRACTURING OR STIMULATION

Van Winkle Wells

PRODUCT NAME: CHEMICAL DESCRIPTION: PRODUCT USE: HAZARDOUS COMPONENT:

GBW-20C Hemicellulase Breaker Breaker - Water None

ALPHA 1427 Biocide Glutaraldehyde – CAS#000111-30-8

Quaternary ammonium chloride

CAS# 007173-51-5

Alky dimethyl benzyl ammonium Chloride (C12-16) – CAS#068424-85-1

Ethanol – CAS# 000064-17-5 Water – CAS# 007732-18-5

FRAC SAND Silica Sand (various Mesh Proppant Crystalline silica (quartz)

sizes) CAS# 14808-60-7

S-8C, Sand Silica Sand (100 mesh) Sand Silica – CAS# 14808-60-7

GW-3LDF Gellant - Water Petroleum Distillate Blend - Proprietary,

(Not Associated with Diesel Fuel) Guar gum – CAS# 009000-30-0

FRW-18 Friction Reducer Hydrotreated light distillate

CAS# 064742-47-8

Scaletrol Scale Inhibitor Ethylene glycol – CAS# 000107-21-1

Diethylene glycol – CAS# 000111-46-6

RECEIVED
Office of Oil and Gas

JAN 25 2021

OPERATOR:_	Tug Hill Operating, LLC	WELL NO: Van Winkle N-1HM
PAD NAME:_	Hunter Pethtel	
REVIEWED E	BY: Amy L. Morris	SIGNATURE: My Sllovus

WELL RESTRICTIONS CHECKLIST

HORIZONTAL 6A WELL

Well Res	strictions	
	At Least 100 Feet from Pad and LOD (including any E&S Control Feature) Perennial Stream, Lake, Pond, Reservoir or Wetland; OR	to any
	DEP Waiver and Permit Conditions	
✓	At Least 300 Feet from Pad and LOD (including any E&S Control Feature) Naturally Producing Trout Stream; OR	to any
	DEP Waiver and Permit Conditions	
V	At Least 1000 Feet from Pad and LOD (including any E&S Control Feature Groundwater Intake or Public Water Supply; OR	to any
	DEP Waiver and Permit Conditions	
✓	At Least 250 Feet from an Existing Water Well or Developed Spring to We Drilled; OR	ll Being
	Surface Owner Waiver and Recorded with County Clerk, OR	
	DEP Variance and Permit Conditions	
✓	At Least 625 Feet from an Occupied Dwelling Structure to Center of the Pac	d; OR RECEIVED Office of Oil and Gas
	Surface Owner Waiver and Recorded with County Clerk, OR	JAN 2 5 2021
	DEP Variance and Permit Conditions	WV Department of Environmental Protection
✓	At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Fee of the Pad; OR	
	Surface Owner Waiver and Recorded with County Clerk, OR	
	DEP Variance and Permit Conditions	

