

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, September 13, 2021 WELL WORK PERMIT Horizontal 6A / New Drill

HG ENERGY II APPALACHIA, LLC 5260 DUPONT ROAD PARKERSBURG, WV 26101

Re: Permit approval for MND23 N-5H 47-051-02411-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

ames A. Martin

Operator's Well Number: Farm Name: U.S. WELL NUMBER: Horizontal 6A Date Issued: 9/13/2021

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

•-

WW-6B (04/15)

OPERATOR WELL NO. MND23 N-5H Well Pad Name: MND23

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: HG Energy II	Appalachia,	494519932	Marshall -	Franklin	Powhatan Point
		Operator ID	County	District	Quadrangle
2) Operator's Well Number: MNE	023 N-5H	Well P	ad Name: MNI	023	
3) Farm Name/Surface Owner:	NSOL/HG Energy II Appara	^{éhia, LLC} Public Re	ad Access: Ni	kon Ridge f	Road (SLS 21/1)
4) Elevation, current ground:	273' Ele	evation, propose	d post-construc	tion: 1240'	/
5) Well Type (a) Gas <u>x</u> Other	Oil	Un	derground Stor	nge	
(b)If Gas Shalle Horiz		Deep			-
6) Existing Pad: Yes or No No					
7) Proposed Target Formation(s), Marcellus, 6474' - 6540', 66' Thic		ipated Thickness	and Expected	ressure(s):	-2-21
8) Proposed Total Vertical Depth:	6535' 🧹		0	0	
9) Formation at Total Vertical Dep	oth: Marcellus	3			
10) Proposed Total Measured Dep	oth: 15370'				
11) Proposed Horizontal Leg Len	gth: 8375'				
12) Approximate Fresh Water Stra	ata Depths:	538', 801', 898	3', 947'		
13) Method to Determine Fresh W14) Approximate Saltwater Depth		learest offset w	vells		
15) Approximate Coal Seam Dept	hs: 847' - 852				
16) Approximate Depth to Possibl			None anticipa	ated	RECEIVED
17) Does Proposed well location of directly overlying or adjacent to a		ns Yes x	N	0	AUG 1 2 21
(a) If Yes, provide Mine Info:	Name: Mars	hall County Mir	ie	E	WV Departmon nvironmental Prov
	Depth: 890' 1	o seam base			and a little
	Seam: Pittsb	ourgh #8			
i.	Owner: Murra	ay Energy Corp	oration		

API NO. 47-051 - 02411

OPERATOR WELL NO. MND23 N-5H Well Pad Name: MND23

WW-6B (04/15)

18)

CASING AND TUBING PROGRAM

<u>Size</u> (in)	<u>New</u> or Used	<u>Grade</u>	<u>Weight per ft.</u> <u>(lb/ft)</u>	<u>FOOTAGE: For</u> <u>Drilling (ft)</u>	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
20"	New	J-55	94	40'	40'	Drilled In
13 3/8"	New	J-55	54.5	1150'	1150' 🖍	CTS
9 5/8"	New	J-55	40	3150'	3150'	CTS
5 1/2"	New	P-110	23	15370'	15370' 🖊	CTS
	(<u>in)</u> 20" 13 3/8" 9 5/8"	Size (in) or Used 20" New 13 3/8" New 9 5/8" New	Size (in) or Used Grade 20" New J-55 13 3/8" New J-55 9 5/8" New J-55	Size (in) or Used Grade Weight per n. (lb/ft) 20" New J-55 94 13 3/8" New J-55 54.5 9 5/8" New J-55 40	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Size (in) Or Used Grade Weight per ft. (lb/ft) FOOTAGE: For Drilling (ft) Left in Well (ft) 20" New J-55 94 40' 40' 13 3/8" New J-55 54.5 1150' 1150' 9 5/8" New J-55 40 3150' 3150'

Jeb Belialzi

ТҮРЕ	Size (in)	<u>Wellbore</u> Diameter (in)	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	<u>Burst Pressure</u> (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	20"	20"	0.438	2110		Type 1, Class A	
Fresh Water	13 3/8"	17.5"	0.380	2730		Type 1, Class A	40% excess, yield = 1.20, CTS
Coal							
Intermediate	9 5/8"	12 1/4"	0.395	3950		Type 1, Class A	40% excess, yield = 1.20,CTS
Production	5 1/2"	8 1/2"	0.415	14520 -	11500 1	Type 1, Class A	20% excess, lead yield = 1.19, CTS
Tubing							
Liners							

PACKERS

Kind:			
Sizes:	<u> </u>		
Depths Set:	· · · · · · · · · · · · · · · · · · ·		

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill the vertical depth to the Marcellus at an estimated total vertical depth of approximately 6,535 feet. Drill horizontal leg to estimated 8,375' lateral length, 15,370' TMD. Hydraulically fracture and stimulate and be capable of producing the Marcellus Formation. Should an unanticipated void be encountered in the coal, we will install a minimum of 20' of casing below the void but not more than 100' below the void, set a basket and grout to surface.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

The stimulation will be multiple stages divided over the lateral length of the well. Stage spacing is dependent upon engineering design. Slickwater fracturing technique will be utilized on each stage using sand, water and chemicals. See attached list. Maximum pressure not expected to exceed 11,500 psi.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 10.557 acres

22) Area to be disturbed	for well pad only, less access roa	d (acres): 8.498 acres
--------------------------	------------------------------------	------------------------

23) Describe centralizer placement for each casing string:

Conductor - N/A Surface Casing - Bow Springs (over collars) on first 2 joints then every third joint to 100' from surface Intermediate Casing - Bow Springs (over collars) on first 12 joints, then every third joint to 100' from surface Production Casing - Run 1 spiral centralizer every 5 joints from the top of the curve to surface. Run 1 spiral centralizer every 3 joints from the 1st 5.5" long joint to the top of the curve.


24) Describe all cement additives associated with each cement type:

Conductor - Already grouted in Surface Casing - "15.6 ppg PNE-1 + 3% bwoc CaCl 40% ExcessYield=1.20 / CTS" Intermediate Casing - "Lead: 15.4 ppg PNE-1 + 2.5% bwoc CaCl 40% Excess / Tail: 15.9 ppg PNE-1 + 2.5% bwoc CaCl zero% Excess. CTS Production Casing - "Lead: 14.5 ppg POZ:PNE-1 + 0.3% bwoc R3 + 1% bwoc EC1 + 0.75 gal/sk FP13L + 0.3% bwoc MPA170Tail: 14.8 ppg PNE-1 + 0.35% bwoc R3 + 0.75 gal/sk FP13L + 50% bwoc ASCA1 + 0.5% bwoc MPA17020 ExcessLead Yield=1.19Tail Yield=1.94CTS" RECEIVED Office of Oil and Ga:

25) Proposed borehole conditioning procedures:

Conductor - Once at casing setting depth, ensure hole is clean at TD Surface Casing - Circulate & condition @ TD w/ Air. RIH w/ casing & fill w/ Fresh Water. Circulate & minimum of hole volume, plus 30 bbls of 6% bentonite Gel/50# of poly flake, then clear casing w/ Fresh Water prior to pumping cement. Intermediate Casing - Circulate & condition @ TD w/ Air. RIH w/ casing & fill w/ Fresh Water. Circulate a minimum of 1 hole volume, plus 30 bbls of 6% bentonite Gel/50# of poly flake, then clear casing w/ Fresh Water. Circulate a minimum of 1 hole volume, plus 30 bbls of 6% bentonite Gel/50# of poly flake, then clear casing w/ Fresh Water prior to pumping cement. Production Casing - Once on bottom/TD with casing, circulate at max allowable pump rate for at least 2x bottoms up, or until returns and pump pressures indicate the hole is clean. Circulate a minimum of one hole volume prior to pumping cement.

*Note: Attach additional sheets as needed.



AUG 1 2 2021

MND23 Well Pad (N-1H to N-6H) Cement Additives

naterial Name	Material Type	Material Description	CAS#	%	CAS number
		Premium NE-1 is a portland cement with	Ingredient name	90 - 100	65997-15-1
		early compressive	Portland cement Calcium oxide	1 - 5	1305-78-8
		strength properties.	Magnesium oxide	1 - 5	1309-48-4
remium NE-1	Portland Cement	A CONTRACTOR OF	Crystalline silica: Quartz (SiQ2)	0.1 - 1	14808-60-7
		Commonly called gel, it is a clay material used as a	Ingredient name	%	CAS number
		cement extender and to	bentonite	90 - 100	1302-78-9
		control excessive free	Crystalline silica: Quartz (SiO2)	5 - 10	14808-60-7
and all	Transfer.	water.			
entonite	Extender				
		A powdered, flaked or	to an above and a	%	CAS number
		pelletized material used	Ingredient name	90 - 100	10043-52-4
		to decrease thickening	Calcium chloride	an - 100.	10043+02+4
		time and increase the rate of strength development			
lcium Chloride	Accelerator	or accelere of acceleration			
		1		1.2	
		Graded (3/8 to 3/4 inch)	Ingredient name	%	CAS number
		cellophane flakes used as a lost circulation material.	No hazardous ingredient		
ello Flake	Lost Circulation	a was showed on more ligh			
		And Andrews			
		FP-13L is a clear liquid			
		organic phosphate antifoaming agent used in			
		cementing operations. It			
		is very effective	Ingredient name	%	CAS number
		minimizing air	Tributyl phosphate	90 - 100	126-73-8
		entrapment and			
		preventing foaming			
		tendencies of latex			
2-13L	Foam Preventer	systems.			
	- sent of a sentent		have been a second s	a/	CAS number
		Used to retard cement	Ingredient name	% 90 - 100	57-50-1
			Sucrose	30 - 100	07-00-1
Tranulated Sugar	Retarder	returns at surface.			
Franulated Sugar	Retarder	A proprietary product			
ranulated Sugar	Retarder				
iranulated Sugar	Retarder	A proprietary product that provides expansive properties and improves			1
ranulated Sugar	Retarder	A proprietary product that provides expansive properties and improves bonding at low to	Ingredient name	%	CAS number
ranulated Sugar	Retarder	A proprietary product that provides expansive properties and improves bonding at low to- moderate	Ingredient name Calcium magnesium oxide	% 90 - 100	CAS number 37247-91-9
	Retarder	A proprietary product that provides expansive properties and improves bonding at low to			
	Retarder	A proprietary product that provides expansive properties and improves bonding at low to- moderate			
	Retarder	A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control	Calcium magnesium oxide	90 - 100	
	Retarder	A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss,			37247-91-9
C-1		A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas	Calcium magnesium oxide	90 - 100	37247-91-9
Granulated Sugar GC-1 MPA-170	Retarder Gas Migration	A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss,	Calcium magnesium oxide	90 - 100	37247-91-9
61		A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas	Calcium magnesium oxide	90 - 100	37247-91-9
61		A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration.	Calcium magnesium oxide Ingredient name No hazardous ingredient	90 - 100	37247-91-9
54		A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with	Calcium magnesium oxide Ingredient name No hazardous ingredient	90 - 100	37247-91-9
51		A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Sillion Dioxide). When blended with cement, Pozzolan can be	Calcium magnesium oxide Ingredient name No hazardous ingredient	90 - 100	37247-91-9
64		A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create	Calcium magnesium oxide Ingredient name No hazardous ingredient	90 - 100 % 5 - 10	CAS number
61		A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create lightweight cement	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name	90 - 100 % 5 - 10 1 - 5	CAS number
61		A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiO2)	90 - 100 % 5 - 10 1 - 5	CAS number
61		A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create light weight cement slurries used as either a	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiO2)	90 - 100 % 5 - 10 1 - 5	CAS number CAS number RE 44808-50-7 1305-7818 Shice of Oil and Ga
C-1 IPA-170	Gas Migration	A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolar, (primarily Silicon Dioxide). When blended with cement, Pozzolar can be used to create lightweight cement slurries used as either a filler slurry or a sulfate	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiO2)	90 - 100 % 5 - 10 1 - 5	CAS number
-1 PA-170		A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Sillicon Dioxide). When blended with cement, Pozzolan can be used to create lightwelight cement slurries used as either a filler slurry or a sulfate resistant completion	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiO2)	90 - 100 % 5 - 10 1 - 5	CAS number CAS number RE 44809-60-7 Hoto-7488 Office of Oil and G. AUG 1 2 20
-1 PA-170	Gas Migration	A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Sillicon Dioxide). When blended with cement, Pozzolan can be used to create lightwelight cement slurries used as either a filler slurry or a sulfate resistant completion	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiO2)	90 - 100 % 5 - 10 1 - 5	CAS number CAS number RE 44809-60-7 Hoto-7488 Office of Oil and G. AUG 1 2 20
5-1 IFA-170	Gas Migration	A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create lightweight cement slurries used as either a filler slurry or a sulfate resistant completion cement.	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiQ2) Calcium oxide	90 - 100 % 5 - 10 1 - 5	CAS number CAS number RE 44808-60-7 Hitte of Oll and G. AUG 1 2 20: VV Department J.
5-1 IFA-170	Gas Migration	A proprietary product that provides expansive properties and impreves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create lightweight cement slurries used as either a filler slurry or a sulfate resistant completion cement. A low temperature retarder used in a wide range of slurry	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiO2)	90 - 100 % 5 - 10 1 - 5	CAS number CAS number RE 44809-60-7 Hoto-7488 Office of Oil and G. AUG 1 2 20
C-1 IPA-170	Gas Migration	A proprietary product that provides expansive properties and impreves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create lightweight cement slurries used as either a filler slurry or a sulfate resistant completion cement.	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiQ2) Calcium oxide Ingredient name Organic acid salt	90 - 100 % 5 - 10 1 - 5 ¢ V % Envi	CAS number CAS number RE (1809-50-7 305-7418 Office of OII and G. AUG 1 2 20 VV Department J. Tonme CAS injuryber.
cz (Fly Ash)	Gas Migration Base	A proprietary product that provides expansive properties and impreves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create lightweight cement slurries used as either a filler slurry or a sulfate resistant completion cement. A low temperature retarder used in a wide range of slurry	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiQ2) Calcium oxide Ingredient name Organic acid salt	90 - 100 % 5 - 10 1 - 5 ¢ V % Envi	CAS number CAS number RE (1809-50-7 305-7418 Office of OII and G. AUG 1 2 20 VV Department J. Tonme CAS injuryber.
1 PA-170 pz (Fly Ash)	Gas Migration	A proprietary product that provides expansive properties and impreves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create lightweight cement slurries used as either a filler slurry or a sulfate resistant completion cement.	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiQ2) Calcium oxide Ingredient name Organic acid salt	90 - 100 % 5 - 10 1 - 5 % ¥ 40 - 50	CAS number CAS number RE 44808-60-7 Hitte of Offland G. AUG 1 2 20: VV Department Trade secret.
cz (Fly Ash)	Gas Migration Base	A proprietary product that provides expansive properties and impreves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create lightweight cement slurries used as either a filler slurry or a sulfate resistant completion cement.	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Ouartz (SiO2) Calcium oxide Ingredient name Organic acid salt Ingredient name	90 - 100 % 5 - 10 1 - 5 %	CAS number CAS number RE 44809-60-7 Hote of Off and G. AUG 1 2 20: VV Department Trade secret.
C-1 NPA-170 Ioz (Fly Ash)	Gas Migration Base	A proprietary product that provides expansive properties and impreves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create lightweight cement slurries used as either a filler slurry or a sulfate resistant completion cement.	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiQ2) Calcium oxide Ingredient name Organic acid salt Ingredient name 2-Butoxyethanol	90 - 100 % 5 - 10 1 - 5 V % Envi 40 - 50 % 20 - 30	CAS number CAS number RE 14809-00-7 Table of OII and G. AUG 1 2 20 WV Department A Trade secret. CAS number Trade secret.
cz (Fly Ash)	Gas Migration Base	A proprietary product that provides expansive properties and impreves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create lightweight cement slurries used as either a filler slurry or a sulfate resistant completion cement. A low temperature retarder used in a wide range of slurry formulations to extend the slurry thickening time.	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiO2) Calcium oxide Ingredient name Organic acid salt Ingredient name 2-Butoxyethanol Proprietary surfactant	90 - 100 % 5 - 10 1 - 5 %	CAS number CAS number RE 44809-60-7 Hote of Off and G. AUG 1 2 20: VV Department Trade secret.
61	Gas Migration Base	A proprietary product that provides expansive properties and impreves bonding at low to moderate temperatures. Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration. A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create lightweight cement slurries used as either a filler slurry or a sulfate resistant completion cement.	Calcium magnesium oxide Ingredient name No hazardous ingredient Ingredient name Crystalline silica: Quartz (SiO2) Calcium oxide Ingredient name Organic acid salt Ingredient name Organic acid salt Ingredient name Organic acid salt Deflucopyranose, oligomeric, C10-16-alkyl glycosides Alkylardsriftonate amine salt	90 - 100 % 5 - 10 1 - 5 V V % Envi 40 - 50 % 20 - 30 10 - 20	CAS number CAS number RE 44808-50-7 Hitce of Oil and G. AUG 1 2 20: VV Department J. Trade secret. CAS number Trade secret.

			HE INERGY							23 N-5H Diffice of Oil a NV Departn NV Departn County, WV					
		-				MND	23 N-5H SH	IL .		14459416.14N 1706170.84E					
Ground El	levation	1240'	(RKB)	25'		MNE	23 N-5H LI	0		14459215.14N 1706264.44E					
Azm				643°	1.	MND	23 N-5H BH	IL		14465959.96N 1701299.47E					
ELLBORE DIAGE	MAR	HOLE	CASING	GEOLOGY	тор	BASE	MUD	CEMENT	CENTRALIZERS	CONDITIONING	COMMENTS				
	10000														
		20"	20" 94# J-55	Conductor	0	40	AIR	Drilled in via Dual Rotary (no annular space) "sanded in"	N/A	Once at casing setting depth, ensure hole is clean at TD	Conductor casing = 0.4 wall thickness Eurst=2110 psi				
	×			Fresh Water	538', 301	'. 898', 947'	1		1						
			13-3/8" 54.5#	Surface Casing	0	1150	15.6 ppg Class A Neat 94#/sk pollow	Bow Springs (over collars) on first 2 joints	Circulate & condition @ TD w/ Ar. RIH w/ casing & fill w/ Fresh Water. Circulate a minimum of 1	Surface casing = 0.380" wa					
	×	17.5"	J-55 BTC	Coal(s)	917'	- 922'	AIR	40% Excess Yield=1.18 / CTS	then every third joint to 100' from surface	hole volume, plus 30 bbls of 6% bentonite Gel/50/ of poly flake, then clear casing w/ Fresh Water prior to pumping cement.	thickness Burst=2730 psi				
X	X	-		Big Lime / Big Injun	2170/2274	2263 / 2305			Bow Springs (over collars) on first 12	and a fair shall be able to	Intermediate casing = 0.39				
1000				Pocono	2479			15.6 ppg Class A 94#/sk		Circulate & condition @ TD w/ Air. RIH w/ casing & fill w/ Fresh Water. Circulate a minimum of 1					
		12.25*	12.25"	12.25"	12.25"	12.25"	12.25"	12.25*	12.25"	9-5/8" 40# J-55 BTC	5th Sand	2640 AIR 1% Calcium BWOC - 40% Excess joi	joints, then every third joint to 100' from	hole valume, plus 30 bbls of 6% bentonite Gel/50#	wall thickness
	X			Gordon	3052			Yield=1.2 / CTS	joint to 100' from surface	of poly flake, then clear casing w/ Fresh Water prior to pumping cement.	Burst=3950 psi				
				Intermediate Casing	0	3150 -			10020						
x		8.75" Vertical					AIR and/or 9.0ppg SOBM		Run 1 spiral central zer every 5 joints from the top of the curve to surface.						
		1		Rhinestreet	5961	6253	1	and a start of							
		() ()		Cashaqua	6253	6317	1	Class A 14.8 ppg Yield 1.34		Once on bottom/TD with casing, circulate at max	Production casing = 0.3				
x ×		8.75" / 8.5"	5-1/2" 20#	Middlesex.	6317	6340	Air then	D255 – 0.4% BWOB Fluid Loss D198 – 0.55% BWOB Retarder		allowable pump rate for at least 2x bottoms up, or until returns and pump pressures indicate the hole	wall thickness Burst≓12640 psi				
Contra La C		Curve	P-110 HP	West River	6340	6407	11.5ppg- 12.5ppg SOBM	D047 - 0.02 gal / sack Anti Foam	Run 1 spiral centralizer	is clean. Circulate a minimum of one hole volume	Note Actual centralize schedules may be chan				
and an and a second			CDC HTQ	Burkett	6407	6425	12.5000 50000	D208 – 0.05% BWOB Viscosifier 10% Excess	every 3 joints from the	prior to pumping cement.	due to hole conditions				
Contraction of the local data				Tully	6425	6454		10 % Excess	1st 5.5" long joint to the top of the curve.						
		-		Hamilton	6454	6489			top of and correc						
1000		1.000		Marcellus	6489	6545									
		8.5" Latera		LF TMD / TVD	15369	6535	11.5ppg- 12.5ppg SOBM								
x x				Onondaga	6545		harden bereiten bereiten ber								
	LP@	5535' TVD /	X	X	8.5" Hole - C	emented Long String P-110 HP CDC HTQ	X	A A A A A A A A A A A A A A A A A A A	X	+/-8378' ft Lateral 🗸	TD @ +/-6535 TVD +/-15369' MD				

47	0	5	1	U	2	4	1	1
							-	_

WW-9 (4/16)

API Number 47 - ____

Operator's Well No. MND23 N-5H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_HG Energy II Appalachia, LLC	OP Code 494501907
Watershed (HUC 10) Big Tribble Creek - Ohio River	Quadrangle Powhatan Point 7.5'
Do you anticipate using more than 5,000 bbls of water to compl Will a pit be used? Yes No V	ete the proposed well work? Yes No
If so, please describe anticipated pit waste: NA Will a synthetic liner be used in the pit? Yes Proposed Disposal Method For Treated Pit Wastes:	No If so, what ml.?
Land Application	
Underground Injection (UIC Permit Reuse (at API Number_TBD - At next ar	
Off Site Disposal (Supply form WW Other (Explain	-9 for disposal location)
Will closed loop system be used? If so, describe: Yes, cuttings and Re	ids will be collected in a plosed loop system, re-used or hauled to an approved disposal site or landfill.
win closed loop system be used. It so, describe.	

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.

-If oil based, what type? Synthetic, petroleum, etc. Synthetic

Additives to be used in drilling medium? Water, Soap, KCI, Barite, Base Oil, Wetting Agents

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Approved Landfill

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) NA

-Landfill or offsite name/permit number? See Attached

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Diane White	RECEIVED Office of Oil and Gas
Company Official (Typed Name) Diane White	AUG 1 2 2021
Company Official Title Agent	WV Department of Environmental Protection
Subscribed and sworn before me this 29th day of July	, 20.21
My commission expires 7 31 2022	OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC OSI/Julf AC VIEntia, WV 26105 My Commission Expires July 31, 2022

Cuttings Disposal/Site Water

Cuttings -- Haul off Company:

Eap Industries, Inc. DOT # 0876278 1975 Smith Two State Rd. Atlasburg, PA 15004 1-888-294-5227

Wáste Management 200 Rangos Lane Washington, PA 15301 724-222-3272

Environmental Coordination Services & Recycling (ECS&R) 3237 US Highway 19 Cochranton, PA 16314 814-425-7773

Disposal Locations:

Apex Environnemental, LLC Permit # 06-08438 11 County Road 78 Amsterdam, OH 43903 740-543-4389

Westmoreland Waste, LLC Permit # 100277 111 Conner Lane Belle Vernon, PA 15012 724-929-7694

Sycamore Landfill Inc, Permit #R30-079001 05-2010 4301 Sycamore Ridge Road Hurricane, WV 25526 304-562-2611

Max Environnemental Technologies, Inc. Facility Permit # PAD004835146 / 301071, 233 Max Lane Yukon, PA 25968 724-722-3500

Max Environnemental Technologies, Inc. Facility Permit # PAD05087072 / 301359 200 Max Drive Bulger, PA 15019 724-796-1571

Waste Management Kelly Run Permit # 100663 1901 Park Side Drive Elizabeth, PA 15037 412-384-7569

Waste Management South Hills (Arnoni) Permit # 100592 3100 Hill Road Library, PA 15129 724-348-7013 412-384-7569

Waste Management Arden Permit # 100172 200 Rangos Lane Washington, PA 15301 724-222-5272

Waste Management Meadowfill Permit # 1032 1488 Dawson Drive Bridgeport, WV 26330

Brooke County Landfill Permit # SWF-103-97 / WV 0109029 Rd 2 Box 410 Colliers, WV 26035 904-748-0014 -.

. RECEIVED Office of Oil and Gas

AUG 1 2 2021

 WV Department of Environmental Protection

Wetzel County Landfill Permit # SWF-1021-97 / WV 0109185 Rt 1 Box 156A New Martinsville, WV 26035 804-455-3800

Energy Solutions, LLC Permit # UT 2300249 423 West 300 South Suite 200 Salt Lake City, UT 84101

Energy Solutions Services, Inc. Permit # R-73006-L24 1,560 Bear Creek Road Oak Ridge, TN 37830

Northern A-1 Environnemental Services Permit ID MiD020906814 3947 US 131 North, PO Box 1030 Kalkaska, Mi 49646 231-258-9961

Water Haul off Companies:

Dynamic Structures, Clear Creek DOT # 720485 3790 State Route 7 New Waterford, OH 44445 330-892-0164

Nabors Completion & Production Services Co. PO Box 975682 Dailas, TX 75397-5682

Select Energy Services, LLC PO Box 203997 Dallas, TX 75320-3997

Nuverra Environmental Solutions 11942 Veterans Memorial Highway Masontown, WV 26542

Mustang Olifield Services LLC PO Box 739 St. Clairsville, OH 43950

Wilson's Outdoor Services, LLC 456 Cracraft Road Washington, PA 15801

Disposal Locations:

Solidification Waste Management, Arden Landfill Permit # 100172 200 Rangos Lane Washington, PA 15301 724-225-1589

Solidification/Incineration Soli Remediation, Inc. Permit # 02-20753 6065 Arrel-Smith Road Lowelville, OH 44436 830-536-6825

Adams #1 (Buckeye Brine, LLC) Permit # 34-031-2-7177 23986 Airport Road Coshocton, OH 43812 740-575-4484 512-478-6545 CMS of Delaware Inc. DBA CMS Olifield Serv 301 Commerce Drive Moorestown, NJ 08057

Force, Inc. 1380 Rte. 286 Hwy. E, Suite 803 Indiana, PA 15701

Solo Construction P.O. Box 544 St. Mary's, WV 26170

Equipment Transport 1 Tyler Court Carlisie, PA 17015

Myers Well Service, ____ 2001 Balipark Court Export, PA 15682

Burns Drilling & Excavating 618 Crabapple Road P.O. Box RECEIVED Wind Ridge, PA 15380 Office of Oil and Gas

AUG 1 2 2021

Nichlos 1-A (SWIW #18) WV Department of Permit # 3862 Environmental Protection 300 Cherrington Pkwy, Suite 200 Coraopolis, PA 15108 412-829-7275

Groselle (SWIW #34) Permit # 4096 Rt. 88 Garrettsville, OH 713-275-4816

Kemble 1-D Well Permit # 8780 7675 East Pike Norwich, Oh 48767 614-648-8898 740-796-6495

Adams #2 (Buckeye Brine, LLC) 2205 Westover Road Austin TX 78703 Permit # 34-031-2-71.78 740-575-4484 512-478-6545

Adams #3 (Buckeye Brine, LLC) Permit #34-031-2-7241-00-00 2630 Exposition, Suite 117 Austin, TX 78703 512-478-6545

Mozena #1 Well (SWIW # 13) Permit # 34-157-2-5511-00-00 5367 E. State Street Newcomerstown, OH 43832 740-763-3966

Goff SWD #1 (SWIW # 27) Permit # 84-119-2-8776-000 300 Cherrington Pkwy, Suite 200 Coraopolis, PA 15108 412-329-7275

SOS D#1 (SWIW #12) Permit # 34-059-2-4202-00-00 Silcor Oilfield Services, Inc. 2939 Hubbard Road Youngstown, PH 44505

Dudley #1 UIC (SWIW #1) Permit # 34-121-2-2459-00-00 Select Energy Services, LLC ^ 7994 S. Pleasants Hwy St. Marys, WV 26170 304-665-2652 OH UIC #1. Bu keye UIC Barnesville 1 & 2 CNX Gas Con...;any, LLC 1000 Consol Energy Drive Permit # 34-013-2-0609-00-00 Permit # 34-013-2-0614-00-00 304-323-6568

US Steele 11385 Permit # 47-001-00561 200 Evergreen Drive Waynesburg, PA 15730 804-823-6568

Chapin #7 UIC (SWIW #7) Permit # 34-083-2-4197-00-00 Elkhead Gas& Oil Company 12163 Marne Rd. NE Newark, OH 43055 740-763-3966

> RECEIVED Office of Oil and Sage-

AUG-12 2021

WV Department of Environmental Protection

x100102411

Form WW-9

Operator's Well No. MND23 N-5H

HG Energy II Appalachia, LLC

Lime	3 Tons/acre or to correct to	pH 6.5		
Fertilizer type10)-20-20			
Fertilizer amount	500	lbs/acre		
Mulch Hay	2 _{To}	ns/acre		
		Seed Mixtures		
Te			Permane	nt
Te Seed Type	5	Seed Mixtures	Permane eed Type	nt Ibs/acre
	emporary	Seed Mixtures	eed Type	

Maintain E&S controls through the drilling and completion process

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by:

Comments: Pre-seed/mulch as soon as reasonably possible per regulation.

Upgrade E&S if needed per WV DEP E&S manual.

 RECEIVED

 Office of Oil and Gas


 AUG 1 2 2021

 Title:
 Oil & Gas Inspector

 Date:
 B-2-2 Invironmental Protection

 Field Reviewed?
 Yes

 Yes
 No



	MND23 PAD AND PROPOSED WELLS N-1H, N-2H, N-3H, N-4H, N-5H & N-6H									
CT	API	COUNTY	FARM	OPERATOR NAME	FORMATION NAME	WELL TYPE	TVD	STATUS	LATITUDE	LONGITUDE
1	4705101625	MARSHALL	MND9 AHS	HG ENERGY II APPALACHIA	MARCELLUS SHALE	Horizontal Gas Production	6,202	ACTIVE	39.831390	-80.787131
2	4705101626	MARSHALL	MND9 BHS	HG ENERGY II APPALACHIA	MARCELLUS SHALE	Horizontal Gas Production	6,212	ACTIVE	39.831444	-80.787115
3	4705101627	MARSHALL	MND9 CHS	HG ENERGY II APPALACHIA	MARCELLUS SHALE	Horizontal Gas Production	6,241	ACTIVE	39.831497	-80.787099
4	4705101628	MARSHALL	MND9 EHS	HG ENERGY II APPALACHIA	MARCELLUS SHALE	Horizontal Gas Production	6,248	ACTIVE	39.831604	-80.787067
5	4705101629	MARSHALL	MND9 FHS	HG ENERGY II APPALACHIA	MARCELLUS SHALE	Horizontal Gas Production	6,231	ACTIVE	39.831658	-80.787050
6	4705101669	MARSHALL	MND3 FHS	HG ENERGY II APPALACHIA	MARCELLUS SHALE	Horizontal Gas Production	6,299	ACTIVE	39.850397	-80.792052
7	4705101676	MARSHALL	MND9 DHS	HG ENERGY II APPALACHIA	MARCELLUS SHALE	Horizontal Gas Production	6,231	ACTIVE	39.831698	-80.787039
8	4705101746	MARSHALL	MND6 AHS	HG ENERGY II APPALACHIA	MARCELLUS SHALE	Horizontal Gas Production	6,500	ACTIVE	39.817733	-80.791522
9	4705102012	MARSHALL	MND20 BU	HG ENERGY II APPALACHIA	UTICA SHALE	Horizontal Gas Production	10,700	DRILLED - NOT COMPLETED	39.851695	-80.803153
10	4705102013	MARSHALL	MND20 CU	HG ENERGY II APPALACHIA	UTICA SHALE	Horizontal Gas Production	10,700	DRILLED - NOT COMPLETED	39.851691	-80.803044
11	4705102014	MARSHALL	MND20 DU	HG ENERGY II APPALACHIA	UTICA SHALE	Horizontal Gas Production	10,700	DRILLED - NOT COMPLETED	39.851731	-80.802995
12	4705102045	MARSHALL	MND20 EU	HG ENERGY II APPALACHIA	UTICA SHALE	Horizontal Gas Production	10,700	DRILLED - NOT COMPLETED	39.851774	-80.803054

SOURCE: WVGES DATASET (2017) and WVDEP WEBSITE

WV Department of Environmental Protection

RECEIVED Office of Oil-and Gas AUG 1 2 2021

HG Energy II Appalachia, LLC

Site Safety Plan

MND 23 Well Pad 1931 Nixon Ridge Lane Moundsville, Marshall County, WV 26041

July 2021: Version 1

For Submission to West Virginia Department of Environmental Protection, RECEIVED Office of Oil and Gas Office of Oil and Gas


AUG 1 2 2021


HG Energy II Appalachia, LLC. WV Department of Environmental Protection


09/17/2021


5260 Dupont Road

Parkersburg, WV 26101












iber .	6970	Ongraal Lease?	Criginal Lessae	Code	-		AEP Generation Resources Inc.	APPALACHIA, LLC	1
2	05-0004-0014-0000-0000	MILLER CHARLES W PARSONS PAUL ET UX	CHEVRON USA INC	388	۲	05-0005-0009-0000-0000	and Kentucky Power Company	Noble Energy, Inc.	327
-		RUSSELL SHARON LYN	CHEVRON USA INC				NOBLE ENERGY INC	HG ENERGY II APPALACHIA, LLC	
-	-	HUFF TIMOTHY ET UX ARNOLD LLOYD C ET UX	CHEVRON USA INC CHEVRON USA INC		(10)	05-0005-0009-0001-0000	Consolidation Coal Company	CNX Gas Company,	329
_		CRONIN MARY JD	CHEVRON USA INC				CNX Gas Company, LLC	Noble Energy, Inc.	
-	1.1.1	CLIFTON CLARA MAE	CHEVRON USA INC				NOBLE ENERGY INC	HG ENERGY II APPALACHIA, LLC	
		EDWARDS GEORGE ET UX KYLE DONNA FAE	CHEVRON USA INC		1	05-0006-0003-0000-0000	Consolidation Coal Company	CNX Gas Company,	300
		CONNER JUDITH MAY	CHEVRON USA INC			QS-0005-0001-0000-0000	CNX Gas Company, LLC	Noble Energy, Inc.	
		SCHEIBELHOOD PAUL ET AL AB RESOURCES LLC	AB RESOURCES LLC				NOBLE ENERGY INC.	HG ENERGY II APPALACHIA, LLC	
-		NPAR LLC	Chevron USA INC		12	05-0005-0002-0000-0000	Margaret Games	CNX Gas Company, LLC	318
		Chevron USA INC	HG ENERGY II APPALACHIA, LLC				Elizabeth Patterson	CNX Gas Company,	
5	05-0009-0003-0000-0000	James Redman Legg II ET AL	Noble Energy, Inc	390	1		Charles J. Wiesner	LLC CNX Gas Company,	
-		Nable Energy, Inc.	ENX Gas Company,					LLC CNX Gas Company,	-
		CNX Gas Company, LLC	Noble Energy, Inc.				John Wiesner	LLC	1
_		city des company, cee					Kenneth Schmitt	CNX Gas Company, LLC	
		NOBLE ENERGY INC	HG ENERGY II APPALACHIA, LLC	_			Mary Ellen Sedon	CNX Gas Company, LLC	
	05-0009-0001-0000-0000, 05-0009-0001-0001-0000,	terri Clader Buckman Ct M	Nable Šeseru Jar	392, 362,			Alfred Kaczorowski, Jr., B	CNX Gas Company,	
	05-0009-0001-0002-0000, 05-0009-0001-0003-0000, 05-0009-0001-0004-0000	Jessi Gladys Ruckman Et Al	Noble Energy, Inc.	385, 382, 363			Sharon M. Kaczorowski, his wife	uc	
	03-0009-0001-0004-0000	NOBLE ENERGY INC.	HG ENERGY II	200	10.5		CNX Gas Company, LLC	Noble Energy, Inc.	-
			APPALACHIA, LLC		10.0		NOBLE ENERGY INC	HG ENERGY II APPALACHIA, LLC	
-	05-0004-0016-0000-0000	Terry Holman TriEnergy Holdings	TriEnergy Holdings Chevron USA INC	394	-				
		Chevron USA INC	HG ENERGY II						
_		Chevron C SA Inc	APPALACHIA, LLC						
	05-0004-0017-0000-0000	Terry Holman	TriEnergy Holdings	387					
	[TriEnergy Holdings	Chevron USA INC						
		Chevron USA INC	HG ENERGY II APPALACHIA, LLC						
-	a turbust turbust	AEP Generation Resources Inc.							
-	05-0005-0012-0000-0000	and Kentucky Power Company	Noble Energy, Inc.	182					
		NOBLE ENERGY INC.	HG ENERGY II APPALACHIA, LLC						
- 1		the second s	1.						
)	05-0005-0006-0000-0000	AEP Generation Resources Inc. and Kentucky Power Company	Noble Energy, Inc.	324					
>	05-0005-0006-00 00-0000	and Kentucky Power Company	Noble Energy, Inc. HG ENERGY II		29/0 Geograma	Dite F	73-446-1100 724-46-1101 mpm3c.cum		
)	05-0005-0006-0000-0000	and Kentucky Power Company	Noble Energy, Inc.		Vacantarii Corpera 2000 Gaogettario Samoley, R4 8514	Dite F	724444 1104 ne jen-Roceur	EGEND	_
0	05-0005-0007-000 0-0000	and Kentucky Power Company	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc.	325	200 Geographics Generality, Ma (5) of Calvis English Land Plany	And The And Th	ra Dakiga	EGEND REFERENCE NUMBER MINERAL OWNERSHIP	FOR
I#:	05-0005-0007-0000-0000 MND23 N-5H NG #:	AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company P B U U TI MONUMENT 38.58' R ON OF 'ATES	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHI AW AND THE R	325 NDERSIG DT TO TH DWS ALL EGULATIO	Christengener Land Plant	EREBY CERTIFY THAT OF MY KNOWLEDGE FORMATION REQUIRE UED AND PRESCRIBI ENTAL PROTECTION.	THIS AND D BY ED BY ED BY EBRUARY 26, 2019	J. WES J. WES CENSED CONSED TO 2269	and a second
I #:	05-0005-0007-0000-0000 MND23 N-5H NG #:MND23 N-5H 1"=2000' IM DEGREE URACY:1/2500 NOTES LOCATI ON UNITED ST GRAPHIC MAPS	AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company P B U U TI MONUMENT 38.58' R ON OF 'ATES	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHO AW AND THE R HE DEPARTMEN GNED:	325 NDERSIG DT TO TH DWS ALL EGULATIO	AND GRADE AND A CONTRACT OF A	EREBY CERTIFY THAT OF MY KNOWLEDGE FORMATION REQUIRE UED AND PRESCRIBI ENTAL PROTECTION.	THIS AND D BY ED BY FLD BY	J. WES J. WES CENSED CONSED TO 2269	and a second
I#:	05-0005-0007-0000-0000 MND23 N-5H NG #: MND23 N-5H 	AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company P B U T MONUMENT 38.58' R ON OF 'ATES	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHO AW AND THE R HE DEPARTMEN GNED:	325 NDERSIG DT TO TH DWS ALL EGULATIO	AND GRADE AND A CONTRACT OF A	EREBY CERTIFY THAT OF MY KNOWLEDGE FORMATION REQUIRE UED AND PRESCRIBI ENTAL PROTECTION.	THIS AND D BY ED BY ED BY EBRUARY 26, 2019 VS WELL #: MND23 N	J. WES J. WES CENSED O. 2269	
I#:	05-0005-0007-0000-0000 MND23 N-5H NG #: MND23 N-5H 	AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company P B U T MONUMENT 38.58' ON OF 'ATES	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHO AW AND THE R HE DEPARTMEN GNED:	325 NDERSIG DT TO TH DWS ALL EGULATIO	AND GRADE AND A CONTRACT OF A	EREBY CERTIFY THAT OF MY KNOWLEDGE FORMATION REQUIRE UED AND PRESCRIBI ENTAL PROTECTION.	THIS AND D BY ED BY ED BY EBRUARY 26, 2019 VS WELL #: MND23 N	STATE OF TO CONTRACT OF THE CO	
I#:	05-0005-0007-0000-0000 MND23 N-5H NG #: MND23 N-5H 1"=2000" IM DEGREE URACY: 1/2500 V SOURCE U.S.G.S. /ATION: H 138: 61 NOTES LOCATI ON UNITED ST GRAPHIC MAPS 2P E OF OIL & GAS TH STREET LESTON, W 25	AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company P B U T MONUMENT 38.58' ON OF CATES 304	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHIC AW AND THE R HE DEPARTMEN GNED: .P.E.:	325 NDERSIG	Chill Engine Large plant	EREBY CERTIFY THAT OF MY KNOWLEDGE FORMATION REQUIRE UED AND PRESCRIBI ENTAL PROTECTION.	THIS THIS AND D BY ED BY EBRUARY 26, 2019 TS WELL #: MND23 N # 47 5	STATE OF TO CONTRACT OF THE CO	
I#:	05-0005-0007-0000-0000 MND23 N-5H NG #: MND23 N-5H 1*=2000' TM DEGREE URACY: 1/2500 I SOURCE U.S.G.S. /ATION: H 138: 63 NOTES LOCATI ON UNITED ST GRAPHIC MAPS CP E OF OIL & GAS TH STREET LESTON, WV 25 /pe: X	AEP Generation Resources Inc. AEP Generation Resources Inc. and Kentucky Power Company P P B U TI MONUMENT 38.58' CON OF CATES 304 Oil U Waste D	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHO AW AND THE R HE DEPARTMEN GNED: .P.E.: 	325 NDERSIG TT TO TH WS ALL EGULATIC I OF EN	Chill Engine Laro Plan NED, HE IE BEST THE IN DNS ISS WIRONM S.: I	CREBY CERTIFY THAT OF MY KNOWLEDGE FORMATION REQUIRE UED AND PRESCRIBI ENTAL PROTECTION.	THIS THIS AND D BY ED BY EBRUARY 26, 2019 TS WELL #: MND23 N # 47 5	DI VIRCINA STATE OF ONAL SUPERIOR ONAL SU	
WENCO	MND23 N-5H MND23 N-5H MG #: MND23 N-5H 1"=2000' M DEGREE URACY: 1/2500 I SOURCE U.S.G.S. /ATION: H 138: 60 NOTES LOCATH ON UNITED ST GRAPHIC MAPS CP E OF OIL & GAS TH STREET LESTON, WV 25 /pc: X 0	AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company P B U TI MONUMENT 38.58' CON OF CATES CON OF CON OF C	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHO AW AND THE R HE DEPARTMEN GNED: .P.E.: 	325 NDERSIG TT TO TH WS ALL EGULATIC I OF EN	Chill Engine Lare plant NED, HE IE BEST THE IN DNS ISS WIRONM S.: I	EREBY CERTIFY THAT OF MY KNOWLEDGE FORMATION REQUIRE UED AND PRESCRIBI ENTAL PROTECTION.	THIS THIS AND D BY ED BY ED BY EBRUARY 26, 2019 TS WELL #: MND23 N 4 47 STATE COU	DI VIRCINA STATE OF ONAL SUPERIOR ONAL SU	
#:	MND23 N-5H MD23 N-5H MG #: MND23 N-5H 1"=2000" M DEGREE URACY: 1/2500 M SOURCE U.S.G.S. (ATION: H 138: 6) NOTES LOCATI ON UNITED ST GRAPHIC MAPS EP E OF OIL & GAS TH STREET LESTON, WV 25 (pc: X) (SHED: BIG TRIBBLE (AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company P B U T MONUMENT 38.58' ON OF ATES 304 Oil Waste D Gas Liquid Ir CREEK-OHIO RIVER	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHO AW AND THE R HE DEPARTMEN GNED: .P.E.: .P.E.: 	325 NDERSIG DT TO TH UWS ALL EQUIATIO	Chill Engineering Lare plant NED, HE IE BEST THE IN DNS ISS MIRONM S.: I uction age N: 1240'	The providence of the second	THIS THIS AND D BY ED BY EBRUARY 26, 2019 TS WELL #: MND23 N 4 47 6 STATE COU PAGE: 30	DI VIRCINA STATE OF ONAL SUPERIOR ONAL SU	
WE WE ULE: ULE DE LLL POO DE TIC 577 AR ITy ERS	MND23 N-5H MND23 N-5H MG #: MND23 N-5H 1"=2000" M DEGREE URACY: 1/2500 I SOURCE U.S.G.S. /ATION: H 138: 63 NOTES LOCATI ON UNITED ST GRAPHIC MAPS CP E OF OIL & GAS TH STREET LESTON, WV 25 /pe: X 0 SHED: BIG TRIBBLE O //DISTRICT: MARSH	AEP Generation Resources Inc. AEP Generation Resources Inc. and Kentucky Power Company Power Company P B U TI MONUMENT 38.58' ON OF ATES 304 Oil Waste D Gas Liquid In CREEK-OHIO RIVER IALL / FRANKLIN	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHO AW AND THE R HE DEPARTMEN GNED: .P.E.: 	325 NDERSIG TTO TH WS ALL EGULATIC I OF FI	Chill Engine Large plant NED, HE IE BEST THE IN DNS ISS WIRONM S.: I S.: I uction age N: 1240'	CREBY CERTIFY THAT OF MY KNOWLEDGE FORMATION REQUIRE UED AND PRESCRIBI ENTAL PROTECTION.	THIS THIS AND D BY ED BY EBRUARY 26, 2019 TS WELL #: MND23 N 4 47 6 STATE COU PAGE: 30	DI VIRCINA STATE OF ONAL SUPERIOR ONAL SU	
I #: I #: I I I I I I I I I I I I I I I I I I I	MND23 N-5H MD23 N-5H MG #: MND23 N-5H 1"=2000' M DEGREE URACY: 1/2500 I SOURCE U.S.G.S. /ATION: H 138: 6 NOTES LOCATI ON UNITED ST GRAPHIC MAPS CP E OF OIL & GAS TH STREET LESTON, WV 25 /pc: X 0 SHED: BIG TRIBBLE 0 //DISTRICT: MARSH EE OWNER: HG ENE	AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company P B U T MONUMENT 38.58' ON OF ATES 304 Oil Waste D Gas Liquid Ir CREEK-OHIO RIVER	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHO AW AND THE R HE DEPARTMEN GNED: .P.E.: 	325 NDERSIG DT TO TH USALL EQUIATIO	Chill Engine Large plant NED, HE IE BEST THE IN DNS ISS WIRONM S.: 1 S.: 1 Unction age N: 1240' IGLE: PI	The providence of the second	THIS THIS AND D BY ED BY EBRUARY 26, 2019 TS WELL #: MND23 N 4 47 6 STATE COU PAGE: 30	DI VIRCINA STATE OF ONAL SUPERIOR ONAL SU	And a
E #:	MND23 N-5H MND23 N-5H MD23 N-5H MDEGREE URACY: 1/2500 MOURCE U.S.G.S. (ATION: H138: 6) NOTES LOCATI ON UNITED ST GRAPHIC MAPS E OF OIL & GAS TH STREET LESTON, WV 25 (PC: X) (C) SHED: <u>BIG TRIBBLE</u> (C) SHED: <u>BIG TRIBBLE</u> (C) SHED: <u>BIG TRIBBLE</u> (C) SROYALTY OWNER	AEP Generation Resources Inc. AEP Generation Resources Inc. and Kentucky Power Company P P P B U T MONUMENT 38.58' ON OF ATES 304 Oil Waste D Gas Liquid Ir CREEK-OHIO RIVER IALL / FRANKLIN ERGY II, APPALACHIA LL	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHO AW AND THE R HE DEPARTMEN GNED: .P.E.: 	325 NDERSIG TT TO TH WS ALL EGULATIC L OF EN LL Prod Stora LEVATIC UADRAN ACREAGE CREAGE	Chill Engine Exercise, M. B) Chill Engine Lare Plan NED, HE IE BEST THE IN DNS ISS WIRONM S.: 1 S.: 1	The providence of the second	THIS THIS AND D BY ED BY EBRUARY 26, 2019 US WELL #: MND23 N 4 47 5 STATE COU PAGE: 30 VA./OHIO	STATE OF TO CONTRACT OF THE CO	инт
I #: I #: I I I I I I I I I I I I I I I I I I I	AND23 N-5H MND23 N-5H MG #: MND23 N-5H 1"=2000' M DEGREE URACY: 1/2500 M SOURCE U.S.G.S. /ATION: H 138: 61 NOTES LOCATI ON UNITED ST GRAPHIC MAPS P E OF OIL & GAS TH STREET LESTON, WV 25 /PC: X 0 SHED: BIG TRIBBLE O //DISTRICT: MARSH E OWNER: HG ENE NOTEL X CO	AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company P B U U T MONUMENT 38.58' ON OF ATES 304 Oil Waste D Gas Liquid Ir CREEK-OHIO RIVER IALL / FRANKLIN CREEK-IN APPALACHIA LL : CNX GAS COMPANY	Noble Energy, Inc.	325 NDERSIG CT TO TH WS ALL EGULATIO I OF EP I I OF EP I	Chill Engine Large Plant NED, HE E BEST THE IN DNS ISS WIRONM S.: 1 UCCON UCCON S.: 1 UCCON UCCO	CTURE OR STIMULA	THIS THIS AND D BY ED BY EBRUARY 26, 2019 TS WELL #: MND23 N 47 E STATE COU PAGE: 30 VA./OHIO	DI VIRCINA STATE OF ONAL SUPERIOR ONAL SU	инт
I HE: IMU VEN LE: IMU IMU IE: IMU IE: IMU IE: IMU IE: IMU IE: IMU IE: IC: IC: IC: IC: IC: IC: IC: IC	MND23 N-5H MND23 N-5H MG #: MND23 N-5H 1"=2000' M DEGREE URACY: 1/2500 M SOURCE U.S.G.S. /ATION: H 138: 63 NOTES LOCATI ON UNITED ST GRAPHIC MAPS CP E OF OIL & GAS TH STREET LESTON, WV 25 /pe: X 0 SHED: BIG TRIBBLE O //DISTRICT: MARSH SE OWNER: HG ENE S ROYALTY OWNER DRILL X CO PLUG OFF OLI	AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company B B B C MONUMENT 38.58' CON OF CATES CON OF CAT	Noble Energy, Inc.	325 NDERSIG CT TO TH WS ALL EGULATIO I OF EP I I OF EP I	Chill Engineering And Bill Chill Engineering And Bill Large Plant MED, HE IE BEST THE IN DNS ISS WIRONM S.: I S.: I USS : 1240' IGLE: PI IGLE: PI I	CTURE OR STIMULA	THIS THIS AND D BY ED BY EBRUARY 26, 2019 TS WELL #: MND23 N 47 E STATE COU PAGE: 30 VA./OHIO	STATE OF TO CONTRACT OF TO CONTRACT.	
#: WIN LE: MULEV DE LLL DE DE DE ST AR IT S AR IT S	MND23 N-5H MND23 N-5H MD23 N-5H MDEGREE URACY: 1/2500 MDEGREE URACY: 1/2500 MOTES LOCATI ON UNITED ST GRAPHIC MAPS E OF OIL & GAS TH STREET LESTON, WV 25 CP E OF OIL & GAS TH STREET LESTON, WV 25 CP C DISTRICT: MARSH CONNER: HG ENE S ROYALTY OWNER DRILL X CO PLUG OFF OLI CLEAN OUT &	AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company B B U T MONUMENT 38.58' ON OF 'ATES CON OF 'ATE	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHO AW AND THE R HE DEPARTMEN GNED: .P.E.: .P.E.: 	325 NDERSIG TTO TH WS ALL EGULATIC I OF EN I O	Chill Engineer Lare provention of the second state of the second s	CTURE OR STIMULA	THIS THIS AND D BY ED BY EBRUARY 26, 2019 TS WELL #: MND23 N 47 E STATE COU PAGE: 30 VA./OHIO	AUG 1	
##:	MND23 N-5H MND23 N-5H MG #: MND23 N-5H 1"=2000' M DEGREE URACY: 1/2500 M SOURCE U.S.G.S. (ATION: H 138: 6) NOTES LOCATI ON UNITED ST GRAPHIC MAPS E OF OIL & GAS TH STREET LESTON, WV 25 (PE: X) (C) SHED: BIG TRIBBLE (C) (D) SHED: BIG TRIBBLE (C) (D) SHED: BIG TRIBBLE (C) (D) STOYALTY OWNER DRILL X) CLEAN OUT & FORMATION: POIN	AEP Generation Resources Inc. and Kentucky Power Company AEP Generation Resources Inc. and Kentucky Power Company B B U U S MONUMENT 38.58' ON OF CATES 304 Oil Waste D Gas Liquid In CREEK-OHIO RIVER IALL / FRANKLIN ERGY II, APPALACHIA LL : CNX GAS COMPANY DN VERT DRILL DEI D FORMATION PEJ REPLUG OTHER	Noble Energy, Inc. HG ENERGY II APPALACHIA, LLC Noble Energy, Inc. I, THE U LAT IS CORREC ELIEF AND SHO AW AND THE R HE DEPARTMEN GNED: .P.E.: .P.E.: 	325 NDERSIG TTO TH WS ALL EGULATIC I OF EN I O	Chill Engine Execution, M. B) Chill Engine Large Plant MED, HE E BEST THE IN DNS ISS MIRONM Chill E BEST THE IN DNS ISS M	CTURE OR STIMULA	THIS AND D BY ED BY ED BY EBRUARY 26, 2019 CS WELL #: MND23 N # 47 E STATE COU PAGE: 30 VA./OHIO TE X ON D TVD: 6,535' ± TMD: 15	AUG 1	







-				Salace	-		NOBLE ENERGY INC.	HG ENERGY II APPALACHIA, LLC	
HE RIAL		gen an	(5) (1000) L (1, 1000)	R. an Code	-		AEP Generation Resources Inc.	Noble Energy, Inc.	327
(1)	05-0004-0014-0000-0000	MILLER CHARLES W PARSONS PAUL ET UX	CHEVRON USA INC CHEVRON USA INC	388	۲	05-8885-8009-0000-0000	and Kentucky Power Company		
		RUSSELL SHARON LYN	CHEVRON USA INC				NOBLE ENERGY INC	HS ENERGY II APPALACHIA, LLC	
		ARNOLD LLOYD C ET UX	CHEVRON USA INC			05-0005-0009-0001-0000	Consolidation Coal Company	CNX Gas Company, LLC	329
		CRONIN MARY JO KURPIL RICHARD ET UX	CHEVRON USA INC				CNX Gas Company, LLC	Noble Energy, Inc. HG ENERGY II	-
		CLIFTON CLARA MAE	CHEVRON USA INC				NOBLE ENERGY INC	APPALACHIA, LLC	-
		EDWARDS GEORGE ET UX KYLE DONNA FAE	CHEVRON USA INC			05-0006-0003-0000-0000	Consolidation Coal Company	CNX Gas Company, LLC	300
		CONNER JUDITH MAY	CHEVRON USA INC			05-0005-0001-0000-0000	CNX Gas Company, LLC	Noble Energy, Inc. HG ENERGY II	-
		AB RESOURCES LLC	AB RESOURCES LLC NPAR LLC				NOBLE ENERGY INC	APPALACHIA, LLC	_
-		NPAR LLC	Chevron USA INC		12	05+0005-0002-0000-0000	Margaret Games	CNX Gas Company, LLC	31
		Chevron USA INC	HG ENERGY II APPALACHIA, LLC				Elizabeth Patterson	CNX Gas Company, LLC	
(2)	05-0009-0003-0000-0000	James Redman Legg II ET AL	Noble Energy, Inc.	390			Charles J. Wiesner	CNX Gas Company, LUC	
-		Noble Energy, Inc.	CNX Gas Company, LLC		-		John Wiesner	CNX Gas Company,	-
		CNX Gas Company, LLC	Noble Energy, Inc.				Kenneth Schmitt	CNX Gas Company,	
			HG ENERGY II		-			ELC CNX Gas Company.	-
-		NOBLE ENERGY INC	APPALACHIA, LLC	392,			Mary Ellen Sedon	LIC	-
	05-0009-0001-0000-0000, 05-0009-0001-0001-0000, 05-0009-0001-0002-0000,	Jessi Gladys Ruckman Et Al	Noble Energy, Inc.	362, 385,			Alfred Kaczorowski, Jr., B. Sharon M. Kaczorowski, his	CNX Gas Company,	
9	05-0009-0001-0003-0000, 05-0009-0001-0004-0000	active cancella consideration of the		382, 363			wife		-
		NOBLE ENERGY INC	HG ENERGY II				CNX Gas Company, LLC	Noble Energy, Inc. HG ENERGY II	-
~		And Carlos and	APPALACHIA, LLC TriEnergy Holdings	384			NOBLE ENERGY INC	APPALACHIA, LLC	
9	05-0004-0016-0000-0000	Terry Holman TriEnergy Holdings	Chevron USA INC	364					
		Chevron USA INC	HG ENERGY !! APPALACHIA, LLC						
_			APPALACHIA, LLC						
3	05-0004-0017-0000-0000	Terry Holman	TriEnergy Holdings	387					
-		TriEnergy Holdings	Chevron USA INC						
		THE REPAIRS OF							
		Chevron USA INC	HG ENERGY II APPALACHIA, LLC						
~		AEP Generation Resources Inc.	Nuclei Constant Inc.						
6	05-0005-0012-0000-0000	and Kentucky Power Company	Noble Energy, Inc.	182					
		NOBLE ENERGY INC	HG ENERGY II APPALACHIA, LLC						
_									
1	05-0005-0006-0000-0000	AEP Generation Resources Inc. and Kentucky Power Company	Noble Energy, Inc.	324					
-		NOBLE ENERGY INC	HG ENERGY II	1	Wathdred Corpor (903 Georgetown Sawatilay, PA 151	Oda I	* 721-448-1100 * 721-448-1104 www.svo-Ecourt		
		MUDLE ENERGY INC.	APPALACHIA, LLC		-	DITE		EGEND	-
(3)	05-0005-0007-0000-0000	AEP Generation Resources Inc. and Kentucky Power Company	Noble Energy, Inc.	325		PVE	0	REFERENCE NUMBER	RFOR
					Civil Engine Land Plan	enng Land Development Sirust ang Lanzscope Architecture Envis	ers Design comunitat		
							E AND ED BY ED BY		_
LE #:	MND23 N-5H		L THE L	INDERSIG	NED. H	EREBY CERTIFY THAT	T THIS	amman	
			PLAT IS CORRE	CT TO TH	IE BEST	OF MY KNOWLEDG	E AND DOONN	J.WESTAR	5
RAWI	NG #: MND23 N-5H		BELIEF AND SH	OWS ALL	THE IN	FORMATION REQUIR	ED BY	CENSED Y	eg.
ALE:	1"=2000'		THE DEPARTMEN	VT OF EN	IVIRONN	ENTAL PROTECTION.	# N	lo. 2269	1 000
	Calebra Calebra		(1) ,	1	PR	STATE OF VIRCE	OR
	JM DEGREE URACY: 1/2500		-		11	A	Ber	T VIRGET S	3
ACC	0101011. 112000	S	IGNED:	X	IT	The	Bass	ONAL SUPPOR	b.
		MONUMENT	<		~	~	PL.	ACE SEAL HERE	
ELE	VATION: H 138: 6	36.58' F	R.P.E.:		6.:	P.S. NO. 226	9		
	NOTES LOCATI		OFW	EST VIA		DATE: _F	EBRUARY 26, 2019		
	ON UNITED ST GRAPHIC MAPS		151 Late	E		OPERATO	R'S WELL #: MND23 N	LSW	
VDE			1	A DA		OFERATO	NO WELDT. MINDZON	-on	
	E OF OIL & GAS	5	Caller .	Jose H		API WELL	#	51 024	70
1 57			Contraction of the second second	100			STATE COL	-	11
10.0011	TH STREET							INTY PER	1.11.11.1
	TH STREET LESTON, WV 25	304						INTY PER	1000
HAR	LESTON, WV 25	304 Oil 🗌 Waste D	Disposal	Prod	uction	Deep		INTY PER	1000
HAR	LESTON, WV 25	Oil 🗌 Waste D					PAGE: 3 0		1000
HAR ell T	LESTON, WV 25 ype: X	Oil 🗌 Waste D Gas 🗌 Liquid I	njection		ige	Shallow	PAGE: 30		1000
HAR cll T	LESTON, WV 25 ype: X SHED: BIG TRIBBLE	Oil 🗌 Waste E Gas 🗌 Liquid I CREEK-OHIO RIVER	njection	Stora	ige N: <u>1240</u>	Shallow			1000
HAR cll T	LESTON, WV 25 ype: X SHED: BIG TRIBBLE Y/DISTRICT: MARSH	Oil 🗌 Waste D Gas Liquid I CREEK-OHIO RIVER	njection [Stora	ige N: <u>1240</u>	Shallow			1000
HAR cell T	LESTON, WV 25 ype: X SHED: BIG TRIBBLE Y/DISTRICT: MARSH	Oil 🗌 Waste E Gas 🗌 Liquid I CREEK-OHIO RIVER	njection [Stora ELEVATIO QUADRAN	nge N: <u>1240</u> GLE: <u>F</u> E: 126.6	Shallow			1000
HAR cell T ATER DUNT	LESTON, WV 25 ype: X SHED: BIG TRIBBLE Y/DISTRICT: MARSH XE OWNER: HG ENE	Oil 🗌 Waste D Gas Liquid I CREEK-OHIO RIVER	injection [Stora	nge N: <u>1240</u> GLE: <u>F</u> E: 126.6	Shallow		DF 4	MIT
HAR cell T ATER DUNT	LESTON, WV 25 ype: X SHED: BIG TRIBBLE Y/DISTRICT: MARSH CE OWNER: HG ENE AS ROYALTY OWNER DRILL X CO	Oil Waste D Gas Liquid I CREEK-OHIO RIVER IALL / FRANKLIN ERGY II, APPALACHIA LI CNX GAS COMPANN DNVERT DRILL DE	njection [i i i i 	Stora	nge N: <u>1240</u> GLE: <u>F</u> <u>126.6</u> <u>126.6</u> FRA	Shallow OWHATAN POINT, W	VA./OHIO		MIT
HAR cell T ATER DUNT	LESTON, WV 25 ype: X SHED: BIG TRIBBLE Y/DISTRICT: MARSH CE OWNER: HG ENE AS ROYALTY OWNER DRILL X CO	Oil Waste E Gas Liquid I CREEK-OHIO RIVER IALL / FRANKLIN ERGY II, APPALACHIA LI CNX GAS COMPANY	njection [i i i i 	Stora	nge N: <u>1240</u> GLE: <u>F</u> <u>126.6</u> <u>126.6</u> FRA	Shallow OWHATAN POINT, W	VA./OHIO	DF 4	MIT
HAR cell T ATER DUNT	LESTON, WV 25 ype: X SHED: BIG TRIBBLE YDISTRICT: MARSH CE OWNER: HG ENE AS ROYALTY OWNER DRILL X CO PLUG OFF OL	Oil Waste D Gas Liquid I CREEK-OHIO RIVER IALL / FRANKLIN ERGY II, APPALACHIA LI CNX GAS COMPANN DNVERT DRILL DE	njection [LC A EEPER [] RED REFORATE NEW	Stora	nge N: <u>1240</u> GLE: <u>F</u> : <u>126.6</u> : <u>126.6</u>] FRA	Shallow OWHATAN POINT, W	VA./OHIO	DF 4	MIT
HAR ell T: ATER: DUNT RFAC	LESTON, WV 25 ype: X SHED: BIG TRIBBLE SHED: BIG TRIBBLE SHED: MARSH CE OWNER: HG ENE AS ROYALTY OWNER DRILL X CO PLUG OFF OL CLEAN OUT 8	Oil Waste D Gas Liquid I CREEK-OHIO RIVER ALL / FRANKLIN ERGY II, APPALACHIA LI COX GAS COMPANY ONVERT DRILL DE D FORMATION PE	njection	Stora	ege N: <u>1240</u> GLE: <u>F</u> <u>126.6</u> <u>126.6</u> FRA FION <u></u> YY)	OWHATAN POINT, W	VA./OHIO	0F 4 09/17	TIME
IAR ell T UNT RFAC & G	LESTON, WV 25 ype: X SHED: BIG TRIBBLE Y/DISTRICT: MARSH XE OWNER: HG ENE AS ROYALTY OWNER DRILL X CO PLUG OFF OL CLEAN OUT & T FORMATION: POIN	Oil Waste D Gas Liquid I CREEK-OHIO RIVER IALL / FRANKLIN ERGY II, APPALACHIA LI CNX GAS COMPANY DIVERT DRILL DE D FORMATION PE CREPLUG OTHER	njection	Stora	nge N: <u>1240</u> GLE: <u>F</u> <u>126.6</u> : <u>126.6</u>] FIRA TION [YY] I	Shallow OWHATAN POINT, W CTURE OR STIMUL PLUG AND ABANI STIMATED DEPTH: DESIGNATED AGENT	. VA./OHIO ATE X DON □ TVD: 6,535'± TMD: 1 F: DIANE C. WHITE	0F 4 09/17	TIME
HAR ell T DUNT IRFAC L & G	LESTON, WV 25 ype: X SHED: BIG TRIBBLE YDISTRICT: MARSH CE OWNER: HG ENE AS ROYALTY OWNER DRILL X CO PLUG OFF OL CLEAN OUT & TFORMATION: POIL OPERATOR: HG ENEL	Oil Waste D Gas Liquid I CREEK-OHIO RIVER ALL / FRANKLIN ERGY II, APPALACHIA LI CONX GAS COMPANY ONVERT DRILL DE D FORMATION PE E REPLUG OTHER NT PLEASANT / MARCE RGY II APPALACHIA, LL	njection	Stora	nge N: <u>1240</u> GLE: <u>F</u> <u>126.6</u> : <u>126.6</u>] FIRA TION [YY] I	Shallow OWHATAN POINT, W CTURE OR STIMUL PLUG AND ABAND STIMATED DEPTH:	. VA./OHIO ATE X DON □ TVD: 6,535'± TMD: 1 F: DIANE C. WHITE	0F 4 09/17	MIT

MND23 N-5H

WW-6A1 (3/13) Operator's Well No.

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page

** See Attached Lease Chain **

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiatedRECEIVED Office of Oil and Ga

Well Operator:	HG Energy II	Appalachia, L	LC.		unu Gas
By:	Diane White	Diane	White	AUG 12	2021
Its:	Agent			WV Departer	iont of
			L.I	vironmental F	rotection

Page 1 of _____

HG Energy II Appalachia, LLC - MND23 N-5H

HG Plat Num	iber MPID	Original Lessor	Original Lessee	Royalty Not less than	Book	Paga
)	05-0004-0014-0000-0000	MILLER CHARLES W	CHEVRON USA INC	1/8	853	59
		PARSONS FAUL ET UX	CHEVRON USA INC	Not less than 1/8	853	430
		RUSSELL SHARON LYN	CHEVRON USA INC	Not less than 1/8	853	422
		HUFF TIMOTHY ET UX	CHEVRON USA INC	Not less than	846	-47
		ARNOLD LLOYD C ET UX	CHEVRON USA INC	1/8 Not less than		
			CHEVRON USA INC	1/8 Not less than	846	35
		GRONIN MARY IO		1/8	845	43
		KURPIL RICHARD ET UX	CHEVRON USA INC	Not less than 1/8	863	594
		CLIFTON CLARA MAE	CHEVRON USA INC	Not loss than 1/8	853	47
		EDWARDS GEURGE ET UX	CHEVRON USA INC	Not less than	853	41
		KYLE DONNA FAE	CHEVRON USA INC	1/8 Not less than		
		CONNER JUDITH MAY	CHEVRON USA INC	1/8 Not less than	853	44
				1/5	853	44
		SCHEIBELHOOD PAUL ET AL	AB RESOURCES LLC	Not less than 1/8	695	62
		AB RESOURCES LLC	NPAR LLC Chevron USA INC		25 756	48
		NPAR LLC	HG ENERGY II			
-		Chevron USA INC	APPALACHIA, LLC	Not less than	41	15
2).	05-0009-0003-0000-0000	lames Redman Legg II ET AL	Noble Energy, Inc.	1/8	879 36	58
		Noble Energy, Inc. CNX Gas Company, LLC	CNX Gas Company, LLC Noble Energy, Inc.		37	15
		NOBLE ENERGY INC	HG ENERGY I APPALACHIA, LLC		39	
	05-0009-0001-0000-0000,	House chemics mis				
	05-0009-0001-0001-0000, 05-0009-0001-0002-0000,					
	05-0009-0001-0003-0000,	Lauri Chadan Development Th Al	Sable Freemules	Not less than 1/8	730	64
3)	05-0699-0001-0004-0000	Jessi Gladys Ruckman Et Al	Noble Energy, Inc. HIG ENERGY II	10		DA
-		NOBLE ENERGY INC	APPALACHIA, LLC	Not less than	39	-
4)	05-0004-0016-0000-0000	Terry Holman	TriEnergy Holdings	1/8	721	55
		TriEnergy Holdings	Chevren USA INC HG ENERGY II		28	23
		Chevron USA INC	APPALACHIA, LLC	Not less than	41	15
5)	05-0004-0017 0000 0000	Terry Holman	TriEnergy Holdings	1/8	721	55
		TriEnergy Holdings	Chevron USA INC HG ENERGY II		28	23
_		Chevron USA INC	APPALACHIA, LLC	A	41	15
6)	05-0005-0012-0000-0000	AEP Generation Resources Inc. and Kentucky Power Company	Noble Energy, Inc.	Not less than 1/8	829	15
		NOBLE ENERGY INC	HC ENERGY II APPALACHIA, LLC		39	
	a contract contract warm	AEP Seneration Resources Inc. and		Not less than		
7)	05-0005-0006-0000-0000	Kentucky Power Company	Noble Energy, Inc. HG ENERGY II	1/8	829	15
		NOBLE ENERGY INC	APPALACHIA, LLC	Star bar the	39	
8)	05-0005-0007-0000-0000	AEP Generation Resources Inc. and Kentucky Power Company	Noble Energy, Inc.	Not less than 1/8	829	15
		NOBLE ENERGY INC	HG ENERGY II APPALACHIA, LLC		39	
0	CONTRACTOR NOT STREET	AEP Generation Resources Inc. and		Not less than		- 14
9)	05-0005-0009-0000-0000	Kentucky Power Company	Noble Energy, Inc. HG ENERGY I	1/8	829	15
10)	05-0005-0009-0001-0000	NOBLE ENERGY INC	APPALACHIA, LLC	Fee	39 646	49
10)	03-0005-0009-0001-0000	Consolidation Coal Company CNX Gas Company, LLC	CNX Gas Company, LLC Noble Energy, Inc.	Fee	752	49
		NOBLE ENERGY INC	HG ENERGY II APPALACHIA, LLC	Fee	39	
141	05-0006-0003-0000-0000	Consolidation Coal Company	CNX Gas Company, LLC	Fee	646	49
	05-0005-0001-0000-0000	CNX Gas Company, LLC	Noble Energy, Inc. HG ENERGY II	Fee	752	E
		NOBLE ENERGY INC	APPALACHIA, LLC	Fee	39	
12)	05-0005-0002-0000-0000	Margaret Games	CNX Gas Company, LLC	Not less than 1/8	763	44
		Elizabeth Patterson	CNX Gas Company, LLC	Not less thin 1/8	763	43
				Not less than		
		Charles J. Wiesner	CNX Gas Company, LLC	1/8 Not less then	763	42
		John Wiesner	CNX Gas Company, LLC	1/8 Not less than	763	43
		Kenneth Schmitt	CNX Gas Company. LIC	1/8	763	42
		Mary Ellen Sedon	CNX Gas Company, LLC	Not less than 1/8	763	41
		Alfred Kaczorowski, Jr., & Sharon M.		Not less than		
		Raczorowski, his wife	CNX Gas Company, LLC	1/8	763	42
		CNX Gas Company, LLC	Noble Energy, Inc.		752	ĥ

9/17/2021

RECEIVED Office of Oil and Gar

AUG 1 2 2021

WV Department of Environmental Protection



HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax 4705102411

July 30, 2021

Kelly Kees WV DEP Division of Oil & Gas 601 57th Street Charleston, WV 25304

RE: Drilling Under Roads – MND23 N-5H (47-051-02213) Franklin District, Marshall County West Virginia

Dear Ms. Kees -

HG Energy II Appalachia, LLC, has the right to drill, stimulate and produce wells that are drilled under the County and State Roads as designated on the plats.

Should you have any questions or desire further information, please contact me at <u>dwhite@hgenergyllc.com</u> or 304-420-1119.

Very truly yours,

Diane White

Diane C. White

Enclosures

RECEIVED Office of Oil and Gas

AUG 1 2 2021

WV Department of Environmental Protection



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notic	e Certification: 08/03/2021		API No. 47	7- 051	- 05
					MND23 N-5H
			Well Pad N		
Notice has h					
Pursuant to th	e provisions in West Virginia Code § 22-6A, th	e Operator has pro	vided the rea	quired par	ties with the Notice Forms listed
below for the	tract of land as follows:				1
State:	West Virginia.	UTM NAD 83	Easting:	520041.9	-
County:	Marshall	UTIMI INAD 65	Northing:	4407238.9	/
District:	Franklin	Public Road Access:		Nixon Rid	ge Road (SLS 21/1)
Quadrangle:	Powhatan Point	Generally used t	farm name:	CONSOL	
Watershed:	Big Tribble Creek - Ohio River				

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following: *PLEASE CHECK ALL THAT APPLY	OOG OFFICE USE ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or ■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	□ RECEIVED/ NOT REQUIRED
□ 2. NOTICE OF ENTRY FOR PLAT SURVEY or ■ NO PLAT SURVEY WAS CONDUCTED	
□ 3. NOTICE OF INTENT TO DRILL OF □ NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED OF	□ RECEIVED/ NOT REQUIRED
WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	
4. NOTICE OF PLANNED OPERATION	□ RECEIVED
■ 5. PUBLIC NOTICE	□ RECEIVED
6. NOTICE OF APPLICATION	□ RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of Dersonal service, office of Ol and Gas the return receipt card or other postal receipt for certified mailing.

AUG 1 2 2021

WW-6AC (1/12)

Certification of Notice is hereby given:

THEREFORE, 1 Diane White ______, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A. I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	HG Energy II Appalachia, LLC	í	Address:	5260 Dupont Road	
By:	Diane White Diane	white /		Parkersburg, WV 26101	
Its:	Agent		Facsimile:	304-863-3172	
Telephone:	304-420-1119		Email:	dwhite@hgenergyllc.com	
	Official Seal Official Seal Notary Public, State of West V Cory J Arnold 12905 Emerson Avenue Parkersburg, WV 26104 My commission expires February	firginia – – – – – – – – – – – – – – – – – – –	Comp	orn before me this 3rd_day of August, 2021. Notary Public Expires_2-16-2023	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wy.gov</u>.

RECEIVED Office of Oil and Gas

AUG 1 2 2021

WV Department of Environmental Protection

WW-6/	4
(5-12)	

API NO. 47-OPERATOR WELL NO. MN023 N-1H INCIN-6H Well Pad Name: MND23

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 07/30/2021 Date Permit Application Filed: 08/06/2021

Notice of:

PERMIT FOR ANY	□ CERTIFICATE	: (
WELL WORK	CONSTRUCT	C

CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

PERSONAL	□ REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b), no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter cleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner.

Notice is hereby provided to:

SUR: Name:	FACE OWNER(s) * Owner not noticed as owner and operator HG Energy II Appalachia, LLC are the	Name:	AL OWNER OR LESSEE	
Address:	5260 Dupont Road Same	Address:	46226 National Road	
	Parkersburg, WV 26101		St Clairsville, OH 43950	
Name:		-		
Address:		L COA	AL OPERATOR	
		Name:		
SUR	FACE OWNER(s) (Road and/or Other Disturbance)	Address:	<u></u>	-
Name:	HG Energy II Appalachia, LLC			
Address:	5250 Dupont Road	U WA	TER PURVEYOR(s)	
	Parkersburg, WV 26101	Name:		
Name:		Address:		RECEIVED
Address:				Office of Oil and Gas
	FACE OWNER(s) (Impoundments/Pits)	D OPE FIELD	RATOR OF ANY NATURAL GAS	STORAGE1 2 2021
Name:		Name:		WV Department of
Address:		Address:		Environmental Protection

*Please attach additional forms if necessary



WW-6A (5-12)

Notice is hereby given:

API NO. 47- 651 . 02411 OPERATOR WELL NO. MAD23 N-114 UNA NOR Well Pad Name: MND23

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W, Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall also include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No wellpad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (c) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such



WW-6A (5-12)

factors, if necessary.

Written Comment:

API NO. 47-051 07411 OPERATOR WELL NO. MND23 N-1H BIRJ N-611 Well Pad Name: MND23

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation **Concommon** of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation **Concommon** of the prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.



WW-6A (5-12)

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Notice is here Well Operator:	by given by: HG Energy II Appalachia, LLC	Address:	5260 Dupont Road	
Telephone:	304-420-1119		Parkersburg, WV 26101	
Email:	dwhite@hgenergyllc.com	Facsimile:	304-863-2172	

Oil and Gas Privacy Notice:


The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC CASSIDY A. BOARDMAN 5301 13th Ave Vienna, WV 26105	Subscribed and sworn before me this day of	, Notary Public
My Commission Expires July 31, 2022	My Commission Expires 7/31/2022	

RECEIVED Office of Oil and Ges

AUG 1 2 2021

WV Department of Environmental Protection 09/17/2021



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

WAIVER

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Surface Owner Waiver:

I, Eric Grayson, for HG Energy II Appalachia, LLC, hereby state that I have read the notice provisions listed above and hereby waive the notice requirements under West Virginia Code § 22-6A-16(b) for the tract of land as follows:

State:		West Virginia 🤛	- UTM NAD 83	Easting:	520041.9	9 5
County:		Marshall	- UTMINAD 85	Northing:	4407238.9	9 -
District:		Franklin	Public Road Acc	cess:	Nixon Ridg	ge Road (SLS 21/1)
Quadran	gle:	Powhatan Point	Generally used f	arm name:	CONSOL	1
Watershe	ed:	Little Tribble Creek /		1	7. 1	
		Big		51	9	
Name:	Eric	Grayson, VP, HG Energy II Appalachia, LLC	Signature	42	han	er_
Address:	5260) Dupont Road	C			
	Park	ersburg, WV 26101	Date: 07/30/	2021		

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

RECEIVED Office of Oil and Gas

AUG 1 2 2021

WV Department of Environmental Protection 09/17/2021

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 07/29/2021 Date Permit Application Filed: 08/08/2021

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

H	CERTIFIED MAIL	HAND
	RETURN RECEIPT REQUESTED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s) * Owner not noticed as HG is also the Operator

Name:	HG Energy II Appalachia, LLC	Name:	
Address:	5260 Dupont Road	Address:	
	Parkersburg, WV 26101		

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	LITMANIA IN 60	Easting:	520037,3	
County:	Marshall	UTM NAD 83	Northing:	4407221.2	
District:	Franklio	Public Road Acce	ess:	Nixon Ridge Road (SLS 21/1)	
Quadrangle:	Powhatan Point	Generally used fa	rm name:	CONSOL	
Watershed:	Title Tribble Creek				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Operator:	HG Energy II Appalachia, LLC	Address:	5260 Dupont Road
Telephone:	304-420-1119		Parkersburg, WV 26101
Email:	dwhite@hgenergyllc.com	Facsimile:	304-863-3172

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information personal information. If you have any questions about our use or your personal information. Been contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

AUG 1 2 2021

WV Department of Environmental Protection



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Byrd E. White, III Secretary of Transportation/ Commissioner of Highways Jimmy Wriston, P. E. Deputy Secretary/ Deputy Commissioner

July 29, 2021

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the MND-23 Pad, Marshall County MND-23 N-6H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2017-0370 which has been issued to HG Energy II Appalachia for access to the State Road for a well site located off Marshall County Route 21/1 SLS MP 1.88.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

any K. Clayton

Gary K. Clayton, P.E. Regional Maintenance Engineer Central Office O&G Coordinator

RECEIVED Office of Oil and Gas

AUG 1 2 2021

WV Department of Environmental Protection

Cc: Diane White HG Energy II, LLC CH, OM, D-6 File



List of Frac Additives by Chemical Name and CAS

Chemical Name	CAS #	Multiple CAS #'s
Pro Shale Slik 405	Mixture	68551-12-2
		7647-14-5
		12125-02-9
		64742-47-8
Pro Hib II	Mixture	68412-54-4
	iviixture	68607-28-3
·····		
		107-21-1
		111-76-2
		67-56-1
		107-19-7
Silica Sand and Ground Sand	Mixture	14808-60-7
		1344-28-1
		1309-37-1
		13463-67-7
Hydrochloric Acid 22 DEG BE	7647-01-0	
PROGEL - 4.5	64742-96-7	
BIO CLEAR 2000	Mixture	25322-68-3
		10222-01-2
SCALE CLEAR SI 112	107-21-1	
		57 50 1
PROBREAK 4	Mixture	57-50-1
		107-21-1
Sulfamic Acid	5329-14-6	
PRO - Flow - 102-N	Mixture	67-63-0
		68439-45-2
		2687-96-9
PROGEL - 4	9000-30-0	

MND23 Well Pad (N-1H to N-6H)

RECEIVED Office of Oil and Gas

AUG 1 2 2021

WV Department of Environmental Protection



