

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Tuesday, April 26, 2022 WELL WORK PERMIT Horizontal 6A / New Drill

SWN PRODUCTION COMPANY, LLC POST OFFICE BOX 12359 SPRING, TX 773914954

Re: Permit approval for DAVID REINBEAU MSH 201H 47-051-02440-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: Farm Name: U.S. WELL NUMBER: Horizontal 6A Date Issued: 47-051-02440-00-00 New Drill Date Issued: 4/26/2022

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should (20) feet of casing below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

•-

04/29/2022

4705102440

WW-6B (04/15) 11.2

API NO. 47-051

OPERATOR WELL NO. David Reinbeau MSH 2014 Well Pad Name: David Reinbeau MSH

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
WELL WORK PERMIT APPLICATION

ñ.,

1) Well Operator: SWN Produ	uction Co., LLC	494512924	051-MArsha	07-Union 4	86-Moundsville
a constantination a		Operator ID	County	District (Quadrangle
2) Operator's Well Number: Da					
3) Farm Name/Surface Owner:	Shelly A & David W. F	Reinbeau Public R	oad Access: Sorg	hum Ridge	Road
4) Elevation, current ground:	1251' E	levation, propose	d post-construction	n: 1251'	
5) Well Type (a) Gas <u>×</u> Other	Oil	Ur	derground Storage		
(b)If Gas Sha	illow X	Deep			
6) Existing Pad: Yes or No Yes	rizontal <u>×</u>		MOK	2/23/2	460
7) Proposed Target Formation(s Target Formation- Marcellus, Up-Dip well t					ssociated Pressure- 4130
8) Proposed Total Vertical Dept	h: 6343'				
9) Formation at Total Vertical D	epth: Marcellu	S			Derevers
10) Proposed Total Measured D	epth: 21904'			Offi	RECEIVED
11) Proposed Horizontal Leg Le	ngth: 14,894.6	64'		M	IAR 2 5 2022
12) Approximate Fresh Water S	trata Depths:	426'		W Enviro	V Department of onmental Protection
13) Method to Determine Fresh	Water Depths:	Deepest nearby	water well		
14) Approximate Saltwater Dep	ths: 883' Salini	ty Profile			
15) Approximate Coal Seam De	pths: 765'				
16) Approximate Depth to Possi	ble Void (coal m	ine, karst, other)	None that we a	re aware of	
17) Does Proposed well location directly overlying or adjacent to		ims Yes X	No	x	
(a) If Yes, provide Mine Info:	Name: Ohio	o County			
	Depth: 765	1			
	Seam: Pitte	sburgh			
	Owner: Am	erican Consolid	dated Natural Re	sources	

Page 1 of 3 04/29/2022

API NO. 47- 051

OPERATOR WELL NO. David Reinbeau MSH 201H Well Pad Name: David Reinbeau MSH

WW-6B (04/15)

18)

CASING AND TUBING PROGRAM

ТҮРЕ	Size (in)	<u>New</u> <u>or</u> <u>Used</u>	Grade	<u>Weight per ft.</u> (lb/ft)	<u>FOOTAGE: For</u> <u>Drilling (ft)</u>	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	20"	New	J-55	94#	126'	126'	CTS
Fresh Water	13 3/8"	New	H-40	48#	506'	506'	541 sx/CTS
Coal	See	Interm	Casing	No. of the second			10000
Intermediate	9 5/8"	New	J-55	36#	2080'	2080'	982 sx/CTS
Production	5 1/2"	New	P-110 HP	20#	21,904'	21,904'	Tail 7121ex/ 100' Inside Intermiodiale
Tubing							
Liners							

MAK 2/23/2022

TYPE	Size (in)	<u>Wellbore</u> Diameter (in)	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	<u>Burst Pressure</u> (psi)	<u>Anticipated</u> <u>Max. Internal</u> <u>Pressure (psi)</u>	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	20"	30"	0.25	2120	81	Class A	1.20/30% Excess
Fresh Water	13 3/8"	17.5"	0.380	2730	633	Class A	1.20/30% Excess
Coal	See	Interm	Casing				
Intermediate	9 5/8"	12 1/4"	0.395	3950	1768	Class A	1.19/40% Excess
Production	5 1/2"	8 3/4"-8 1/2"	0.361	14360	10500	Class A	1.19/5% Excess
Tubing	1.						
Liners							

PACKERS

Kind:	
	RECEIVED
Sizes:	Office of Oil and Gas
Depths Set:	MAR U 3 2022
	WV Department of

Environmental Protection

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and stimulate any potential zones between and including the Benson to Marcellus. **If we should encounter a void place basket above and below void area- balance cement to bottom of void and grout from basket to surface or run external casing packer/cementing stage tool above void interval and perform 2 stage cementing operation dependent upon depth of void. Run casing not less than 20' below void nor more than 75' below void. (*If freshwater is encountered deeper than anticipated it must be protected, set casing 50' below and cts.)

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well will be perforated within the target formation and stimulated with a slurry of water, sand, and chemical additives at a high rate. This will be performed in stages with the plug and perf method along the wellbore until the entire lateral has been stimulated within the target formation. All stage plugs are then drilled out and the well is flowed back to surface. In some instances, additional toe prep may be performed by pumping additional water in the toe of the well prior to perforating and pumping Stage 1 to ensure that the toe guns/toe sleeves are fully open prior to pumping stage 1. The well is produced through surface facilities consisting of high pressure production unites, horizontal separation units, water and oil store tanks. Max press and anticipated max rate- 9000 lbs @ 100 barrels a minute.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 18.42

22) Area to be disturbed well pad only, less access road (acres): 10.4

23) Describe centralizer placement for each casing string:

All casing strings will be ran with a centralizer at a minimum of 1 per every 3 joints of casing.

24) Describe all cement additives associated with each cement type:

See Attachment ***

25) Proposed borehole conditioning procedures:


RECEIVED Office of Oil and Gas

All boreholes will be conditioned with circulation and rotation for a minimum of whe bolt of and continuing until operator is satisfied with borehole conditions.


			CEMENT /	ADDITIVES		
INTERVAL	SCHLUMBERGER PRODUCT NAME	BJ PRODUCT NAME	NEXTIER PRODUCT NAME	PRODUCT USE	CHEMICAL NAME	CAS-Numbe
SURFACE (FRESHWATER)	\times	INTEGRA SEAL	CJ600	LOST CIRC MATERIAL	CELLOPHANE FLAKES	9005-81-6
up to 3%	\$001	A-7P	CJ110	ACCELERATOR	CALCIUM CHLORIDE	10043-52-4
COAL PROTECTION	\geq	INTEGRA SEAL	CJ600	LOST CIRC MATERIAL	CELLOPHANE FLAKES	9005-81-6
up to 3%	S001	A-7P	CJ110	ACCELERATOR	CALCIUM CHLORIDE	10043-52-4
	D020	BENTONITE	CJ020	EXTENDER	BENTONITE	1302-78-9
	D047	FP 28L	\succ	LIQUID ANTIFOAM AGENT	POLYPROPYLENE GLYCOL	25322-69-4
INTERMEDIATE	\ge	INTEGRA SEAL	CJ600	LOST CIRC MATERIAL	Contraction of the second s	
	CemNet	\succ	\succ	LOST CIRC MATERIAL	T CIRC MATERIAL COATED FIBERGLASS	
	SUGAR	SUGAR	CJ795	CMT RETARDER	SUCROSE	57-50-1
	S001	A-7P	CJ110	ACCELERATOR CALCIUM CHLORIDE		10043-52-4
	> <	$>\!$	CJ111	ACCELERATOR	SODIUM CHLORIDE	7440-23-5
	>	SS-11W	CJ880	SURFACTANT	NONIONIC SURFACTANT	6540-99-4
	D047	FP 28L	\times	LIQUID ANTIFOAM AGENT	POLYPROPYLENE GLYCOL	25322-69-4
	$>\!$	$>\!$	CJX157011	SOLID ANTIFOAM AGENT	FULLERS EARTH(ATTAPULGITE)	8031-18-3
-36-	>	X	CJ540	HP FLUID LOSS ADDITIVE	ALIPHATIC AMIDE POLYMER	PROPRIETAR
PRODUCTION	D255	$\boldsymbol{\times}$	\times	MED TEMP FLUID LOSS ADDITIVE	POLYACRILIC POLYMER	PROPRIETAR
	>	\leq	CJ213	RETARDER	CHRYSTALLINE SILICA	14808-60-7
	>	FL-66	CJ501	LOW TEMP FLUID LOSS ADD	POWDERED POLYSACCHARIDE	PROPRIETAR
- D-3	>	BENTONITE	CJ020	EXTENDER	BENTONITE	1302-78-9
	D208	ASA-301	\times	VISCOSIFIER/ANTI- SETTLING AGENT	REFINED POLYMER/ CHRYSTALLINE SILICA	PROPRIETAR
	D198	R-3		CEMENT RETARDER	LIGNIN	8068-51-6
	SUGAR	SUGAR	CJ795	CEMENT RETARDER	SUCROSE	57-50-1

RECEIVED Office of Oil and Gas

MAR 0 3 2022



04/29/2022





SWN Production Company, LLC 1300 Fort Pierpont Dr, Ste 201 Morgantown, WV 26508 Tel: 304 884 1610 Fax: 304 471 2497 www.swn.com

February 28, 2022

Mr. Charles Brewer Office of Oil & Gas 601 57th Street Charleston, WV 25304

RE: Proposed New Well: David Reinbeau MSH 201H

Dear Mr. Brewer:

SWN has reviewed the area of the above mentioned well and discovered no shallow wells within 500' of the lateral. This well is situated on the David Reinbeau MSH property, in Union District, Marshall County, West Virginia.

If you have any questions or desire additional information, please me at 304-884-1613.

Thank you.

Sincerely,

Buttany Woody

Brittany Woody Senior Regulatory Analyst Southwestern Energy Production Company, LLC

> RECEIVED Office of Oil and Gas

MAR U 3 2022

WV Department of Environmental Protection

The Right People the Cash llow from our underlying Assets, will create Value+®

API Number 47 - 051

Operator's Well No. David Reinbeau MSH 201H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name SWN Production Co., LLC	OP Code 494512924
Watershed (HUC 10) Hollidays Run of Wheeling Creek Quadrangle	Moundsville
Do you anticipate using more than 5,000 bbls of water to complete the proposed	well work? Yes 🗸 No
Will a pit be used? Yes No V	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes No 🖌 If	so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Permit Number Various	Approved Facilities
Reuse (at API Number_At the next anticplated well)
 Off Site Disposal (Supply form WW-9 for disposal log Other (Explain recovery and solidification on site 	cation)
Other (Explain_recovery and solidification on site	
Will closed loop system be used? If so, describe: Yes- See Attachment 3A	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwat	er. oil based, etc. Air crill to KOP, fuld drill with SOBM from KOP to TD
-If oil based, what type? Synthetic, petroleum, etc. Synthetic Oil Base	
Additives to be used in drilling medium? Attachment 3B	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. landf	
-If left in pit and plan to solidify what medium will be used? (cement, li	me, sawdust)
-Landfill or offsite name/permit number? Meadowfill SWF- 1032, Short Creek SW Apex Sanitary Landfill Ub-U8438, Brooke Co SVVE-1013,	/F-1034,Carbon Limestone MSWL0187B1, Wetzel County 1021
Permittee shall provide written notice to the Office of Oil and Gas of any load of	drill cuttings or associated waste rejected at any
West Virginia solid waste facility. The notice shall be provided within 24 hours o where it was properly disposed.	
I certify that I understand and agree to the terms and conditions of the C on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department provisions of the permit are enforceable by law. Violations of any term or cond law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and an application form and all attachments thereto and that, based on my inquiry obtaining the information, I believe that the information is true, accurate, and penalties for submitting false information, including the possibility of fine or imp Company Official Signature Bittany Woody Company Official Title Senior Regulatory Analyst	t of Environmental Protection. I understand that the dition of the general permit and/or other applicable m familiar with the information submitted on this of those individuals immediately responsible for I complete. I am aware that there are significant risonment. RECEIVED Office of Oil and Gas MAR 0 3 2022 WV Department of Environmental Protection
Subscribed and sworn before me this day of February	. 20 22
Mil Croft	Notary Public \$202 12 any sauda suiday w

My commission expires_

8/21/2024

leas leistho sildug ynesol REID CROFT



Form WW-9

SWN Production Co., LLC

Proposed Revegetation Treatment: Acres Disturbed	18.42	Prevegetation	рН
Lime test min.2 Tons/acre or to co	prrect to pH 10.4		
Fertilizer type 10-20-20			
Fertilizer amount 600/500	lbs/acre		
Mulch Hay/Straw	Tons/acre		
	Seed Mixtures		
Temporary		Peri	nanent
Seed Type Ibs/acre Attachment 3C	_	Seed Type	lbs/acre
			4
Maps(s) of road, location, pit and proposed area for provided). If water from the pit will be land applied, acreage, of the land application area. Photocopied section of involved 7.5' topographic she Plan Approved by:	, include dimensions (L x eet.	W x D) of the pit, a	Ind differences (L x W), and an
			RECEIVED
			RECEIVED
			RECEIVED Office of Olland Gas MAR 0 3 2022
			Office of Oil and Gas
_{Title:} Oil & Gas Inspector	Date:	23/2002-	MAR 0 3 2022

Attachment 3A

CLOSED LOOP SYSTEM

The closed loop system is designed to eliminate the use of reserve pits by providing a higher level of solids control processing and using steel pits for capture of drill cuttings. The cuttings are then processed to achieve landfill requirements before hauling to approved landfills. The liquids are processed to recycle into the active mud system or to transfer to onsite temporary storage as needed.

The closed loop system consists of several sets of a shale gas separator (often called a 'methana'), several banks of solids shakers, high speed centrifuges (1 or 2) used to process the fluid portion of the mud system to remove low gravity solids, low speed centrifuge used for barite recovery in high weight liquid drilling systems, a dewatering system (for air intervals and if freshwater mud systems are in use) used to further clean liquids by flocculation and additional mechanical separation, associated open top tanks for processing liquids and capturing solids for disposal, and transfer pumps to move fluids through the processes. There is an area adjacent to the cuttings tanks (Red Zone) where a track hole is utilized to recover the processed cuttings for loading into containers for hauloff. (See attached schematic of a generic closed loop system layout)

Below are discussions of the processes used when drilling the air interval or liquids interval.

AIR DRILLING INTERVALS


During air drilling operations, flow from the rig will pass down the flowline to the Shale Gas Separater (sometimes called a methane) where gas and liquids/solids are separated. Gas is sent to the flare scrubber tank and is flared at the flare stack. Solids and fluids pass across a shaker system to separate solids from liquids. Solids pass into the cuttings tanks where they are captured for drying and hauloff to an approved landfill site. Liquids fall into a shaker tank and are collected by a centrifugal pump to be processed by the high speed centrifuge to further separate liquids and solids. Solids are then dumped into the cuttings tank for drying and hauloff. Liquids are further processed to remove additional low gravity solids before being reused or transferred to onsite storage.

LIQUIDS DRILLING (FRESHWATER, BRINE, SOBM)

When drilling is converted to liquids drilling, the shale gas separator and associated shaker tank are bypassed, and the liquids system is processed over the primary and drying shaker systems. Cuttings drop into the cuttings tank for additional processing. Any recoverable associated liquids attached to the cutting are recovered out the tank and processed through the low gravity (high speed) and barite recovery centrifuges (low speed) to further remove low gravity solids and to recover barite for reuse in the mud systems.

Office of Oil and Gas

MAR **03** 2022



EXAMPLE SCHEMATIC FOR CLOSED LOOP SOLIDS CONTROL SYSTEM

Attachment 3B

Drilling Mediums

Surface/Coal(if present)/Freshwater Intervals:

Air

Freshwater (if needed based on conditions)

Intermediate/Coal (if present):

Air

Production Hole:

Air

Synthetic Oil (Base Fluid for mud system)

Barite

Calcium Chloride

Lime

Organophilic Bentonite

Primary and Secondary Emulsifiers

Gilsonite

Calcium Carbonate

Friction Reducers

RECEIVED Office of Oil and Gas

MAR U 3 2022

Attachment 3C K- V+ WVD Seeding Specification Southwestern Energ To Order Seed contact Lyndsi Eddy Flippo office 570-996-4271 cell 501-269-5451 lyndsi_eddy@swn.com (please allow 7 to 10 days for delivery) NON-ORGANIC PROPERTIES ORGANIC PROPERTIES Seed Mixture: ROW Mix **SWN Supplied** Seed Mixture: SWN Production Organic Mix **SWN Supplied** Orchardgrass 40% **Organic Timothy** 50% Timothy 15% Organic Red or White Clover 50% Annual Ryegrass 15% OR **Brown Top Millet** 5% **Organic Perennial Ryegrass** 50% Apply @ 100102 Per acre Red Top 5% Organic Red or White Clover 50% RECEIVED Office of Oil and Gas Medium Red Clover 5% All legumes are Apply @ 100lbs per acre Apply @ 200lbs per acre White Clover innoculated at 5x normal 5% April 16th- Oct. 14th Oct. 15th-April 15th rate Birdsfoot Trefoil 5% **Rough Bluegrass** 5% Organic Fertilizer @ 200lbs per Acre Pelletized Lime @ 2 Tons per Acre Apply @ 200lbs per acre Oct. 15th- April 15th PLUS April 16th- Out, 14th 50lbs per acre of Winter Wheat WETLANDS (delineated as jurisdictional wetlands) SOIL AMENDMENTS **SWN Supplied** Seed Mixture: Wetland Mix 10-20-20 Fertilizer *Apply @ 500lbs per Acre VA Wild Ryegrass 20% Pelletized Lime Apply @ 2 Tons per Acre Annual Ryegrass 20% *unless otherwise dictated by soil test results **Fowl Bluegrass** 20% Seeding Calculation Information: Cosmos 'Sensation' 10% 1452' of 30' ROW/LOD is One Acre Redtop 5% 871' of 50' ROW/LOD is One Acre Golden Tickseed 5% 622' of 70' ROW/LOD is One Acre Maryland Senna 5% Showy Tickseed 5% Synopsis: Fox Sedge 2.5% Every 622 linear feet in a 70' ROW/LOD, you should be using (2) 50lb bags of seed, (4) 50lb Soft Rush 2.5% bags of fertilizer and (80) 50lb bags of Lime (2x seed in winter months + 50lb Winter Woolgrass 2.5% Wheat/ac). Swamp Verbena 2.5% Special Considerations: Apply @ 25lbs per acre Apply @ 50lbs per acre Landowner Special Considerations including CREP program participants require additional April 16th- Oct. 14th Oct. 15th- April 15th guidance that is not given here. Discuss these requirements with SWN supervision at the NO FERTILIZER OR LIME INSIDE WETLAND LIMITS beginning of the project to allow time for special seed delivery.

Rev.1/13/2020

MARCELLUS WELL DRILLING PROCEDURES AND WELL SITE SAFETY PLAN



SWN Production Company, LLC 1300 Fort Pierpont Drive, Suite 201 Morgantown, West Virginia 26508

API NO. 47-XXX-XXXXX WELL NAME: David Reinbeau MSH 201H Moundsville QUAD Union DISTRICT MARSHALL COUNTY, WEST VIRGINIA

Submitted by:

Name: Brittany Woody

Date: 2/14/2022

SWN Production Co., LLC

Title: Senior Regulatory Analyst

Approved by: Name

Title: TNSDCOTON

Approved by:

Name:

Date: 2 23 2022-

RECEIVED Office of Oil and Gas

MAR 0 3 2022

WV Dubanment of Environmental Protocidon


ran	· .		
	_		

Date:


Title:

SWN PRODUCTION COMPANY, LLC - CONFIDENTIAL


04/29/2022



PAD ID 3001156592



PAD ID 3001156592



JACKSON SURVEYING INC. 2413 EAST PIKE ST. # 112 Clarksburg, WV 26302 304-623-5851

	WELL BORE TRACTS	
TRACT	SURFACE OWNER (S) / ROYALTY OWNER (R)	TAX PARCEL
1	REINBEAU SHELLY A & DAVID W (5/R)	13-8-29
TRACT	SURFACE OWNER (S)	TAX PARCEL
2	REINBEAU SHELLY A & DAVID W (S)	13-8-27
3	MCCOMBS JOHN A SR, THOMAS E & BETH (S)	13-8-26
4	REINBEAU RONALD W & FRIEDA A - LIFE (S)	13-7-22.2
5	REINBEAU DAVID W & SHELLY A (S)	13-7-22.3
6	REINBEAU DAVID W & SHELLY A (S)	13-7-21.1
7	BOARD OF EDUCATION (5)	13-7-17
8	WARD CYNTHIA J & DALEP (S)	13+4-23.6
9	BLANEY FARMS LLC (S)	13-4-23
10	FISHER DEBRA ANN GAMES & GALEN E (S)	13-4-22.9
11	GARRISON ASHLEY (S)	13-4-22.12
12	GAMES FREDERICK LOUIS II ET UX (S)	13-4-22.10
13	ORLOFSKE SEAN A & JENNIFER L(S)	13-4-22.6
14	ORLOFSKE SEAN A & JENNIFER L (5)	13-4-22.11
15	OCHSENBEIN RICHARD L & HOLLY L (5)	13-4C-14
16	MORANDO THOMAS LET UX (5)	13-4C-1
17	FISHER GALEN E & DEBRA A (S)	13-4-21
18	MCGUIRE PHILIP C (S)	13-4-21.9
19	HILL CHARLES S ET UX (S)	13-4-21.7
20	WALTERS SAMANTHA J & RICHARDS JENNIFER L (5)	13-4-21.1
21	GARVIN CORRINE A EST (5)	13-2-101.2
22	GARVIN CORRINE A EST (5)	13-4-20
23	GARVIN CORRINE A EST (5)	13-2-70
24	GARVIN CORRINE A EST (5)	13-2-59
25	GARVIN CORRINE A EST (5)	13-2-58
26	ST MYERS MICHAEL W (S)	13-2-57
27	ROGERSON GEORGE CEST(S)	13-2-39
28	SEIDLER TIMOTHY I ET UX (S)	13-2-14.2
29	SEIDLER NETTIE (S)	13-2-14
30	SEIDLER E DALE JR (S)	13-2-14.9
31	SEIDLER PATRICIA LIRREVOCABLE TRUST (5)	13-2-14.7
32	SHIVELY JOYCE (S)	13-2-14.6
33	BANERYAN A & JULIEA (5)	13-2-102.2
34	TURNER JASON & TEFANY (S)	13-2-102.1

And the second	ADJOINING OWNERS TABLE			ADJOINING OWNERS TABLE	-
TRACT	SURFACE OWNER	TAX PARCEL	TRACT	SURFACE OWNER	TAX PARCE
A	CAIN ROGER LII	13-7E-10	W2	BENTZ CAROLEE K - TOD	13-4C-2
В	MCCLINTOCK JOSIE & LARRY	13-7-22.4	X2	THOMPSON BRUCE K	13-4C-3
С	MCCOMBS JOHN A SR & MARILYN S	13-7-22.1	¥2	HARTO BRIAN D ET UX	13-4C-4
D	BOARD OF EDUCATION	13-7-16	72	TOMCZYK JOSEPH ET UX	13-4C-5
E	WALLEY KEVIN LET UX	13-70-32	A3	WARD DALE P ET UX	13-4C-6
F	FLOWERS KATHY S	13-70-31	B3	BROWN JUSTIN D & JULIE L	13-4-21.3
G	BOARD OF EDUCATION	13-7-15	C3	BROWN JUSTIN D & JULIE L	13-4-21.10
н	BARRY KEMERER LLC	13-7D-3	D3	GEYER ROBERT J & CHARLENE M	13-4-1.5
1	MCFARLAND TERRY LET UX	13-7-7	E3	CAMPETI JOSEPH M ET UX	13-4-21.8
1	HENDERSON PAUL MET UX	13-7-9	F3	WRIGHT JOSEPH E & CONNIE S	13-4-21.2
K	BRINKLEY MATTHEW N & SHILA M	13.7.6	G3	GEVER ROBERT J & CHARLENE M	13-4-21.5
1	CRIM CHRISTOPHER	13-7-8	H3	AGAR MYRNA L	13-4-19
M	BRAUTIGAN FAMILY IRREVOCABLE TRUST	13-7-3	13	COLE RANDALL M ET UX	13-4-18
N	CHURCH JESUS CH LATTER DAY STS	13-7-3.1	J3	ANDERSON MARY KATHRYN EST	13-4-14
0	SHERRARD VOLUNTEER FIRE DEPT	13-7-17.1	K3	PELLEY LUKE E	13-2-66
P	ALLEN JOHN I FT UX		13	MEGALE GARNET JANE & VICKIE WALTERS	13-2-66.1
Q	BRAUTIGAN FAMILY IRREVOCABLE TRUST	13-7-3.2	M3	WALTERS VICKIE	13-2-55
R		13-4-44	N3	GREEN JAMES L	13-2-64
5	THAMES SANDRA C	13 4 42.3	03	WALTERS THOMAS C & KATRINA A	13-2-41.7
T	TOMER LISA ANN	13-4-42	P3	TUCKER NATHAN JOSEPH & LINDSEY RENEE	13-2-42.5
	MOUNTAINEER PIZZA & HOAGIES, LLC	13-4-42.4	Q3	COOLEY CHARLES E & CAROLJ	13-2-42
U	RANDOLPH PATRICIA A - RIGHT TO OCCUPY	13-4-42.1	R3	RICHTER FAMILY TRUST	13-2-42.17
V	RICHARDS DECEMBER D	13-4-42.2	53	BLATT JAMES E ET UX	13-2-42.7
W	RICHARDS DECEMBER D	13-4-43	T3	SCARBRO JENNI M	13-2-39.2
X	FOSTER AARON	13-4-41	U3	ROGERSON WAYNER	13-2-39.1
Y	FOSTER AARON	13-4-40	V3	ROGERSON WAYNER	13-2-39.4
Z	JOHNSON WILLIAM	13-4-70	W3	COFFIELD RONALD J	13-2-39.5
AZ	JOHNSON WILLIAM MARK	13-4-37	X3	COFFIELD RONALD J	13-2-39.3
82	FITZPATRICK HENRY F ET UX	13-4-24.2	Y3	SEIDLER & DALE JR ET UX	13-2-14.3
C2	FITZPATRICK SHEILA L & HENRY F III	13-4-24.6	73	NUGENT LINDA S ET AL	13-2-14.8
D2	BLANEY TIMOTHY O ET UX	13-4-24.5	A4	MAGERS GARY E ET UX	13-2-2.2
E2	WARD CYNTHIA J	13-4-23.16	84	BRADCOVICH JOSEPH EARLEST	13-2-14.4
F2	SMITH JOANN H	13-4-23.2	C4	SHIVELY JOYCE	13-2-14.1
G2	DUNCAN ELMER E & SUSAN L	13-04-23.1	D4	SHIVELY JOYCE	13-2-14.5
H2	STAN, TYLER P & CASEY K	13-4-23.5	E4	PYSH WAYNE ET UX	13-2-13.8
12	OSER FREDERICK P & MALLORY A	13-4-23.10	F4	PASCOLI KENT A	13-2-13
J2	OSER FREDERICK P & MALLORY	13-4-23.15	G4	BROWN BETHANN K	1-R82Q-34
K2	WARD CYNTHIA J	13-4-23.14	H4	PRASCIK LORI JEAN	1-RB2Q-33
12	BLANEY RODNEY A	13-4-23.13	14	WEISNER RANDY P	1-RB2-33.3
M2	SZELIGO RICHARD & ASHLEY	13-4-23.8	14	PINTER EUGENE M & JOAN	1-R82-33.2
N2	SZELIGO RICHARD L JR & ASHLEY E	13-4-23.11	K4	RAHBAR AHMAD CREDIT SHELTER TRUST	13-2-102
02	ETZELJAMIE P & ANTHONY EVICK II	13-4-23.12	14	BRAUNLICH EARL FRITZ & JAMIE LYNN	13-2-104
P2	ETZELJAMIE P & ANTHONY EVICK II	13-4-23.7	M4	FLANIGAN JAMES JR & MELISSA S	P/O 13-2-102
Q2	FITZPATRICK BRYAN A & HEIDI A	13-4-23.4			
R2	WARD CYNTHIA J & DALE P	13-4-24	N4	WOLEN JOHN & MICHELLE	13-2-102.3
\$2	WARD DALE P JR ET UX	13-4-25.7	04	BRAUNLICH EARL FRITZ & JAMIE LYNN	13-2-102.4
T2	BRUHN GEORGE C	13-40-13	P4	RENFORTH GEORGE III	13-2-16.2
02	BRUHN GEORGE C	13-4C-12	04	PERONI CONSTRUCTION INC	10-W95-112
V2	BENSON DONALD NEAL ET UX	13-4C-11	84	LAUTER FRANK ET AL	13-2-35

04/29/2022

REVISIONS: ASHL CHANGED 03-10-2022	COMPANY;	COMPANY: Production Company, LLC OPERATOR'S DAVID REINBEAU MSH WELL #: 17-051-024410 201H		
				DATE: 02-15-2022 DRAWN BY: N. MANO
	DISTRICT: UNION	COUNTY: MARSHALL	STATE: WV	SCALE: N/A DRAWING NO: WELL LOCATION PLAT

Z:\2022 BACKUPS\1-03-22 DU\SWN\DAVID REINBEAU MSH\WELL PLATS\201H\FINAL\REINBEAU 201H MSH WELL PLAT 03-10-2022\REINBEAU 201H MSH WELL PLAT 3-10-22.DWG
FRIDAY MARCH 11 2022 09:04AM

JACKSON SURVEYING INC. 2413 EAST PIKE ST. # 112 Clarksburg, WV 26302 304-623-5851

	ADJOINING OWNERS TABLE	
RACT	SURFACE OWNER	TAX PARCE
S4	POLLACK RICHARD J ET UX	13-2-38.1
T4	GARVIN CORRINE A EST	13-2-38
U4	BURKE RICHARD & FITZPATRICK DEBRA	13-2-31.2
V4	MILLER GEORGE W ET AL	13-2-79
W4	GARVIN JOHN A & KAREN L	13-2-78
X4	ROMINE WANDA KAY	13-2-77
¥4	BOWSER MARY ANNE	13-2-75
74	GARVIN JOHN ARTHUR & KAREN L	13-2-75
A5	GARVIN JOHN A & KAREN L	13-2-73
85	MUSTACHIO EMILY A & GARVIN GRANT W	13-2-72
C5	GARVIN CORRINE A EST	13-2-71
D5	GARVIN CORRINE A EST	13-2-98
E5	GARVIN CORRINE A EST	13-2-99
F5	GARVIN CORRINE A EST	13-2-100
G5	GARVIN CORRINE A EST	13-2-101.1
HS	GARVIN CORRINE A EST	13-2-101
15	MCGUIRE PHILIP C	13-4-21.4
15	GAMES MARY VIRGINIA -TOD	13-4-22.25
К5	WEST RICHARD DJR	13-4-22.24
15	WEST RICHARD DJR	13-4-22.1
MS	GAMES MARY VIRGINIA - TOD	13-4-22.2
N5	GAMES FREDERICK LOUIS II ET UX	13-4-22.4
05	GAMES FRED & MARY V	13-4-22.17
P5	FISHER DEBRA ANN GAMES & GALEN E	13-4-22.3
Q5	FISHER DEBRA ANN GAMES & GALEN E	13-4-22.5
R5	FISHER GALEN E & DEBRA A	
\$5	WEST VALLE JAMES ET AL	13-4-22.26
35 T5		
U5	COULLING LOUISE S ET AL	13-3-3
	OHIO COUNTY COAL RESOURCES INC	13-3-3.1
V5	ALEXANDER LORRAINE	13-7-18
W5	ALEXANDER LORRAINE	13-7-18.1
X5	BOWMAN MICHAELJ & CONSTANCE G	13-7-21
Y5	BOWMAN MICHAEL ET UX	13-8-28
Z5	ALEXANDER LORRAINE	13-7-20
A5	SAMPSON EDITH VIRGINIA EST	13-7-19
86	NARRISH KEVIN	13-8-30
C6	SOUTH CHRISTOPHER C	13-8-31
DG	KOSTELECSKY JOSEPH J JR & CAROLYN - TOD	13-8-31.1
E6	FUNK CHARLES D ET UX	13-8-32
F6	LOY EUGENE EST ET AL	13-8-1
G6	LIBERTY JOHN ET UX	13-8-10
H6	MCCOMBS JOHN A SR, THOMAS E & BETH	13-8-11
16	CONNER AMBER D & DAVID HANES JR	13-8-14
16	HIERONIMUS C KEITH ET UX	13-8-15
K6	MCLAUGHLIN SHAWN & ELIZABETH	13-8-23
L6	HOUGH BRANDON W & ALYSSA N	13-8-24
MG	THORN JACLYN A & JASON K	13-8-25
N6	CRAWFORD GARY J	13-7E-7
06	JOSEPH WILLIAM F & SUSAN L	13-7E-8

COMPANY: **REVISIONS:** R+ W+* SWI A SHL CHANGED 03-10-2022 SWN Production Company, LLC Production Company™ DAVID REINBEAU MSH DATE: 02-15-2022 OPERATOR'S
 WELL #: 41-051-02/04/0
 201H

 DISTRICT:
 COUNTY:

 UNION
 MARSHALL

 STATE:
 SCALE:

 N/A

 DRAWING NO:

 WELL 1: 2022 BACKUPS\1-03-22 DJ\SWN\DAVID REINBEAU MSH\WELL PLATS\201H\FINAL\REINBEAU 201H MSH WELL PLAT 03-10-2022\REINBEAU 201H MSH WELL PLAT 3-10-22.DWC
 WELL #: 47-051-02440

04/29/2022

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or

Number Grantor, Lessor, etc. Grantee, Lessee, etc. Royalty Book/Page

See Exhibit "A"

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	SWN Production Company, LLC	
By:	Bailey Brougher	
Its: RECEIVED Office of Oil and Gate	Senior Landman	
MAR 0 3 2022	Pa	ge 1 of
WV Department of Environmental Protection		04/29/2022

EXHIBIT "A" Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, LLC, Operator David Reinbeau MSH 201H Marshall County, West Virginia

#	TMP	LESSOR	LESSEE	ROYALTY	BK/PG
1)	13-0008-0029-0000	Shelly A. Reinbeau and David W. Reinbeau, her husband, joint tenants, with right of survivorship	Chesapeake Appalachia, LLC SWN Production Company, LLC	17.00%	688/424 33/110
2)	13-0008-0027-0000	Shelly A. Reinbeau and David W. Reinbeau, her husband, joint tenants, with right of survivorship	Chesapeake Appalachia, LLC SWN Production Company, LLC	17.00%	688/424 33/110
3)	13-0008-0026-0000	Ivan McCombs, a/k/a Ivan W. McCombs and Alma Jean McCombs, as joint tenants with the right of survivorship (Life Tenant), Agent; and John A. McCombs, Sr. and Marilyn Sue McCombs, husband and wife (as Remainderman); and Thomas E. McCombs and Beth Ellen McCombs, husband and wife, as joint tenants with the right of survivorship (as Remainderman)	Chesapeake Appalachia, LLC SWN Production Company, LLC	18.00%	754/547 33/110
4)	13-0007-0022-0002	James D. Gardner, a widower	TriEnergy Holdings, LLC NPAR, LLC Chevron U.S.A. Inc. Chesapeake Appalachia, LLC SWN Production Company, LLC	16.00%	709/558 24/430 756/332 30/532 33/110
		Robert E. Gardner and Mary Gardner, his wife (1/4th interest)	TriEnergy Holdings, LLC NPAR, LLC Chevron U.S.A. Inc. Chesapeake Appalachia, LLC SWN Production Company, LLC	16.00%	717/139 24/430 756/332 30/532 33/110
		Lilo Gardner, aka Liselotte P. Gardner, a widow	TriEnergy Holdings, LLC NPAR, LLC Chevron U.S.A. Inc. Chesapeake Appalachia, LLC SWN Production Company, LLC	16.00%	717/135 24/430 756/332 30/532 33/110
		Gloria N. McGwire and Kenneth McGwire, her husband	TriEnergy Holdings, LLC NPAR, LLC Chevron U.S.A. Inc. Chesapeake Appalachia, LLC SWN Production Company, LLC	16.00%	717/137 24/430 756/332 30/532 33/110

RECEIVED Office of Oil and Gas

MAR **0 3** 2022

WV Department of Environmental Protection



_

.

5) 13-0007-0022-0003	James D. Gardner, a widower	TriEnergy Holdings, LLC NPAR, LLC Chevron U.S.A. Inc. Chesapeake Appalachia, LLC SWN Production Company, LLC		703/140 24/180 755/332 30/532 33/110
	Robert E. Gardner and Mary Gardner, his wife (1/4th interest)	TriEnergy Holdings, LLC NPAR, LLC Chevron L. A. Inc. Chesaposi et spalachia, LLC SWN Procest a Company, LLC	16.00%	717/139 24/430 755/332 30/532 33/110
	Lilo Gardner, aka Liselotte P. Gardner, a widow	ThEnergy Holings, LLC NFAR, LLC 3: Chevron U.S. Julics Chevron U.S. Julics Chevron U.S. Julics SWN Production Company., LLC	15.00%	717/135 24/430 756/332 30/532 33/110
	Gloria N. McGwire and Kenneth McGwire, her husband	TriEnergy Holdings, LLC NPAR, LLC Chevron U.S.A. Inc. Chesapeake Appalachia, LLC SWN Production Company, LLC	15.00%	717/137 24/430 756/332 30/532 33/110
6) 13-0007-0021-0001	James D. Gardner, a widower	TriEnergy Holdings, LLC NPAR, LLC Chevron U.S.A. Inc. Chesapeake Appalachia, LLC SWN Production Company, LLC	15.00%	703/140 24/180 756/332 30/532 33/110
	Lilo Gardner, aka Liselotte P. Gardner, a widow	TriEnergy Holdings, LLC NPAR, LLC Chevron U.S.A. Inc. Chesapeske Appalachia, LLC SWN Production Company, LLC	16.00%	717/135 24/430 755/332 30/532 33/110
	Gloria N. McGwire and Kenneth McGwire, her husband	TriEnergy Holdings, LLC NPAR, LLC Chevron U.S.A. Inc. Chesapeake Appalachia, LLC SWN Production Company, LLC	15.00%	717/137 24/430 756/332 30/532 33/110

RECEIVED Office of Oil and Gas

MAR 0 3 2022

WV Department of Environmental Protection

04/29/2022

	1		Robert E. Gardner and Mary Gardner, his wife (1/4th	TriEnergy Holdings, LLC	16.00%	717/139
			interest)	NPAR, LLC		24/430
				Chevron U.S.A. Inc.		756/332
				Chesapeake Appalachia, LLC		30/532
				SWN Production Company, LLC		33/110
\checkmark	7)	13-0007-0017-0000	The Board of Education of the County of Marshall, State of	Chesapeake Appalachia, LLC	18.75%	701/260
			West Virginia, a public and statutory corporation	SWN Production Company, LLC		33/110
\checkmark	8)	13-0004-0023-0006	Blaney Farms, L.L.C., a West Virginia Limited Liability	Chesapeake Appalachia, LLC	14.00%	685/543
			Company	SWN Production Company, LLC		33/110
1	9)	13-0004-0023-0000	Blaney Farms, L.L.C., a West Virginia Limited Liability	Chesapeake Appalachia, LLC	14.00%	685/543
			Company	SWN Production Company, LLC		33/110
1	10)	13-0004-0022-0009	Fred Games and Mary Virginia Games, husband and wife	Chesapeake Appalachia, LLC	12.50%	676/334
				SWN Production Company, LLC		33/110
			James Riley West and Phyllis Jean West, husband and wife	Chesapeake Appalachia, LLC	12.50%	676/329
				SWN Production Company, LLC		33/110
\checkmark	11)	13-0004-0022-0012	Fred Games and Mary Virginia Games, husband and wife	Chesapeake Appalachia, LLC	12.50%	676/334
				SWN Production Company, LLC		33/110
			James Riley West and Phyllis Jean West, husband and wife	Chesapeake Appalachia, LLC	12.50%	676/329
/				SWN Production Company, LLC		33/110
\checkmark	12)	13-0004-0022-0010	Fred Games and Mary Virginia Games, husband and wife	Chesapeake Appalachia, LLC	12.50%	676/334
				SWN Production Company, LLC		33/110
			James Riley West and Phyllis Jean West, husband and wife	Chesapeake Appalachia, LLC	12.50%	676/329
				SWN Production Company, LLC		33/110
	13)	13-0004-0022-0006	Vallie James West and Karen Sue West, husband and wife	Chesapeake Appalachia, LLC	18.00%	721/45
				SWN Production Company, LLC		33/110
1						676/004
•	14)	13-0004-0022-0011	Fred Games and Mary Virginia Games, husband and wife	Chesapeake Appalachia, LLC	12.50%	676/334
				SWN Production Company, LLC		33/110
			James Riley West and Phyllis Jean West, husband and wife	Chesapeake Appalachia, LLC	12.50%	676/329
				SWN Production Company, LLC		33/110

.

RECEIVED Office of Oil and Gas

MAR **0 3** 2022

15)	13-004C-0014-0000	Richard L. Ochsenbein and Holly L. Ochsenbein, husband	Chesapeake Appalachia, LLC	18.00%	723/578
•		and wife	SWN Production Company, LLC		33/110
16)	13-004C-0001-0000	Thomas L. Morando and Theresa K. Morando, f/k/a	Chesapeake Appalachia, LLC	18.00%	723/103
		Theresa K. Vees, his wife	SWN Production Company, LLC		33/110
17)	13-0004-0021-0000	Galen E. Fisher and Debra A. Fisher, husband and wife	Chesapeake Appalachia, LLC	18.00%	722/269
			SWN Production Company, LLC		33/110
18)	13-0004-0021-0009	Philip C. McGuire and Janice R. McGuire, husband and wife	Chesapeake Appalachia, LLC	18.00%	834/193
			SWN Production Company, LLC		33/110
19)	13-0004-0021-0007	Charles S. Hill and Janice G. Hill, his wife	Chesapeake Appalachia, LLC	18.00%	723/95
			SWN Production Company, LLC		33/110
20)	13-0004-0021-0001	Samuel T. Vannest, widower, Life Estate; Bradley T.	Chesapeake Appalachia, LLC	18.00%	724/430
		Vannest, Remainderman; and Robin R. Walters, Remainderman	SWN Production Company, LLC		33/110
21)	13-0002-0101-0002	Richard J. Pollack and Marybeth Pollack, husband and wife	Chesapeake Appalachia, LLC	18.00%	762/404
			SWN Production Company, LLC		33/110
22)	13-0004-0020-0000	Richard J. Pollack and Marybeth Pollack, husband and wife	Chesapeake Appalachia, LLC	18.00%	762/404
			SWN Production Company, LLC		33/110
23)	13-0002-0070-0000	SWN Production Company, LLC (Company Owned Minerals)		12.50%	1128/76
		Heather C. Blackman, a maniad warman desting in her cale.	States Desidentian Company LLC	18.00%	(Mineral Deed) 1128/61
		Heather C. Blackmar, a married woman dealing in her sole and separate property	SWN Production Company, LLC	18.00%	1126/01
24)	13-0002-0069-0000	Marybeth Pollack and Richard J. Pollack, her husband	Chesapeake Appalachia, LLC	18.75%	706/281
			SWN Production Company, LLC		33/110
25)	13-0002-0068-0000	Marybeth Pollack and Richard J. Pollack, her husband	Chesapeake Appalachia, LLC	18.75%	710/49
			SWN Production Company, LLC		33/11
26)	13-0002-0067-0000	Michael W. St. Myers and Carla J. St. Myers, husband and	Chesapeake Appalachia, LLC	12.50%	677/218
		wife	SWN Production Company, LLC		33/110

i

RECEIVED Office of Oil and Gas

MAR **U 3** 2022

V 27) 13-0002-0039-0000

Wayne R. Rogerson, widower	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/392 42/100 45/381
Nicole Owens, single	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/419 42/100 45/381
Ruth M. Cook and Gerald R. Cook, her husband	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/404 42/100 45/381
Ronald J. Coffield and Dawn Lee Coffield, husband and wife	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/407 42/100 45/381
Norman E. Rogerson and Vena Rogerson, his wife	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/383 42/100 45/381
Larry K. Coffield and Nancy Coffield	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/422 42/100 45/381
Lucas Coffield, single	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/413 42/100 45/381
Connie S. Adams, single	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/425 42/100 45/381
Joshua Coffield, single	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/416 42/100 45/381
Irma J. Nixon, widow	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/386 42/100 45/381
Evelyn June Baker aka June E. Baker, single	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	862/454 42/100 45/381

RECEIVED Office of Oil and Gas

MAR 0 3 2022

			Donald G. Rogerson Sr., a widower	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/389 42/100 45/381
,			Thomas E. Coffield and Victoria S. Coffield, husband and wife	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	859/410 42/100 45/381
J	28)	13-0002-0014-0002	Timothy I. Seidler, and Linda Seidler, as joint tenants with right of survivorship and not as tenants in common	American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	916/72 45/381
√	29)	13-0002-0014-0000	Nettie Seidler, a widow	American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	923/546 45/381
/	30)	13-0002-0014-0009	Nettle Seidler, a widow	American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	923/546 45/381
	31)	13-0002-0014-0007	Patricia L. Seidler, a widow	American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.00%	915/10 45/381
1	32)	13-0002-0014-0006	Joyce Shively and Harry Norman Shively, Jr.	TH Exploration, LLC American Petroleum Partners Operating, LLC SWN Production Company, LLC	19.00%	939/195 43/497 45/381
~	33)	13-0002-0102-0002	Ahmad Rahbar Credit Shelter Trust	American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.75%	925/240 (Ohio County) & 924/229 (Marshall County) 45/381
~	34)	13-0002-0102-0001	Ahmad Rahbar Credit Shelter Trust	American Petroleum Partners Operating, LLC SWN Production Company, LLC	18.75%	925/240 (Ohio County) & 924/229 (Marshall County) 45/381

RECEIVED Office of Oil and Ges

MAR U 3 2022



SWN Production Company, LLC 1300 Fort Pierpont Dr, Ste 201 Morgantown, WV 26508 Tel: 304 884 1810 Fax: 304 471 2497 www.swn.com

February 16, 2022

Mr. Charles Brewer WV DEP Office of Oil & Gas 601 57th St., SE Charleston, WV 25304

RE: SWN's proposed New Well: David Reinbeau MSH 201H in Marshall County, West Virginia, Drilling under Sorghum Ridge Road, Garvins Road, Ravenscraft Road, and Phylmar Drive.

Dear Mr. Brewer:

SWN Production Company, LLC ("SWN") is applying for a drilling permit for the above referenced well. The State of West Virginia has raised some concern as to SWN's right to drill under Sorghum Ridge Road, Garvins Road, Ravenscraft Road, and Phylmar Drive. Please be advised that SWN has leased all mineral owners under said route as it relates to the above-referenced well and unit.

Thank you.

Sincerely,

Bailey Brought

Bailey Brougher Senior Landman SWN Production Company, LLC

RECEIVED Office of Oil and Gas

MAR 0 3 2022

WV Department of Environmental Protection

The Right People doing the Right Things, wisely investing the opsimilation of 2022 underlying Assets with the standard stand standard st

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

Date of Notice Certification	
-------------------------------------	--

API No. 47- 051 -Operator's Well No. David Reinbeau MSH 201H Well Pad Name: David Reinbeau MSH

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	UTM NAD 83	Easting:	528,899.842
County:	051-MArshall	UTMINAD 85	Northing:	4,427,014.519
District:	Union	Public Road Ac	cess:	Sorghum Ridge Road
Quadrangle:	Moundsville	Generally used :	farm name:	David Reinbeau
Watershed:	Hollidays Run of Wheeling Creek			

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following: *PLEASE CHECK ALL THAT APPLY	OOG OFFICE USE ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or ■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/ NOT REQUIRED
■ 2. NOTICE OF ENTRY FOR PLAT SURVEY or □ NO PLAT SURVEY WAS CONDUCTED	
3. NOTICE OF INTENT TO DRILL or ONTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or	RECEIVED/ NOT REQUIRED
WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	
4. NOTICE OF PLANNED OPERATION Construct of Oil and Gas	
■ 5. PUBLIC NOTICE MAR 0 3 2022	
6. NOTICE OF APPLICATION WV Department of Environmental Protection	

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I Brittany Woody , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A. I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of firms and imprisonment.

Well Operator:	SWN Production Co., LLC	Address:	1300 Fort Pierpont Dr., Suite 201
By:	Brittany Woody		Morgantown, WV 26508
Its:	Senior Regulatory Analyst 1100	Facsimil	: 304-884-1690
Telephone:	304-884-1610	Email:	Brittany_Woody@swn.com
7000	NOTARY SEAL	Subcoribed and a	vorn before me this 17th day of Feb. 2022

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal in rmation, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer and your business.

RECEIVED Office of Oil any! Gas

MAR 0 3 2022

WW-6A (9-13)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

	Date of Notice: Date Permit Application Filed: Notice of:				
V	PERMIT FOR ANY WELL WORK		ATE OF APPROVAL FOR THE JCTION OF AN IMPOUNDMENT OR PIT		
Deli	Delivery method pursuant to West Virginia Code § 22-6A-10(b)				
	PERSONAL SERVICE	REGISTERED MAIL	METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION		

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

SURFACE OWNER(s) Name: David & Shelly Reinbeau Address: 651 Sorghum Ridge Road Wheeling, WV 26003	J	COAL OWNER OR LESSEE Name: American Consolidated Natural F Address: 46226 National Road St. Clairsville, OH 43950	Office of Oil and Gas Resources MAR U 3 2022
Name:Address:		COAL OPERATOR	WV Department of Environmental Protection
SURFACE OWNER(s) (Road and/or Other Distur	rbance)	Address:	
Name:	,	SURFACE OWNER OF WA	TER WELL
Address:		AND/OR WATER PURVEYOI	
Name:		Address:	
Address:			
		OPERATOR OF ANY NATL	JRAL GAS STORAGE FIELD
SURFACE OWNER(s) (Impoundments or Pits)		Name:	
Name:		Address:	
Address:			
		*Please attach additional forms	if necessary

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

04/29/2022

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va, Code § 22-6A-10(b), this notice shall include: (1) copies of the application: (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments: (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R: § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va, Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the NY, Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926 (304) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx.

MAR U 3 2022

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The environmental protection have not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir, (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items



WW-6A (8-13)

OPERATOR WELL NO. David Reinbeau MSH 201H Well Pad Name: David Reinbeau MSH

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450 Office of Oil and Gas MAR 0 3 2022

WV Department of

Environmental Protection Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WW-6A (8-13) API NO. 47-051 -OPERATOR WELL NO. Devis Reinbeau MSH 201H Well Pad Name: David Reinbeau MSH

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Oil and Gas

MAR 0 3 2022

Well Operator: SWN Production Co., LLC Address: 1500 Pert Plerpoint Dr., Solie 201	Well Operator: SWN Production Co., LLC Address: 1300 Fort Pierpont Dr., Suite 201 Telephone: 304-884-1610 D authative	Notice is hereby given by:	. 11 doo Ead Diamont Dr. Suite 201
	Telenhone: 304-004-1010	Well Operator SWN Production Co., LLC	Address: 1300 Port Plerpont Dr., Suite 201

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

GA BEST ME	REID CROFT
ELLA E	Notary Public Official Seal
1.23	State of West Virginia
10000	My Comm. Expires Aug 21, 2024
47 Spar	row Lane Morgantown WV 26508

Subscribed and sworn befor	e me this 17th day of Feb	2022
The Coa	A	Notary Public
My Commission Expires	8/21/2024	

RECEIVED Office of Oil and Gas

MAR 0 3 2022

RECEIVED

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: N	lotice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to
entry	
Date of Notice: 1/26/2022	Date of Planned Entry: 2/2/2022

Delivery method pursuant to West Virginia Code § 22-6A-10a

PERSONAL
SERVICE

REGISTERED MAIL

METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:		Office of Onend Gas
SURFACE OWNER(s)	COAL OWNER OR LESSEE	MAR U 3 2022
Name: David & Shelley Reinbeau	Name: American Consolidated Natural Resources	MINI O LOLL
Address: 651 SORGHUM RIDGE ROAD	Address: 46226 National Road	WV Department of
Wheeling, WV 26003	St. Clairsville, OH 43950	Environmental Protection
Name:		and on the state of the state o
Address:	MINERAL OWNER(s)	
	Name: David & Shelley Reinbeau	
Name:	Address: 651 SORGHUM RIDGE ROAD	
Address:	Wheeling, WV 25003	
	*plages attach additional forms if paragrap;	

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	West Virginia	Approx. Latitude & Longitude:	39.994960, -80.664920	
County:	Marshall	Public Road Access:	Sorghum Ridge Road	
District:	Union	Watershed:	Upper Ohio South	
Quadrangle:	Mcundsville	Generally used farm name:	David Reinbeau	

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Notice is hereby given by:

Well Operator:	SWN PRODUCTION COMPANY, LLC	Address:	1300 Fort Fierpont Dr., Suite 201	
Telephone:	304-884-1610	and the second	Morgantown, WV 26508	
Email:	Brittany_Woody@swn.com	Facsimile:	304-884-1690	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF INTENT TO DRILL</u>

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application.
Date of Notice: 03/07/2022 Date Permit Application Filed:

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND	CERTIFIED MAIL
DELIVERY	RETURN RECEIPT REOUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*. That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name: David and Shelly Reinbeau	Name:
Address: 651 Sorghum Ridge Road	Address:
Wheeling, WV 26003	
	-

Notice is hereby given:

RECEIVED

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an inferrence of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	- UTM NAD 83	Easting:	4,427,013.6755	MAR 2 5 2022
County:	Marshall	- UTWINAD 85	Northing:	528,898.9605	
District:	Union	Public Road Ac	cess:	Sorghum Ridge Road	WV Department of Environmental Protection
Quadrangle:	Moundsville, WV	Generally used	farm name:	David Reinbeau MSH	environmental Protection
Watershed:	Hollidays Run of Wheeling Creek (HUC-10)	and the second s		A COMPANY OF THE OWNER.	

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Notice is hereby given by:

SWN Production Company, LLC	Authorized Representative:	Justin Booth
P.O. Box 1300	Address:	1300 Fort Pierpont Drive, Suite 201
Jane Lew, WV 26378		Morgantown, WV 26508
304-884-1675	Telephone:	304-884-1675
Justin_Booth@swn.com	Email:	Justin_Booth@swn.com
	Facsimile:	
	P.O. Box 1300 Jane Lew, WV 26378 304-884-1675	P.O. Box 1300 Address: Jane Lew, WV 26378

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 03/07/2022 Date Permit Application Filed:

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

1	CERTIFIED MAIL	HAND
	RETURN RECEIPT REOUESTED	DELIV

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

ERY

Notice is hereby provided to the SURFACE OWNER(s)

Name: David and Shelly Reinbeau	Name:	
Address: 651 Sorghum Ridge Road	Address:	
Wheeling, WV 26003		

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	- UTM NAD 83	Easting:	4,427,013.6755	
County:	Marshall	UTM NAD 85	Northing:	528,898.9605	
District:	Union	Public Road Acc	ess:	Sorghum Ridge Road	
Quadrangle:	Moundsville, WV	Generally used f	arm name:	David Reinbeau MSH	
Watershed:	Hollidays Run of Wheeling Creek (HUC-10)				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Operator:	SWN Production Company, LLC	Address:	P.O. Box 1300	Office of Oil and Gas
Telephone:	304-884-1675		Jane Lew, WV 26378	MAR 2 5 2022
Email:	Justin_Booth@swn.com	Facsimile:		
			-	WV Department of

Environmental Protection

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

D. Alan Reed, P.E. State Highway Engineer Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

February 15, 2022

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the David Reinbeau Pad, Marshall County

David Reinbeau MSH 201H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2013-0029 which has been issued to Southwestern Energy for access to the State Road for a well site located off Marshall County Route 88/2 SLS MP 0.84.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Dary K. Clayton

Gary K. Clayton, P.E. Regional Maintenance Engineer Central Office O&G Coordinator

RECEIVED Office of Oil and Gas

MAR 0 3 2022


WV Department of Environmental Protection


Cc: Brittany Woody Southwestern Energy CH, OM, D-6 File


04/29/2022

Attachment VI Frac Additives

	Product Use	Chemical Name	CAS Number 107-21 1
I-303 (U.S. Well Services)	Mixture	Ethylene glycol	107-21 1 104-55 2
		Cinnamaldehyde	104-55 2
		Butyl cellosolve	64-18 6
		Formic acid Polyether	Proprietary
		Acetophenone, thiourea, formaldehyde polymer	68527-49 1
			7727-54-0
AP ONE (U.S. Well Services)	Breaker	Ammonium persulfate	and the fight of the local division of the l
Bactron K-139 (Champion Technologies)	Biocide	Glutaraldehyde	111-30-8
		the second s	And a state of the
		Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl, Chlorides	68424-85-1
		Ethanol	64-17-5
actron K-219 (Champion Technologies)	Biocide	Methanol	67-56-1
		Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl, Chlorides	68424-85-1
arboNRT	Tracer	Ceramic Proppant	66402-68-4
C6486A (Nalco Champion)	Scale Inhibitor	Amine Triphosphate	Proprietary
		Ethylene Glycol	107-21-1
C6734A (Champion Technologies)	Biocide	Hydrogen Peroxide	7722-84-1
corona (champion recimere breat	Diotion	Acetic Acid	64-19-7
		Peroxyacetic Acid RECEIVED	79-21-0
cono-CI200 (SWN Well Services)	Corrosion Inhibitor	Methanol Office of Oil and Gas	67-56-1
error citizen festeta anelli per alces)	Surrossur miniatur	Oxyalkylated fatty acid	68951-67-7
			61790-12-3
		Fatty acids MAR 0 3 2022	68527-49-1
		in a martine portion	7732-18-5
		Water	
		Hydrochloric acid WV Department of	7647-01-0
		Fotassum acetate Environmental Dect	127-08-2
		Formaldehyde Environmental Protection	50-00-0
capal-FEAC (SWN Well Services)	Iron Control	Acetic Acid	64-19-7
		Citric Acid	77-92-9
		Water	7732-18-5
DP-S1176-15 (Halliburton)	Friction Reducer	Polyacylate	Proprietary
er errie te frammertant	. manan neurodi	Hydrotreated light petroleum distillate	64742-47-8
	Falsting Building		
OJET DR900 LPP (SWN Well Services)	Friction Reducer	Distillates (petroleum) hydrotreated light	64674-47-8
		Ethylene Glycol	107-21-1
		Alcohols, C12-16, Exoxylated propoxylated	68213-24-1
	the second second	Fatty Alcohols ethoxylated	Proprietary
		Water	7732-18-5
OJET DRP 1130X (SWN Well Services)	Friction Reducer	Proprietary	Proprietary
-76 (Halliburton)	Friction Reducer	Hydrotreated light petroleum distillate	64742-47-8
		Inorganic Salt	Proprietary
OTOON T 200 (Champion Technologian)	Seala Inhibitera	Methanol	67-56-1
YPTRON T-390 (Champion Technologies)	Scale Inhibitor	Nonviphenol Ethoxylate	b7-56-1 Proprietary
		constraints of the constraints o	
AL AFOT DIABLE AND	Conservation and different	Na hazardo us substance	
and the same state of the same state of the same	Corrosion Inhibitor	No hazardous substance	N/A
Contraction of the local sector of the secto	Corresion Inhibitor Hydrocholic Acid	Hydrochloric Acid	7647-01-0
CL (SWN Well Services)	The part of the second s	and the design of the second sec	the second s
CL (SWN Well Services)	The part of the second s	Hydrochloric Acid Water Organic phosphonate	7647-01-0
CL (SWN Well Services)	Hydrocholic Acid	Hydrochloric Acid Water	7647-01-0 7732-18-5
CL (SWN Well Services) -65 MC (Halliburton)	Hydrocholic Acid Scale Inhibitor	Hydrochloric Acid Water Organic phosphonate	7647-01-0 7732-18-5 Proprietary
CL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services)	Hydrocholic Acid Scale Inhibitor Viscosifying Agent	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8
CL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services)	Hydrocholic Acid Scale Inhibitor	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary
CL (SWN Well Services) 2-65 MC (Halliburton) PTI-FLEX (U.S. Well Services)	Hydrocholic Acid Scale Inhibitor Viscosifying Agent	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8
CL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services)	Hydrocholic Acid Scale Inhibitor Viscosifying Agent	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5
CL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services)	Hydrocholic Acid Scale Inhibitor Viscosifying Agent	Hydrochlorie Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2
CL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services)	Hydrocholic Acid Scale Inhibitor Viscosifying Agent	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4
CL (SWN Well Services) 2-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) exslick 930	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9
CL (SWN Well Services) H55 MC (Halliburton) PTI-FLEX (U.S. Well Services) exslick 930	Hydrocholic Acid Scale Inhibitor Viscosifying Agent	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 54742-47-8
CL (SWN Well Services) P65 MC (Halliburton) PTI-FLEX (U.S. Well Services) exslick 930	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 54742-47-8 7647-14-5
CL (SWN Well Services) 2-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) exslick 930	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer	Hydrochlorie Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 54742-47-8 7547-14-5 12125-02-9
ICL (SWN Well Services) P-65 MC (Halliburton) IPTI-FLEX (U.S. Well Services) Iexslick 930	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 54742-47-8 7647-14-5
ICL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) lexslick 930	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer	Hydrochlorie Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 54742-47-8 7647-14-5 12125-02-9
CL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) lexslick 930	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer	Hydrochlorie Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Ammonium Chloride	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 54742-47-8 7647-14-5 12125-02-9 93-83-4
ICL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) lexslick 930	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Sodium Chloride N,N-bis (2-hydroxyethyl) oleamide Petroleum Distillate	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 54742-47-8
CL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) lexslick 930	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Minonium Chloride Minonium Chloride Petroleum Distillate Petroleum Distillate	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 54742-47-8 7647-14-5 12125-02-9 93-83-4 64742-47-8 12125-02-9
CL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) exslick 930	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride M,N-bis (2-hydroxyethyl) oleamide Petroleum Distillate Ammonium Chloride Ammonium Chloride Oleic Acid Diethanolamide	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4
CL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) lexslick 930 exslick 953	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer	Hydrochlorie Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Oleic Acid Diethanolamide Petroleum Distillate Sodium Chloride Oleic Acid Diethanolamide Ammonium Chloride Oleic Acid Diethanolamide Alcohols, C12-16, Exoxylated Water	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5
CL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) lexslick 930	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer	Hydrochlorie Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride MyN-bis (2-hydroxyethyl) oleamide Petroleum Distillate Sodium Chloride Oleic Acid Diethanolamide Oleic Acid Diethanolamide Ammonium Chloride Oleic Acid Diethanolamide Ammonium Chloride MyN-bis (22-16, Exoxylated Water Hydrotreated light distillate (petroleum)	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5 64742-47-8
CL (SWN Well Services) 2-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) exslick 930 exslick 953 exslick 957 FRA-2000 (U.S. Well Services)	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer	Hydrochlorie Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride MyN-bis (2-hydroxyethyl) oleamide Petroleum Distillate Sodium Chloride Oleic Acid Diethanolamide Ammonium Chloride Oleic Acid Diethanolamide Ammonium Chloride Oleic Acid Diethanolamide Akohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Propenoic acid, polymer with propenamide	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-55 64742-47-8 9003-06 9
CL (SWN Well Services) P65 MC (Halliburton) PTI-FLEX (U.S. Well Services) exslick 930 exslick 953 exslick 957 FRA-2000 (U.S. Well Services) exald 655 NM	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride N,N-bis (2-hydroxyethyl) oleamide Petroleum Distillate Petroleum Distillate Ammonium Chloride N,N-bis (2-hydroxyethyl) oleamide Petroleum Distillate Ammonium Chloride N,N-bis (2-hydroxyethyl) oleamide Petroleum Distillate Ammonium Chloride Alcohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Propenoic acid, polymer with propenamide Diethylenetriamine penta (methylene phosphonic acid)	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-5 64742-47-8 9003-06 9 15827-30-8
CL (SWN Well Services) 2-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) exslick 930 exslick 953 exslick 957 FRA-2000 (U.S. Well Services) exald 655 NM	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Ammonium Chloride MyN-bis (2-hydroxyethyl) oleamide Petroleum Distillate Colum Distillate Ammonium Chloride Diet Acid Diethanolamide Alcohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Propenoic acid, polymer with propenamide Diethylenetriamine penta (methylene phosphonic acid) Copolymer of 2-propenaminde	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 93-83-4 68551-12-2 7732-15-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4
CL (SWN Well Services) 2-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) exslick 930 exslick 953 exslick 957 FRA-2000 (U.S. Well Services) exald 655 NM	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride M,N-bis (2-hydroxyethyl) oleamide Petroleum Distillate Sodium Chloride M,N-bis (2-hydroxyethyl) oleamide Petroleum Distillate Ammonium Chloride Marter Dieti Acid Diethanolamide Alcohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Propenoic acid, polymer with propenamide Dietiylenetriamine penta (methylene phosphonic acid) Copolymer of 2-propenaminde Distillates (petroleum), hydotreated light	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8
CL (SWN Well Services) Pr65 MC (Halliburton) PT1-FLEX (U.S. Well Services) lexslick 930 lexslick 953 lexslick 957 /FRA-2000 (U.S. Well Services) exald 655 NM	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Oleic Acid Diethanolamide Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Alcohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Prepenoic acid, polymer with propenamide Diethylenetriamine penta (methylene phosphonic acid) Copolymer of 2-propenaminde Distillates (petroleum), hydotreated light Ammonium chloride ((NH4)CI)	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9
ICL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) Iexslick 930 Iexslick 953 Iexslick 957 VFRA-2000 (U.S. Well Services) Iexald 655 NM Iexslick 922	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer Scale Inhibitor no data available	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Jotation Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Ammonium Chloride Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Oleic Acid Diethanolamide Animonium Chloride Oleic Acid Diethanolamide Alcohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Propenoic acid, polymer with propenamide Diethylenetriamine penta (methylene phosphonic acid) Copolymer of 2-propenaminde Distillates (petroleum), hydotreated light Ammonium chloride ((NH4)CI) Oleic Acid Diethnolamide	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 54742-47-8 7647-14-5 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9 93-83-4
CL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) lexslick 930 lexslick 953 lexslick 957 /FRA-2000 (U.S. Well Services) lexaid 655 NM lexslick 922	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Akohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride N,N-bis (2-hydroxyethyl) oleamide Petroleum Distillate Sodium Chloride Ammonium Chloride Ammonium Chloride Animonium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Alcohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Propenoic acid, polymer with propenamide Distillates (petroleum), hydotreated light Ammonium chloride ((NH4)CI) Oleic Acid Diethonolamide Distillates (petroleum), hydotreated light Ammonium chloride ((NH4)CI) Oleic Acid Diethonolamide	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9
ICL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) Iexslick 930 Iexslick 953 Iexslick 957 VFRA-2000 (U.S. Well Services) Iexald 655 NM Iexslick 922	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer Scale Inhibitor no data available	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Autor Petroleum Distillate Achols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Propenoic acid, polymer with propenamide Diethylenetriamine penta (methylene phosphonic acid) Copolymer of 2-propenaminde Distillates (petroleum), hydotreated light Ammonium chloride ((NH4)CI) Oleic Acid Diethanolamide Terrakis (hydroxymethyl) phosphonium sulphate	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9 93-83-4 55566-30-8
ICL (SWN Well Services) P-65 MC (Halliburton) PTI-FLEX (U.S. Well Services) Iexslick 930 Iexslick 953 Iexslick 957 Iexslick 957 Iexslick 957 Iexslick 922 Iexslick 922 Iexslick 922	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer Scale Inhibitor no data available Biocidal product	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride MN-bis (2-hydroxyethyl) oleamide Petroleum Distillate Sodium Chloride Ammonium Chloride NN-bis (2-hydroxyethyl) oleamide Petroleum Distillate Animonium Chloride Animonium Chloride Autoride Autoride Autoride Autoride Alcohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Prepencic acid, polymer with propenamide Diethylenetriamine penta (methylene phosphonic acid) Copolymer of 2-propenaminde Distillates (petroleum), hydotreated light <td>7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9 93-83-4 55566-30-8 397255-50-7</td>	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9 93-83-4 55566-30-8 397255-50-7
ICL (SWN Well Services) P-65 MC (Halliburton) DPTI-FLEX (U.S. Well Services) Iexslick 930 Iexslick 953 Iexslick 957 VFRA-2000 (U.S. Well Services) Iexslick 922 olcide PSSDA	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer Scale Inhibitor no data available	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Autor Petroleum Distillate Achols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Propenoic acid, polymer with propenamide Diethylenetriamine penta (methylene phosphonic acid) Copolymer of 2-propenaminde Distillates (petroleum), hydotreated light Ammonium chloride ((NH4)CI) Oleic Acid Diethanolamide Terrakis (hydroxymethyl) phosphonium sulphate	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9 93-83-4 55566-30-8
ICL (SWN Well Services) P-65 MC (Halliburton) DPTI-FLEX (U.S. Well Services) Iexslick 930 Iexslick 953 Iexslick 957 VFRA-2000 (U.S. Well Services) Iexslick 922 olcide PSSDA	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer Scale Inhibitor no data available Biocidal product	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride MN-bis (2-hydroxyethyl) oleamide Petroleum Distillate Sodium Chloride Ammonium Chloride NN-bis (2-hydroxyethyl) oleamide Petroleum Distillate Animonium Chloride Animonium Chloride Autoride Autoride Autoride Autoride Alcohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Prepencic acid, polymer with propenamide Diethylenetriamine penta (methylene phosphonic acid) Copolymer of 2-propenaminde Distillates (petroleum), hydotreated light <td>7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9 93-83-4 55566-30-8 397255-50-7</td>	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9 93-83-4 55566-30-8 397255-50-7
AAI-150E [Halliburton) ICL (SWN Well Services) P-65 MC (Halliburton) OPTI-FLEX (J. S. Well Services) Plexslick 930 Plexslick 953 Plexslick 957 VFRA-2000 (U.S. Well Services) Plexald 655 NM Plexslick 922 Plexald 655 NM Plexslick 922	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer Scale Inhibitor no data available Biocidal product	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride NN-bis (2-hydroxyethyl) oleamide Petroleum Distillate Cohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Propenoic acid, polymer with propenamide Diethylenetriamine penta (methylene phosphonic acid) Copolymer of 2-propenaminde Distillates (petroleum), hydotreated light Ammonium chloride (NH4)CI) Oleic Acid Diethnolamide Tetrakis (hydroxymethyl) phosphonium sulphate Acrylic acid terpolymer containing carboxylate phosphonate and sulfonate groups Hydrotreated light petroleum distillate Ethoxylated alcohol	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9 93-83-4 55566-30-8 397255-50-7 64742-47-8 Proprietary
ICL (SWN Well Services) P-65 MC (Halliburton) P-15 MC (Halliburton) PTI-FLEX (U.S. Well Services) Iexslick 930 Iexslick 953 Iexslick 957 VFRA-2000 (U.S. Well Services) Iexslick 922 Iexslick 922 Iexslick 922 Iexslick 922 Iexslick 922 Iexslick 9250 Iexslick 9550 Iexslick 9550 Iexslick 9250 Iexslick 9550 Iexslic	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer Scale Inhibitor no data available Biocidal product Friction Reducer	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Ammonium Chloride Ammonium Chloride Ammonium Chloride NN-bis (2-hydroxyethyl) oleamide Petroleum Distillate Sodium Chloride Ammonium Chloride Minonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Minonium Chloride Autor Oleic Acid Diethanolamide Alcohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Propenoic acid, polymer with propenamide Diethylenetriamine penta (methylene phosphonic acid) Copolymer of 2-propenaminde Distillates (petroleum), hydotreated light Ammonium chloride ((NH4)CI) Oleic Acid Diethnolamide Tetrakis (hydroxymethyl) phosphonium sulphate	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 68551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9 93-83-4 55566-30-8 397256-50-7 64742-47-8 Proprietary 69011-36-5
CL (SWN Well Services) Pr65 MC (Halliburton) PTI-FLEX (U.S. Well Services) lexslick 930 lexslick 953 lexslick 957 /FRA-2000 (U.S. Well Services) exaid 655 NM exslick 922 plcide PS50A	Hydrocholic Acid Scale Inhibitor Viscosifying Agent Friction Reducer Friction Reducer Friction Reducer Scale Inhibitor no data available Biocidal product	Hydrochloric Acid Water Organic phosphonate Ammonium Chloride Distillates, petroleum, hydrotreated light Copolymer of 2-propenamide Hydrotreated Distillate Sodium Chloride Alcohols, C12-16, Exoxylated Oleic Acid Diethanolamide Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride Petroleum Distillate Sodium Chloride Ammonium Chloride NN-bis (2-hydroxyethyl) oleamide Petroleum Distillate Cohols, C12-16, Exoxylated Water Hydrotreated light distillate (petroleum) Propenoic acid, polymer with propenamide Diethylenetriamine penta (methylene phosphonic acid) Copolymer of 2-propenaminde Distillates (petroleum), hydotreated light Ammonium chloride (NH4)CI) Oleic Acid Diethnolamide Tetrakis (hydroxymethyl) phosphonium sulphate Acrylic acid terpolymer containing carboxylate phosphonate and sulfonate groups Hydrotreated light petroleum distillate Ethoxylated alcohol	7647-01-0 7732-18-5 Proprietary 12125-02-9 64742-47-8 Proprietary 64742-47-8 7647-14-5 58551-12-2 93-83-4 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 64742-47-8 12125-02-9 93-83-4 68551-12-2 7732-15-5 64742-47-8 9003-06 9 15827-30-8 69418-26-4 64742-47-8 12125-02-9 93-83-4 55566-30-8 397255-50-7 64742-47-8 Proprietary







DATED SEPTEMBER 2021

TOPOGRAPHIC INFORMATION, HORIZONTAL POSITIONS SHOWN ON THIS PLAN ARE

NADRS WEST VIRGINIA STATE PLANES, NORTH ZONE, IN U.S. SURVEY FEET.

ASCENT CONSULTING & ENGINEERING.

PHONE (201) 9:33+3463 EMAIL: ERIC@ASCENTCONSULTINGENGINEERS.COM

2381 DAVISSON BUN ROAU

CLARKSBURG, WV 26301

m

11/17/2021

AS SHOWN

CONSTRUCTION PLANS FOR

SWN PRODUCTION COMPANY, LLC

DAVID REINBEAU PAD EXPANSION SORGHUM BIDGE

MARSHALL COUNTY, WV

COVER SHEET

APPROVED FOR PERMITS

CALE

EST VIREINA 811

CALL BEFORE

YOU DIG!

IT'S THE LAW

MISS UTILITY OF WEST WHIGINIA 1-800-245-8042 WEST VIRCINIA STATE LAW (SECTION XIV, CHAPTER 24-C)

RECURES THAT YOU CALL TWO EDEMESS DAYS BEFORE YOU ON IN THE STATE OF WEST VIPCINIA. IT'S THE LAW 1 EMS

MRN

1

- 10) KEEP LEFT AND MERGE ONTO W BETHLEFEM BLVD, B2 FEET
- 11) MERGE ONTO W BETHLEHEM BLVD. 0.5 MILES 12) TURN RIGHT ONTO WV-86 S/RIDGECREST RD, 4,7 MILES
- TURN LEFT ONTO SORGHUM RIDGE RD 0.8 MILES