

New Location...   
 Drill Deeper.....   
 Abandonment.....

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W. VA.  
 Farm ALBERT B. STEPHENS  
 Tract \_\_\_\_\_ Acres 180 Lease No. 52555  
 Well (Farm) No. 1 Serial No. 8354  
 Elevation (Spirit Level) 680.15'  
 Quadrangle POINT PLEASANT-C  
 County MASON District LEWIS  
 Engineer Seybert R. Ferrell  
 Engineer's Registration No. 2529  
 File No. 38-93 Drawing No. \_\_\_\_\_  
 Date 8-11-54 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. MAS-66

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

Samplers 28-C (0-3382')

Deep Well



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Pt. Pleasant  
Permit No. MAS-66

WELL RECORD


Oil or Gas Well Dry Hole  
(KIND)

Company UNITED FUEL GAS CO.  
Address P.O. Box 1273, Charleston 25, W. Va.  
Farm Albert B. Stephens Acres 180  
Location (waters) Crooked Creek  
Well No. 8354-T Elev. 680.15'  
District Lewis County Mason  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by Albert B. Stephens  
Rt. 2 Address Pt. Pleasant, W. Va.  
Drilling commenced 9-9-54  
Drilling completed 11-5-54  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water 50 1900-1908' feet 1305 1753-1758' feet  
Salt water 486, 540, 635-650' feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13		43'	
10 - 3/4"		512'	Size of
8 1/2 - 5/8"		1121'	
8 1/2 - 7"		1814'	Depth set
5 8/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	15	Water 50'		
Sand			15	30			
Slate			30	152	Salt Water 486' H.F.		
Red Rock			152	200			
Slate			200	230	Show gas 522'		
Red Rock			230	285			
Slate			285	320	Salt Water 540', 635-650'		
Red Rock			320	355			
Sand			355	445			
Slate			445	476			
Salt Sand			476	502	Water 1305'		
Slate			502	519			
Sand			519	546	Water 1753-1758' 1/2 BPH		
Slate			546	550			
Sand			550	650	Show oil 1753-1758'		
Slate			650	655			
Sand			655	693	Water 1900-1908' 1-1/4 BPH		
Slate & Shells			693	740			
Sand			740	825			
Slate			825	858	Will Plug & Abandon		
Sand			858	902			
Slate			902	922			
Sand			922	955			
Slate			955	1000			
Sand			1000	1093			
Slate			1093	1112			
Big Lime			1112	1226			
Injun			1226	1305			
Slate			1305	1350			
Sand			1350	1401			
Slate & Shells			1401	1735			
Berea			1745	1777			
Slate			1777	2668			
Br. Shale			2668	2685			
White Shale			2685	2730			
Br. Shale			2730	3375			
Corniferous			3375				
Total depth			3384'				



3375  
680  
- 2695