

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, May 4, 2022 WELL WORK PLUGGING PERMIT Horizontal Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE JACKSON CENTER, PA 16133

Re: Permit approval for NCEE 1107HS 47-053-00527-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Ma

Operator's Well Number: NCEE 1107HS Farm Name: CLUTTER, TREVA & GAIL U.S. WELL NUMBER: 47-053-00527-00-00 Horizontal Plugging Date Issued: 5/4/2022

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified</u> permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-41 Rev.	B 2/01	4705300527 P 1) Date March 4 2) Operator's Well No. NCEE 1107 HS 3) API Well No. <u>47-053</u> - 00527
	DEPARTMENT OF ENVIR	ST VIRGINIA CONMENTAL PROTECTION OIL AND GAS
	APPLICATION FOR A PERM	IT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas X _/ Liquid (If "Gas, Production X or Und	l injection/ Waste disposal/ lerground storage) Deep/ ShallowX
5)	Location: Elevation 909.23 feet	Watershed Bill King Branch
-,	District Union	County Mason Quadrangle Elmwood
6)	Well OperatorDiversified Production, LLCAddress414 Summers StreetCharleston, WV 25301	7) Designated Agent Jeff Mast Address 31 Hickory Drive Barboursville, WV 25504
8)	Oil and Gas Inspector to be notified Name Joe Taylor Address 1478 Claylick Road Ripley, WV 25271	9) Plugging Contractor Name Diversified Production, LLC (In-house rig) Address 1951 Pleasantview Ridge Road Ravenswood, WV 26164

10) Work Order: The work order for the manner of plugging this well is as follows:

See Attached

RECEIVED Office of Octord Gas

×.

MAR 1 4 2022

WV Department of Environmental Protection

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

work can commence.	And
Work order approved by inspector	Jola

Date 3-11-22

Plugging Prognosis

API #: 4705300527 West Virginia, Mason Co. Lat/Long: 38.71840843, -81.84310004 Nearest ER: CAMC Memorial, 3200 MacCorkle Ave SE, Charleston, WV 25304

Casing Schedule:

13-3/8" @ 43' 9-5/8" @ 261' (cemented to surface w/ 105 sx) 7" @ 2712' (cemented to surface w/ 440 sx) TD @ 2712'

Well Not Completed - Plan was to drill laterally at later date

Fresh Water: None listed Salt Water: None listed Gas Shows: None listed Oil Shows: None listed Coal: None listed Elevation: 921'

- 1. Notify Inspector Joe Taylor @ 304-380-7469, 48 hrs prior to commencing operations.
- 2. Check and record pressures on csg/tbg.
- 3. Check TD w/ wireline.
- 4. Run in to depth @ 2712'. Kill well as needed with 6% bentonite gel and fill rat hole. Pump at least 10 bbls gel. Pump 100' C1A cement plug from 2712' to 2612' (bottom hole plug). Tag TOC. Top off as needed.
- 5. TOOH w/ tbg to 2612'. Pump 6% bentonite gel from 2612' to 921'.
- 6. TOOH w/ tbg to 921'. Pump 100' C1A cement plug from 921' to 821' (elevation plug).
- 7. TOOH w/ tbg to 821'. Pump 6% bentonite gel from 821' to 311'.
- TOOH w/ tbg to 821'. Pump 6% bentonite gei from 821' to 311 .
 TOOH w/ tbg to 311'. Pump 311' C1A cement plug from **311' to Surface (9-5/8" csg shoe, 13-**Office of Oil and Gas 3/8" csg shoe, and surface plug). MAR 1 4 2022
- 9. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

WV Department of Environmental Protection

WR-35 (Reverse)

¥.

1

API / Permit #: North Coast Well #: Elevation: 47-053-00527 NCEE-1107HS 921 GL 931 KB

DETAILS OF PERFORATING, FRACTURING, OR PHYSICAL CHANGE, ETC.

NO STIMULATION TO DATE HAS BEEN PLACED ON THIS WELL THIS WELL WILL BE DRILLED LATERALLY THROUGH THE HURON SHALE IN THE NEAR FUTURE

WELL LOG

ROCK TYPE OR FORMATION NAME	TOP (TVD)	BOTTOM (TVD)	REMARKS
SHALE & SAND	0	868	1
SAND	868	902	
SHALE	902	1065	
SAND	1065	1089	
SHALE	1089	1139	
SALT SANDS	1139	1550	
BIG LIME (GREENBRIER)	1926	2066	12
SHALE	2066	2159	
BIG INJUN SAND	2159	2231	(
SHALE	2231	2537	1. A. M. M.
COFFEE SHALE (SUNBURY)	2537	2568	21
BEREA SAND	2568	2578	10.00
SHALE	2577		0.1
GREY" SHALE (CHAGRIN?)		1	
BROWN SHALE (LOWER HURON)			
TOTAL MEASURED DEPTH		2745	
RUE VERTICAL DEPTH of Well Bottom at TD		2745	

RECEIVED Office of Off and Ges

4705300527P

MAR 1 4 2022

WV Department of Soveronmental First

J 05/06/2022

office of U	ED Gas	D			EST VIRG		47-0	53-00527	
				•	Dil and Gas				
JUN U	Tal Protection	WELL	OPERATO	DR'S R	EPORT of V	VELL WOR	K	•	K
Environ	Farm Name:	TREVA CLU	TTER			Operator W	ell No.: N	CEE-1107H	s
•	Location:	Elevation:	921		- for	7.5' Quad .:	ELMWOOD)	
		District:	UNION			County:	MASON		
		Latitude: Longitude:	11,550 2,625	Feet Feet	South of West of	38 Deg. 81 Deg.	45 Min. 50 Min.	00 Sec. 00 Sec.	·
	Company: No	rth Coast Ener	gy Eastern	. Inc.	Casing &	Used in	Left in	Cement]
	• •	P. O. BOX 8			Tubing	Drilling	Well	Туре	
		RAVENSWO	0 <u>0</u> , WV 20	5164	(Size-O.D.)	(feet)	(feet)	(sacks)	
	Agent:	Jon Ullom		Ì	13 3/8	43	43	None	
	Inspector: Permit Issued:	Jamie Stever 09/16/08	IS						
		imenced (spud):	10/23/08	•					
	Well Work Com Verbal Plugging	pleted (T.D.):	10/28/08		9 5/8 [#]	261	261	105 SX	
	Permission Gra Rotary X	nted on: Cable	Rig	-					
	Total Depth (fe Fresh Water D	et):	TVD: 274	5	, 7 ⁶	2712	2712	440 SX	
•	Sait Water De	pths (feet):	<u> </u>	-	<u>.</u>			·	
		nined in area ? : None Found	No	- · -					
	OPEN FLOW	DATA							•
	_	ducing formation				Pay zone de	pth (ft)		-
	Gas	5: Initial open flow Final open flow		MCF/D MCF/D		pen flow		BBL/D BBL/D	
		•	the second se		and final tes	•		Hours	
	Sta	tic rock pressure		psig	(surface pre:			Hours	RECEIVED Office of Oil and G
	0.4		NA			Dev see d	onth (A)	• • •	and G
•		producing form. Initial open flow:	NA	MCF/D	Oil: Initial c	Pay zone d		BBL/D	- MAR 1 4 2022
		Final open flow		MCF/D		pen flow	*	BBL/D	
	•	•	flow betwee		I and final tes		· · ·	Hours	WV Department o Environmental Protec
	Sta	tic rock pressure *Note: Initial		psig	(surface pres	ssure) after	lation.	Hours	indinal Protec
	NOTE ON BACK	OF THIS FORM PU						ACTURING OP	
		HYSICAL CHANGE,			-			•	
		OF ALL FORMAT							
•			For:	NOR	An PL	<i>llon</i> ENERGY Ea	stern, Inc.	<u> </u>	•
				By:/ Date:	Jon Ullom 1-Jun-09				_

056/202	
05/06/202	2

47053005278

WW-4A	
Revised	6-07

1) Date: March 4, 2022

- 2) Operator's Well Number
- NCEE 1107 HS

API Well No.: 47 - 053

00527

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ov	vner(s) to be served:	5) (a) Coal Operator	
(a) Name	Treva & Gall Clutter	Name	None
Address	565 Mill Creek Road	Address	
	Mt. Alto, WV 25264		
(b) Name		(b) Coal Own	ner(s) with Declaration
Address		Name	None
		Address	
(c) Name		Name	
Address		Address	
6) Inspector	Joe Taylor	(c) Coal Less	see with Declaration
Address	1478 Claylick Road	Name	No Declaration
	Ripley, WV 25271	Address	
Telephone	304-380-7469		

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

(1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and

(2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

OFFICIAL SEAL NOTARY PUELO STATE OF WEST VIRGINIA	Well Operator By:	Diversified Production, LLC	
Phyllis A. Copley 144 Willend Circle	Its:	Difector Technical Services	
Humicane, WV 25528	Address	414 Summers Strret	
My Commission Expites September 16, 1	2023 1	Charleston, WV 25301	
	Telephone	304-543-6988	
Subscribed and sworn before me th My Commission Expires September	Mylles a.	ay of March, 2022 Coply Notary Public	Office of Oil and Ga MAR 1 0 2022

Oil and Gas Privacy Notice

WV Department of Environmental Protection

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

4705300527P

Well: NCEE 1107 HS 47.053-00527



RECEIVED Office of Oil and Gas

MAR 1 0 2022

WV Department of Environmental Protection

05/06/2022

4705300527P

W	W-9	
(5/	16)	

WW-9	A DI Number 47 - 053 - 00527
(5/16)	API Number 47 - 053 - 00527 Operator's Well No. NCEE 1107 HS
DEPARTMENT OF OFFIC	OF WEST VIRGINIA ENVIRONMENTAL PROTECTION CE OF OIL AND GAS DISPOSAL & RECLAMATION PLAN
Operator Name_ Diversified Production, LLC	OP Code 494524121
Watershed (HUC 10) Bill King Branch	Quadrangle Elmwood
Do you anticipate using more than 5,000 bbls of water to o Will a pit be used? Yes No	complete the proposed well work? Yes No
If so, please describe anticipated pit waste: Pro	duced fluid and cement returns
Will a synthetic liner be used in the pit? Yes 🗸	No If so, what ml.? 20
Proposed Disposal Method For Treated Pit Waste	85:
Underground Injection (UIC F Reuse (at API Number	rovide a completed form WW-9-GPP) Permit Number WC Booker #1 47-039-02327 Permit UIC200392327 002)
Off Site Disposal (Supply form Other (Explain	
Will closed loop systembe used? If so, describe: N/A	
Drilling medium anticipated for this well (vertical and hor	rizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, et	IC. N/A
Additives to be used in drilling, medium? N/A	
Drill cuttings disposal method? Leave in pit, landfill, rem	oved offsite, etc. N/A
-If left in pit and plan to solidify what medium w	
-Landfill or offsite name/permit number? N/A	
Permittee shall provide written notice to the Office of Oil	and Cas of any load of drill cuttings or associated waste rejected at any vided within 24 hours of rejection and the permittee shall also disclose
on April 1, 2016, by the Office of Oil and Gas of the We provisions of the permit are enforceable by law. Violation or regulation can lead to enforcement action. I certify under penalty of law that I have pers application form and all attachments thereto and that, bas the information, I believe that the information is true, a submitting false information, including the possibility of Company Official Signature	and conditions of the GENERAL WATER POLLUTION PERMIT issued est Virginia Department of Environmental Protection. I understand that the is of any term or condition of the general permit and/or other applicable law onally examined and am familiar with the information submitted on this ed on my inquiry of those individuals immediately responsible for o btaining ceurate, and complete. I am aware that there are significant penalties for fine or imprisonment.
Company Official (Typed Name) Jeff Mast	144 Willard Gircle
Company Official Title Director Technical Services	Harlcans, WV 2.528 My Company, Express September 10

			OfficeRECEIVED
Subscribed and sworn	before me this 7th day of March, 2022		Office of Oil and Gas
Subscribed and sworn	Chilling Cooling	No. Bull	MAR 1 0 2022
My commission expires	September 16, 2023	Notary Public	WV Department of Environmental Protection

ental Protection

pterstar 18, 2028

05/06/2022


Proposed Revegetation Trea	tment: Acres Disturbed 1 +/-	Preveg etation p	н	
Lime 3	Tons/acre or to correct to pH	605		
Fertilizer type	10-20-20 or equivalent			
Fertilizer amount_	lb	lbs/acre		
Mulch_2	Tons/a	cre		
	Seed	<u> Mixtures</u>		
Te	emporary	Perma	nent	
Seed Type	lbs/acre	Seed Type	lbs/acre	
Red Fescue	40	Red Fescue	15	
Alsike	5	Alsike Clover	5	
Annual Rye	15			

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Sec Taylor	Office of Oil and Gas
Comments:	MAR 1 4 2022
	WV Department of Environmental Protection
	A
	mar
Title: 006 Zospecto Date: 3-11-72	
Field Reviewed?	



WW-7 8-30-06		
8-30-00		
West Virginia Departn	nent of Environmental	Protection
	e of Oil and Gas	
	CATION FORM: GPS	
_{API:}	WELL NO.:	CEE 1107 HS
FARM NAME: Treva Clutte		
RESPONSIBLE PARTY NAME:	Diversified Production	on LLC
	district: Unic	
QUADRANGLE: Elmwood		
surface owner: Treva &		
ROYALTY OWNER: DP Blue	egrass LLC	
UTM CPS NOPTHING. 42858	65.3	
UTM GPS EASTING: 426705	.74 GPS ELEVATIO	_{DN:} 909.23
 The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Ga the following requirements: Datum: NAD 1983, Zone: height above mean sea lev Accuracy to Datum - 3.05 Data Collection Method: Survey grade GPS: Post Pro- 	r a plugging permit or assigned Al as will not accept GPS coordinates : 17 North, Coordinate Units: met yel (MSL) – meters. 5 meters	PI number on the that do not meet
	me Differential	
Mapping Grade GPS X: Post	Processed Differential X	
Real	-Time Differential	RECEIVED Office of Oil and Gas
I the undersigned, hereby certify this belief and shows all the information is prescribed by the Office of Oil and O	required by law and the regulation as.	nowledge and MAR 10 2022 s issued and WV Department of Environmental Protection
Digitally signed by Austin Sutter Date: 2022.02.23 17:22:12 -05'00'		2/23/2022
Signature	Title	Date

05/06/2022



Stansberry, Wade A <wade.a.stansberry@wv.gov>

Plugging Vertical Well Work Permit (API: 47-053-00527)

1 message

 Stansberry, Wade A <wade.a.stansberry@wv.gov>
 Wed, May 4, 2022 at 11:10 AM

 To: "Mast, Jeff" <jmast@dgoc.com>, Phyllis Copley <pcopley@dgoc.com>, Brian Thomas <bkthomas@jacksoncountywv.com>,

 beth.roberts@jacksoncountywv.com, "Taylor, Joseph D" <joseph.d.taylor@wv.gov>

I have attached a copy of the newly issued well permit number. This will serve as your copy.

47-053-00527 - NCEE 1107HS

If you have any questions, then please contact us here at the Office of Oil and Gas.

Thank you,

Wade A. Stansberry

Environmental Resource Specialist 3

West Virginia Department of Environmental Protection

Office of Oil & Gas

601 57th St. SE

Charleston, WV 25304

(304) 926-0499 ext. 41115

(304) 926-0452 fax

Wade.A.Stansberry@wv.gov

2 attachments

₩ 47-053-00527 - Copy.pdf 769K

Bir 18-8 Blank.pdf