

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, March 19, 2021 WELL WORK PLUGGING PERMIT Coal Bed Methane Well Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re: Permit approval for 026602 47-047-02433-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: 026602 Farm Name: ALAWEST, INC. U.S. WELL NUMBER: 47-047-02433-00-00 Coal Bed Methane Well Plugging Date Issued: 3/19/2021

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified</u> permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged within two years of the date of issuance of this permit.

4704702433P

PLUGGING PROGNOSIS

Alawest #026602 West Virginia, McDowell County API# 47-047-02433

Completed by S.T. Updated 4/29/2020

Casing Schedule

9 5/8" csg @ 61' 7" csg @ 300' cemented to surface 4 ½" csg @ 1163' cemented to surface. Perfs @ 617'-714', 772'-774', 912'-1025' 2 3/8" tbg and rods @ 1078'. Free as of 6/14/2019 TD 1180'

Completion: 2008 Frac

Fresh Water: None recorded Gas Shows: CBM 617'-714', 772'-774', 912'-1025' Oil Shows: None Recorded Coal: 225', 326', 397', 440', 617', 713', 773', 912', 1023' Elevation: 1488'

- 1. Notify Inspector, Gary Kennedy @ 304-382-8402, 48 hours prior to commencing operations.
- Check and record pressures on tbg/csg.
- 3. TOOH LD rods, pump. Pump 6% bentonite gel to kill well as needed.
- 4. TOOH LD tbg and inspect.
- 5. Check TD w/ wireline.
- 6. TIH w/ tbg 1170'. Pump 585' C1A cement plug from 1170'-585'.
- 7. TOOH w/ tbg to 585'. Pump 585' C1A cement plug from 585'-surface.
- TOOH LD tbg.
- 9. Erect monument with API#, date plugged, and company name.
- 10. Reclaim location and road to WV-DEP specifications.

Ada

WR-35 Rev (5-01)

DATE: June 11, 2008 7 0 2 4 3 3 P

State of West Virginia Department of Environmental Protection Office of Oil and Gas

Well	Operator's	Report o	f Well	l Work
------	-------------------	----------	--------	--------

Farm name: <u>Alawest, Inc.</u>		Op	erator Well No	.: 026602	2	÷
LOCATION: Elevation: <u>1488.04</u> District: <u>Big Creek</u> Latitude: <u>510</u> Feet South of <u>37</u> Longitude <u>7470</u> Feet West of <u>81</u>		unt	uadrangle: <u>Da</u> y: <u>McDo</u> Min. <u>00</u> Min. <u>30</u>			Diffice of Oil 8 June Office of Chief
Company Address: <u>Dart Oil & Gas Corporation</u> 999 Executive Park Blvd, Suite 320	Casing & Tubing		Used in drilling	Left in we	W Envin	V Department of Onmerical Participation Cement The Deficient Cu. Ft. Condr Pipe
Kingsport, TN 37660	9 5/8" <u>.</u>	+				50 sx to Surf
	7"	ľ		300'		
Agent: Jackie Lee Hatfield	4 1/2"			. 1163'	·	75 sx to Surf
Inspector: Barry Stollings	2 3/8" tb	<u>g</u>		1078'		
Date Permit Issued: May 24, 2007						
Date Well Work Commenced: August 29, 2007	·					
Date Well Work Completed: June 5, 2008		1				·····
Verbal Plugging: N/A						
Date Permission granted on: N/A.		ł				
Rotary X Cable Rig E-Mats #4						· ·
Total Depth (feet): 1180' LTD 1189'						
Fresh Water Depth (ft.): None						
						,
Salt Water Depth (ft.): None		T				
	1	Τ				
Is coal being mined in area (N/Y)? N		T				
Coal Depths (ft.):		ŀ	:			ļ
OPEN FLOW DATA - Well not on line. WO p			nth (A) N	/ •		•

 Producing formation
 N/A
 Pay zone depth (tt)
 N/A

 Gas: Initial open flow
 MCF/d Oil: Initial open flow
 Bbl/d

 Final open flow
 MCF/d Final open flow
 Bbl/d

 Time of open flow between initial and final tests
 Hours

 Static rock Pressure
 psig (surface pressure) after
 Hours

 Second producing formation
 Pay zone depth (ft)

 Gas: Initial open flow
 MCF/d Oil: Initial open flow
 Bbl/d

 Final open flow
 MCF/d
 Final open flow
 Bbl/d

 Time of open flow between initial and final tests
 Hours
 Static rock Pressure
 psig (surface pressure) after
 Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.). N/A

SUPPLEMENTAL Page #2: THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS INCLUDING COAL ENCOUNTERED BY THE WELLBORE

Signed:

Diminick, District Manager By: 6/1Z Date: 108

4704702433P

<u>DRILLER'S L</u> Compiled by:		man, Geologist	0	_		<u>1 #: 02</u>	riae Inet 1008	
•		General Lithology				epth Bottom	Thickness	Remarks
Geologic Age	Formation	a 10 a1 1	Col	or	Тор 0	225	1 mckness	ACCANALIAND
Pennsylvanian		Sand & Shale				227	1.5'	
Pennsylvanian	L. Raleigh	Coal			225.	326		
Pennsylvanian		Sand & Shale			.227		3.9'	
Pennsylvanian	Beckley 3	Coal			326	330	5.9	
Pennsylvanian		Sand, Shale & Coal			330	397	1.25	
Pennsylvanian	Fire Creek	Coal			397	399	1.35'	·
Pennsylvanian		Sand & Shale	ļ		399	.440		
Pennsylvanian	L.Fire Creek	Coal		ļ	440	442	2.25'	
Pennsylvanian		Sand, Shale & Coal			442	617		
Pennsylvanian.	Poco 7	Coal			617	619	. 2.0'	
Pennsylvanian		Sand & Shale	-		619	713		
Pennsylvanian	Poco 5	Coal			713	715	1.2'	
Pennsylvanian		Sand & Shale			715	773		
Pennsylvanian	Poco 4	Coal			773	775	1.5'	
Pennsylvanian		Sand & Shale			775	912		
Pennsylvanian	Poco 3	Coal	.		912	914	2.3'	
Pennsylvanian		Sand & Shale			914	1023		
Pennsylvanian	Poco 2	Coal	1	1.	1023	1025	1.5	
Pennsylvanian		Sand & Shale			1025	TD		
	I	<u>l</u>						·

2

(Company) Dart Oil & Gas Corporation Permittee: Edward K. Diminick, District Manager (Signature) By:

r.ª

03/26/2021

WW-4E Rev.		1) Date March 3 4702433 P 2) Operator's Well No. 026602 3) API Well No. 47-047 - 02433
	DEPARTMENT OF ENVIR	EST VIRGINIA RONMENTAL PROTECTION OIL AND GAS
	APPLICATION FOR A PERM	KIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas X _/ Liquid (If "Gas, Production X or Und	d injection/ Waste disposal/ derground storage) Deep/ ShallowX
5)	Location: Elevation 452.61 meters District Big Creek	Watershed Crane Trace Branch of Clear Fork County McDowell Quadrangle Davy
6)	Well Operator Diversified Production, LLC Address P.O. Box 6070 Charleston, WV 25362	7)Designated Agent <u>Jeff Mast</u> Address P.O. Box 6070 Charleston, WV 25362
8)	Oil and Gas Inspector to be notified Name Gary Kennedy Address 66 Old Church Lane Pipestem, WV 25979	9) Plugging Contractor Name R & J Well Services, Inc. Address P.O. Box 40 Hueysville, WV 41640-0040

10) Work Order: The work order for the manner of plugging this well is as follows:

SEE ATTACHED

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work	order	approved	by	inspector	Huy	Kenned	1	Date	3/4/21	
------	-------	----------	----	-----------	-----	--------	---	------	--------	--


4704702433P

Well 026602 47-047-02433




4704702433P

026602



03/26/2021



4704702433P March 3, 2021 1) Date: 2) Operator's Well Number

3) API Well No.: 47 -

026602

047 02433

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4)	Surface Own	er(s) to be served:	5) (a) Coal Operator		
	(a) Name	Alawest Inc.	Name		
	Address	P.O. Box 920	Address		
		Welch, WV 24801			
	(b) Name		(b) Coal Own	ner(s) with Declaration	
	Address		Name	Alawest Inc.	
			Address	P.O. Box 920	
				Welch, WV 24801	
	(c) Name		Name		
	Address		Address		
6)	Inspector	Gary Kennedy	(c) Coal Less	see with Declaration	
	Address	66 Old Church Lane	Name		
		Pipestem, WV 25979	Address		
	Telephone	304-382-8402			
	-				

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

(1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and

The plat (surveyor's map) showing the well location on Form WW-6. (2)

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINA Phyllis A. Copley 144 Willerd Circle Hurricane, WV 25528 My Constitution Explese Suptember 18, 2029	Jeff Mast Director Production P.O. Box 6070 Charleston, WV 25362
Subscribed and sworn before me this	day of March, 2021 Notary Public
My Commission Expires September 16, 2023	Notary I ubit

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

STATE OF WIRST VIRICHAL REDUCTIONS OFFICE OF OIL AND GAS PULDES/ CUTTINES DEPOSAL & RECLANATION PLAN Operator Name_Diversitied Production, LLC OP Ode 484524121 Watershed (HUC 10), Crane Trace Branch of Clear Fork (050702010) Quadrangle Day Do you anticipate using more than 5,000 bits of water to complete the proposed well work? Yes No No Will a pit be used? Yes No If so, please describe anticipated pit waste: Plugging returns/cement - will utilize above ground tanks Will a synthetic liner be used in the pit? Yes No If so, what ml? Proposed Disposal Method For Treated PiX Wastes:	WW-9 (5/16) API Numbe Operator's W	4704702433 ar 47 - 047 - 02433 Vell No. 026602
Watershed (HUC 10) Create Trace Branch of Clear Fork (0507020101) Quadrangle Davy Do you anticipate using more than 5,000 bib of water to complete the proposed well work? Yes No Will a pit be used? Yes No	DEPARTMENT OF ENVIRONMENTAL PROTECT OFFICE OF OIL AND GAS	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No Yes	Operator Name_Diversified Production, LLC OP Code	e
Will a pit be used? Yes No	Watershed (HUC 10) Crane Trace Branch of Clear Fork (0507020101) Quadrangle Davy	
Will a synthetic liner be used in the pit? Yes No If so, what ml.?	Will a pit be used? Yes 🔽 No	
Proposed Disposal Method For Treated Pit Wastes:		
Land Application (if selected provide a completed form WW-9-GPP) Underground Injection (UIC Permit Number Reuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location) Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain _Any fluid recovered will be hauled to a Diversified tank bettery and disposed of properly Will closed loop systembe used? If so, describe: Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etcIf oil based, what type? Synthetic, petroleum, etcIf oil based, what type? Synthetic, petroleum, etcIf oil based, what type? Synthetic, petroleum, etcIf left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) -Landfill or offsite name/permit number? Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated wasterejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed. I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify that I understand that, based on my inquiry of those individuals immediately re	Will a synthetic liner be used in the pit? Yes 🗹 No 🛄 If so, what m	ıl.?
Underground Injection (UIC Permit Number	Proposed Disposal Method For Treated Pit Wastes:	
Reuse (at API Number		
Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WW-9 for disposal location) Image: Control of the Disposal (Supply form WH and Disposal location) Image: Control of the Disposal (Supply form WH and Disposal formon many of the Disposal (Supply form))
Will closed loop systembe used? If so, describe: Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. -If oil based, what type? Synthetic, petroleum, etc. Additives to be used in drilling medium? Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. -If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) -Landfill or offsite name/permit number? Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose Meret it was properly disposed. Incertify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or condition for man elad to enforcement action. Company Official Signature Original Eugenemic. I am aware that there are significant penaltive for Original Signature Definition, including the possibility of fine or imprisonment. Company Official Signature Definition is true, accurate, and complete. I am aware that there are significant penaltive for Original Eugenemic to the Coriginal Eugenemic to the Coriginal Eugenemic. Company Official Signatur	Off Site Disposal (Supply form WW-9 for disposal location)	k battery and disposed of properly
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc		
-If oil based, what type? Synthetic, petroleum, etc	Will closed loop systembe used? If so, describe:	
Additives to be used in drilling medium? Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. -If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) -Landfill or offsite name/permit number? -Landfill or offsite name/permit number? Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed. I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, including the possibility of fine or imprisonment. Company Official Signature OFFICAL SEAL Company Official (Typed Name) Jeff Mast To be the term in provide of the cere to the term of the dense of the cere to the term of the dense of the term of the dense of the term of the dense of the cere to the dense of the term	Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil base	ed, etc
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc	-If oil based, what type? Synthetic, petroleum, etc	
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)	Additives to be used in drilling medium?	
-Landfill or offsite name/permit number?	Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc	
-Landfill or offsite name/permit number?	-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdu	
West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed. I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature		
on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature	West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection	
Company Official (Typed Name) Jeff Mast	on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environ provisions of the permit are enforceable by law. Violations of any term or condition of the g or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar application form and all attachments thereto and that, based on my inquiry of those individu the information, I believe that the information is true, accurate, and complete. I am awa submitting false information, including the possibility of fine or imprisonment.	with the information submitted on this als immediately responsible for obtaining re that there are significant penalties for OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA
Wy Commission Expires Deplember 16, 2023		* 144 Willerd Circle
		Hy Commission Explore Displamber 16, 2023

Subscribed and sworn before me this_	3rd	day of	March	, 20 🔀	
4	hillis	a. Cor	alup	Notary Public	
	0	1	0		
My commission expires	Septemb	per 16, 2023			

03/26/2021

4	7	0	4	7	0	2	4	3	3	P
0122										

Form	11/	11/	0
LOUN	ŶΫ	YY	~7

02,6602 Operator's Well No.__


roposed Revegetation Treat	ment: Acres Disturbed 1 -	+/- Preveg etation pH	
Lime 3	Tons/acre or to correc	t to pH 6.5	
Fertilizer type 10-2	20-20 or equivalent		
Fertilizer amount		lbs/acre	
Mulch 2		Tons/acre	
		Seed Mixtures	aent
Т	emporary	Perma	
Te Seed Type	emporary Ibs/acre	Seed Type	lbs/acre
Seed Type			Ibs/acre 15
	lbs/acre	Seed Type	

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by:	Huy Kerr	und			
Comments:	V /				
Title: <u>Inspector</u>			Date:	3/4/21	
Field Reviewed?		()No		



W W-7						
8-30-06)					
West Virginia Department of Environmental Protection						
Office of Oil and Gas						
WELL LOCATION FORM: GPS						
арі: 47-047-02433	WELL NO.: 026602					
FARM NAME: Alawest, Inc						
RESPONSIBLE PARTY NAME: Diversified Production LLC						
COUNTY: McDowell	DISTRICT: Big Creek					
QUADRANGLE: Davy						
surface owner: Alawest, Inc						
ROYALTY OWNER: Alawest, Inc						
UTM GPS NORTHING: 437, 163.66	(1488')					
UTM GPS EASTING: 4,139,070.62	GPS ELEVATION:					

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: 1.

- height above mean sea level (MSL) meters.
- Accuracy to Datum 3.05 meters 2.
- Data Collection Method: 3.

Survey grade GPS ____: Post Processed Differential _____

Real-Time Differential _____ Mapping Grade GPS X___: Post Processed Differential X

Real-Time Differential

Letter size copy of the topography map showing the well location. 4. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

1A7	Director Production	3/03/21	
Signature	Title	Date	