

Latitude 7 55

Longitude 82 10

Flora Baisden

Elmer Dingess

ELMER DINGESS, Surface

N. & W. R.R.  
R/W

Was (H.D. & G. Co. Well No. H-257)

6078

UFG  
Co.

Fence Post  
in R/W Line

Ed. Dingess

Rock Mkd. X

X on S.E. Corner R.R. Stone Culvert

- 534'E-62'
- New Location
- Drill Deeper
- Abandonment

FEB -3 1947

0.95 W  
2.7 Q

Company UNITED FUEL GAS CO.

Address CHARLESTON, W.VA.

Farm UNITED FUEL GAS CO.

Tract \_\_\_\_\_ Acres \_\_\_\_\_ Lease No. \_\_\_\_\_

Well (Farm) No. \_\_\_\_\_ Serial No. 6078

Elevation (~~Spirit Level~~) 939' BAR

Quadrangle HOLDEN

County MINGO District HARVEY

Engineer J.H. Moore

Engineer's Registration No. 662

File No. 30-27 Drawing No. \_\_\_\_\_

Date JAN. 23 1947 Scale 1" = 400'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

1947

WELL LOCATION MAP  
FILE NO. MINGO-17-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

TA

Harvey District, Kings County, N. Yo.  
 By Huntington Dev. & Gas Co., Box 1273, Charleston, 25, W. Va.  
 Abandoned under patent rights.....

On..... acres, on West Fork of Sulivale Creek.

Elevation, 979' ±.

Minerals owned by Huntington Dev. & Gas Co., Box 1273, Charleston, 25, W. Va.

Drilling commenced Jan. 3, 1921; completed March 26, 1921.

Well pressure, 540 lbs.

10" casing, 46'; 8", 335'; 6", 1397'; 2" tubing, 1749'; all left in.

Coal was encountered at 55-57, 185-190, and 985-990'.

Gas well. Record to Dept. of Mines dated Jan. 23, 1947.

Record to NY from Mrs. Griffith September 14, 1948. Old file No. 86.

	Top.	Bottom.
Soil	0	4
Soil	4	16
Slate	16	30
Coal	30	54
Soil	54	80
Soil	80	148
Slate	148	185
Coal	185	190
Slate	190	200
Soil	200	210
Slate	210	212
Coal	212	210
Slate	210	240
Soil	240	400
Brown slate	400	400
Black slate	400	523
White sand	523	590
Black sand	590	600
White sand (gas, 630')	600	600
Black sand	600	735
White sand (gas, 740')	735	800
Salt sand	800	940
Black slate	940	985
Coal	985	990
Salt sand	990	1200
Black slate	1200	1250
Marion sand	1250	1340
Blue sand	1340	1380
Black lime and pebbles	1380	1397
Big lime	1397	1557
Big Injan sand (gas, 1565 and 1626')	1557	1655
Same sand (gas, 1634')	1655	1860
Brown shale	1860	2226
Barren sand	2226	2242
Slate	2242	2257
Barren sand	2257	2284
Slate and lime shell	2284	2300
Brown shale	2300	2310
Slate	2310	2325
Slate and lime shell	2325	2350
Brown shale	2350	2360
Slate	2360	2408
Total depth		2408
Hole bridged at 1824' and filled up to		1749



Completed no inspection

86

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 17-A

ABANDONMENT

Oil or Gas Well **GAS**  
(KIND)


Company **HUNTINGTON DEVELOPMENT & GAS COMPANY**  
 Address **P.O. Box 1273, Charleston 25, W. Va.**  
 Farm **Huntington Dev. & Gas Co.** Acres \_\_\_\_\_  
 Location (waters) **West Fk. of 12 Pole Cr.**  
 Well No. **H-257 (Now U.F.G. Co. 6078)** Elev. **939 B**  
 District **Harvey** County **Mingo**  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by **Huntington Dev. & Gas Co.**  
**P. O. Box 1273** Address **Chas. 25, W. Va.**  
 Drilling commenced **1-3-21**  
 Drilling completed **3-26-21**  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure **540** lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10		46'	Size of
8 1/4		335'	
6 3/4		1397'	Depth set
5 3/16			
3			Perf. top
2		1749'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT **50** FEET **48** INCHES  
**185** FEET **60** INCHES **985** FEET **60** INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Soil			0	4			
Rock			4	16			
Slate			16	50			
Coal			50	54			
Mud			54	80			
Sand			80	148			
Slate			148	185			
Coal			185	190			
Slate			190	200			
Sand			200	210			
Slate			210	312			
Sand			312	330			
Slate			330	340			
Sand			340	400			
Brown Slate			400	420			
Black Slate			420	523			
White Sand			523	590			
Black "			590	620			
White "			620	680	Gas	630	
Black "			680	735			
White "			735	800	Oil	740	
Salt Sand			800	940			
Black Slate			940	985			
Coal			985	990			
Salt Sand			990	1200			
Black Slate			1200	1250			
Maxton Sand			1250	1340			
Blue Sand			1340	1380			
Black Lime & Pebbles			1380	1397			
Big Lime			1397	1557			
Jun Sand			1557	1655	Gas	1565 & 1626	
Squaw Sand			1655	1860	Gas	1664	
Brown Shale			1860	2226			
Serea Sand			2226	2242			
Slate			2242	2257			
Serea Sand			2257	2284			
Slate & Lime Shell			2284	2690			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Brown Shale			2690	2710			
Slate			2710	2760			
Slate & Lime Shell			2760	3120			
Brown Shale			3120	3140			
Slate			3140	3408			
quit Drilling at				3408			
WELL BRIDGED AT				1824			
FILLED UP TO				1749			

Date January 23, 1947

APPROVED Huntington Dev. & Gas Company, Owner

By G. A. Moore  
(Title)  
Chief Engineer