



DEPARTMENT OF MINES

RECEIVED

Oil and Gas Division


CCT 2 9 1981

OIL AND GAS WELL PERMIT APPLICATIONAND GAS DIVISION

Charleston, W. Va.	DATE October 10, 1981
Surface Owner W. Devine	Company Eastern Associated Coal Corp.
Address Rt. 2, Fairview, WV 26570	Address Rt. 1, Fairview, WV 26570
Mineral Owner See Attachment	Farm Reason Tennant Acres 50
Address	Location (waters) Days Run
Coal Owner See Attachment	Well No EACC - F1- 486 Elevation 1459
Address	District Clay County Mononga
Coal Operator Eastern Associated Coal	
Address Koppers Building, Pittsburgh	
PERMIT MUST BE POSTED AT THE WELL SITE	
ovisions being in accurtance with Claster 22,	
ovisions being in order of the largey operaved W. Va. Code, the large ion in largey operaved	INSPECTOR
redrilling. This permit shall expire	TO BE NOTIFIED William Blosser
7-5-82	
tions have not commenced by 7-5-82	ADDRESS Colfax, WV
LUN detto	BHOVE 202 0105
eputy Director - Oil & Gos Division	PHONE 363-9105
GENTLEMEN:	
The undersigned wall operator is entitled to	drill upon the above named farm or tract of land for oil and gas, having
	ant or lease dated 19 by
made to	and recorded on the day of
19, in County, Book	.
- ,	K Page
•	
NEW WELLDRILL I	DEEPER XXX REDRILL FRACTURE OR STIMULAGE
•	DEEPER XXX REDRILL FRACTURE OR STIMULAGE
NEW WELLDRILL I	DEEPER XXX REDRILL FRACTURE OR STIMULAGE LLY DRILLED BEFORE JUNE 5, 1969.
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register	DEEPER XXX REDRILL FRACTURE OR STIMULAGE LLY DRILLED BEFORE JUNE 5, 1969.
NEW WELLDRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date.	DEFPER XXX REDRILL FRACTURE OR STIMULAGE LY DRILLED BEFORE JUNE 5, 1969. red engineer or licensed land surveyor and all coal owners and/or operated
NEW WELLDRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operator	DEFPER XXX REDRILL FRACTURE OR STIMULAGE LLY DRILLED BEFORE JUNE 5, 1969. red engineer or licensed land surveyor and all coal owners and/or operation or are hereby notified that any objection they wish to make, or are require
NEW WELLDRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be received.	DEFPER XXX REDRILL FRACTURE OR STIMULAGE LLY DRILLED BEFORE JUNE 5, 1969. The designed or licensed land surveyor and all coal owners and/or operation or are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days.
NEW WELLDRILL IOIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be received to this notice and the enclosed plat we	DEFPER XXX REDRILL FRACTURE OR STIMULAGE LLY DRILLED BEFORE JUNE 5, 1969. The dengineer or licensed land surveyor and all coal owners and/or operation or are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days. The remained by registered mail, or delivered to the above named coal operation.
NEW WELL	DEFPER XXX REDRILL FRACTURE OR STIMULAGE LLY DRILLED BEFORE JUNE 5, 1969. The dengineer or licensed land surveyor and all coal owners and/or operation or are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days. The real register of the land
NEW WELL	DEEPER XXX REDRILL FRACTURE OR STIMULAGE LLY DRILLED BEFORE JUNE 5, 1969. The designeer or licensed land surveyor and all coal owners and/or operated or are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days. The real mailed by registered mail, or delivered to the above named coal operated address day before, or on the pay to the Department of Mines at Charleston, West Virginia.
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be receive make by Section 3 of the enclosed plat we or coal owners at their above shown respective same day with the mailing or delivery of this co	DEFPER XXX REDRILL FRACTURE OR STIMULATED LY DRILLED BEFORE JUNE 5, 1969. Tred engineer or licensed land surveyor and all coal owners and/or operated or are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days. The real mailed by registered mail, or delivered to the above named coal operated address day before, or on the partment of Mines at Charleston, West Virginia. Very truly your.
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be receive make by Section 3 of the enclosed plat we or coal owners at their above shown respective name day with the mailing or delivery of this coefficients.	DEFPER XXX REDRILL FRACTURE OR STIMULATED. LY DRILLED BEFORE JUNE 5, 1969. The designer or licensed land surveyor and all coal owners and/or operated or are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days. The department of Mines at Charleston, West Virginia. Very truly your County Co
NEW WELL	DEFPER XXX REDRILL FRACTURE OR STIMULATED LY DRILLED BEFORE JUNE 5, 1969. The designeer or licensed land surveyor and all coal owners and/or operated or are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days are remailed by registered mail, or delivered to the above named coal operated address day before, or on the Department of Mines at Charleston, West Virginia. Very truly your
NEW WELL	DEFPER XXX REDRILL FRACTURE OR STIMULAGE LLY DRILLED BEFORE JUNE 5, 1969. The design of licensed land surveyor and all coal owners and/or operated or are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days. The design of the design of the license
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be receive make by Section 3 of the enclosed plat we or coal owners at their above shown respective mame day with the mailing or delivery of this coefficient of the coefficient of	DEEPER XXX REDRILL FRACTURE OR STIMULATED LY DRILLED BEFORE JUNE 5, 1969. The design of licensed land surveyor and all coal owners and/or operation or are hereby notified that any objection they wish to make, or are required even by, or filed with the Department of Mines within ten (10) days. The mailed by registered mail, or delivered to the above named coal operation address day before, or on the Department of Mines at Charleston, West Virginia. Very truly your Well Operator Koppers Building Address Koppers Building
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be receive make by Section 3 of the enclosed plat where coal owners at their above shown respective mame day with the mailing or delivery of this coefficient of the coefficient of	DEEPER XXX REDRILL FRACTURE OR STIMULATED LY DRILLED BEFORE JUNE 5, 1969. The design of licensed land surveyor and all coal owners and/or operated or are hereby notified that any objection they wish to make, or are required even by, or filed with the Department of Mines within ten (10) days. The remainded by registered mail, or delivered to the above named coal operated address day before, or on the department of Mines at Charleston, West Virginia. Very truly your (Sign Name) Well Operator Koppers Building Address of
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be rede to make by Section 3 of the Code, must be rede to coal owners at their above shown respective same day with the mailing or delivery of this coefficient of the coefficient	DEEPER XXX REDRILL FRACTURE OR STIMULATED BEFORE JUNE 5, 1969. The design of licensed land surveyor and all coal owners and/or operated by a filed with the Department of Mines within ten (10) days. The remainded by registered mail, or delivered to the above named coal operated address day before, or on the Department of Mines at Charleston, West Virginia. Very truly your Well Operator Koppers Building Address Street
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be rede to make by Section 3 of the Code, must be rede to coal owners at their above shown respective same day with the mailing or delivery of this coefficient of the coefficient	DEEPER XXX REDRILL FRACTURE OR STIMULATED BEFORE JUNE 5, 1969. The desired engineer or licensed land surveyor and all coal owners and/or operation or are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days. The desired mail, or delivered to the above named coal operation address day before, or on the pay to the Department of Mines at Charleston, West Virginia. Well Operator Koppers Building Address of Well Operator Roppers Building City or Town
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be rede to make by Section 3 of the Code, must be rede to coal owners at their above shown respective same day with the mailing or delivery of this coefficient of the coefficient	DEEPER XXX REDRILL FRACTURE OR STIMULAGE LLY DRILLED BEFORE JUNE 5, 1969. The design of licensed land surveyor and all coal owners and/or operation of the angle of the licensed land surveyor and all coal owners and/or operation of the angle of the licensed land surveyor and all coal owners and/or operation of the angle of the license of license of the license of license license of license of license lice
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be rede to make by Section 3 of the Code, must be rede to coal owners at their above shown respective same day with the mailing or delivery of this coefficient of the coefficient	DEEPER XXX REDRILL FRACTURE OR STIMULATED BEFORE JUNE 5, 1969. The desired engineer or licensed land surveyor and all coal owners and/or operation or are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days. The desired mail, or delivered to the above named coal operation address day before, or on the pay to the Department of Mines at Charleston, West Virginia. Well Operator Koppers Building Address of Well Operator Roppers Building City or Town
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be receive and the enclosed plat we coal owners at their above shown respective same day with the mailing or delivery of this co PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY FO: WEST VIRGINIA GEOLOGICAL AND ECONOMIC SURVEY P. O. BOX 879 MORGANTOWN, WEST VIRGINIA 25505	DEEPER XXX REDRILL FRACTURE OR STIMULATED. LY DRILLED BEFORE JUNE 5, 1969. The design of licensed land surveyor and all coal owners and/or operated or are hereby notified that any objection they wish to make, or are required even by, or filed with the Department of Mines within ten (10) days. The real mailed by registered mail, or delivered to the above named coal operated address day before, or on the Department of Mines at Charleston, West Virginia. Very truly your (Sign Name) Well Operator Koppers Building Address of Street Well Operator Pennsylvania 15219
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be receive to make by Section 3 of the Code, must be receive coal owners at their above shown respective same day with the mailing or delivery of this coefficient of the companion of the code of the c	DEEPER XXX REDRILL FRACTURE OR STIMULATED LY DRILLED BEFORE JUNE 5, 1969. The design of the design of the state of the st
NEW WELL	DEEPER XXX REDRILL FRACTURE OR STIMULATED BEFORE JUNE 5, 1969. The design of licensed land surveyor and all coal owners and/or operation of are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days are remailed by registered mail, or delivered to the above named coal operation address day before, or on the Department of Mines at Charleston, West Virginia. Very truly your Well Operator Koppers Building Address of Street Well Operator Pittsburgh City or Town Pennsylvania 15219 State found by the Department of mines, within said period of ten days from the receipt operated location, the department shell forthwith issue to the well operator a permit rate operator a permit rate.
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be rede to make by Section 3 of the Code, must be rede to coal owners at their above shown respective same day with the mailing or delivery of this coefficient of the complete Submit Copies of All Geophysical Logs Directly for West Virginia Geological Alto ECONOMIC SURVEY P. O. BOX 879 MORGANTOWN, WEST VIRGINIA 26505 AC-304 - 292-6331 *SECTION 3 If no objections are filed or notice and plat by the department of min s, to said prothe filing of such plat, that no objections have been made.	DEEPER XXX REDRILL FRACTURE OR STIMULACE LLY DRILLED BEFORE JUNE 5, 1969. The design of licensed land surveyor and all coal owners and/or operation of are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days are remailed by registered mail, or delivered to the above named coal operation address day before, or on the Department of Mines at Charleston, West Virginia. Very truly yours (Sign Name) Well Operator Koppers Building Street Of Well Operator Pennsylvania 15219
NEW WELL	DEEPER XXX REDRILL FRACTURE OR STIMULATED BEFORE JUNE 5, 1969. The design of licensed land surveyor and all coal owners and/or operation of are hereby notified that any objection they wish to make, or are required eived by, or filed with the Department of Mines within ten (10) days. The read of the above named coal operation address and day before, or on the department of Mines at Charleston, West Virginia. Very truly your Well Operator Koppers Building Address of Street Well Operator Pittsburgh City or Town Pennsylvania 15219 State found by the Department of mines, within said period of ten days from the receipt operated location, the department shell forthwith issue to the well operator a permit rate operator a permit rate.
NEW WELL DRILL I OIL AND GAS WELL ORIGINAL The enclosed plat was prepared by a register have been notified as of the above date. The above named coal owners and/or operate to make by Section 3 of the Code, must be rede to make by Section 3 of the Code, must be rede to coal owners at their above shown respective name day with the mailing or delivery of this coefficient of the complex Submit Copies of this coefficient Copies of the mailing or delivery of this coefficient Virginia Geological Alticonomic Survey PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO: WEST VIRGINIA GEOLOGICAL ALTO ECONOMIC SURVEY P. O. BOX 879 MORGANTOWN, WEST VIRGINIA 26505 AC-304 - 292-6331 *SECTION 3 If no objections are filed or notice and plat by the department of min s, to said prothe filing of such plat, that no objections have been made	DEEPER XXX REDRILL FRACTURE OR STIMULACE LLY DRILLED BEFORE JUNE 5, 1969. The design of licensed land surveyor and all coal owners and/or operate eved engineer or licensed land surveyor and all coal owners and/or operate eved by, or filed with the Department of Mines within ten (10) days are remailed by registered mail, or delivered to the above named coal operate address day before, or on all oppy to the Department of Mines at Charleston, West Virginia. Very truly your (Sign Name) Well Operator Koppers Building Address of Street Of Well Operator Pittsburgh City or Town Fennsylvania 15219 State found by the Department of mines, within said period of ten days from the received oppoind location, the department shell forthwith issue to the well operator a permit rough to by the coal operators or found thereto by the department and that the same is a per to be a point of the coal operators or found thereto by the department and that the same is a per to the coal operators or found thereto by the department and that the same is a per to the coal operators or found thereto by the department and that the same is a per to the coal operator of the coal operators or found thereto by the department and that the same is a per to the coal operator of the coal operators or found thereto by the department and that the same is a per to the coal operator of the coal operators or found thereto by the department and that the same is a per to the coal operator of th

THIS IS AN ESTIMATE ONLY ... ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WOR	K ORDER TO XX	RE- DRILL	_ DEEPENFR	ACTURE STIMULATE
DRILLING CONTI	RACTOR: (If Known)	RESPONSIBLE AGENT:	
NAME Chisler	Brothers		NAME Eastern Assoc	iated Coal Corp.
ADDRESS Pe	entress, WV		ADDRESS Rt. 1, Fa	irview, WV 25570
TELEPHONE	<u> 879 - 5511</u>			<u>49 - 1911</u>
ESTIMATED DEP	TH OF COMPLETED	wzpu: 2352 feet	ROTARY	CABLE TOOLS XX
PROPERTY OFFI	OGICAL FORMATION	V:		
TYPE OF WELL:	OIL			DISPOSAL
		the first section of the contract of		ODOTHER
· ·	-	emot and		
TENTATIVE CAS	ING PROGRAM:			
CASING AND	TURING: 1	USED FOR	LEFT IN	CEMENT LILL UP
SIZE	į.	DRILLING	WELL	OR SACKS - CUBIC 11.
20 - 16				
13 - 10	c			
9 - 5/8				
8 - 5/8				
7				
5 1/2			1000 Soot	
4 1/2		Company of the compan	1062 feet	Pert. Top
3		and the second s		Perf. Bottom
Liners		and the second s	A STATE OF THE PARTY OF THE PAR	Perf. Top
				Perf. Bottom
•				
	an marriel and an anno	tto Sicre	SATO WATED	ET
and the second s				
				rgh seam
IS COAL BEING	MINED IN THE ARE	EA? Yes	BY WHOM? Ea	stern Associated Coal Co
	VE (5) COPIES OF O	G - 1, \$100.00 PERMI	F FEE, PERFORMANCE BO	OND AND PERMANENT COPY
OF PLAT.	•	•		
	ER OR REDRILL:			
WELLS DR				D PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD
	•			
TO FRACTURE		•	•	
BOND, PER	MANENT PLAT AND	ORIGINAL WELL REC	ORD.	COPIES OG - 1, PERFORMANCE
		ALLY DRILLED ON AN AND PERFORMANCE		9, FIVE COPIES OG - 1, SHOW-
	rms must be filed with	in ninety (90) days of c	completion for bond release.	Inspector to be notified to entire
	entidentida serrentida politica serre ser una destruir destruir de destigarença en . Va. de 1 serventida Principal residentida de la companió de la desta de principal serven se esta de la companió de la companió de			
		•••		
The following	ng waiver must be con	nipleted by the coal ope	erator if the permit is to be	issued within ten days of receipt
thereof.	•		•	
			음축 Coal Company, Owner aps this proposed well locat	r or Operator of the coal under- tion.
				vell being drilled at this location,
				7, Chapter 22 of the West Virginia
provid Code.		.ca with air rings and reg	and the car mores by by anti-	
coue.			John	A. Veitch
				or Coal Company





COAL OWNERS OF THE FEDERAL NO. 1 MINE PROPERTY

Camp Run Land Co., Inc. 2900 Grant Bldg. Pittsburgh, Pa. 15219

Consolidation Coal Company P. 0@ Box 371207M Pittsburgh, Pa. 15251

Consol Lend Development Co. Consol Plaza Pittsburgh, Pa. 15241

FEB 1 - 1982

FORM 00-0

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION WY DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

See Attachment COAL OPERATOR OR OWNER ADDRESS W. Devine LEASE OR PROPERTY OWNER Rt. 2. Fairview. WV 26570	Loppers Bldg. Dec WEI Clay Monongalis	cember 23	urgh, Pe.	15219
W. Devine	Clay Monongalia	ember 23),	
W. Devine	Clay Monongalia	LL AND LO		04
LEASE OR PROPERTY OWNER	Monongalia			19 81
LEASE OR PROPERTY OWNER				_District
LEASE OR PROPERTY OWNER				
Rt. 2. Fairview. WV 26570		3		_County
Andreas	Well. No. Fl-	486		
•				
	Rea	son TEnr	ant #L	Farm
STATE INSPECTOR SUPERVISING PLUGGING	illiam Blosser			
	DAVIT			
STATE OF WEST VIRGINIA,				
County of Monongalia				
Jim McKenzie	and David C			
being first duly sworn according to law depose				work of
plugging and filling oil and gas wells and were en	nployed by Chis	eler Brot	hers	
well operator, and participated in the work of pl				
was commenced on the 18th day of Novemb	oer , 19 81 ,	and that t	he well was	plugged
and filled in the following manner:				
AND OR ZONE RECORD FILLING MATERIAL				SING
	PLU	GS USED		
PORMATION		Z & KIND	Gee	G00
Cleaned out well #F1-486 to depth of	962		4	
	962		Gee	G00
. Cleaned out well #F1-486 to depth of 1,452 feet.	9.00		Gee	G00
. Cleaned out well #F1-486 to depth of 1,452 feet. Run 42 casing to 1,437 feet, gelled	i hole,		PULLED	CS C
. Cleaned out well #F1-486 to depth of 1,452 feet. Run 4½" casing to 1,437 feet, gelled pumped in cement plug, using chem-co	i hole,		Set 42	inch
. Cleaned out well #F1-486 to depth of 1.452 feet. Run 42" casing to 1,437 feet, gelled pumped in cement plug, using chem-co	hole,		Set 42 casing,	inch total o
Cleaned out well #F1-486 to depth of 1,452 feet. Run 4½" casing to 1,437 feet, gelled pumped in cement plug, using chem-constitution of the cosing to 1,051 feet, pumped 4½" casing to 1,051 feet, pu	h hole,		Set 42 casing,	inch total o
. Cleaned out well #F1-486 to depth of 1,452 feet. 2. Run 4½" casing to 1,437 feet, gelled pumped in cement plug, using chem-co Slotted old cosing to 1,051 feet, pum 4" W-plug down with chem-comp cement	h hole,		Set 42 casing,	inch total o
Cleaned out well #F1-486 to depth of 1,452 feet. Run 4½" casing to 1,437 feet, gelled pumped in cement plug, using chem-constitution of the cosing to 1,051 feet, pumped 4½" casing to 1,051 feet, pu	h hole,		Set 42 casing,	inch total o
Cleaned out well #F1-486 to depth of 1,452 feet. Run 4½" casing to 1,437 feet, gelled pumped in cement plug, using chem-completed of casing to 1,051 feet, pum 4" W-plug down with chem-complement 1,036 feet.	i hole, omp cement.		Set 42 casing,	inch total o
Cleaned out well #F1-486 to depth of 1,452 feet. Run 42" casing to 1,437 feet, gelled pumped in cement plug, using chem-co Slotted old casing to 1,051 feet, pum 4" W-plug down with chem-comp cement 1,036 feet. Run 2 3/8" tubing down out side 42"	i hole, omp cement.		Set 42 casing,	inch total o
Cleaned out well #F1-486 to depth of 1,452 feet. Run 4½" casing to 1,437 feet, gelled pumped in cement plug, using chem-completed of casing to 1,051 feet, pum 4" W-plug down with chem-complement 1,036 feet.	i hole, omp cement.		Set 42 casing,	inch total o
Cleaned out well #F1-486 to depth of 1.452 feet. Run 42" casing to 1.437 feet, gelled pumped in cement plug, using chem-construction. Pulled 42" casing to 1.051 feet, pum 4" W-plug down with chem-comp cement 1.036 feet. Run 2 3/8" tubing down out side 42" tagged top of cement at 285 feet, ce	i hole, omp cement.		Set 42 casing,	inch total o
Cleaned out well #F1-486 to depth of 1.452 feet. Run 42" casing to 1.437 feet, gelled pumped in cement plug, using chem-compumped in cement plug, using chem-compumped 42" casing to 1.051 feet, pum 4" W-plug down with chem-compument 1.036 feet. Run 2 3/8" tuping down out side 42" tagged top of cement at 285 feet, ce	i hole, omp cement.		Set 42 casing,	inch total o
Cleaned out well #F1-486 to depth of 1.452 feet. Run 4½" casing to 1.437 feet, gelled pumped in cement plug, using chem-compared by the state of the surface of the surface. Run 4½" casing to 1.051 feet, pum 4" W-plug down with chem-comp cement 1.036 feet. Run 2 3/8" tubing down out side 4½" tagged top of cement at 285 feet, ce to surface.	i hole, omp cement.		Set 42 casing, 1,051 fat surf	inch total o eet star
Cleaned out well #F1-486 to depth of 1.452 feet. Run 4½" casing to 1,437 feet, gelled pumped in cement plug, using chem-co 5 lotted old casing to 1,051 feet, pum 4" W-plug down with chem-comp cement 1,036 feet. Run 2 3/8" tubing down out side 4½" tagged top of cement at 285 feet, ce to surface.	a hole, omp cement. sped to casing, omented	DESCRIPTIO	Set 42 casing, 1,051 f at surf	inch total o eet star
Cleaned out well #F1-486 to depth of 1,452 feet. Run 4½" casing to 1,437 feet, gelled pumped in cement plug, using chem-compared to 1,051 feet, pum 4" W-plug down with chem-comparement 1,036 feet. Run 2 3/8" tubing down out side 4½" tagged top of cement at 285 feet, ce to surface.	a hole, comp cement casing, mented	DESCRIPTIONS WAS WITH WATER WITH THE PROPERTY OF THE PROPERTY	Set 42 casing, 1,051 fat surf	inch total o eet star ace.
Cleaned out well #F1-486 to depth of 1,452 feet. Run 4½" casing to 1,437 feet, gelled pumped in cement plug, using chem-compared by the sing to 1,051 feet, pum 4" W-plug down with chem-comp cement 1,036 feet. Run 2 3/8" tubing down out side 4½" tagged top of cement at 285 feet, ce to surface.	i hole, imp cement. inped to casing, imented 42X2" surface	DESCRIPTION Swage with e. 2" p:	Set 42 casing, 1,051 f at surf	inch total o eet star ace.