



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street SE
Charleston, WV 25304
(304) 926-0450
(304) 926-0452 fax

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

June 10, 2016

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-6100785, issued to NOUMENON CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalties being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.


James Martin
Chief

Operator's Well No: 1
Farm Name: WRIGHT, D. R.
API Well Number: 47-6100785
Permit Type: Plugging
Date Issued: 06/10/2016

Promoting a healthy environment.

06/10/2016

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
3. Well work activities shall not constitute a hazard to the safety of persons.
4. This well is under a consent order and must be plugged under the terms of that agreement.

6/00785 P

WW-4B
Rev. 2/01

1) Date April 11, 20 16
2) Operator's
Well No. 1-D.R. Wright
3) API Well No. 47-081 - 00785

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

- 4) Well Type: Oil ___ / Gas X / Liquid injection ___ / Waste disposal ___ /
(If "Gas, Production X or Underground storage ___) Deep ___ / Shallow X
- 5) Location: Elevation 1027.0 Watershed Unnamed Trib. of Jakes Run
District Clay County Monongalia Quadrangle Blacksville, WV
- 6) Well Operator Noumenon Corporation 7) Designated Agent Lonnie Atkins
Address 2461 Mason Dixon Highway Address 2461 Mason Dixon Highway
Core, WV 26541 Core, WV 26541
- 8) Oil and Gas Inspector to be notified 9) Plugging Contractor
Name Gayne Knitowski Name Noumenon Corporation
Address P.O. Box 108 Address 2461 Mason Dixon Highway
Gormanian, WV 26720 Core, WV 26541

10) Work Order: The work order for the manner of plugging this well is as follows:


See attached detailed Work Order

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector 

RECEIVED
Office of Oil and Gas
Date 5/11/2016
MAY 16 2016

WV Department of Environmental Protection
06/10/2016



D. R. WRIGHT #1

API 47-061-00785

NOUMENON CORPORATION

PLUGGING WORK ORDER

1. PULL 2" TUBING IF POSSIBLE. IF NOT POSSIBLE FREEPOINT, CUT AND PULL 2" TUBING. ESTIMATED CUT \approx 2400'
2. SPOT GEL TO TUBING CUT.
3. SET MECHANICAL PLUG, JUST ABOVE TUBING CUT.
4. SET 100' CLASS A CEMENT PLUG ON TOP OF MECHANICAL PLUG.
5. GEL HOLE TO 1400'.
6. SET 200' CLASS A CEMENT PLUG FROM 1998' TO 1798'. (8 1/4" CASING SEAT)
7. SET 100' CLASS A CEMENT PLUG FROM 1350' TO 1250'.
8. GEL HOLE TO 694'.
9. SET CLASS A CEMENT PLUG FROM 694' TO 444' TO COVER CASING SEAT, PITTSBURGH COAL & SEWICKLEY COAL.
10. GEL HOLE TO 200' AND SET A 200' CLASS A CEMENT PLUG TO SURFACE.

J.W.M.
6/10/16

13" CASING

644'

10" CASING

1300'

8 1/4" CASING

1848'

UNCASED DRILLED HOLE

3080' OF 2" TUBING

2900'
Packer Set @ 2915'

5" DIA. UNCASED DRILLED HOLE TO 3080'

D. R. WRIGHT # 1

CURRENT STATUS

API 47-061-00785

NOUMENON CORPORATION

WW-4B
Application for Permit to Plug or Abandon
Section 10-Work Order

API Well No: 47-061-00785

Operator Well #: 1-D.R. Wright

Well History: The D.R. Wright well was taken over by Noumenon Corporation in 1991 there was no well permits available for the site. Noumenon performed an extensive search of the WV Geological Survey's digital files as well as a site visit to Mount Chateau office where Senior Petroleum Geologist Philip A. Dinterman assisted in the search of records. The search did not discover any permit information however, Mr. Dinterman did find an archived Well Log book from J. H. McDermott Company that appears to contain a log of the D.R. Wright Well No. 1 the Well, the log is attached.

Site Preparation: Noumenon Corporation will utilize Best Management Practices (BMP) as outlined in the Erosion and Sediment Control Best Management Practice Manual 2006 published by the West Virginia Department of Environmental Protection, Division of Water and Waste Management to prevent and minimize impact from erosion and sedimentation due to activities on the well plugging site. BMP's will include but are not limited to: Rock Entrance on access roads, Silt Fence, Silt Socks and Wattles around the perimeter of the site, temporary culverts, rock crossings, upslope diversion ditches to move water around the site, and all other approved methods necessary to access the well site in a manner which minimizes environmental impact. All fluids removed from the well will be captured and stored in tanks. The fluids will be removed from the site and disposed of properly and the Noumenon Corporation facility at Core, WV All casing and materials removed from the well will be removed from the site and disposed of appropriately.

Surface Elevation: 1027.0 msl **Conductor:** 13" 644'

Casing Diameter and Depth: 10" 1300' and 8 3/4" 1848 **Casing Thickness:** 1/4" **Total Depth:** 3080'

Tubing Diameter: not reported

Tubing Removal: Noumenon Corporation prior to initiating the main casing removal and abandonment procedure will remove all production tubing from the well. The tubing will be stockpiled on trailers or in containers for delivery to the Noumenon storage yard or taken straight to a salvage yard for proper disposal.

Casing Retrieval (35-4-13.6): Noumenon Corporation will make a reasonable effort to cut and pull all recoverable casing from the well. Noumenon Corporation proposes to use a Bucyrus-Erie 28L Spudder Rig or other similar type equipment with a lifting capacity of at least 150% the estimated weight of the casing to perform the extraction process. If the pipe cannot be pulled with reasonable force one of two actions will be taken. 1) Reasonable attempts will be taken to perforate the pipe to allow cement behind the pipe to prevent contamination of the freshwater zone. 2) Reasonable attempts will be made with a collar buster, or explosive charge to sever the string of pipe in the well. Then the pipe will be brought to the surface and cut into manageable lengths. The pipe will be stockpiled for later removal or loaded immediately onto a trailer for removal to the Noumenon supply yard or taken straight to a salvage yard.

RECEIVED
Office of Oil and Gas
MAY 16 2016
WV Department of
Environmental Protection



D.R. Wright Well No. 1 47-061-00785

Plugging Methods (35-4-14): The operator shall remove/bail all oils and or salt waters from the well prior to initiating the plugging process. The oil/water encountered and removed will be disposed at a certified landfill or disposal facility. The operator is proposing to set a mechanical ~~or electronic~~ plug immediately above the shot hole or below sea level elevation based on conditions encountered. The operator does not know how deep the well is so the actual depth will be determined as the casing is removed. Once the mechanical ~~or electronic~~ plug is set, a 100 cement plug will be placed, allowed to set, then tagged to verify depth before filling with API Class A Portland Hydraulic Cement (with a Calcium Chloride content of 3% or less and no other additives) should it become necessary and pending Inspector approval Aqua Gel or Hole Plug may also be used. The Cement grout shall be placed in the hole under pressure using a string of 1 ½ inch Tubing and cement pump. Previously, the Osage No. 1

RECEIVED
Office of Oil and Gas
MAY 11 2016
WV Department of
Environmental Protection

06/10/2016

mine operated by Consolidation Coal Company, (and now controlled by Murray Energy Incorporated) mined in the vicinity of this well in the Pittsburgh coal seam. The mine is considered worked out and abandoned. If a void is encountered in the mine a second plug will be set above the void where competent strata exist and the remaining portion of the well will be filled as described above. The Sewickley coal seam which lies approximately 120' above the Pittsburgh Coal seam is the only other known commercially mineable and marketable coal seam in the region. There has been no mining of the Sewickley coal in the area of the well site.

Plugging and Well Records (35-4-12.1): The operator and or contractor hired to perform the plugging shall maintain a log or records of such detail that the entries and related data on Form WR-38 "Affidavit of Plugging and Filling Well" can be completed. The WR-38 shall reflect all data discovered or changes made after the permitted well work has been finished.

Reclamation of the Site: Upon completion of the well plugging all equipment, piping and other debris from the plugging operation shall be removed from the site. All disturbance created by the plugging or access to the well site shall be reclaimed and vegetated to prevent erosion and sedimentation. The operator shall use utilize WV Department of Environmental Protections Best Management Practices as the criteria for Erosion and Sediment Control and revegetation.

Soil Amendments and Revegetation Rates:

Lime: 2.0 tons/acre

Fertilizer: 600 lbs/acre of 10-20-20 or better

Temporary Seed Mixture		Permanent Seed Mixture	
Seed Type	Lbs/acre	Seed Type	Lbs/acre
Annual Rye	50	Gulf Annual Rye	24
		Perennial Rye	20
		Boreal Red Fescue	5
		Inert and Other Seed	1

Mulch: 2.0 tons/acre

Monument: Upon completion of the site reclamation and in conjunction with the closure of the well the operator shall install a monument in accordance with 35-4-(5) (b) and as follows:

1. The monument shall be made of steel pipe.
2. The diameter shall be ~~4~~- 6" **MIN. 6"**.
3. The pipe shall be imbedded into the well head 10 feet below the surface level and protrude at least 30" above the ground surface.
4. The pipe shall be sealed with concrete cement.
5. The API Number shall welded onto the pipe in 2" height numbering.

Responsible Parties: The operator, contractors and drillers including all service companies are directed that they shall comply with WV Code 22-6

RECEIVED
Office of Oil and Gas

MAY 16 2016

WV Department of
Environmental Protection

06/10/2016

DIVISION _____

PAGE NO. _____

No. 1

WELL RECORD

CONSOLIDATION OIL & GAS COMPANY

COMPANY

Record of Well No. **1** on **D. R. Wright** Farm **14** Acres
Mooreville Field **Clay** District **Monongalia** County **W. Va.** State
 Rig Commenced **19** Completed **19**
 Drilling Commenced **December 7, 1929** Completed **January 16, 1929**
 Cost Per Foot _____ Contractor **Jesse Parker** Address **Fairview, W. Va.**
 Drillers Names **Jesse Parker and Mr. Styles.**

CONDUCTOR AND CASING USED IN DRILLING

Conductor 13 inch **644** 10 inch **1300** 8 1-4 inch **1848** 6 5-8 inch 5 3-16 inch 4 inch 3 inch 2 inch

CONDUCTOR AND CASING LEFT IN WELL

Conductor 13 inch **644** 10 inch **1300** 8 3-4 inch **1848** 6 5-8 inch 5 3-16 inch 4 inch 3 inch 2 inch

Formation	Top	Bottom	Thickness	Formation	Top	Bottom	Thickness
GRAVEL OR QUICK SAND FIRST WATER BLUFF SAND				FORMATION SQUAW			
NATIVE COAL WEG. COAL MAPLE COAL PGL. COAL MURPHY SAND	622	629		BEREA Lime GANTZ	2408 2465	2423 2475	
LITTLE DKRD.				FIFTY FOOT	2503	2525	Gas at 2505 10/10 water on 1 inch opening.
BIG DKRD. Lime GAS SAND	1300 1335	1335 1377		THIRTY FOOT Sand GORDON STRAY	2550 2596 2750	2585 2612 2775	
FIRST SALT SAND	1420	1462		GORDON Sand	2830	2870	
SAND SAND Shale Salt sand	1480 1500 1519	1500 1519 1655		FOURTH Sand	2897	2925	
LITTLE LIME PENCIL CAVE BIG LIME	1812 1823 1827	1823 1827 1892		FIFTH Sand	2953 2982	2962 2990	
BIG INJUN	1892	2108		BAYARD Total	3070 3080		
				ELIZABETH	Hole reduced to 5" at 2898		
				TOTAL DEPTH			

Gas Test Open Little gas at 2884. Gas at 3072-26/10 water on 2" opening
 Minute Test 1/17-2/27 - 3/58 - 4/48 - 5/58 - 10/90 - 50/40 - 20 hr R. P. 175

Oil Production _____
 Well Tubed with _____ Tubing Packer Set in _____ Sand, Top of Packer, _____ Perforation
 Well Tubed with _____ Tubing Ft. working bbl. _____ Anchor, Perforation at, _____ Air Hole

SHOT RECORD

Date	Amount	Size of Shell	Top	Bottom	Oil on Shot	Results
Well tubbed with 3080 ft 2" tubing turned in South Penn Oil Co. Lime Jan 23, 1929. Old well drilled from gas sand to Bayard sand.			53/16 x 2"	Parker set at 2915		

REMARKS:



Select County: (061) Monongalia (Check All)
 Enter Permit #: 785
 Location Production Plugging
 Owner/Completion Stratigraphy Sample
 Pay/Show/Water Logs Btm Hole Loc

[Table Descriptions](#)
[County Code Translations](#)
[Permit-Numbering Series](#)
[Usage Notes](#)
[Contact Information](#)
[Disclaimer](#)
[WVGES Main](#)
["Pipeline-Plus" New](#)

WV Geological & Economic Survey:

Well: County = 061 Permit = 785

Report Time: Monday, March 07, 2016 5:34:26 PM

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_75	QUAD_15	LAT_DD	LON_DD	UTME	UTMN
4706100785	Monongalia	785	unknown	unknown	unknown				

There is no Bottom Hole Location data for this well

There is no Owner/Completion data for this well

There is no Owner/Completion data for this well

There is no Pay data for this well

Production Gas Information: (Volumes in Mcf)

API	OPERATOR	PRD_YEAR	ANN_GAS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4706100785	unknown	1991	3,905	325	325	325	325	325	325	325	325	325	325	325	330
4706100785	Noumenon Corp, a WV Corp	1992	2,849	259	259	259	259	259	259	259	259	259	259	259	0
4706100785	Noumenon Corp, a WV Corp	1993	2,028	392	392	0	334	335	0	106	107	0	181	181	0
4706100785	Noumenon Corp, a WV Corp	1994	1,093	546	547	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	1995	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	1996	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	1997	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2000	1	0	0	1	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2002	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2003	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2004	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2005	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2006	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2007	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2008	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2009	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2010	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2011	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2012	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2013	60	5	5	5	5	5	5	5	5	5	5	5	5

Production Oil Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API	OPERATOR	PRD_YEAR	ANN_OIL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4706100785	unknown	1991	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	1992	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	1993	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	1994	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	1995	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	1996	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	1997	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2000	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2002	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2003	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2004	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2005	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2006	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2007	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2008	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2009	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2010	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2011	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2012	0	0	0	0	0	0	0	0	0	0	0	0	0
4706100785	Noumenon Corp, a WV Corp	2013	0	0	0	0	0	0	0	0	0	0	0	0	0

There is no Production NGL data for this well ** some operators may have reported NGL under Oil

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

RECEIVED
Office of Oil and Gas
MAY 16 2016
WV Department of
Environmental Protection
06/10/2016

WW-4A
Revised 6-07

1) Date: April 11, 2016
2) Operator's Well Number
1-D.R. Wright

3) API Well No.: 47 - 061 - 00785

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Owner(s) to be served:	5) (a) Coal Operator
(a) Name <u>Mitchell E. and Terry Jo Mayle</u>	Name <u>Murray Energy Corporation</u> ✓
Address <u>77 Carrico Hollow Road</u>	Address <u>46226 National Road</u>
<u>Core, WV 26541</u>	<u>St. Clairsville, OH 43950</u>
(b) Name _____	(b) Coal Owner(s) with Declaration
Address _____	Name _____
_____	Address _____
(c) Name _____	Name _____
Address _____	Address _____
_____	_____
6) Inspector <u>Gayne Knitowski</u>	(c) Coal Lessee with Declaration
Address <u>P.O. Box 108</u>	Name _____
<u>Gormanian, WV 26720</u>	Address _____
Telephone <u>(304) 546-8171</u>	_____

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator Noumenon Corporation

By: [Signature]

Its: President

Address 2461 Mason Dixon Highway

Core, WV 26541

Telephone (304) 296-5460



Subscribed and sworn before me this 15th day of April, 2016
Russell L. Bolyard Notary Public
My Commission Expires August 25th, 2019

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas
MAY 16 2016
WV Department of Environmental Protection
06/10/2016

WW-9
(2/15)

API Number 47 - 061 - 00785
Operator's Well No. 1-D.R. Wright

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Noumenon Corporation OP Code _____
Watershed (HUC 10) Unnamed Tributary of Jakes Run Quadrangle Blacksville

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No

Will a pit be used? Yes No

If so, please describe anticipated pit waste: _____

Will a synthetic liner be used in the pit? Yes No If so, what ml.? _____

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection (UIC Permit Number _____)
- Reuse (at API Number _____)
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain Noumenon Corporation and/or Contractor shall place all waste fluids in a tank and dispose of properly.)

Will closed loop system be used? If so, describe: N/A

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A

-If oil based, what type? Synthetic, petroleum, etc. N/A

Additives to be used in drilling medium? N/A

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? N/A

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature *Stephen K. Shuman*

Company Official (Typed Name) Stephen K. Shuman

Company Official Title President

Subscribed and sworn before me this 15th day of April

Russell L. Bolyard

My commission expires August 25th, 2019



06/10/2016

Noumenon Corporation

Proposed Revegetation Treatment: Acres Disturbed 0.50 to 1.0 Prevegetation pH 5.5

Lime 2.0 Tons/acre or to correct to pH 6.0 or above

Fertilizer type 10-20-20 or better

Fertilizer amount 600 lbs/acre lbs/acre

Mulch 2 Tons/acre

Seed Mixtures

Temporary		Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Rye	50lbs/acre	Gulf Annual Rye	24 lbs/ac
		Perennial Rye	20 lbs/ac
		Boreal Red Fescue	5 lbs/ac
		Inert and Other Seed	1 lbs/ac

Attach:

Drawing(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided)

Photocopied section of involved 7.5' topographic sheet.


See Attached Well Location Map

Plan Approved by: _____

Comments: _____

Title: _____ Date: _____

Field Reviewed? () Yes () No



LEGEND

GAS WELL
 Northing: 435395.520
 Easting: 1783274.162
 ELEVATION: 1086.33'

SURVEYED WELL LOCATION

PROPERTY LINE

0 FT 1000 FT 2000 FT



RECEIVED
 Office of Oil and Gas

MAY 20 2016

WV Department of
 Environmental Protection



LOCATION MAP

NOUMENON CORPORATION
 2461 MASON DIXON HIGHWAY, CORE, WV 26541

API WELL NO. - **47-061-00785**
 OPERATOR'S WELL NO. - **1 - DR WRIGHT**

CLAY DISTRICT - MONONGALIA COUNTY, WV
 7.5 MINUTE SERIES - 20' CONTOUR INTERVAL
 BLACKSVILLE, WV TOPO QUAD

RECEIVED
Office of Oil and Gas

MAY 20 2016

WW-7
8-30-06WV Department of
Environmental ProtectionWest Virginia Department of Environmental Protection
Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47-061-00785 WELL NO.: 1

FARM NAME: D.R. Wright

RESPONSIBLE PARTY NAME: Noumenon Corporation

COUNTY: Monongalia DISTRICT: Clay

QUADRANGLE: Blacksville, WV

SURFACE OWNER: Mitchell E. and Terry Jo Mayle

ROYALTY OWNER: Not Producing

UTM GPS NORTHING: 435395.520 = 4394080.895 N

UTM GPS EASTING: 1783274.162 = 572172.438 E GPS ELEVATION: 1086.33

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:


1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.
2. Accuracy to Datum – 3.05 meters
3. Data Collection Method:

Survey grade GPS <input checked="" type="checkbox"/>	: Post Processed Differential	<input checked="" type="checkbox"/>
	Real-Time Differential	<input type="checkbox"/>

Mapping Grade GPS <input type="checkbox"/>	: Post Processed Differential	<input type="checkbox"/>
	Real-Time Differential	<input type="checkbox"/>

4. **Letter size copy of the topography map showing the well location.**

I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

 _____ Signature	President _____ Title	5/20/2016 _____ Date
---	-----------------------------	----------------------------