



API # 47- 61-00904-P

## STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVSION OF OIL AND GAS

## AFFIDAVIT OF PLUGGING AND FILLING WELL

CODY LO DE	required)		UDATATA S	y mailed to the nd the third co ch coal operat	
Farm name:	CORROTHERS	S, JOSEPH S.	Operator	Well No.:F2-409	A
LOCATION:	Latitude: Longitude	: 1250.00 Q BATTELLE 7266 Feet 814 Feet		ADESTOWN ounty: MONONGALI Deg. 40 Min. 0 Deg. 17 Min. 30	Sec
Well Type:	OIL X	GAS			
	Pennzoil Comp PO Drawer 158 Parkersburg,	38	Coal O or Own	perator Eastern As er Route 1 Bo Fairview,	x 144
Agent: T	erry O. Hende	rshot	Coal O	perator	
Inspector:	Don Ellis		or Own		DO TO
Permit Issu	ed: 01/30/8	39	01 0411		W TO HE
		<b>a</b> :	FFIDAVIT	MAD	8 1989
STATE OF WE	ST VIRGINIA		FFIDAVII	WAIN A	5 1989
County of		-, 85:		DIVISION OF	FOIL & GAS
				DEPARTMENT	T OF ENERGY
Jim_G	ump	aı	nd Melvin		
first duly	sworn acco	ording to law	depose and	say that they ar	e experienced
in the work	k of pluggi	ng and rilli	ng oil and g	as wells and wer	a amplement by
				w.i.c #C.	e embrohed by
wark of al					
work of pli	ugging and	filling the	, well ober	ator, and partic	ipated in the
on the	ugging and day	filling the of February	above well,		ipated in the
on the	ugging and b day in the foll	filling the of February .owing manner	above well, 	that said work and that the wel	was commenced l was plugged
and filled	ugging and b day in the foll	filling the of February	above well,	ator, and partic	ipated in the
and filled	ugging and day in the foll PE	filling the of February cowing manner FROM	above well, 1989, r:  TO	that said work and that the wel  PIPE REMOVED	was commenced l was plugged
and filled TY	ugging and 6 day in the foll PE 0 1502	filling the of February .owing manner	above well, , 1989 r: TO Ray, Neutron &	that said work and that the wel  PIPE REMOVED	was commenced l was plugged
Cleaned out to Ripped old 8" Run 4 1/2" pi	o 1502 pipe from pe to 1411'	filling the of February owing manne: FROM  Run logs Gamma 1200' to 1300'	above well, 1989, TO Ray, Neutron & 975 to 1088	that said work and that the wel  PIPE REMOVED  3 Arm Caliper	LEFT
Cleaned out to Ripped old 8" Run 4 1/2" pi	o 1502 pipe from pe to 1411' on Run 150	filling the of February owing manner FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp	above well, , 1989, r: TO Ray, Neutron & \$ 975' to 1088 h 15 sacks gell pulled 4 1/2"	that said work and that the wel PIPE REMOVED    3 Arm Caliper   & 4 bags paper mul	LEFT
Cleaned out to Ripped old 8" Run 4 1/2" pi Got circulation Run 700 sacks	o 1502 pipe from pe to 1411' on Run 150 of Portland	filling the of February owing manner FROM  Run logs Gamma 1200 to 1300 gelled hole wit sacks chem-comp & 150 sacks Chem-	above well, , 1989, r: TO Ray, Neutron & \$ 975' to 1088 h 15 sacks gell pulled 4 1/2"	that said work and that the wel PIPE REMOVED  3 Arm Caliper  & 4 bags paper multiple and that the well and that the well and that the well and that the well and	LEFT
Cleaned out to Ripped old 8" Run 4 1/2" pir Got circulation Run 700 sacks Pumped latch of	o 1502  pipe from pe to 1411' on Run 150 of Portland down plug to	filling the of February owing manner FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Chem-comp	above well, , 1989  r: TO  Ray., Neutron & 975' to 1088 h 15 sacks gel pulled 4 1/2" n-Comp Cement	pipe to 1097  & got circulation	LEFT  LEFT
Cleaned out to Ripped old 8" Run 4 1/2" pir Got circulation Run 700 sacks Pumped latch of Bailed water	o 1502  pipe from pe to 1411' on Run 150 of Portland down plug to out inside	filling the of February owing manner FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Che 1076' 4 1/2" pipe &	Ray., Neutron & 975' to 1088 h 15 sacks gel pulled 4 1/2" n-Comp Cement	that said work and that the wel PIPE REMOVED    3 Arm Caliper   & 4 bags paper mul	lpated in the was commenced l was plugged  LEFT
Cleaned out to Ripped old 8" Run 4 1/2" pi Got circulation Run 700 sacks Pumped latch of Bailed water Old 7" Pipe	o 1502  pipe from pe to 1411' on Run 150 of Portland down plug to out inside	filling the of February owing manner FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Che 1076' 4 1/2" pipe & 1404	Ray, Neutron & 975' to 1088 h 15 sacks gel pulled 4 1/2" n-Comp Cement checked plug	pipe to 1097  & got circulation	LEFT  LEFT  LCh  1097' 98'
Cleaned out to Ripped old 8" Run 4 1/2" pi Got circulation Run 700 sacks Pumped latch Bailed water Old 7" Pipe Old 10" Pipe	o 1502  pipe from pe to 1411' on Run 150 of Portland down plug to out inside	filling the of February owing manner FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Chem-comp & 1/2" pipe & 1/404 250	Ray., Neutron & 975' to 1088 h 15 sacks gel pulled 4 1/2" n-Comp Cement	pipe to 1097  & got circulation	LEFT  Leh  1097' 98' 725
Cleaned out to Ripped old 8" Run 4 1/2" pi Got circulation Run 700 sacks Pumped latch of Bailed water Old 7" Pipe Old 10" Pipe Old 8" Pipe	o 1502  pipe from pe to 1411' on Run 150 of Portland down plug to out inside	filling the of February owing manner FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Chem 1076' 4 1/2" pipe & 1404 250 975	Ray., Neutron & 975' to 1088 h 15 sacks gel pulled 4 1/2" n-Comp Cement checked plug 1502 975 1404	pipe to 1097  & 4 bags paper mulpipe to 1097  & got circulation  4 1/2" Pipe New	LEFT  LEFT  1097' 98' 725
Cleaned out to Ripped old 8" Run 4 1/2" pigot circulation Run 700 sacks Pumped latch of Bailed water old 7" Pipe old 10" Pipe old 8" Pipe Descrip	o 1502  pipe from pe to 1411' on Run 150 of Portland down plug to out inside	Filling the of February  of February  owing manner  FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Chem-tomp & 150 sacks	Ray, Neutron & Post of the State of the Stat	that said work and that the wel  PIPE REMOVED  3 Arm Caliper  & 4 bags paper mul pipe to 1097 & got circulation  4 1/2" Pipe New  Letal Plate welded to the said well  Letal Plate welded to the said well  Letal Plate welded to the said well  Letal Plate well  Letal Plate welded to the said well  Letal Plate well	LEFT    1097'   98'   725   725   0 2" pipe with
Cleaned out to Ripped old 8" Run 4 1/2" pi Got circulation Run 700 sacks Pumped latch Bailed water Old 7" Pipe Old 10" Pipe Old 8" Pipe Descrip and the	o 1502 pipe from pe to 1411' on Run 150 of Portland down plug to out inside	filling the of February  of February  owing manner  FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Chem-tomp & 150 sacks	Ray, Neutron & Form of the second of the sec	that said work and that the wel  PIPE REMOVED  3 Arm Caliper  & 4 bags paper mul pipe to 1097 & got circulation  4 1/2" Pipe New  Letal Plate welded to the said well  Letal Plate welded to the said well  Letal Plate welded to the said well  Letal Plate well  Letal Plate welded to the said well  Letal Plate well	LEFT    1097'   98'   725   725   0 2" pipe with
Cleaned out to Ripped old 8" Run 4 1/2" pi Got circulation Run 700 sacks Pumped latch Bailed water Old 7" Pipe Old 10" Pipe Old 8" Pipe Descrip and the	o 1502  pipe from pe to 1411' on Run 150 of Portland down plug to out inside	filling the of February  of February  owing manner  FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Chem-tomp & 150 sacks	Ray, Neutron & Post of the State of the Stat	that said work and that the wel  PIPE REMOVED  3 Arm Caliper  & 4 bags paper mul pipe to 1097 & got circulation  4 1/2" Pipe New  Letal Plate welded t	LEFT    1097'   98'   725   725   0 2" pipe with
Cleaned out to Ripped old 8" Run 4 1/2" pi Got circulation Run 700 sacks Pumped latch Bailed water Old 7" Pipe Old 10" Pipe Old 8" Pipe Descrip and the	o 1502 pipe from pe to 1411' on Run 150 of Portland down plug to out inside otion of mo	filling the of February owing manner FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Che 1076' 4 1/2" pipe & 1404 250 975 nument: 4 1/2' Date point in the control of plugging the control of the contr	Ray, Neutron & Form of the second of the sec	that said work and that the wel  PIPE REMOVED  3 Arm Caliper  & 4 bags paper mul pipe to 1097 & got circulation  4 1/2" Pipe New  Letal Plate welded to the said well  Letal Plate welded to the said well  Letal Plate welded to the said well  Letal Plate well  Letal Plate welded to the said well  Letal Plate well	LEFT    1097'   98'   725   725   0 2" pipe with
Cleaned out to Ripped old 8" Run 4 1/2" pi Cot circulation Run 700 sacks Pumped latch Bailed water Old 7" Pipe Old 10" Pipe Old 8" Pipe Descrip and the 13 Cot Circulation Run 700 sacks Pumped latch Bailed water Old 7" Pipe Old 8" Pipe Descrip Cot Run 700 Run Pipe Descrip Run 700 Run	o 1502 pipe from pe to 1411' on Run 150 of Portland down plug to out inside otion of mo	filling the of February owing manner FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Che 1076' 4 1/2" pipe & 1404 250 975 nument: 4 1/2' Date point in the control of plugging the control of the contr	Ray, Neutron & Form of the second of the sec	that said work and that the wel  PIPE REMOVED  3 Arm Caliper  & 4 bags paper mul pipe to 1097 & got circulation  4 1/2" Pipe New  Letal Plate welded to the said well  Letal Plate welded to the said well  Letal Plate welded to the said well  Letal Plate well  Letal Plate welded to the said well  Letal Plate well	LEFT    1097'   98'   725   725   0 2" pipe with
Cleaned out to Ripped old 8" Run 4 1/2" pi Got circulation Run 700 sacks Pumped latch Bailed water Old 7" Pipe Old 10" Pipe Old 8" Pipe Description and the 13 Canada furthur	o 1502 pipe from pe to 1411' on Run 150 of Portland down plug to out inside otion of mo	filling the of February owing manner FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Che 1076' 4 1/2" pipe & 1404 250 975 nument: 4 1/2" Date pix of plugging the saith not.	above well, , 1989, r: TO  Ray, Neutron & 975' to 1088 h 15 sacks gell pulled 4 1/2" n-Comp Cement checked plug 1502 975 1404 'x 2" Swedge Molugged and A.P. plugged and filling, 1989.	That said work and that said work and that the well pipe REMOVED    3 Arm Caliper   & 4 bags paper mulpipe to 1097   & got circulation   4 1/2" Pipe New	LEFT    1097'   98'   725'   32" pipe with completed on
Cleaned out to Ripped old 8" Run 4 1/2" pin Got circulation Run 700 sacks Pumped latch Bailed water Old 7" Pipe Old 10" Pipe Old 8" Pipe Description and the 13 Canada furthur Sworn and su	pipe from pe to 1411' on Run 150 of Portland down plug to out inside out inside out the worday of Mark	filling the of February owing manner FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Che 1076' 4 1/2" pipe & 1404 250 975 onument: 4 1/2" Date pick of plugging the saith not.	Ray, Neutron & Post of the State of the Stat	that said work and that the wel  PIPE REMOVED  3 Arm Caliper  & 4 bags paper mul pipe to 1097 & got circulation  4 1/2" Pipe New  Letal Plate welded to the said well  Letal Plate welded to the said well  Letal Plate welded to the said well  Letal Plate well  Letal Plate welded to the said well  Letal Plate well	LEFT    1097'   98'   725   725   0 2" pipe with
Cleaned out to Ripped old 8" Run 4 1/2" pi Got circulation Run 700 sacks Pumped latch Bailed water Old 7" Pipe Old 10" Pipe Old 8" Pipe Description and the 13 Canada furthur	pipe from pe to 1411' on Run 150 of Portland down plug to out inside out inside out the worday of Mark	filling the of February owing manner FROM  Run logs Gamma 1200' to 1300' gelled hole wit sacks chem-comp & 150 sacks Che 1076' 4 1/2" pipe & 1404 250 975 onument: 4 1/2" Date pick of plugging the saith not.	above well, , 1989, r: TO  Ray, Neutron & 975' to 1088 h 15 sacks gell pulled 4 1/2" n-Comp Cement checked plug 1502 975 1404 'x 2" Swedge Molugged and A.P. plugged and filling, 1989.	That said work and that said work and that the well pipe REMOVED    3 Arm Caliper   & 4 bags paper mulpipe to 1097   & got circulation   4 1/2" Pipe New	LEFT    1097'   98'   725'   32" pipe with completed on

JAN 1 6 1990

FORM WR-38 (Affidavit of Plugging)

## STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY OIL AND GAS WELLS DIVISION

## AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Eastern Associated Coal Cor	Eastern Associated Coal Corporation					
Coal Operator or Owne	r		Name of Well			
Route l Box 144 Fairview, W	<u>V 26570</u>		x 144 Fairvie	-	26570	
Address	_		Complete Ac			
		February			_ <b>19</b> 89	
Coal Operator or Owne	r	WE	LL AND LOCAT	CON		
A.1.2-		Battell	e	Di	strict	
Address						
Joseph S. Carrothers		Monongalia			unty	
Lease or Property Own						
1428 Cov. Road, Organ , Ohio		WELL NO. E	ACC F2-409			
vaat 422		A.J. Carroth	ers 1	.70 Acres		
				70 Meres	Farm	
STATE INSPECTOR SUPERVISING. P	LUGGING	Don Ellis				
	APPTI	DAVIT				
CTARR OR IMAR HEREIG	WLLT	DAVII				
STATE OF WEST VIRGINIA,	88:				-	
County of <u>Monongalia</u>	<b>.</b>					
Ray Smith		and Jim M	cKenzie			
Ray Smith being first duly sworn accord	ing to law dep	pose and say tha	t they are ex	perience	d in the	
Acts of bingRing and ilitim	oli and gas we	ells and were em	ployed by Ch	isler Rra	othere	
, well o	perator, and p	participated in	the work of p	lugging	and fill-	
19 89, and that the well w	ack was com	i filled in the	3 day of	January	·	
		a ration In file	totiowing man	ıuét:		
Sand or Zone Record	E4114 W			<del></del>		
Formation	Filling Ma	rerial	Plugs Us		Casing	
1) Cleaned out to total depth	07 13711		Size & K	ind Pul	LED LET IN	
2) Logged well, Gamma Ray, N	eutron and 3 A	rm valiber				
3) Run 4 1/2" pipe to 1320 G	elled hole wit	h 40 bags gell				
7 bags saw dust and 7 bags	paper mulch.	Got circulation				
4) Run 350 sack portland, 150	sack chem con	np cement.	Saviac	TED DO		
5) Pulled 4 1/2" pipe to 1118	•		10) 210	JEL IV	1511	
6) Run 1050 sack portland and		comp cement.	M		UII	
Got circulation.	/		TIT EE	B 0.3 198		
7) Pumped latch down plug to 8) Bailed water out inside 4	1098'.			0 00 100		
of Balled water out Inside 4	1/2 pipe and	checked plug.	DIVISIO	N OF OIL	040	
			DEPARTA	ENT OF E	NERGY	
			· · · · · · · · · · · · · · · · · · ·		12/10	
			11111			
			1111	1-1/-	< 1×9	
Coal Seams			Descripți	on of Mor	niment.	
(Name) Pittsburgh Coal 983'	o 991'		4 1/2" swedge	/		
(Name) (Name)			plate welded	to 2" ni	De l	
(Name)			Date plugged	and API	No.	
			on plate.		·	
of January 31 , 19	· ·	ing said well wa	s completed	on the	31 day	
And further deponents sa	ith not.	Ray S	nith			
Sworn to and the same						
owers to and subscribed before		_ ·	magan	nie.		
	e me this / 21	_ ·	mc Zelin	iaui.	1989	
	e me this / ST	day of	Teliu Jeliu	uay.	1989	
	e me this / ST	_ ·	lean &	ettle	19 <i>69</i>	
	e me this <u>/ <sup>21</sup></u>	_ ·	McZan Zeliu Lam L Notary Publi	ettle	1989	
My commission expires:	e me this <u>/ <sup>ST</sup></u>	_ ·	lean &	extle	19 <i>69</i> .	