Latitude

.865

.10w

Topo Location

7.5' Loc.______ 15' Loc._____ (calc.)

Company Consolidation Coal Co

Farm Coolidation Cool Co # 3808-B


15' Quad ______

7.5' Quad Mannungton

District Battallo

WELL LOCATION PLAT

County Col Permit 955 p



FORM WR-38 (Affidavit of Plugging)

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY OIL AND CAS WELLS DIVISION

RECEIVED
AUG 17 1990
DEPT. OF ENERGY

AFFIDAVIT OF PLUGGING AND FILLING WELL

۸F	FIDAVIT	SHOUL	D BE MAD	E IN TRIP	LICATE,	one copy m	alled t	o the	Divini	on	-one cop	y to
be	retain	ed by	the Well	Operator	and the	third cop	y (and	extra	copies	if r	equired)	should
be	mailed	to ea	ch coal	operator	at their	respectiv	e addre	sses.				

•								
Consolidation Coal Company	Consolidation	n Coal Company						
Coal Operator or Owner	N	ame of Well Operat	or					
P. O. Box 1314, Morgantown, WV	26507-1314 P. O. Box 13	P. O. Box 1314, Morgantown, WV 26507-1314						
Address		Complete Address						
			19 90					
Coal Operator or Owner	WEL	I AND LOCATION						
	Battel	le	District					
Address								
Consolidation Coal Company	Monong	alia	County					
Lease or Property Owner P. O. Box 1314, Morgantown, WV	r 26507-1314 WELL NO. 380	8-В						
Address								
	Consolidatio	n Coal Company	Farm					
STATE INSPECTOR SUPERVISING PL	UGGING Don Ellis, Fairmont	, WV 26554						
	AFFIDAVIT							
emane on them utpotuta								
STATE OF WEST VIRGINIA,	ss:							
County of Harrison	ign — Maerin 191							
Calvin C. Lofton	and							
heing first duly sworn accordi	ng to law depose and say that	t they are experie	nced in the					
work of plugging and filling o	oil and gas wells and were em	ployed by Consol	idation					
Coal Company , well op								
ing the above well, that said $19 - 90$, and that the well wa	work was commenced on the	following manner:	ril					
19 90, and that the well wa	is prugged and fifted in the	rottowing manner.						
Sand or Zone Record	Filling Material	Plugs Used	Casing					
Formation		Size & Kind	PULLED LEFT II					
Cleaned 9 7/8" hole to 92	2'. Reduced hole to 7 7/8"							
Cleaned 7 7/8" hole to 1,751'.	Cleaned out 10" hole thru							
Pittsburgh coal from 1,141' to	1,149. Kan mine proceduron		-					
string as follows: 1,345.71'	of 4½" casing followed by							
361.11' of 2 3/8" casing. La Float valve at 1,345.71'. Swe	dge at 1 3/6 71 Circulated		-					
cement to surface as follows:	Bumped 1 050 sacks of poz		-					
mix followed by 425 sacks of t			-					
1,000 gallons of mud flush.	isplaced cement to 1.345.71							
with water. Let set, bailed d			- 					
-								
		·						
TOTAL DEPTH: 1,751 feet		1						
			18/2/90					
		1	1-1-					
Coal Seams		Description d						
(Name) Pittsburgh	1,141 feet to 1,149 feet	5 feet of 4½" c						
(Name)		plaque stating:						
(Name)		Consol WV 3808-						
(Name)		Permit #47-061-0	U955-P					
and that the work of plu of April , 19	igging and filling said well,	was completed on t	he <u>27th</u> da					
And further deponents sa	/ 6/ 3	in 6 little	7					
	OFFICIAL SEAL	10 Al	_					
Swarn to and subscribed diele	NOTARY 30th day of Apr		, 19 90					
\$1,775 F 1 F 1 1 21 11 11 5 11 11 5 1 1 1 1 1 1 1 1								

Charlotte Heater

Rt. 1, Box 605 Mt. Clare, WV 26408 My commission expires June 29, 1999

My commission expires.
June 29, 1999

Permit No. 47-061-0955-P

Notary Public