
	LATITUDE 39045'00"
-	
	, D
	8,07,34
	,
	•
,	·
	LONGITUDE
	□ DE
75'	
	7'5 OG15 topo location
	<b>}</b>
7. J	1. loc 2.525 15' loc 2.525 (calc.) 3.8600
Company	
Farm	
	WELL LOCATION MAP
Our Blacksuille NC	File No. 061-1070P
Quad Blacksville NC	

County Monongalia

Pistrict Clay



My commission expires June 29, 1999
Commission expires June 29, 1999

June 29, 1999

## STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY OIL AND CAS WELLS DIVISION.

## AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, ... one copy to be retained by the Well Operator and the third copy (and extra copies if required) shoul be mailed to each coal operator at their respective addresses.

Consolidation Coal Company	Consolidation	Coal Company	
Coal Operator or Owner P. O. Box 1314, Morgantown, W		Name of Well Operator P.O. Box 1314, Morgantown, WV 26507-1314	
Address		Complete Address	
	April 3	SO. LIAND LOCATION	19 92 .
Coal Operator or Owner	WEI	I. AND LOCATION	
	Clay		District
Address			
Benjamin Statler		ia	County
Lease or Property Owne			
27 Fieldcrest Dr., Wheeling,	WV. 26003 WELL NO. M	7-580-A	•
Address			_
		Bonnie Statler	Farm
STATE INSPECTOR SUPERVISING PI	LUCGING Anndal 9	nick	
	AFFIDAVIT		
•	AFFIDAVII		
STATE OF WEST VIRGINIA,	ss:		
County of <u>West Virginia</u>	55.		
Calvin C. Lofton		R. Gore	
heing first duly sworn accord			
work of plugging and filling	oil and gas wells and were em	ployed by <u>Consol</u>	idation
ing the above well, that said	perator, and participated in	the work of pluggi	.ng and III. April
19 92 , and that the well w	as plugged and filled in the	following manner:	
22	,		· · · · · · · · · · · · · · · · · · ·
Sand or Zone Record	Filling Material	Plugs Used	Casing
Formation		Size & Kind	CSGTCSO
	7/011 1 1 5701 2 1	Ozne a nama	- BULLED LEELT
hole to 7 7/8" and cleaned 7	7/8" hole to 570' Reduced 7/8" hole to 1,250' Pulled		1
170' of 8" casing. Clened 7	7/8" hole through Pittsburgh		
Coal from 592' to 600'. Ran	coal protection string as		<u> </u>
follows: 429.95' of 2 3/8" t	ubing followed by 800.39' of		
	Latch down plug at 768.87'. ge at 801.39'. Circulated cemen	<u> </u>	<del>-  </del>
to surface as follows: Pumpe	d 500 sack of poz mix and 340		-
sacks of thixatropic cement.	Used 1,000 gallons of mud		
	34.48' with water. Let set and		
bailed dry.		·	_
TOTAL DEPTH: 1 250 feet			
- IVIAL DEFIN 1,230 ISES		1 10/4	
		AMI	1 10/De/9
Coal Seams		Description o	Monument
(Name) Pittsburgh	· 592 feet to 600 feet	8 feet of 4½" ca	sing with
(Name)		plaque stating:	
(Name)		Consol WV m7-580	
(Name)		Permit47-61-0107	
	ugging and filling said well v	was completed on t	he <u>21st</u> da
of <u>April</u> , 19	92	- 0/9	
And further deponents s	aith not. A glin	~ (often)	,
OFFICIAL SEAL	* Desa	K Non	
NOTARY, PUBLIC	rd me this 30th day of Ap	ril , ) // /	·, 19 <u></u> ,
T. T	* Hhan	lotte Henter	•
Mt. Clare, WY 26408  My commission expires June 28	1	Notary Public	· (
) "" VOMMISSION OXDIFOR June An			