DEEP WELL

Environmental Protection OCT 30 1996

31-Jul-96 API # 47- 61-01247

Permitting State of West Virginia Permitting State of State of State of West Virginia Permitting State of Stat

Well Operator's Report of Well Work

Farm name:

LUDWIG, ORA LEE J.

Operator Well No.: 2067

LOCATION:

Elevation: 1,440.00 Quadrangle: MORGANTOWN SOUTH

District: CLINTON County: MONONGALIA Latitude: 8875 Feet South of 39 Deg. 35Min. 0 Sec. Longitude 11300 Feet West of 79 Deg. 52 Min. 30 Sec.

Company:ALAMCO, INC. P. O. BOX 1740

CLARKSBURG, WV 26302-1740

Agent: MARTY L. PERRI

Inspector: RANDAL MICK

Permit Issued: 07/31/96 Well work Commenced: Well work Completed: 08/28/96 09/23/96 Verbal Plugging Permission granted on:

Rotary X Cable Rig
Total Depth (feet) 7590' Drill; 7635' Log.
Fresh water depths (ft) 32

Salt water depths (ft) None

Is coal being mined in area (Y/N)?N Coal Depths (ft): None

Casing &	Used in	Left	Cement
Tubing	Drilling	in Well	Fill Up Cu. Ft.
Size		 	
16"	40'	_	N/A
11=3/4"	342'	342'	Cmt. to Surface 175 Sks.
8-5/8''	2893'	28021	Cmt. to Surface 850 Sks.
4-1/2"		7613'	

Hours

OPEN FLOW DATA

Producing formation Huntersville Pay zone depth (ft) 7290'- Gas: Initial open flow 0 MCF/d Oil: Initial open flow 0 Bbl Final open flow 2320 MCF/d Final open flow 0 Bbl Time of open flow between initial and final tests 4 House Static rock Pressure 2850 psig (surface pressure) after 72 House	./d irs
Second producing formation Pay zone depth (ft) Gas: Initial open flow MCF/d Oil: Initial open flow Bbl Final open flow MCF/d Final open flow Bbl	.7a

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE

> For: ALAMCO, INC.

Time of open flow between initial and final tests

Static rock Pressure _____psig (surface pressure) after

Richard R. Hoffman October 25, 1996 Date:

Formations: 0-580' from Drillers Log Book; 580' to TD from Gamma Ray Log

0 15 Fill Water: 2" @ 32' 15 20 SH 20 25 Gravel 25 35 SD & SH 35 79 SD Oil: None 25 35 SD & SH 35 79 SD Oil: None 79 220 SD & SH 220 260 SD Gas Checks: 260 SD Gas Checks: 260 SD SD SH 580 594 Little Lime 569' N/S 594 632 SH 824' N/S 632 SH 824' N/S 700 725 Keener 1724' N/S 725 750 SH 1817' N/S 725 750 SH 1817' N/S 750 854 Big Injun 1848' N/S 854 895 Squaw 2687' N/S 895 966 SH 2811' N/S 966 1063 Weir 5717' N/S 1063 1185 SD & SH 6784' N/S 1185 1242 Gantz/50' 7096' N/S 1242 1530 SD & SH 7217' N/S 1530 1535 Gordon 7280' N/S 1530 1535 Gordon 7280' N/S 1780 1794 4th Sand 7404' N/S 1781 1831 SH 7466' N/S 1843 1877 SD & SH 1877 1953 Bayard 1857 1953 Bayard 1953 2557 SH Treatment and Perforations: 2577 275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40	Top -	Bottom	Type	Water, Coal, Gas	
20				<u>Water:</u> 2" @ 32'	
25				Coal: None	
79					
220				Oil: None	
260 580 SD & SH 580 594 Little Lime 569' N/S 594 632 SH 824' N/S 632 700 Big Lime 1508' N/S 700 725 Keener 1724' N/S 725 750 SH 1817' N/S 750 854 Big Injun 1848' N/S 854 895 Squaw 2687' N/S 895 966 SH 2811' N/S 1063 1185 SD & SH 6784' N/S 1185 1242 Gantz/50' 7096' N/S 1185 1242 Gantz/50' 7096' N/S 1535 1780 SD & SH 7217' N/S 1530 1535 Gordon 7280' N/S 1535 1780 SD & SH 7343' N/S 1784 1831 SH 7466' N/S 1831 1843 5th Sand 7404' N/S 1831 1843 5th Sand 7590' N/S 1831 1843 5th Sand 7590' N/S 1853 2557 SH Treatment and Perforations: 2557 2575 Speechley 2575 2768 SH Stimulation: 09/23/96 2768 2779 Balltown 2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsv1 Chrt 15,000# 80/100 Sand and 60,000# 20/40					
580 594 Little Lime 569' N/S 594 632 SH 824' N/S 632 700 Big Lime 1508' N/S 700 725 Keener 1724' N/S 725 750 SH 1817' N/S 750 854 Big Injun 1848' N/S 854 895 SQuaw 2687' N/S 895 966 SH 2811' N/S 966 1063 Weir 5717' N/S 1063 1185 SD & SH 784' N/S 185 1242 Gantz/50' 7096' N/S 1242 1530 SD & SH 7217' N/S 1535 1780 SD & SH 7217' N/S 1535 1780 SD & SH 7343' N/S 1780 1794 4th Sand 7404' N/S 1843 1877 SD & SH 7590'<				Gas Checks:	
594 632 SH 824' N/S 632 700 Big Lime 1508' N/S 700 725 Keener 1724' N/S 725 750 SH 1817' N/S 750 854 Big Injun 1848' N/S 854 895 Squaw 2687' N/S 895 966 SH 2811' N/S 1063 1185 SD & SH 6784' N/S 1185 1242 Gantz/50' 7096' N/S 1242 1530 SD & SH 7217' N/S 1530 1535 Gordon 7280' N/S 1535 1780 SD & SH 7217' N/S 1780 1794 4th Sand 7404' N/S 1831 1843 5th Sand 7590' N/S 1843 1877 SD & SH 1877 1953 Bayard 1877 1953 Bayard 1877 1953 Bayard 1877 SD & SH Treatment and Perforations: 2557 2575 Speechley 2575 2768 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 77275 Marcellus Frac: Huntersville Chert 7289 7439 Hntrsv1 Chrt 15,000# 80/100 Sand and 60,000# 20/40				E601 N/G	
632 700 Big Lime 1508' N/S 700 725 Keener 1724' N/S 725 750 SH 1817' N/S 755 750 SH 1817' N/S 750 854 Big Injun 1848' N/S 854 895 Squaw 2687' N/S 895 966 SH 2811' N/S 895 966 SH 2811' N/S 895 966 SH 75717' N/S 895 966 SH 7590' N/S 895 966 SH 995 966 SH					
700 725 Keener 1724' N/S 725 750 SH 1817' N/S 750 854 Big Injun 1848' N/S 854 895 Squaw 2687' N/S 895 966 SH 2811' N/S 966 1063 Weir 5717' N/S 1185 1242 Gantz/50' 7096' N/S 1242 1530 SD & SH 7217' N/S 1530 1535 Gordon 7280' N/S 1535 1780 SD & SH 7343' N/S 1780 1794 4th Sand 7404' N/S 1794 1831 SH 7466' N/S 1843 1877 SD & SH 1877 1953 Bayard 1953 2557 SH Treatment and Perforations: 2557 2575 Speechley 2575 2768 SH St Treatment and Perforations: 2577 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40					
725 750 SH 1817' N/S 750 854 Big Injun 1848' N/S 854 895 Squaw 2687' N/S 895 966 SH 2811' N/S 966 1063 Weir 5717' N/S 1063 1185 SD & SH 6784' N/S 1185 1242 Gantz/50' 7096' N/S 1242 1530 SD & SH 7217' N/S 1535 1780 SD & SH 7217' N/S 1780 1794 4th Sand 7404' N/S 1781 1831 SH 7466' N/S 1831 1843 5th Sand 7590' N/S 1831 1843 5th Sand 7590' N/S 1877 1953 Bayard 1953 2557 SH Treatment and Perforations: 2557 2575 Speechley 2575 2768 SH Stimulation: 09/23/96 2768 2779 Balltown 2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7279 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40					
750 854 Big Injun 1848' N/S 854 895 Squaw 2687' N/S 895 966 SH 2811' N/S 966 1063 Weir 5717' N/S 1063 1185 SD & SH 6784' N/S 1185 1242 Gantz/50' 7096' N/S 1242 1530 SD & SH 7217' N/S 1530 1535 Gordon 7280' N/S 1535 1780 SD & SH 7343' N/S 1780 1794 4th Sand 7404' N/S 1794 1831 SH 7466' N/S 1831 1843 5th Sand 7590' N/S 1831 1843 5th Sand 7590' N/S 1877 1953 Bayard 1953 2557 SH Treatment and Perforations: 2557 2575 Speechley 2575 2768 SH Stimulation: 09/23/96 2768 2779 Balltown 2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40					
854 895 Squaw 2687' N/S 895 966 SH 2811' N/S 966 1063 Weir 5717' N/S 1185 SD & SH 6784' N/S 1185 1242 Gantz/50' 7096' N/S 1242 1530 SD & SH 7217' N/S 1530 1535 Gordon 7280' N/S 1535 1780 SD & SH 7343' N/S 1780 1794 4th Sand 7404' N/S 1794 1831 SH 7466' N/S 1831 1843 5th Sand 7590' N/S 1843 1877 SD & SH 1877 1953 Bayard 1953 2557 SH Treatment and Perforations: 2557 2575 Speechley 2575 2768 SH Stimulation: 09/23/96 2768 2779 Balltown 2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40					
895 966 SH 2811' N/S 966 1063 Weir 5717' N/S 1063 1185 SD & SH 6784' N/S 1185 1242 Gantz/50' 7096' N/S 1242 1530 SD & SH 7217' N/S 1530 1535 Gordon 7280' N/S 1535 1780 SD & SH 7343' N/S 1780 1794 4th Sand 7404' N/S 1794 1831 SH 7466' N/S 1843 1877 SD & SH 7590' N/S 1843 1877 SD & SH 7590' N/S 1877 1953 Bayard 1953 2557 SH Treatment and Perforations: 2557 2575 Speechley 2575 2768 SH Stimulation: 09/23/96 2768 2779 Balltown 2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40					
966 1063 Weir 5717' N/S 1063 1185 SD & SH 6784' N/S 1185 1242 Gantz/50' 7096' N/S 1242 1530 SD & SH 7217' N/S 1530 1535 Gordon 7280' N/S 1535 1780 SD & SH 7343' N/S 1780 1794 4th Sand 7404' N/S 1794 1831 SH 7466' N/S 1831 1843 5th Sand 7590' N/S 1843 1877 SD & SH 1877 1953 Bayard 1953 2557 SH Treatment and Perforations: 2557 2575 Speechley 2575 2768 SH Stimulation: 09/23/96 2768 2779 Balltown 2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40					
1063					
1242	1063		SD & SH		
1530	1185	1242	Gantz/50'	7096' N/S	
1535			SD & SH		
1780 1794 4th Sand 7404' N/S 1794 1831 SH 7466' N/S 1831 1843 5th Sand 7590' N/S 1843 1877 SD & SH 1877 1953 Bayard 1953 2557 SH Treatment and Perforations: 2557 2575 Speechley 2575 2768 SH Stimulation: 09/23/96 2768 2779 Balltown 2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40					
1794 1831 SH 7466' N/S 1831 1843 5th Sand 7590' N/S 1843 1877 SD & SH 1877 1953 Bayard 1953 2557 SH Treatment and Perforations: 2557 2575 Speechley 2575 2768 SH Stimulation: 09/23/96 2768 2779 Balltown 2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40					
1831 1843 5th Sand 7590' N/S 1843 1877 SD & SH 1877 1953 Bayard 1953 2557 SH Treatment and Perforations: 2557 2575 Speechley 2575 2768 SH Stimulation: 09/23/96 2768 2779 Balltown 2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40					
1843					
1877 1953 Bayard 1953 2557 SH				7590' N/S	
1953					
2577 2578 Speechley 2575 2768 SH Stimulation: 09/23/96 2768 2779 Balltown 2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40					•
2575				Treatment and Perforati	ions:
2768 2779 Balltown 2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40				a	
2779 6877 SH Perforations: (7290 - 7394') 6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40				Stimulation: 09/23/96	
6877 6975 Tully 24 Holes 6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40				Damfarration - (7000	72041)
6975 7175 SH 7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40					7394')
7175 7275 Marcellus Frac: Huntersville Chert 7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40				24 HOIES	
7275 7289 Onondaga WF-30# gel system with 7289 7439 Hntrsvl Chrt 15,000# 80/100 Sand and 60,000# 20/40				Frac: Huntersville Ch	art
7289 7439 Hntrsví Chrt 15,000# 80/100 Sand and 60,000# 20/40					51.0
· · · · · · · · · · · · · · · · · · ·					1 60.000# 20/40
7478 7568 Oriskany					
7568 7590 Helderberg			-		
7590 Drlg. T. Ď.			_		
7635 Log T. D.		7635			

061-1247

JUL 3 1 1996 FORM WW-2B

Permitting Page 3 of 10									
Office of Oil & Gastate OF WEST VIRGINIA DEPARTMENT OF ENERGY, DIVISION OF OIL AND GAS WELL WORK PERMIT APPLICATION Well Operator: ALANCO INC. (415) Well Operator: ALANCO INC. (415) Well Operator: ALANCO INC. (415)									
		· · · · · · · · · · · · · · · · · · ·	WELL W	ORK PERM	IT APPLICA	TION	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	17/21/96	,
1)	Well Opera	tor: A	LAMCO, I	NC.	915	(B) 7	s arbi	190 4131198	
	Operator's	Well Num	ber	2067		3) Eleva	tion:	1,440'	
01617	type: (a)	OIL / (b) If	Gas: Pr	oduction	XX / Un	OW /	Storage	/	
	Proposed T	arget For	mation(s):	ORISKAN	Y			
	Proposed T	otal Dept	h:		8,500		feet		
	Approximat	e fresh w	ater str	ata dept	hs:	80'			
	Approximat	e salt wa	ter dept	hs:		· · · · · · · · · · · · · · · · · · ·			
9)	Approximat	e coal se	am depth	s:		90'			
10)	Does land	contain c	oal seam	s tribut	ary to act	ive mine?	Yes	_/ No <u>XX</u>	_/
11)	Proposed W	ell Work:	SEE	ATTACHE	D				_
12)	TYPE	S	<u>CASI</u> PECIFICA		JBING PROGI FO		ERVALS	CEMENT	
		SIZE	GRADE	WEIGHT PER FT	FOR DRILLING	LEFT IN WELL		-Up Ft.)	
CON	DUCTOR	16"	LS	32#	40'	-0-	NONE		
FRE	SH WATER								
COA	L,								
SUR	SURFACE CSG 11-3/4" J-55 32# 300' 300' As required by 38 CSR 18-11-3 38 CSR 18-11-2								
INT	ERMEDIATE	8-5/8"	J-55	24#	2,300'	2,300'	As requi 38 CSR 1 38 CSR 1	8-11-3	
<u></u>	PRODUCTION 4-1/2" M-75 11.60# 8,500' 8,500' As required by 38 CSR 38-11-1								
PACKERS: Kind NONE Sizes									
Depths Set									
For Division of Oil and Cas Use Only									
Fee(s) paid: Well Work Permit Reclamation Fund WPCP									
Plat WW-9 WW-2B Bond Blunket A Agent									

Page Form	1	of	10
Form	W	N2-1	4
(6/94	1)		
File	C	эру	

RECEIVED WY Division of Environmental Protection	1)	Date: July 19, 1996
JUL 3 1996	-,	Operator's well number 2067
Permitting	3)	API Well No: 47 - 061 - 1247 State County Permit
Centuring		

Office of Oil & TREINIA - BUREAU OF ENVIRONMENT
DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

•	NOTICE AND	APPLICATION FO	OR A WELL WORK PERM	IIT
4)	Surface Owner(s) to (a) Name Ora Lee J. Address P. O. Box (Ludwig	5) (a) Coal Operat Name NO DECLARAT Address	or: CION OF RECORD
		, WV 26505	Address	
	(b) Name Thomas P.		(b) Coal Owner(s)	with Doglaration
	Address P. O. Box 2			
	Morgantown		Name <u>SAME AS SIIRI</u> Address	ACE OWNERS
	(c) Name One Valley	Bank, N.A. Truste		
	Address pearl J. F.	razier	Name	
		, WV 26505		
	Horgantown	, WV 20303	Address	
6)	Inspector Randal Mich	· c	(c) Coal Lessee wi	th Declaration
٥,	Address III Blacks	nere Drive		
		, WV 26582	Name NO DECLARAT	TON OF RECORD
	Telephone (304) - 986		Address	
	1e1ephone (304) - 300	3-3324		
	TO THE DEE	SON(S) NAMED AT	OVE TAKE NOTICE TH	አ ጥ •
	<u> </u>	CONTO NAMED AL	OVE TAKE ROTTED IN	A.L.
XX	Included is the leacts by which I hole Included is the infection of the Code of West	d the right to ormation requir	extract oil and gas ed by Chapter 22, <i>I</i>	S OR
I ha	I certify that as r ve served copies of mpanying documents p	this notice an ages 1 through	d application, a 1 / O on the above na	ocation plat, and
		ce (Affidavit a		
	XX Certified Mail	(Postmarked po	stal receipt attacl	ned)
	Publication (N	otice of Public	ation attached)	·
fami atta resp	I have read and und ne terms and conditi I certify under pen liar with the infor chments, and that be onsible for obtaining	ons of any permality of law the mation submitted seed on my inquing the informat	it issued under that I have personalled on this application iry of those indiv	is application. Ly examined and am tion form and all iduals immediately
is t	rue, accurate, and c			
	I am aware that th	ere are signif:	cant penalties for	submitting false
info	rmation, including t	the possibility	of fine and impris	onment.
····	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Well Operator	ALAMOO, INC.	
1	CAPPOIAL SOME NOTARY PUBLIC	By: Marto	- of librari	
	STATE OF HIGH VIEWMAN	Its:	Manager, Land	
	ELBOS NO. COX	Address	P. O. Box 1740	
A SHARE	CLANGE STORES		Clarksburg, WV	26302-1740
المرية المناسخة	My Contractor Control Divine 2 to 5, 3414	Telephone	304 623-6671	
Subs	cribed and sworn bef	ore me this 19t	h day of July	, 1996

December 9,

Notary Public

WV Division of Environmental Protection

JUL 3 1 1996

ATTACHMENT TO: FORM WW-2B

Permitting

Page 4 of $/\bigcirc$

Office of Oil & Gas

WELL OPERATOR

ALAMCO, INC.

OPERATOR WELL NO:

2067


FILE NUMBER

47-061- 1247

11. Proposed Well Work:

Well 2067 will be drilled to approximately 300' KB. 11-3/4" casing will be set at approximately 300' KB and then cemented to the surface. The 8-5/8" casing set at approximately 2,300' KB and then cemented to surface. The well will then be drilled to 8,500' KB and the 4-1/2" casing set at approximately 8,500' KB. The 4-1/2" casing will be cemented to 7,100' KB. The well will then be hydraulically fractured in the Huntersville Chert Formation.

12. Plan for partial abandonment:



GGB\0210943.0



STATE OF WEST VIRGINIA OIL AND GAS CONSERVATION COMMISSION

#10 McJUNKIN ROAD NITRO, WEST VIRGINIA 25143-2506

July 31, 1996

Division of Environmental Protection Office of Oil and Gas Nitro, West Virginia

Re: Application for Permit #47-061-01247 to drill deep well.

COMPANY: ALAMCO, Inc.

FARM: Thomas Johnson, Jr. #2067

COUNTY: Monongalia DISTRICT: Clinton QUAD: Morgantown South

The application of the above company is Approved for Oriskany.

(Approved or Disapproved)

Applicant has complied with the provisions of Chapter twenty-two, eight (22-8), of the Code of West Virginia, nineteen hundred and thirty-one (1931), as amended, Oil and Gas Conservation Commission as follows:

- 1.) Provided a certified copy of duly acknowledged and recorded consent and easement form from all surface owner; **yes**
- 2.) Provided a tabulation of all deep wells within one mile of the proposed location, including the Api number of the deep well, well name, and the name and address of operator and; *yes
- 3.) Provided a plat showing that the proposed location is a distance of **850** feet from the nearest unit boundary and showing the following wells drilled to or capable of producing from the objective formation within 3,000 feet of the proposed location.

Sincerely,

Brett Loflan Engineer

*3,171 feet to 47-061-01237

4,800 feet to 47-061-01134 3,700 feet to 47-061-01218

3,700 feet to 47-061-01218 5,200 feet to 47-061-01179