

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Thursday, February 25, 2021 PERMIT MODIFICATION APPROVAL Horizontal 6A / New Drill

NORTHEAST NATURAL ENERGY LLC 707 VIRGINIA STREET EAST STE 1200 CHARLESTON, WV 25301

Re: Permit Modification Approval for LEMLEY 5H 47-061-01843-00-00

Verbal Field Inspector change to casing plan.

NORTHEAST NATURAL ENERGY LLC

The Office of Oil and Gas has reviewed the attached permit modification for the above referenced permit. The attached modification has been approved and well work may begin. Please be reminded that the oil and gas inspector is to be notified twenty-four (24) hours before permitted well work is commenced.

If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number:LEMLEY 5HFarm Name:CLARENCE W. LEMLEY JR. & CHARLOTTE E. LEIU.S. WELL NUMBER:47-061-01843-00-00Horizontal 6ANew DrillDate Modification Issued:02/25/2021

Promoting a healthy environment.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operat	tor: Northe	ast Natural	Energy	the state of the s	Monongalia		Blacksville, WV
				Operator ID	County	District	Quadrangle
2) Operator's V	Well Numbe	r: <u>5H</u>	••••	Well 1	Pad Name: Len	nley	
3) Farm Name	/Surface Ow	/ner: Clarence V	/ Jr & Charlotte I	E Lemiey Public R	Road Access: S	tate Route 2	22
4) Elevation, c	urrent groun	nd: 1,560'	El	evation, propos	ed post-construe	ction: 1540	
5) Well Type	(a) Gas	<u>×</u>	Oil	U 1	nderground Stor	rage	
	Other			<u></u>			
	(b)If Gas	Shallow	<u>X</u>	Deep			-
~ - • • -		Horizontal	<u>×</u>				
6) Existing Pa				· . 1001 · 1		D	
• -	arget Format 8,206'; 53'; 3		h(s), Antic	ipated Thicknes	ss and Expected	Pressure(s):	
8) Proposed T	otal Vertical	Depth: 8,2	06'				
9) Formation a	at Total Vert	ical Depth:	Marcellus	3			
10) Proposed	Total Measu	red Depth:	18,647'				
11) Proposed I	Horizontal L	eg Length:	9,961'				
12) Approxim	ate Fresh Wa	ater Strata D	epths:	50', 1,190'			
13) Method to	Determine l	Fresh Water	Depths: (Drillers Log fro	m Offset Wells		
14) Approxim	ate Saltwate	r Depths: 2	,361'; 2,51	1'			
15) Approxim	ate Coal Sea	m Depths:	501', 1,46	9'			
16) Approxim	ate Depth to	Possible Vo	id (coal m	ine, karst, other): <u>Ń/A</u>		
17) Does Prop directly overly				ms Yes	۱۱	No X	
(a) If Yes, pr	rovide Mine	Info: Nam	e:				
(Dept					,
		Sean					
		Own	*****	······································			RECEIVED
							Office of Oil and Ga
							FEB 16 202

WV Department of Environmental Protection Page 1 of 3

API NO. 47-061 _ 01843

OPERATOR WELL NO. <u>5H</u> Well Pad Name: <u>Lemley</u>

WW-6B (04/15)


18)

CASING AND TUBING PROGRAM

TYPE	<u>Size</u> (in)	<u>New</u> or Used	Grade	<u>Weight per ft.</u> <u>(lb/ft)</u>	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	24"	New	NA	94.71	40'	40'	GTS
Fresh Water	13-3/8"	New	J-55	54.5	1,540'	1,513'	CTS
Coal	18-5/8	New	J-55	87.5	1,170'	1,147'	CTS
Intermediate	9-5/8"	New	J-55	36	2,584'	2,554'	CTS
Production	5-1/2"	New	P-110	20	18,647'	18,617'	4335 cu ft.
Tubing							
Liners							, , ,
979		4	.	L earna ann an Ann	<u></u>	Bio	po 0 Ham Z-8-21

TYPE	Size (in)	<u>Wellbore</u> Diameter (in)	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	24"	38"	.375"	415	\$.,	4,500 psi grout	NA
Fresh Water	13-3/8"	17-1/2"	.38*	2,760	2,000	Class A	1.23
Coal	18-5/8"	22"	0.435	2,250	1,125	Class A	1.23
Intermediate	9-5/8"	12-1/4"	.352"	3,520	2,800	Class A	1.3
Production	5-1/2"	8-3/4"	.361"	12,530	9,700	50:50 poz	1.21
Tubing	2-7/8"	NA	.217"	10,570	3,600	NA	NA
Liners							

PACKERS



RECEIVED Office of Oil and Gas

•••

 \checkmark

FEB 16 2021

WV Department of Environmental Protection

Page 2 of 3

Well Pad Name: Lemley

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drilling and completion of a horizontal Marcellus well. The well will be drilled on air to an approximate depth of 6,500 TVD/MD. The well will then be horizontally drilled on synthetic based mud from the KOP to approximately 8,206 TVD/18,647' MD along a 323° azimuth.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Multi-stage / high-rate slickwater fracture treatment using various size sands as proppant. First stage will be initiated via pressurization against a burst disc ran in the production casing string or perforated with coiled tubing. Subsequent stages will be perforated with pumped down guns ran on wireline. Individual stages will be isolated with composite frac plugs. Maximum pump rate during any stage will be 110 BPM with a maximum allowable surface pressure of 9,500 PSI. Composite bridge plugs will be set at the end of the last stage to isolate the treated formation.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 23.73

22) Area to be disturbed for well pad only, less access road (acres): 8.39

23) Describe centralizer placement for each casing string:

Surface and intermediate casing strings will have bow spring centralizers placed every third joint (~120') from the shoe joint to surface. Production casing will have rigid body centralizers placed at a minimum of every fourth joint (~160') from TD to surface.

24) Describe all cement additives associated with each cement type:

Surface string cement will be a Type 1 + Max 3% bwoc Calcium Chloride Fresh Water blend. Intermediate string cement will be a Type 1 Cement + Max 3% bwoc Calcium Chloride + Fresh Water. Production string cement will be (50:50) Poz (Fly Ash):Type I Cement with a gas migration additive.

25) Proposed borehole conditioning procedures:

Surface string will use a 25.0 bbls Gel Pill + LCM + 25 lbs Cello Flake + 20 lbs/bbl Bentonite @ 8.4 ppg & 10 bbls fresh water spacer prior to cement. Intermediate string will use a 25.0 bbls Gel Pill + LCM + 25 lbs Cello Flake + 20 lbs/bbl Bentonite @ 8.4 ppg & 10 bbls fresh water spacer prior to cement. Production string will use a 50.0 bbls SealBond 25 + 1 gal/bbl US-40 + 275 lbs/bbl Barite + 1 gal/bbl SS-2 Spacer @ 13.5 ppg prior to cement.

> RECEIVED Office of Oil and Gas

*Note: Attach additional sheets as needed.

FEB 1 6 2021

Page/ADepartment of Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

I, Mason Smith	, hereby state that I have read the Instruction	ns to Persons Named on Page WW-6A and the associated
provisions listed a		plication, an Application for a Well Work Permit on Form
WW-6A and atta	chments consisting of pages one (1) through	, including the erosion and sediment control plan, if
required, and the y	well plat, all for proposed well work on the tract of land as	s follows:

State:	West Virginia	UTM NAD 83	Easting:	573982.0
County:	Monongalia	UTWINAD 85	Northing:	4391580.2
District:	Clay	Public Road Access:		County Route 22/Long Drain Road
Quadrangle:	Blacksville	Generally used f	arm name:	Lemley
Watershed:	Dunkard Creek			

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
□ SURFACE OWNER	Signature:
□ SURFACE OWNER (Road and/or Other Disturbance)	Print Name: Date:
□ SURFACE OWNER (Impoundments/Pits)	FOR EXECUTION BY A CORPORATION, ETC.
COAL OWNER OR LESSEE	Company: ACNR Resources, Inc.
COAL OPERATOR	By: Mason Smith Its: Coal, Oil & Gas Relations Manager
□ WATER PURVEYOR	Signature: Musonmy Smrs
□ OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date: 12/23/2020

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information <u>persecurportact</u> DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

FEB 1 6 2021

WV Department of Environmental Protection