

west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, August 19, 2024 WELL WORK PERMIT Horizontal 6A / New Drill

NORTHEAST NATURAL ENERGY LLC 707 VIRGINIA STREET EAST STE 1200 CHARLESTON, WV 25301

Re: Permit approval for ERP 9H 47-061-01961-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: ERP 9H Farm Name: PHOENIX ENERGY RESOUR U.S. WELL NUMBER: 47-061-01961-00-00 Horizontal 6A New Drill Date Issued: 8/19/2024

Promoting a healthy environment.



# **PERMIT CONDITIONS**

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

#### CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Also, 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.



4706101961

WW-6B (04/15)

API NO. 47-\_\_\_\_

OPERATOR WELL NO. <u>9H</u> Well Pad Name: ERP

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operat	or: Northeast	Natural Energy	494498281	Monongalia	Battelle	Wadestown		
2) Operator's V	Vell Number: 9	1 /	Operator ID Well Pa	County d Name: ERP	District	Quadrangle		
3) Farm Name/	Surface Owner:	Phoenix Energy Resou	rces LLC Public Roa	nd Access: Rou	ite 17/Mira	acle Run Rd		
<ol> <li>Elevation, ct</li> <li>Well Type</li> </ol>	(a) Gas X Other	NA E Oil Oil	levation, proposed Und Deep	post-construction erground Storage		' (built) 🥤		
	Ho: Yes or No <u>No</u>	rizontal X	Deep	- nd Expected Pr	essure(s).			
Marcellus, 8,	113', 99', 5200 ps	i			035010(3).			
9) Formation at	8) Proposed Total Vertical Depth:       8,062'       /         9) Formation at Total Vertical Depth:       Marcellus /       RECEIVED         Office of Oil and Gas							
	10) Proposed Total Measured Depth:22,944'JUL 19 202411) Proposed Horizontal Leg Length:14,164'JUL 19 2024							
12) Approximate Fresh Water Strata Depths:       1,217'       WV Department of Environmental Protection         13) Method to Determine Fresh Water Depths:       Drillers Log from Offset Wells         14) Approximate Saltwater Depths:       2,470'								
15) Approximat	e Coal Seam De	pths: 1,119'						
16) Approximat	e Depth to Possi	ble Void (coal mi	ne, karst, other):	NA				
	sed well location ng or adjacent to	contain coal sear an active mine?		non-producing No				
(a) If Yes, prov	vide Mine Info:	Depth: 1,230 Seam: Pittsb		Mining, LLC				

1



# 4706101961

API NO. 47-\_\_\_\_-OPERATOR WELL NO. 9H

Well Pad Name: ERP

WW-6B (04/15)

#### 18)

### CASING AND TUBING PROGRAM

TYPE	<u>Size</u> (in)	<u>New</u> <u>or</u> <u>Used</u>	Grade	<u>Weight per ft.</u> <u>(lb/ft)</u>	<u>FOOTAGE: For</u> <u>Drilling (ft)</u>	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	24	New	NA	NA	100	100 /	CTS /
Fresh Water	13-3/8	New	J-55	54.5	1,350'	1,320 /	CTS
Coal						8. 	
Intermediate	9-5/8	New	J-55	36	2,640'	2,610 1	CTS
Production	5-1/2	New	P-110	20	22,944'	22,914'	5,473
Tubing	2-7/8	New	P-110	6.5	NA		
Liners							


#### Gayne Knitowski, Knitowski, Inspector Inspector -04'00'

TYPE	Size (in)	<u>Wellbore</u> Diameter (in)	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	<u>Burst Pressure</u> (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	24	28	0.375	NA	NA	Type 1	1.18
Fresh Water	13-3/8	17-1/2	0.380	2730	500	Class A or L	1.19
Coal							
Intermediate	9-5/8	12-3/8	0.395	3520	2800	Class A or L	1.19
Production	5-1/2	8-3/4	0.361	14,360	11,400	50:50 POZ	1.07
Tubing	2-7/5	NA	0.217	13,870	NA	NA	NA
Liners							

### PACKERS

Kind:	
Sizes:	
Depths Set:	Office of Oil and Gas
	JUL 192024

WV Department of Environmental Protection



WW-6B (10/14)

Well Pad Name: ERP

# 19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Utilize auger rig to set cellar & conductor. The conductor will be grouted with cement to surface. Mobilize top hole drilling rig. Drill surface section on air. Run surface (freshwater & coal string) casing to desired depth. The surface section will not penetrate sea level. Surface casing will be cemented to surface. Drill intermediate section on air. Run intermediate casing to desired depth. Intermediate casing will be cemented to surface. Drill on air the production section to the start of the curve (KOP). The well will be loaded with synthetic oil base drilling mud (SOBM). Demobilize top hole rig. Mobilize horizontal drilling rig. Finish drilling the production section utilizing MWD surveys and geosteering practices to maintain the wellbore in the Marcellus shale and prevent anti-collision. Production casing will be ran to TD and cement top will be inside the intermediate casing.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

A cement bond log will determine the top of production casing cement. The production casing will be pressure tested. The hydraulic fracturing equipment will then open the toe sleeves and begin pumping the first stage. The plug-and-perf method will be used for the remaining stages. The max anticipated pressure during frac is 11,200psi and a max rate of 90bpm. After frac, the drillout rig will drill all plugs out of the well. Land production tubing at desired depth. Then flowback well until ready to turn in line to production facilities.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 51.23 (built) + 4.60 (expansion)

22) Area to be disturbed for well pad only, less access road (acres): 29.70 (built) + 4.60 (expansion)

23) Describe centralizer placement for each casing string:

Surface: shoe track & every 3rd joint to surface Intermediate: shoe track & every 3rd joint to surface Production: Rigid bow centralizers at shoe track & every other joint in the lateral to KOP. Bow springs from KOP to surface every third joint.

24) Describe all cement additives associated with each cement type:

Surface string cement will be a Type 1 + Max 3% bwoc Calcium Chloride Fresh Water blend. Intermediate string cement will be a Type 1 Cement + Max 3% bwoc Calcium Chloride + Fresh Water. Production string cement will be (50:50) Poz (Fly Ash):Type I Cement with a gas migration additive.

25) Proposed borehole conditioning procedures:

Surface & intermediate on air will utilize high volumetric flow rates of air to ensure the wellbore is clean prior to TOH.

Production section will utilize synthetic oil based drilling mud to properly clean the wellbore. At TD, pump rate and rotation will be maximized and tripping will not begin until shakers flow clean. Production casing will be circulated prior to cementing to ensure a prepared wellbore for cement.


RECEIVED Office of Oil and Gas

\*Note: Attach additional sheets as needed.

JUL 19 2024

Page 3, 2f. 3/2024

WV Department of Environmental Protection



S Amarino (Correct) 00 0

WW-9	4706101961
(4/16)	API Number 47
	Operator's Well No. ERP 9H
STATE OF WES	
DEPARTMENT OF ENVIRON	
OFFICE OF OI	AND GAS
FLUIDS/ CUTTINGS DISPOSAI	& RECLAMATION PLAN
Operator Name_Northeast Natural Energy LLC	OP Code _ 494498281
Watershed (HUC 10) Dunkard Creek	QuadrangleWadestown
Do you anticipate using more than 5,000 bbls of water to complete th	e proposed well work? Yes 🖌 No 🗌
Will a pit be used? Yes No	
If so, please describe anticipated pit waste: NA	
Will a synthetic liner be used in the pit? Yes No	If so, what ml.? NA
Proposed Disposal Method For Treated Pit Wastes:	RECEIVED
Land Application	Office of Oil and Gas
Underground Injection (UIC Permit Num	ber
Reuse (at API Number unknown at this time, TE	
Off Site Disposal (Supply form WW-9 for	disposal location)
	WV Department of Environmental Protection
Will closed loop system be used? If so, describe: Yes, Please See A	tachment "A"
Drilling medium anticipated for this well (vertical and horizontal)? A	ir, freshwater, oil based, etc. Vertical - Air/ Curve & Horizontal - Oil Based *
-If oil based, what type? Synthetic, petroleum, etc. Synthetic	/

Additives to be used in drilling medium? Organophilic Clay Viscosifiers, Lime, Unsaturated Fatty Acids, CaCI, Barite, Emulsifiers, Mica LCM, Water Loss Agents

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Removed Offsite - Please See Attachment "A"

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)

-Landfill or offsite name/permit number? Please See Attachment "A"

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Holl Mes			
Company Official (Typed Name)_Hollie Medley			
Company Official Title Regulatory Manager			
Subscribed and sworn before me this 25th day of June, 2024	, 20		
Kristen Brooks	Notary Public	Car all	OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA
My commission expires <u>August</u> 10, 2028			Kristen Brooks Northeast Natural Energy LLC 48 Donley St. Suite 601 Morgantown, WV 26501 ly Commission Expires Aug. 10, 2028

08/23/2024

# 4706101961

Form WW-9

### Northeast Natural Energy LLC

Operator's Well No. ERP 9H

Proposed Revegetation T								
Lime 2	Lime 2 Tons/acre or to correct to pH 7							
Fertilizer type _19-19-19								
Fertilizer amoun	Fertilizer amount 300 lbs/acre							
Mulch 2	1	Fons/acre						
		Seed N	lixtures					
	Temporary		Permanent					
Seed Type	lbs/acre		Seed Type	lbs/acre				
Orchard Grass	46		Orchard Grass	46				
Red Clover	8		Red Clover	8				
Tetraploi Peren	nial Rye 16	Tetraploid Perennial Rye	16					
Timothy 15 Annual Rye 15 Timothy 15 Annual Rye 15				15				

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by:	Gayne Knitowski, Inspector	Digitally signed by Gayne Knitowski, Inspector Date: 2024.07.15 08:58:32 -0400'	1			
Comments:						
						RECEIVED Office of Oil and Gas
						JUL 1 9 2024
						WV Department of Environmental Protection
Title:Inspector				Date:	7-15-202	24
ield Reviewed?	<u> </u>	Yes	(	) No	*	

# 4706101961



# **ERP**

# **Site Safety Plan**

July 2024


Gayne Knitowski, Inspector Digitally signed by Gayne Knitowski, Inspector Date: 2024.07.15 08:40:21 -04'00'


> RECEIVED Office of Oil and Gas

> > JUL 19 2024

WV Department of Environmental Protection

08/23/2024





	SURVEYED LONG: 80° 16' 24.5"	,600' Latitude: 39° 42' 30" (NAD27)
1-3-12 1-3-15 PUMPKIN RUN RD	PENNSYLVANIA	
		061-70790 061-70792 061-30232 0793 061-70794 000
1.3-14 1-3-15.1 061-014	14-2 0051%	0793 061-70794 061-00393 00
1-3-10	051-01706	
REFERENCES	061-00157	1500 061-70660 iii
1-3-17	143 Ø	1500 061-70679 061-70679 ERP 9H N77:1955''E FRP 9H V77:1955''E
	TOTAL DISTANCE BORED	Trong Long
HE POST	1-3-19 FROM LP TO BH = 14,164	
• () •	1-7-1 BH (0 061-00182) 061-0	1517 EXISTING GAS WELLS WITHIN 2400' OF
ERP 9H		SURFACE HOLE NTS
	8-30.1 1-8-30	1 TOP HOLE (UTM NAD 83) N) 4391793.1
37	ATTAIN NO 1-7-7.1	48'27" W 803' E) 562328.2 BOTTOM HOLE (UTM NAD 83) 1-00985
POST	06101153 12715 12715	N) 4395782.2 E) 560227.6
NTS 1-8-28	1-8-31.4 061-0010, 0 061-00183	061-00984
	-31.3 - 061-01167 - 1 -7-17 - 1 - 061-01094.	061-01085 Ø061-01021 Ø061-00606
061-01184 1-8-33	1-8-32 1-7-18 061-01042 E 061-00956 061-00960	061-01083
2/0	061-01194	0001-01067
061-01206 061-01208 061-01208	1-8-35 0 1-7-25 1061-00915 1 -7-25 061-010915 0 1-7-25 061-01040 061-0	0061-01075 0061-01003
061-01208 061-01290	061-01201 061-00166 1-7-20 061-00166 7///	-34
061-01238 061-01240	1-8-33.1 1.7.20.4 061	00921 0061-00922 061-00922
PROPOSED HORIZONTAL 01	061-01236 061-01236 1-7-22.4 1-7-22.4 1-7-22.4 061-00233 061-00233 061-00233 061-00233 061-00233 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-00243 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024 061-0024	061-00871
WELLS SURFACE LOCATIONS	1-7-23 1-7-23 1-7-27.1 1-7-35.1 1-7-35.1	E 1-7-35
	061-01236 1-13-34 / 1-14-1 061-00794	
	061-01144 061-00044	1.14-27.1
	1-14-16	1-14-29.3 0 1-14-28
	061-01186 1-14-4 1-14-3	1-14-26
	051 00012 0	E 061-00592
061-01276 NTS 061-01270 061-01271	061-01485	11/1/17 061-30049 1-14-17 1-14-17
р 061-01310 р	11-14-6.1 / 114.12	061-70792 051-70791 D
061-01319 061-00186		1-14-19 0 061-30232
061-01325 Ø 061-01318	HOLE 114	Ø Ø
Ø 061-01326	061-00122	-18.1 B 661-00393
5	061-30638	18 18.1 B 10114-33 065-00393 18.1 N 49'39'14''E 1 051-70580
8 061-	061-70678	061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517 061-00517
α 061-01366 α	061-00625 061-00569	BÒTTOM
REFERENCE NOTE Boundaries as shown taken from deeds, tax maps and field locations.	× 1-14-9 1-14-10 061-00354	061-01517 5
A full boundary survey is not expressed nor implied. All bearings are based on true north. Ownership	1.14-10.4	0F LONGITUDE 80'17'30'' 1-17-14
Laken from public records MONIONGALL County, West Wirgtina NOVE/MER 2019 State Funce Coordinates & NAD 83		
Sude Faile Constraints automater Lat/Long by differential submater mapping grade GPS Drated by: E.A.M		
FILE #: NNE20		L S
· · · · · · · · · · · · · · · · · · ·		and the second second
DIAT: 1" = 2600'	I, THE UNDERSIGNED, HEREBY CERTIFY THAT TH	HIS J. BENCHA
SCALE:	PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE A	ND BY CENSED
MINIMUM DEGREE OF ACCURACY: 1/200	BELIEF AND SHOWS ALL THE INFORMATION REQUIRED	
	LAW AND THE REGULATIONS ISSUED AND PRESCRIBEIT THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.	DBY No. 2124
PROVEN SOURCE SUBMETER MAPPING OF ELEVATION: GRADE GPS		PROF STATE OF
	Signed:	- VIRGINI
(+) DENOTES LOCATION OF WELL ON	L.L.S. #2124 : Ernest J. Benchek III	SONAL SUCON
UNITED STATES TOPOGRAPHIC MAPS		- Calleron -
WVDEP	 DATE: JUN	NE 26, 2024
OFFICE OF OIL & GAS 601 57TH STREET		
CHARLESTON, WV 25304	OPERATOR'S WELL ;	
Well Type: □Oil □Waste Diposal		- <u>61</u> COUNTY PERMIT HGA
⊠Gas □Liquid Injectio	n □Storage ⊠ Shallow STATE	
WATERSHED: DUNKARD CRE	22207	
COUNTY/DISTRICT: MONONGALIA	/ BATTELLE	NGLE WADESTOWN
SURFACE OWNER.	Phoenix Energy Resources, LLC QUADITAL	18/23/2024
OIL & GAS ROYALTY OWNER:	Phoenix Energy Resources, LLC, et al. ACREAGE	
LEASE NUMBERS:		RACTURE OR STIMULATE
DRILL 🖂		
PLUG OF	FORMATION PERFORATE NEW FORMATION	
	JT & REPLUG ロ OTHER CHANGE ロ (SPECIFY): S ESTIMATED DEPTH:T	VD: 8,062 TMD: 22,944
TARGET FORMATION: MARCELLU	stural Energy LLC DESIGNATED AGENT:	
WELL OPERATOR: Northeast No		GINIA STREET EAST, SUITE 1200
ADDRESS: 707 VIRGINIA STR CITY: <u>CHARLESTON</u> STATE: <u>WV</u>		STATE: WV ZIP CODE: 25301
CITT: CHARLESTON STATE: WV		

PROPERTY OWNER INDEX
CONSOL MINING COMPANY LLC
CONSOL MINING COMPANY LLC
EDWARD F HOLIPSKY
<b>RIFF A &amp; THERESA A HENNEN</b>
CLOVIS FAMILY IRREVOCABLE TRUST DATED
MAY 23 2011 (LIFE)
CLOVIS FAMILY IRREVOCABLE TRUST DATED
MAY 23 2011 (LIFE)
CLOVIS FAMILY IRREVOCABLE TRUST DATED
MAY 23 2011 (LIFE)
<b>ROGER L &amp; CARMEN M SEAMAN</b>
EDWARD F HOLIPSKY
FRED, NORMA & ASHLEY V WILLIAMS
MELISSA DAWN HUNT
RANDELL LEE LANTZ
<b>RUSSELL L &amp; VA M TOOTHMAN</b>
GLENN N & ORPHA J REED
ERP FEDERAL MINING COMPLEX LLC

	LEASE INDEX
А	WV-061-005667-001
В	WV-061-000208-001-JOA
С	WV-061-005874-001
D	WV-061-005845-025
Ε	WV-061-005810-037
F	WV-061-000208-001-JOA
G	WV-061-000208-001-JOA
Н	WV-061-006368-001
I	WV-061-006451-002
J	WV-061-004196-001
К	WV-061-006538-001
L	WV-061-000195-001-JOA

# 08/23/2024

FILE #: NEE20	DATE:JUNE 26, 2024
DRAWING #: 3061	OPERATOR'S WELL #: ERP 9H
SCALE:N/A	API WELL #: 47 61 01961 STATE COUNTY PERMIT

WW-6A1 (5/13)

Operator's Well No. ERP 9H

#### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Lease Name or				

See attached

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

RECEIVED Office of Oil and Gas

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Northeast Natural Energy LLC
By:	Hollie Medley Hole Mech
Its:	Regulatory Manager

Page 1 of 2

### 08/23/2024

JUL 19 2024

WV Department of Environmental Protection

### WW-6A1

### **Operators Well No. ERP 9H**

Tract	Lease Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book	Page
A	WV-061-005667-001	Phoenix Energy Resources, LLC	Northeast Natural Energy LLC	12.5% or greater	1710	737
В	WV-061-000208-001-JOA	EQT Production Company - Participating	Northeast Natural Energy LLC	12.5% or greater	1848	729
C	WV-061-005874-001	Ashley V. Williams Hunt	Northeast Natural Energy LLC	12.5% or greater	1770	621
D	WV-061-005845-025	Michael Tuttle (Rex W. Tuttle heir)	Northeast Natural Energy LLC	12.5% or greater	1788	575
Е	WV-061-005810-037	James Z. Simpson (James Terry Simpson heir, Mary Ellen Charlton Simpson heir)	Northeast Natural Energy LLC	12.5% or greater	1766	200
F	WV-061-000208-001-JOA	EQT Production Company - Participating	Northeast Natural Energy LLC	12.5% or greater	1848	729
G	WV-061-000208-001-JOA	EQT Production Company - Participating	Northeast Natural Energy LLC	12.5% or greater	1848	729
н	WV-061-006368-001	Douglas E. Bell and Carola A. Bell, JTROS	Northeast Natural Energy LLC	12.5% or greater	1810	5
1	WV-061-006451-002	John B. Loss (Mary Katherine Kaiser heir)	Northeast Natural Energy LLC	12.5% or greater	1823	135
J	WV-061-004196-001	OPCR-SKS Estate LLC (New Augusta Inc. interest)	Northeast Natural Energy LLC	12.5% or greater	1833	136
К	WV-061-006538-001	Unknown Heirs and Assigns of Ray Strosnider	Northeast Natural Energy LLC	12.5% or greater	170	564
L	WV-061-000195-001-JOA	Three Rivers Royalty, LLC	CNX Gas Company LLC	12.5% or greater	1829	236
		CNX Gas Company LLC	Northeast Natural Energy LLC	JOA	1817	474

www.cepartment.of Environmental Protection

JUL 1 9 2024

RECEIVED Office of Oil and Gas 4706101961



July 9, 2024

WV Department of Environmental Protection Office of Oil and Gas Management 601 57<sup>th</sup> Street, SE Charleston, WV 25304

RE: ERP 9H

Dear Permit Reviewer:

Please be advised that Northeast Natural Energy LLC has the right to drill, extract and produce the minerals beneath Route 12 Shamrock Road, Route 7 Mason Dixon Hwy, Route 15 Crossroads Road, Route 15/1 Mahogany Run Road, and Route 17/1 Happy Lane as identified on the included plat.

Sincerely,

Charles Dornetto

Charles Dornetto Manager – Land Operations

> RECEIVED Office of Oil and Gas

JUL 19 2024

spartment of Environmental Protection

Northeast Natural Energy LLC · 707 Virginia Street East, Suite 1200 · Charleston, WV 25301

08/23/2024

WW-PN (11-18-2015)

# 4706101961

#### Horizontal Natural Gas Well Work Permit Application Notice By Publication

Notice is hereby given:

Pursuant to West Virginia Code 22-6A-10(e) prior to filing an application for a permit for a horizontal well the applicant shall publish in the county in which the well is located or is proposed to be located a Class II legal advertisement.

Paper: Dominion Post

Public Notice Date: June 26 and July 3, 2024

The following applicant intends to apply for a horizontal natural well work permit which disturbs three acres or more of surface excluding pipelines, gathering lines and roads or utilizes more than two hundred ten thousand gallons of water in any thirty day period.

Applica	ant: Northeast Natural Energy, LLC	Well Nu	Well Number: ERP 5H, 9H, 13H, 15H, 17H			
Addres	s: 707 Virginia St. E., Suite 1200					
	Charleston, WV 25301	Martin Martin				
Busines	s Conducted: Natural gas productio	n.		RECEIVED Office of Oil and Gas		
Locatio	n –			JUL 19 2024		
	State: West Virginia / District: Battelle	County: Quadrangle	Monongalia /	Wv Department of Environmental Protection		
	UTM Coordinate NAD83 Northing:	5H - 4391789.1; 9H - 4391793.	1; 13H - 4391797.2; 15H -	4391801.4; 17H - 4391805.5		
		5H - 562323.7; 9H - 562328.2;				

#### **Coordinate Conversion:**

To convert the coordinates above into longitude and latitude, visit: http://tagis.dep.wv.gov/convert/llutm\_conus.php

#### **Electronic notification:**

To receive an email when applications have been received or issued by the Office of Oil and Gas, visit <u>http://www.dep.wv.gov/insidedep/Pages/DEPMailingLists.aspx</u> to sign up.

#### **Reviewing Applications:**

Copies of the proposed permit application may be reviewed at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE Charleston, WV 25304 (304-926-0450). Full copies or scans of the proposed permit application will cost \$15, whether mailed or obtained at DEP headquarters. Copies may be requested by calling the office or by sending an email to <u>DEP.comments@wv.gov</u>.

#### Submitting Comments:

Comments may be submitted online at <u>https://apps.dep.wv.gov/oog/comments/comments.cfm</u>, or by letter to Permit Review, Office of Oil and Gas, 601 57<sup>th</sup> Street, SE Charleston, WV 25304. Please reference the county, well number, and operator when using this option.

Regardless of format for comment submissions, they must be received no later than thirty days after the permit application is received by the Office of Oil and Gas.

For information related to horizontal drilling visit: www.dep.wv.gov/oil-and-gas/pages/default.aspx



#### WW-6AC (1/12)

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

#### Date of Notice Certification: 07/01/2024

API No. 47-	-
Operator's Well N	0. 9H
Well Pad Name:	ERP

#### Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	vvest Virginia	LITY ( NUMBER OF Eastin	1g: 562328.2
County:	Monongalia	<ul> <li>UTM NAD 83 North</li> </ul>	ing: 4391793.1
District:	Battelle	Public Road Access:	Route 17/Miracle Run Rd
Quadrangle:	Wadestown	Generally used farm na	
Watershed:	Dunkard Creek		

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:	
*PLEASE CHECK ALL THAT APPLY	OOG OFFICE USE ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or ■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/
■ 2. NOTICE OF ENTRY FOR PLAT SURVEY or □ NO PLAT SURVEY WAS CONDUCTED	□ RECEIVED
■ 3. NOTICE OF INTENT TO DRILL or NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or	RECEIVED/
□ WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	
4. NOTICE OF PLANNED OPERATION     RECEIVED     Office of Oil and Gas	□ RECEIVED
L J. PUBLIC NUTICE	□ RECEIVED
6. NOTICE OF APPLICATION  JUL 19 2024  epartment of	□ RECEIVED
Environmental Protect	on

#### **Required Attachments:**

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

# 4706101961

#### Certification of Notice is hereby given:

#### THEREFORE, I Hollie Medley

\_, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	Northeast Natural Energy, LLC	Address:	707 Virginia St. E., Suite 1200	
By:	Hollie Medley		Charleston, WV 25301	
Its:	Regulatory Manager	Facsimile:	304-241-5972	
Telephone:	304-241-5752	Email:	hmedley@nne-llc.com	
	NOTARY SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Kristen Brooks Northeast Natural Energy LLC 48 Donky St. Suite 601 Morgantown, W2 26501 My Commission Expires Aug. 10, 2028	Subscribed and swo	orn before me this 1st day of July, 2024 with Provin Notary Public	

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office of Oil and Gas JUL 19 2024 mental Protection



WW-6A (9-13)

4	7	0	6	1	0	-	9	6	-
API NO	). 4'	7-		-	-		~	-	13

OPERATOR WELL NO. 9H Well Pad Name: ERP

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 627	24Date Permit Application Filed: 7	8/24
Notice of:		

$\checkmark$	PERMIT FOR ANY	CE:
	WELL WORK	CO

CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT


Delivery method pursuant to West Virginia Code § 22-6A-10(b)

$\Box$	PERSONAL	REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
	SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURF.	ACE OWNER(s)	⊿ COAL	OWNER OR LESSEE	
Name: _	Phoenix Energy Resources, LLC	Name:	Phoenix Energy Resources, LLC	
Address:	863 Quail Valley Drive		863 Quail Valley Drive	RECEIVED
	Princeton, WV 24740		Princeton, WV 24740	Office of Oil and Gas
Name:	Norma Williams		OPERATOR	
Address:	222 Happy Lane	Name:	of Brithon	JUL 19 2024
	Fairview,WV 26570	Address:		JUL 10 2021
Name:		☑ SURFA AND/OR Name:	ACE OWNER OF WATER WELL WATER PURVEYOR(s) Chad A. Swanson 319 Happy Lane Fairview, WV 26570	WV Department of Environmental Protection
□ SURFA Name: Address:	Atlanta, GA 30309 ACE OWNER(s) (Impoundments or Pits)	Name: Address:	ATOR OF ANY NATURAL GAS S	STORAGE FIELD



#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

#### This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental and-gas/pages/default.aspx. Office of Oil and Gas

Well Location Restrictions JUL 19 2024 Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet of larger discrition house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items



WW-6A (8-13)



OPERATOR WELL NO. 9H Well Pad Name: ERP

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

#### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

#### Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

### Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

#### Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> St. SE Charleston, WV 25304 (304) 926-0450


test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

RECEIVED Office of Oil and Gas

JUL 19 2024 Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to

Environmental Protection





OPERATOR WELL NO. 9H Well Pad Name: ERP

#### Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

#### **Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

#### Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Oil and Gas

JUL 1 9 2024

www. Jepartment of Environmental Protection



WW-6A (8-13)

#### 4706101961 API NO. 47-

OPERATOR WELL NO	). 9H	
Well Pad Name: ERP		

#### Notice is hereby given by:

	or: Northeast Natural Energy LLC	
Telephone:	304-414-7060	
Email: hmedl		

Address: 707 Virginia St. E., Suite 1200 Charleston, WV 25301 Facsimile: 304-241-5972

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

142	NOTARY PUBLIC
See A A E	STATE OF WEST VIRGINIA
HAR TINE	Kristen Brooks
	Northeast Natural Energy LLC
F.CS.I	48 Donley St., Suite 601

Subscribed and sworn before me this 244 day of	une, 202.4
fristen Brooks	Notary Public
My Commission Expires Aug. 10, 2025	5.
0	

RECEIVED Office of Oil and Gas

#### JUL 19 2024

WV Department of Environmental Protection

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF ENTRY FOR PLAT SURVEY</u>

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry Date of Notice: \_\_\_\_\_\_06/11/2020 Date of Planned Entry: \_\_\_\_\_06/18/2020

Delivery method pursuant to West Virginia Code § 22-6A-10a

L PERSONAL	REGISTERED	☐ METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

#### Notice is hereby provided to:

SURFACE OWNER(s)		COAL	COAL OWNER OR LESSEE	
Name: P	hoenix Energy Resources, LLC		enix Energy Resources, LLC	
Address: 8	863 Quail Valley Drive		863 Quail Valley Drive	
P	rinceton, WV 24740		nceton, WV 24740	
Name:				
Address:		MINER	MINERAL OWNER(s) Name: Phoenix Energy Resources, LLC	
		Name: Pho		
Name:		Address: 863	Quail Valley Drive	
Address:		Prir	nceton, WV 24740	WV Department of
		*please attach a	dditional forms if necessary	Environmental Protection

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	West Virginia	Approx. Latitude & Longitude:	39.673595, -80.273483
County:	Monongalia	Public Road Access:	Happy Lane/CR 17
District:	Batelle	Watershed:	Dunkard Creek
Quadrangle:	Wadestown	Generally used farm name:	ERP

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

#### Notice is hereby given by:

Northeast Natural Energy LLC	Address:	
304-414-7060	707 Virginia St. E, Suite 1200 Charleston, WV 25301	
	Facsimile: 304-241-5972	
		304-414-7060 707 Virginia St. E, Suite 1200 Charleston, WV 25301

#### Oil and Gas Privacy Notice:



0610196

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF ENTRY FOR PLAT SURVEY</u>

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry Date of Notice: 06/11/2020 Date of Planned Entry: 06/18/2020

Delivery method pursuant to West Virginia Code § 22-6A-10a

$\Box$	PERSONAL	
	SERVICE	

REGISTERED MAIL

☐ METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

#### Notice is hereby provided to:

SURFAC	CE OWNER(s)		□ COAL OWNER OR LESSEE	
	n N & Orpha J Reed		Name:	RECEIVED
Address: 911 M	Miracle Run Rd		Address:	Office of Oil and Gas
Fairvi	ew,WV 26570			
Name:				JUL 1 9 2024
Address:		*· •	$\square$ MINERAL OWNER(s)	
Name: Address:			Name:Address:	WV Department of Environmental Protection
			*please attach additional forms if necessary	

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	West Virginia	Approx. Latitude & Longitude:	39.673595, -80.273483
County:	Monongalia	Public Road Access:	Happy Lane/CR 17
District:	Batelle	Watershed:	Dunkard Creek
Quadrangle:	Wadestown	Generally used farm name:	ERP

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

#### Notice is hereby given by:

Northeast Natural Energy LLC	Address:	
304-414-7060	707 Virginia St. E, Suite 1200 Charleston, WV 25301	
	Facsimile: 304-241-5972	
	and the second s	304-414-7060 707 Virginia St. E, Suite 1200 Charleston, WV 25301

#### Oil and Gas Privacy Notice:



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF ENTRY FOR PLAT SURVEY</u>

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry
Date of Notice: 06/11/2020 Date of Planned Entry: 06/18/2020

Delivery method pursuant to West Virginia Code § 22-6A-10a

Ш	PERSONAL	REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
	SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

#### Notice is hereby provided to:

SURFACE OWNER(s)	COAL OWNER OR LESSEE	-0
Name: Norma Williams	Name:	RECEIVED Office of Oil and Gas
Address: 222 Happy Lane	Address:	Office of Oil and -
Fairview,WV 26570		
Name:		JUL 19 2024
Address:	$\square$ MINERAL OWNER(s)	
Name:	Name:	WV Department of Environmental Protection
Address:	Address:	Environmental
	*please attach additional forms if necessary	

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	West Virginia	Approx. Latitude & Longitude:	39.673595, -80.273483
County:	Monongalia	Public Road Access:	Happy Lane/CR 17
District:	Batelle	Watershed:	Dunkard Creek
Quadrangle:	Wadestown	Generally used farm name:	ERP

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

#### Notice is hereby given by:

	Northeast Natural Energy LLC	Address:		
Telephone:	304-414-7060		707 Virginia St. E, Suite 1200 Charleston, WV 25301	
Email:		Facsimile:	304-241-5972	

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.



0610196

Operator Well No. ERP

WW-6A3 (1/12) **4706101961** Operator Well No. ERP

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF ENTRY FOR PLAT SURVEY</u>

 Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry

 Date of Notice:
 06/11/2020

 Date of Planned Entry:
 06/18/2020

Delivery method pursuant to West Virginia Code § 22-6A-10a

PERSONAL	REGISTERED	☐ METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

#### Notice is hereby provided to:

$\Box$ SURFACE OWNER(s)	□ COAL OWNER OR LESSEE	
Name:	Name:	
Address:	Address:	
		RECEIVED
Name:		Office of Oil and Gas
Address:	MINERAL OWNER(s)	
NT	Name: XTO Energy Inc.	JUL 1 9 2024
Name:	Address: 22777 Springwoods Village Parkway	
Address:	Spring, TX 77389	
	*please attach additional forms if necessary	Wv Department of Environmental Protection

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	West Virginia	Approx. Latitude & Longitude:	39.673595, -80.273483	
County:	Monongalia	Public Road Access:	Happy Lane/CR 17	
District:	Batelle	Watershed:	Dunkard Creek	
Quadrangle:	Wadestown	Generally used farm name:	ERP	

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

#### Notice is hereby given by:

Well Operator:	Northeast Natural Energy LLC	Address:	
Telephone:	304-414-7060	707 Virginia St. E, Suite 1200 Charleston, WV 25301	
Email:		Facsimile: 304-241-5972	

#### **Oil and Gas Privacy Notice:**



Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

 Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application.

 Date of Notice:
 06/27/2024

 Date Permit Application Filed:
 07/08/2024

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND	CERTIFIED MAIL
DELIVERY	RETURN RECEIPT REOUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

#### Notice is hereby provided to the SURFACE OWNER(s):

Name: See attached	Name:	Unice of On and Gas
Address:	Address:	JUL 1 9 2024

#### Notice is hereby given:

WV Department of

RECEIVED

10

Operator Well No. ERP 9H

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia		Easting:	562328.2	
County:	Monongalia	UTM NAD 83	Northing:	4391793.1	
District:	Battelle	Public Road Acc	0.	Route 17	
Quadrangle:	Wadestown	Generally used f		ERP	
Watershed:	Dunkard Creek	J			

#### This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

#### Notice is hereby given by:

Well Operator:	Northeast Natural Energy, LLC	Authorized Representative:	Hollie Medley, Regulatory Manager
Address:	707 Virginia St. E., Suite 1200	Address:	48 Donley St, Suite 601
	Charleston, WV 25301		Morgantown, WV 26501
Telephone:	304-414-7060	Telephone:	304-241-5752
Email:		Email:	
Facsimile:		Facsimile:	

#### **Oil and Gas Privacy Notice:**



08/23/2024

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF PLANNED OPERATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 06/27/2024 Date Permit Application Filed: 07/08/2024

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL	HAND
RETURN RECEIPT REQUESTED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNED (at the address listed in the records of the sheriff at the t	R(s)	RECEIVED Office of Oil and Gas
Name:See attached	Name:	JUL 19 2024
Address:	Address:	
		WV Department of Environmental Protection
Notice is hereby given:		Environmenta
Pursuant to West Virginia Code § 22-6A-16(c), notice is	s hereby given that the undersigned	d well operator has developed a planned
operation on the surface owner's land for the purpose o State: West Virginia		ract of land as follows:

otate.	West Virginia		Easting:	562328.2	
County:	Monongalia	UTM NAD 83	Northing:	4391793.1	
District:	Battelle	Public Road Acc	0	Route 17	
Quadrangle:	Wadestown	Generally used f	arm name.	ERP	
Watershed:	Dunkard Creek	,			

#### This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by **W. Va. Code § 22-6A-10(b)** to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Operator:	Northeast Natural Energy LLC	Address:	707 Virginia St. E., Suite 1200	
Telephone:	304-414-7060		Charleston, WV 25301	
Email:	hmedley@nne-llc.com	Facsimile:	304-414-7061	

#### Oil and Gas Privacy Notice:

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

#### Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

#### **Comment and Waiver Provisions**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

## VOLUNTARY STATEMENT OF NO OBJECTION

I,  $\mathcal{J}$  that  $\mathcal{J}$  hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form WW-6A and attachments consisting of pages one (1) through \_\_\_\_\_\_, including the erosion and sediment control plan, if required, and the well plat, all for proposed well work on the tract of land as follows:

State:	West Virginia		
County:	Monongalia		
District:	Battelle		
Quadrangle:	Wadestown		
Watershed:	Dunkard Creek		

UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:

562328.2	
4391793.1	
Route 17	
ERP	

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
$\Box$ SURFACE OWNER	Signature: Jelb-1 Halv
□ SURFACE OWNER (Road and/or Other Disturbance)	Print Name: John F Hx1+1 Date: 07-03-2024
□ SURFACE OWNER (Impoundments/Pits)	
□ COAL OWNER OR LESSEE	FOR EXECUTION BY A CORPORATION, ETC. Company: Phoenic Entry Resources
□ COAL OPERATOR	By: Joh + Hill RECEIVED Its: Mat member Office of Oil and Gas
□ WATER PURVEYOR	
□ OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Signature: $0^{-1} - 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} + 1^{-1} +$
	Wy Department of

#### Environmental Protection

#### Oil and Gas Privacy Notice:





## WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

Office of the District Engineer/Manager District Four

Post Office Box 4220 · Clarksburg, West Virginia 26302 · (304) 842-1500

Alanna J. Keller, P.E. Deputy Secretary of Transportation Deputy Commissioner of Highways

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

May 6, 2024

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> Street, SE Charleston, WV 25304

Subject: DOH Permit for the ERP Well Pad, Monongalia County ERP 9H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit 04-2020-0705 which has been issued to Northeast Natural Energy, LLC for access to the State Road for a well site located off Monongalia County Route 17/1 SLS MP 2.302.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated March 6, 2023. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Acicy D. Pratt

Lacy D. Pratt Central Office O&G Coordinator

RECEIVED Office of Oil and Gas

JUL 19 2024

WV Department of Environmental Protection

08/23/2024

Cc: Kristen Brooks Northeast Natural Energy, LLC OM, D-4 File

# Planned Additives To Be Used In Fracturing Stimulations

Trade Name	Purpose	Ingredients	Cemical Abstract Service Numner (CAS#)
Water	Carrier	Water	7732-18-5
HCI, 10.1-15%	Acidizing	Hydrochloric Acid Water	7647-01-0 7732-18-5
Alpha 1427	Biocide	Alkyl Dimethyl Benzyl Ammonium Chloride (C12-16) Ethanol Glutaraldehyde Quaternary Ammonium Chloride Water	68424-85-1 64-17-5 111-30-8 7173-51-5 7732-18-5
Enzyme G-NE	Breaker	Hemicellulase Enzyme Concentrate Water	9025-56-3 7732-18-5
CI-14	Corrosion Inhibitor	Fatty Acids Methanol Olefin Polyozyalkylenes Propargy! Alcohol	NA 67-56-1 NA NA 107-19-7
GW-3LDF	Gelling Agent	Guar Gum Petroleum Distillate Blend	9000-30-0 CBI
FRW-18	Friction Reducer	Hydrotreated Light Distillate	64742-47-8
Ferrotrol 300L	Iron Crontrol	Citric Acid	77-92-9
Sand, White, 40/70	Proppant	Cystalline Silica (Quartz)	14808-60-7
Sand, White, 100 mesh	Proppant	Cystalline Silica (Quartz)	14808-60-7
Scaletrol 720	Scale Inhibitor	Diethylene Glycol	111-46-6

WV Department of Environmental Protection

RECEIVED Office of Oil and Gas

706101961

4706101961 WW-6A7 (6-12)OPERATOR: Northeast Natural Energy WELL NO: 9H PAD NAME: ERP SIGNATURE: Holl Med REVIEWED BY: Hollie Medley WELL RESTRICTIONS CHECKLIST HORIZONTAL 6A WELL Well Restrictions At Least 100 Feet from Pad and LOD (including any E&S Control Feature) to any Perennial Stream, Lake, Pond, Reservoir or Wetland; OR DEP Waiver and Permit Conditions At Least 300 Feet from Pad and LOD (including any E&S Control Feature) to any Naturally Producing Trout Stream; OR DEP Waiver and Permit Conditions At Least 1000 Feet from Pad and LOD (including any E&S Control Feature) to any Groundwater Intake or Public Water Supply; OR DEP Waiver and Permit Conditions At Least 250 Feet from an Existing Water Well or Developed Spring to Well Being Drilled; OR Surface Owner Waiver and Recorded with County Clerk, OR DEP Variance and Permit Conditions At Least 625 Feet from an Occupied Dwelling Structure to Center of the Pad; OR Surface Owner Waiver and Recorded with County Clerk, OR DEP Variance and Permit Conditions At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Feet dector of the Pad; OR Office of Oil and Gas Surface Owner Waiver and Recorded with County Clerk, OR JUL 19 2024 DEP Variance and Permit Conditions WV Department of Environmental Protection

08/23/2024