

LATITUDE 39°40'00"

75'

00,01,08
LONGITUDE

7'5 OGIS topo location

7.5' loc	<u>0.275</u>	15' loc	<u>0.275</u>
	<u>1.880</u>	(calc.)	<u>1.880</u>

5383 on Equitrans

Company _____

Farm _____

Quad Blacksville

County Monongahela WC

District Clay

WELL LOCATION MAP

File No. 061-10A

McCord

JH
HEADLY

• 5383

McCord

Keck

WEST VIRGINIA DEPARTMENT OF MINES

OIL & GAS SECTION

PRELIMINARY DATA SHEET NO. 1

File No. _____

Well No. 2255

WILLIAMSON OIL Company, of 408 South Avenue,
Pittsburgh, Penn., on the James H. Hadley Farm
containing 57 acres. Location _____
Way District, in Monongalia County, West Va.

The surface of the above tract is owned in fee by
W. B. G. Hirsch,
James H. Hadley of Monongalia County, W. Va. address, and the
mineral rights are owned by James H. Hadley et al. of Way

The oil and gas privileges are held under lease by
the above named company, and this well is drilled under permit
No. _____ issued by the West Virginia Department of Mines, Oil and
Gas Section, _____ 1928.

Elevation of surface at top of well, 1000 ^{spirit} _____

The number of feet of the different sized casings used in the well.

_____ feet _____ size. Wood conductor.

600 feet 2 1/2" size, csg. 1000 feet 3" sized csg.

1100 feet 3-5/8" size, csg. 200 feet 4-1/2" sized csg.

_____ feet _____ size, csg. _____ feet _____ sized csg.

Two sections of _____ size, set at _____

_____ sections of _____ size, set at _____

_____ in. casing perforated at _____ feet to _____ feet.

_____ in. casing perforated at _____ feet to _____ feet.

Coal was encountered at 200 feet; thickness 40 inches, and at

2 200 feet; thickness 40 inches; and at 200 feet; thick-

ness 40 inches.

Liners were used as follows: (Give details) _____

September 20, 1928 _____

REC.

Handwritten signature/initials

