

LATITUDE 39° 45'

88° 22' 08"

LONGITUDE

75'

7'5 OGIS topo location

#4 well on farm on Consol

7.5' loc 2.20S  
1.40W

15' loc 2.20S  
(calc.) 4.02W

Company \_\_\_\_\_

Farm \_\_\_\_\_

Quad Hundred

County Monongahela

District Battelle

WELL LOCATION MAP

File No. 061-20A



**WEST VIRGINIA DEPARTMENT OF MINES**  
**Oil and Gas Section**  
**PRELIMINARY DATA SHEET NO. 1**

File No. \_\_\_\_\_ Well No. 2

Cochran & Cochran Company, of Parkersburg

Drilled with J. E. Snider

containing 107 1/2 feet Location N 1/4 Sec. 372' from stone marker W. J. H. Thomas  
(Barnetts)

S. 24' W. 1860' top of Mine Section in Monongalia County, West Virginia  
Mine

The surface of the above tract is owned in fee by J. E. Snider,  
of Garrison, Tenn. address, and the mineral rights are owned by

L. R. Johnson, of Whitestown, West Va. H. B. M.

The oil and gas privileges were held under lease by the above named company, and this well is drilled under  
permit No. None issued by the West Virginia Department of Mines, Oil and Gas Section.

February 1917

Elevation of surface at top of well, 1888' Depth Thousand

The number of feet of the different sized casing within the well.

10" feet 15" feet 18" feet 20" feet

900 feet 120" feet 1840 feet 20" feet

2340 feet 20" feet 2340 feet 20" feet

2340 feet 20" feet 2340 feet 20" feet

20 feet 20" feet 20" feet 20" feet

20 feet 20" feet 20" feet 20" feet

20 feet 20" feet 20" feet 20" feet

20 feet 20" feet 20" feet 20" feet

Coal was encountered at 1870 feet 6 ft thick 20" feet 20" feet

6 ft thick 20" feet 20" feet 20" feet

Notes were used as follows: (See details) None

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

By: J. E. Snider  
 Approved: \_\_\_\_\_  
 \_\_\_\_\_

Chatham & Cochran Company

COMPLETION DATA SHEET  
NO. 2  
FORMATION RECORD

Martinsburg, West Va. Address

J. E. Snider, Well No. Kanongalia County West Va.

Name	Code	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Maplewood Shell			no	1070	1075	5 ft		
Pittsburgh Shell			no	1170	1180	10 ft		
Big Sandstone Shell			no	1710	1750	40 ft		
Salt Sand			no	2000	2050	50 ft		
Big Line			no	2330	2400	70 ft		
Big Injin Shell			no	2400	2550	150 ft		
Fifty Feet Shell			no	3100	3150	50 ft		
Gordon Storage Shell			no	3210	3240	30 ft		
Gordon Sand			no	3250	3287	37 ft		
Fourth Sand			Oil	3320	3350	30 ft		
Fourth Sand Shell				3340	3350	10 ft		

Well was completed at 3345 to 3355 feet; well was cased at \_\_\_\_\_ feet

Is it fresh water?  no  salt  
feet; fresh water was \_\_\_\_\_ feet

Well was \_\_\_\_\_ feet

Approved: *J. E. Snider*  
Name \_\_\_\_\_

NOTE: All completion data must be noted on following sheet and all formations which will gas wells must be recorded on this sheet as well as any local measurements and in the district for each well.

**AFFIDAVIT IN TRIPPLICATE TO THE AND MANNER OF  
PLUGGING AND FILLING WELL.**

(REVISED BY SECTION 24, CHAPTER 20, CODE 1923)

**WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION**

L.R. Johnson, Owner  
NAME OF OWNER  
Hubertown, West Va.  
ADDRESS  
  
NAME OF OWNER  
  
ADDRESS  
  
NAME OF OWNER  
  
ADDRESS

Coohran & Coohran  
NAME OF WELL OPERATOR  
Parkersburg, West Va.  
COMPLETE ADDRESS  
  
IS  
  
**WELL AND LOCATION**  
Netelle District  
Monongalia County  
  
Well No. Three  
  
J.E. Smider, Person

REPRODUCIBLE ONLY IN TRIPPLICATE. ONE COPY TO BE KEPT BY OPERATING WELL, ONE BY DEPARTMENT, ONE COPY TO BE DEPOSITED BY THE WELL OPERATOR. THE THIRD COPY SHALL BE SENT TO THE OFFICE OF RECORDS TO BE KEPT BY EACH WELL OPERATOR ABOUT NAMES OF WELLS OPERATED THEREON.

**AFFIDAVIT**

**STATE OF WEST VIRGINIA,**  
**County of \_\_\_\_\_**

**vs.**

**I, \_\_\_\_\_, do hereby swear according to law depose and say that they are experienced in the work of plugging**

**and filling oil and gas wells and were employed by \_\_\_\_\_, well operator, and participated in the work of plugging and filling the aforesaid well, that said work was commenced on the**

**20<sup>th</sup> day of July, 1924, and that the well was plugged and filled in the following manner:**

**Manner in which said well was plugged: Filled with Clay from 2800 ft up to 2800 ft. Last Plug set at 2800 ft. Bridged at 2800 ft filled with Clay to 2400 ft. Cement Plug set at 2400 ft.**

**Manner in which said well was plugged: 2 1/2" casing from 1640 ft up to 975 ft or 3 1/2" above the coal. Bridged at 1200 ft filled with sand and cement up to 1000 ft Filled with Clay from 1000 ft up to 800 ft.**



**Bridged on 360 ft Filled with Clay up to 12 ft Cement from 12 ft up to 3 ft above surface 12 inches in diam with Company Name and Well Number.**

AND WHEREBY CERTIFYING THAT HE IS A WELLS AND IS ACCORDINGLY WITH THE PROVISIONS OF SECTION 24, CH. 20 AND ALL ACTS OF WELLS within the work of plugging and filling said well was completed on the **20<sup>th</sup> day of September,**

1924  
**And further depose and say that**

R.L. Marshall  
W. H. Hirsch  
James B. Hirsch  
Miner

**Sworn to and subscribed before me this 18<sup>th</sup> day of \_\_\_\_\_, 1924**

My Commission expires:  
16.10.1924