



Alphonsus Chap	October 1898 402
St. Michael	October 1898 402
St. John	October 1898 402
St. Peter	October 1898 402
St. Paul	October 1898 402
St. James	October 1898 402
St. George	October 1898 402

**MEMORANDUM**

I, the undersigned, hereby certify that this map is correct and shows all the information in the case of the above named roads, as required by the oil and gas contract of the State, and of this Virginia.

*James H. [Signature]*

Witnessed before me a Notary Public of this State  
 this 14th day of October, 1902.

*J. H. [Signature]*

Notary Public for the State of Virginia

Clay District, Monongalia County, W. Va.

On 112 acres; surface owned by A. G. Wilson, R. 2, Fairview, W. Va., and mineral rights, by U. G. Wilson et al.,

Care John Shriver, Agent, Morgantown, W. Va.

South Penna Oil Co. 1 1/2 mi. S. E. of Miracle Run P. O.

Elevation, 1226.46' L. Completed, Nov. 5, 1903.

10" wood conductor; 13 1/2" casing, 115'; 10", 1230'; 8 1/2", 1890'; 6-5/8", 1926'; 5-3/16", 2175'. Packer, 2 x 4 x 16", set at 3195'; 4 1/2 x 4" liner, 284' 9".

Abandonment reported to Dept. of Mines, Nov. 26, 1932.

Well shot 7-20-06, 20 qts; 8-22-12, 110 qts.; 12-2-19, 140 qts.

*MON-54-A*

	Top.	Bottom.
Bluff Sand		450
Mapletown Coal		815
Pittsburgh Coal		915
Little Dunkard Sand	1170	1200
Big Dunkard Sand	1450	1500
Gas Sand	1600	1660
Salt Sand	1730	1880
Little Lime	2110	2130
Pencil Cave	2130	2135
Big Lime	2140	2188
Big Injun Sand <del>(gas pay, 2188')</del>	2188	2410
Smalkias, 2770'		
50-Ft. Sand		2822
Gordon Sand (oil, 3156')	3152	3179
(Total depth first reported, 3170')		
4th Sand (1st gas pay, 3182'; 2nd gas pay, 3188'), to bottom	3179	3209
DRILLED DEEPER		
5th Sand	3306	3310
Bayard Sand (gas, 3365')	3364	3370
Total depth		3374

Clay District, Monongalia County, W. Va.  
 By South Penn Oil Co., P. O. Drawer 1255, Pittsburgh, Pa.  
 On 112 acres, surface owned by A. G. Wilson, R. D. No. 2, Fairview,  
 W. Va., and mineral rights owned by U. G. Wilson et al.,  
 John Shriver, Agent, Morgantown, W. Va.

Elevation, 1226.46' L.

10' conductor; 1 3/4" casing, 115'; 10", 1230'; 8 1/2", 1890';  
 6-5/8", 1926'; 5-3/16" 2175'.

Packer, 2 x 4 x 16, set at 3195'.

Coal was encountered at 815 and 915'.

4 1/2 x 4" liner, 284' 9".

Abandonment reported to Dept. of Mines Nov. 26, 1932.

Well was shot on July 20, 1906, with 20 qts.; on Aug. 22, 1912,  
 with 110 qts.; and Dec. 2, 1919, with 140 qts.

Producing hole.

	Top.	Bottom.
Conductor	0	10
Bluff Sand	450	
Mapletown (Sewickley) Coal	815	
Pittsburgh Coal	915	
Little Dunkard Sand	1170	1200
Big Dunkard Sand	1450	1500
Gas Sand	1600	1660
Salt Sand	1730	1880
Little Lime	2110	2130
Pencil Cave	2130	2135
Big Lime	2140	2188
Big Injun Sand <del>(gas, 2770')</del>	2188	2410
(Gas, 2770')		
50-Ft. Sand	2822	
Gordon Sand (oil, 3156')	3152	3179
Fourth Sand (1st pay gas, 3182'; 2nd pay gas, 3188')	3179	3202
Total depth		3202
DRILLED DEEPER:		
Fifth Sand	3306	3310
Bayard Sand (gas, 3365')	3364	3370
Total depth		3374

Clay District, Monongalia County, W. Va.  
 By South Penn Oil Co.  
 1½ mi. S. E. of Miracle Run P. O.  
 Completed, Nov. 5, 1903.

	Top.	Bottom.
Bluff Sand	150	
Mapletown (Sewickley) Coal	815	
Pittsburgh Coal	915	
Little Dunkard Sand	1170	- 1200
Big Dunkard Sand	1450	- 1500
Gas Sand	1600	- 1660
Salt Sand	1730	- 1880
Little Lime	2110	- 2130
Pencil Cave	2130	- 2135
Big Lime	2140	- 2188
Big Injun Sand (small gas at 2770')	2188	- 2410
50-Ft. Sand	2882	
Gordon Sand (oil at 3156')	3152	
Total depth		3170

## SOUTH FERN OIL

Company

J. O. BRUCE 1280,  
Pittsburgh, Pa.

Address

Well No. 1, - J. H. Wilson Farm.

## COMPLETION DATA SHEET

No. 2

## FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Conductor						10		
Shuff Sand				480				
Mapleton Coal				615				
Pittsburgh Coal				615				
Little DuPont Sand				1170	1200			
Big DuPont Sand				1400	1400			
Gas Sand				1400	1400			
Salt Sand				1700	1600			
Little Lane				2110	2100			
Pencil Gato				2100	2100			
Big Lane				2140	2100			
Big Injun Sand				2100	2410			
50 Foot Sand			Gas	2770				
Carbon Sand				2820				
				3100	3170			
Fourth Sand			Oil	3150				
				3170	3200			
			Let pay gas and "	3100				
				3100				
Total Depth						3200		
Started to drill Cooper					3200			
Fifth Sand				3200	3210			
Bayard Sand			Gas	3200	3270			
				3200				
Total Depth						3270		

Oil 2000-25, 20 cts.

Gas 20-25, 110 cts.

Water 10-2-10, 140 cts.

High water at \_\_\_\_\_ feet  
Low water at \_\_\_\_\_ feet

Drilling log  
Date \_\_\_\_\_

SOUTH FERN OIL COMPANY,

Approved by *J. K. ...* Superintendent

November 20, 1922.

NOTE: All entries hereon must be read in relation to the well and the work and all entries must be made in ink and proper attention must be given to the correct use of the well and the work.

**AFFIDAVIT IN TRIPPLICATE TO TIME AND MANNER OF  
PLUGGING AND FILLING WELL**

(Repealed by Chapter 5, Article 4 & Chapter 63 of the Code)

**WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION**

<u>Devco Coal &amp; Coke Co.,</u>	<u>SOUTH PINE OIL COMPANY</u>
<small>NAME OPERATOR OR OWNER</small>	<small>NAME OF OIL COMPANY</small>
<u>Baltimore, Md.</u>	<u>P.O. Box 1888, Pittsburgh, Pa.</u>
<small>ADDRESS</small>	<small>ADDRESS</small>
<small>NAME OPERATOR OR OWNER</small>	<u>February 20,</u> <u>1925.</u>
<small>ADDRESS</small>	<small>WELL AND LOCATION</small>
<small>NAME OPERATOR OR OWNER</small>	<u>Clog</u> <small>State</small>
<small>ADDRESS</small>	<u>Monongalia</u> <small>County</small>
<small>NAME OPERATOR OR OWNER</small>	<u>1</u> <small>Well No.</small>
<small>ADDRESS</small>	<u>J. E. Wilson</u> <small>Person</small>

REPEALED BY CHAPTER 5, ARTICLE 4 AND CHAPTER 63 OF THE CODE

**AFFIDAVIT**

STATE OF WEST VIRGINIA,

County of Monongalia

J. C. Hatake

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by South Pine Oil Company, and assisted and participated in the work of plugging and filling the above well, that said work was completed on the 20th day of December, 1925, and that the well was plugged and filled in the following manner:

*[The following text is extremely faint and largely illegible due to bleed-through from the reverse side of the page. It appears to describe the well completion process, mentioning various materials and measurements.]*

*[Faint text, likely a signature or reference to the operator.]*

and that the work of plugging and filling said well was completed on the 20th day of February, 1925.

And further deposes with an

Sworn to and subscribed before me this 22 day of Feb

*[Handwritten signature]*