

LATITUDE 39° 40' 00"

80° 12' 30"

LONGITUDE

7.5'



7.5 OGIS topo location

7.5' loc	<u>2.50S</u>	15' loc	<u>2.50S</u>
	<u>1.36W</u>	(calc.)	<u>3.56W</u>

Company _____

Farm _____

Quad Blacksville

County Monongahela

District Clay

WELL LOCATION MAP

File No. 061-68A

Plat showing the location of Well No. 3 of the
 Pure Oil Co. of Newark, Ohio, to be abandoned on the
 Isaac Ammons farm containing 34.47 Acres
 located in Clay District, Monongalia County,
 West Virginia.




EXHIBIT A

I, the undersigned, hereby certify that this map is
 correct and shows all the information to the best of my
 knowledge and belief required by the Oil and Gas Section
 of the Mining Laws of West Virginia.

John S. ...
 District

Acknowledged before me a Notary Public
 in and for Monongalia County, West Virginia,
 this 14th day of June, 1912.

My Commission Expires

W. D. ...
 Notary Public

Clay District, Monongalia County, W. Va.

By Treat & Crawford.

4 mi. N. of Ames on Days Run.

Completed, June 30, 1904.

Authority, F. G. Best, Supt., Fayette County Gas Co.

Conductor, 14"; 10" casing, 1150'; 8", 1773'; 5/8" liner, 2505'; 4 3/8".

MON-68-A

	Top.	Bottom.
Coal	280	285
Sand	450	505
Coal	594	600
Bluff Sand	685	750
Coal	750	757
Sand	1000	1030
Mapletown (Sewickley) Coal	1030	1034
Pittsburgh Coal	1122	1128
Little Dunkard Sand	1515	1580
Big Dunkard Sand	1605	1665
Sand	1710	1755
Gas Sand	1810	1878
Salt Sand (water, 1995', 3 bailers)	1923	2150
Maxton Sand	2224	2245
Little Lime	2320	2336
Pencil Cave	2336	2341
Big Lime	2341	2405
Big Injun Sand (gas and oil, 2505'; water, 2512')	2405	2535
Squaw Sand	2540	2600
Berea Sand	2866	2906
Gantz Sand	2960	2985
50-Ft. Sand (show of oil, 3050')	3030	3090
30-Ft. Sand	3110	3130
Gordon Stray Sand	3315	3340
Gordon Sand	3345	3358
Fourth Sand	3365	3373
Fifth Sand (oil, 3539-3549')	3518	
Total depth		2562

The Pure Oil Co. _____ Company
 Box 561, _____
 Newark, Ohio _____ Address

COMPLETION DATA SHEET
 No. 2
 FORMATION RECORD

Well No. 2 Isaac Ammons

Abandonment File No. 37

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Fgh. Coal				1122	1122			
Big Dunkard				1272	1280			
Salt Sand				1222	2120			
Fay				2222	2242			
Pencil Cove				2222	2242			
Injun				2402	2522			
Fifth				2222	2542			
Total Depth					2542			

shot 2242 to 2222 feet well was shot at _____ feet

Sub Fresh water at _____ feet Fresh water at _____ feet

producing Sub Well was _____

July 21, 1922 Date

Approved By *[Signature]*
 J. W. [Name]

NOTE: All bottom formations must be noted as indicated above and all top-vents and oil and gas shows must be recorded under their proper geological names in the column as well as any local names commonly used in the district for each stratum.

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

FILE NO. 87

<u>James Ammons Heira</u> Lessee	<u>The Penn Oil Company</u> Box 500 Newark, Ohio
<u>Ray Brooks, E. W.</u> Address	
<u>Mrs. M. S. Wilson</u> 19250 2040 Yorkshire Rd., Cleveland Heights, Ohio	<u>November 8, 1938</u> WELL AND LOCATION
<u>COAL OPERATOR OR OWNER</u>	<u>Clay</u> District
<u>ADDRESS</u>	<u>Monongalia</u> County
	<u>Well No. 8</u>
	<u>James Ammons</u> Farm

AGREEMENT TO BE MADE BY REGULATORS, ONE COPY TO BE MAILED BY REGISTRARS WITH THIS DEPARTMENT, ONE COPY TO BE FURNISHED BY THE WELL OPERATOR AND THE OTHER COPY (AND OTHER COPIES OF REGULATIONS) TO BE SO Laid TO EACH WELL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,
COUNTY OF Monongalia) ss:

Joseph H. Yost and Harlan Tennant
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by The Penn Oil Company, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of September, 1938, and that the well was plugged and filled in the following manner:

Manner in which said well was plugged:
Filled hole from bottom 2000' - 2040' - 20' above Big Injun Sand. Set wood plug 2000' - 2040'. Cemented 2040' - 2072' - Sealing Big Injun Sand. Removed 6 1/2" casing. Filled with non-permeable material 2072' - 1900' - 20' above Salt Sand. Set wood plug 1900' - 1920'. Cemented 1920' - 1920' - Sealing Salt Sand. Filled with non-permeable material 1920' - 1820'. Set wood plug 1820' - 1820'. Cemented 1820' - 1840' - sealing Big Injun Sand. Filled with non-permeable material 1840' - 1800'. Leaving 270' of 6 1/2" casing in hole. Cemented 1800' - 1180' casing 6 1/2" casing. Filled with non-permeable material 1180' - 1160' - 20' below coal seam.
Cemented 1160' - 1160' - 20' above coal seam. Filled with non-permeable material 1160' - 1020'. Cemented 1020' - 900'. Filled with non-permeable material 900' to surface.
Directed notices as described in Rule 18, 1931 Regulations.

All work done in workmanlike manner

Description of well:

(THE ABOVE REGULATIONS MUST BE SO REGULATED IN ACCORDANCE WITH THE PROVISIONS OF SECTION 8, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 6th day of September 1938.

And further deposes and says not.

Joseph H. Yost
Harlan Tennant

Sworn to and subscribed before me this 11 day of November 1938

My Commission expires:

June 6 - 1940

J. F. Kelly
Notary Public

OK J. F. Kelly 11-17-38
Clayton J. Thomas