


LATITUDE

39° 45' 00"

11° 00' 51.08"

LONGITUDE



7'5 OGIS topo location

7.5' loc	$\frac{2.665}{0.16W}$	15' loc	$\frac{2.665}{0.16W}$
		(calc.)	

Company \_\_\_\_\_

Farm \_\_\_\_\_

Quad Wadestown

County Monongahela

District Clay

WELL LOCATION MAP

File No. 061-77A

may be same as 538

but well records don't match

THE UNIVERSITY OF CHICAGO PRESS  
530 N. Dearborn Street, Chicago, Ill. 60610  
U.S.A. and 100 Brook Hill Drive, West Nyack, N.Y. 10994  
U.K. and 32 Avenue Road, London, W.1, England



PRINTED IN GREAT BRITAIN BY  
RICHARD CLAY AND COMPANY, LTD., BUNGAY, SUFFOLK

ISBN 0 226 01000 0  
0 226 01001 8  
0 226 01002 6  
0 226 01003 4  
0 226 01004 2  
0 226 01005 0  
0 226 01006 8  
0 226 01007 6  
0 226 01008 4  
0 226 01009 2  
0 226 01010 0

Clay District, Monongalia County, W. Va.  
By The Manufacturers Light & Heat Co., 800 Union Trust Bldg.,  
Pittsburgh, Pa.  
On 180 acres, surface owned by Ralph M. Thomas, Agent,  
Blacksville, W. Va., and mineral rights by ML&H Co., Pgh., Pa.  
Drilled prior to June 1, 1929.  
Elevation, 967' L.  
8" casing, 690'; 6 1/2", 1640'; 5", 2050'.  
Coal was encountered at 629'.  
Abandonment reported to Dept. of Mines March 16, 1934.  
Producing hole.

MON-77A

	Top.	Bottom.
Coal (approx.)	629	
Total depth		2600

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. \_\_\_\_\_ Well No. 808

The Manufacturers Light & Heat Co., Company, of 500 Union Trust Building,

Pittsburgh, Pa., on the R. Saul Thomas Seirs Farm

containing 100 acrs. Location \_\_\_\_\_

Clay District, in Monongalia County, West Virginia

The surface of the above tract is owned in fee by Ralph H. Thomas, Agent

of Blacksville, W. Va., address, and the mineral rights are owned by

The Manufacturers Light & Heat Company of Pittsburgh, Pa.,

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit  
No. 1929 issued by the West Virginia Department of Mines, Oil and Gas Division

\_\_\_\_\_ 1929 \_\_\_\_\_

Direction of surface at top of well, 267 feet \_\_\_\_\_ Spirit  
Barometer.

The number of feet of the different sized casings used in the well.

\_\_\_\_\_ feet \_\_\_\_\_ dia. Wood conductor.

690 feet 8" dia, reg. 1610 feet 6 1/2" steel cas.

2070 feet 5" dia, reg. \_\_\_\_\_ feet \_\_\_\_\_ steel cas.

\_\_\_\_\_ feet \_\_\_\_\_ dia, reg. \_\_\_\_\_ feet \_\_\_\_\_ steel cas.

\_\_\_\_\_ galder of \_\_\_\_\_ dia, set at \_\_\_\_\_

\_\_\_\_\_ galder of \_\_\_\_\_ dia, set at \_\_\_\_\_

\_\_\_\_\_ in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

\_\_\_\_\_ in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Coal was encountered at 687 feet; thickness ? inches, and at \_\_\_\_\_

feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches.

Items were used as follows: (Give details) \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

March 26th, 1929. \_\_\_\_\_

Approved \_\_\_\_\_  
By Danny H. Joubert \_\_\_\_\_  
Land Agents

3/19/29  
1/24/29

THE MANUFACTURERS LIGHT & HEAT Company

COMPLETION DATA SHEET  
NO. 2

800 Union Trust Bldg., Pittsburgh, Pa. Address

FORMATION RECORD

Well No. 908

N. Saul Thomas Reire farm.

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Coal (approx.)				609				
Total depth					2600			120. 64' above 210. 1 1/2' above

3/15/24

Well was not shot at \_\_\_\_\_ feet well was shot at \_\_\_\_\_ feet

Well \_\_\_\_\_ feet  
Fresh water at \_\_\_\_\_ feet fresh water at \_\_\_\_\_ feet

Well was \_\_\_\_\_ producing  
\_\_\_\_\_ feet

THE MANUFACTURERS LIGHT & HEAT COMPANY,

March 15th, 1924  
\_\_\_\_\_ feet

Approved: Sam H. Love Lead Agent  
\_\_\_\_\_

NOTE: All bottom formations must be noted on indicated sheets and all top-cuts and all coal gas reads must be recorded under this column (marked) under the "Remarks" as well as the total water accurately used in the field for each sheet.

**AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF  
PLUGGING AND FILLING WELL**

(FORMERLY BY GEORGE S. ARTHUR & CHARLES DE WYSE)

**WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION**

Elmer M., Harry E., and Laura D. Thomas  
COAL OPERATOR OF WELLS

The Manufacturers Light & Heat Company  
600 Union Street, PITTSBURGH, PA.  
PITTSBURGH, Pa.

All of Blacksville, West Virginia.

\_\_\_\_\_

May 28th, 1928. at \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Clay District \_\_\_\_\_

\_\_\_\_\_

Monongalia County \_\_\_\_\_

Well No. 508

Paul Thomas Firm \_\_\_\_\_

AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE DEPOSITED AT THE OFFICE OF THE COMMISSIONER, AND COPY TO BE RETURNED TO THE WELL OPERATOR AND THE OTHER COPY WITH OTHER PAPERS TO BE RETURNED TO THE OFFICE OF THE COMMISSIONER WITHIN THIRTY DAYS OF THE DATE OF THE AFFIDAVIT.

**AFFIDAVIT**

STATE OF WEST VIRGINIA, }  
County of Putnam } ss:

Leid J. Church and Frederick Church  
being first duly sworn according to law do depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by The Manufacturers Light & Heat Co., well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 2nd day of April, 1928, and that the well was plugged and filled in the following manner:

Manner in which said well was plugged: Clay 2000-2070, Sand plug 2070-2221, Gravel 2221-2242, Red clay 2242-2282, Sand plug 2282-2320, Gravel 2320-2325, Red clay 2325-2328, Sand plug 2328-2330, Sand and 2330 to 2335, Lead plug 2335-2338, Sand and 2338-2340, Lead plug 2340-2342, Sand and 2342-2345, Sand plug 2345-2350, Gravel 2350-2355, Bridged at 2355, Bridged at 2355.

Manner in which said well was plugged: Vent pipe and cemented to 600, Red and 600 to surface.

Description of equipment: Cement mortar cement 5" x 5" x 5" High, with 1 - 5" S.L.H.L. and 1 - 5" "trest all placed on top of vent pipe to prevent obstruction.

AND SAID WELL OPERATOR DEPOSES THAT HE IS QUALIFIED AND EXPERIENCED WITH THE PROVISIONS OF SECTION 20, ARTICLE 6, CHAPTER 20 OF THE CODE AND THAT THE WORK OF PLUGGING AND FILLING SAID WELL WAS COMPLETED ON THE \_\_\_\_\_ DAY OF \_\_\_\_\_, 1928.

And further deposes with me:

Deems to and subscribed before me this \_\_\_\_\_ day of \_\_\_\_\_, 1928.

My Commission expires: \_\_\_\_\_

Leid J. Church  
Frederick Church  
Paul Thomas

copy filed 6/10/28  
Clayney & son v. v.