

LATITUDE

39° 40' 00" 00

75'

80° 12' 30"

LONGITUDE

7'5 OGIS topo location

7.5' loc	<u>0.495</u>	15' loc	<u>0.495</u>
	<u>2.01 w</u>	(calc.)	<u>4.23 w</u>

Company \_\_\_\_\_

Farm \_\_\_\_\_

Quad Blacksville (wc)

County Monongahela

District Clay

WELL LOCATION MAP

File No. 0161-117A

Plan showing the location of Well No. 1, of  
 F. C. Stab, of Clarkburg, West Virginia, to be abandoned  
 on the James Cook Farm of 24.712 Acres, located in Clay  
 District, Boone County, West Virginia.



**SHIRAZI'S CERTIFICATE**

I, the undersigned hereby certify that this map is correct  
 and shows all the information to the best of my knowledge and  
 belief, required by the oil and gas section of the mining laws  
 of West Virginia.

*A. L. Headley*  
 Surveyor

acknowledged before me a Notary Public, in and for  
 Boone County, West Virginia, this 10th  
 day of April, 1904.

My commission expires  
 June 21, 1904

*L. G. Henderson*  
 Notary Public

## WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

## PRELIMINARY DATA SHEET No. 1

File No. \_\_\_\_\_ Well No. \_\_\_\_\_

P-O-Block \_\_\_\_\_ Company of \_\_\_\_\_ Clarkburg West Va.

Oil -all \_\_\_\_\_ on the \_\_\_\_\_ Lease \_\_\_\_\_ Feet

containing \_\_\_\_\_ sec. Location \_\_\_\_\_

Clay \_\_\_\_\_ Morningside \_\_\_\_\_

The surface of the above land is owned to be by \_\_\_\_\_ Lease \_\_\_\_\_

of \_\_\_\_\_ Marion E. Hall West Va. \_\_\_\_\_

Ruelle Hought \_\_\_\_\_ at \_\_\_\_\_ Redstown West Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. \_\_\_\_\_ issued by the West Virginia Department of Mines, Oil and Gas Division

\_\_\_\_\_

Thickness of surface of top of well \_\_\_\_\_ 1228 \_\_\_\_\_

The number of feet of the different sized casings used in the well \_\_\_\_\_

\_\_\_\_\_ feet \_\_\_\_\_ in. Well completion \_\_\_\_\_

3" 1800 feet 31' also, top \_\_\_\_\_ feet \_\_\_\_\_ steel top \_\_\_\_\_

1840 feet 6 3/8" also, top \_\_\_\_\_ feet \_\_\_\_\_ steel top \_\_\_\_\_

2297 feet 2 3/16" also, top \_\_\_\_\_ feet \_\_\_\_\_ steel top \_\_\_\_\_

\_\_\_\_\_ galter at \_\_\_\_\_ also, set at \_\_\_\_\_

\_\_\_\_\_ galter at \_\_\_\_\_ also, set at \_\_\_\_\_

\_\_\_\_\_ in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet \_\_\_\_\_

\_\_\_\_\_ in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet \_\_\_\_\_

Casing was cemented at \_\_\_\_\_ 1000 \_\_\_\_\_ feet thickness \_\_\_\_\_ 7' casing \_\_\_\_\_ inches, and at \_\_\_\_\_

feet thickness \_\_\_\_\_ inches and at \_\_\_\_\_ feet thickness \_\_\_\_\_ inches \_\_\_\_\_

Mud was used as follows: (Give details) \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

F. G. Dish

Company

Clarksburg West Va Address

Issac Cook farm well No 1

COMPLETION DATA SHEET  
NO. 2  
FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Pittsburg	Coal			1000	1007			
Salt Sand				1768	1990			1500' - 8 1/2'
Little Lime				2192	2222			1840' - 6 7/8'
Big Lime				2227	2287			
Big Injun sand		Oil Water	2378	2287	2500			2287 - 5 3/4'
						2623		

shot  
Well was not shot at \_\_\_\_\_ feet; well was shot at \_\_\_\_\_ feet.

Salt  
Fresh water at 2378 "ft. salt  
Fresh water at \_\_\_\_\_ feet.

producing  
Well was \_\_\_\_\_ Oil hds.

*Handwritten signature or initials*