



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

44V

WELL RECORD

Permit No. 463 A


Oil or Gas Well Oil
(KIND)

Company <u>C. W. Collin</u>	Casing and Tubing	Used in Drilling	Left in Well	Packers
Address <u>Box 30, Mt. Pleasant, Michigan</u>				
Farm <u>M. E. Brookover</u> Acres <u>71</u>	Size			No record
Location (waters)				Kind of Packer
Well No. <u>6</u>				
District <u>Clay</u> County <u>Monongalia</u>				
The surface of tract is owned in fee by <u>Sherman Haught</u>	10	<u>896' 9"</u>	<u>all pulled</u>	Size of
Address <u>R#2, Fairview, W. Va.</u>	8 1/4	<u>1385' 10"</u>	<u>ditto</u>	
Mineral rights are owned by <u>The Union Trust Co. of Pittsburgh, Pa., Trustee</u>	6%	<u>2105'</u>		Depth set
Address <u>Pittsburgh, Pa.</u>	5 3/16	<u>2315'</u>		
Drilling commenced	3			Perf. top
Drilling completed <u>Oct. 17, 1903</u>	2			Perf. bottom
Date Shot <u>see below</u> From _____ To _____	Liners Used			Perf. top
With _____	<u>4" x 1 1/2"</u>	<u>470'</u>	<u>240'</u>	Perf. bottom

Open Flow _____ /10ths Water in _____ Inch	CASING CEMENTED _____	SIZE _____	No. Ft. _____	Date _____
_____ /10ths Merc. in _____ Inch				
Volume _____ Cu. Ft.				
Rock Pressure _____ lbs. _____ hrs.				
Oil _____ bbls., 1st 24 hrs.				
Fresh water _____ feet _____ feet				
Salt water _____ feet _____ feet				

COAL WAS ENCOUNTERED AT 865' FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pgh. Coal			865				
Dunkard Sand			1370				
Salt Sand			1665				
Big Lime			2085				
Big Injun			2174				
Water & small show oil			2285		Oil	2885	
Fifty Ft.			2775				
Fifth Sand			3285				
Oil			3285		Oil	3285	
Total Depth			3305				
Initial Production - No Data							
TORPEDO RECORD:							
Date Shot		Qts.	Top shot	Bottom			
6-24-1904		20					
8-31-1904		6					
10-4-1904		40					
10-19-1908		40	3285 & 3283				
Remarks - First Liner - First or bottom section 11 jts. or 234'. Second or top section 11 jts. or 235'							
Cleansed out Aug. 1929.							
Feb. 1939 - pulled top section (12 jts) of 4" x 1 1/2" liner. Left liner out and sprayed the walls with cement gun.							



N. E. BROOKOVER NO. 6 WELL.

Clay District, Monongalia County, W. Va.
 By C. W. Collin, Box 30, Mt. Pleasant, Mich.
 Abandoned under permit Mon-----A?
 On 71 acres.

Elevation, 1340.40' L. (ground); 1342.40' (D.F.)
 Surface owned by Sherman Haight, R. 2, Fairview, W. Va., and minerals by
 The Union Trust Co. of Pittsburgh, Pa., trustee, Pittsburgh, Pa.

Drilling completed Oct. 17, 1903.

Shot June 24, 1904, with 20 qts.; Aug. 31, 1904, with 6 qts.; Oct. 4,
 1904, with 40 qts.; Oct. 19, 1908, with 40 qts., at 3285 and 3283'.
 10" casing, 896' 9" (pulled); 8 1/2", 1385' 10" (pulled); 6 3/8", 2105';
 5 1/8", 2315'; liner, 4 1/2", 470' (240' left in).

Coal was encountered at 865'.

No record of packer.

Initial production, no data.

Remarks: Liner - First or bottom section, 11 jts., or 234'; second
 or top section, 11 jts., or 235'.

Cleaned out Aug. 1929.

Feb. 1939, pulled top section (12 jts.) of 4 1/2" liner. Left liner
 out and sprayed the walls with cement gun.

Oil well. Record to Dept. of Mines stamped July 28, 1948.

Record to RCT from Mrs. Griffith Jan. 5, 1949. Old File No. 442.

	Top.	Bottom.
Pittsburgh Coal	865	- ...
Dunkard Sand	1370	-
Salt Sand	1665	-
Big Lime	2085	-
Big Injun Sand (water and small show of oil, 2285')	2174	-
Fifty-foot Sand	2775	-
Fifth Sand (oil, 3285')	3285	-
Total depth		3305