



Company WELLY STEEL PRODUCTS CO.
 Address 20 Lewis, Mo.
 Firm John C. Morris
 Tract Acres 29.000 Lease No. _____
 Well (Farm) No. 1000018 Serial No. _____
 Elevation (Spot Level) 20,000.00 No. 10001
 Geographic W. 100.00
 County Morgan District Clay
 Operator RURAL OIL

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

FILE NO. MON-523-A-013
MON-523-B-015

+ Denotes location of well on United States
 Topographic Maps, scale 1 to 62,500, lat-
 titude and longitude.

LATITUDE 39° 42' 30"

80° 05' 00"

LONGITUDE

75

7'5 OGIS topo location

7.5' loc	<u>2.565</u>	15' loc	<u>5.465</u>
	<u>0.82W</u>	(calc.)	<u>0.82W</u>

Company _____

Farm _____

Quad Osage (Bkville NC)

County Monongahela

District Clay

WELL LOCATION MAP

File No. 061-522A

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TEMPLATE, AND COPY MAILED TO THIS DEPARTMENT AND COPY TO AN OFFICER OF THE OIL AND GAS DIVISION AND THE STATE GEOLOGICAL SURVEY. ORIGINAL SHOULD BE RETURNED TO STATE GEOLOGICAL SURVEY WITH NECESSARY FEE.

Christopher Seal Company Valley Steel Products Company
 c/o George W. Feltner, Chief Engr. MADE IN WEST VIRGINIA
 Parkersburg, West Virginia P. O. Box 2472-26, Charleston, W. Va.

DATE OF PLUGGING AND FILLING _____
 NAME OF WELL _____
 COUNTY _____
 WELL NO. _____
 NAME OF OPERATOR _____
 NAME OF SUPERVISING PLUGGING _____

AFFIDAVIT

STATE OF WEST VIRGINIA
 County of _____
 I, Frederick L. Lane and Robert McMillan
 being the duly sworn according to law deponents and saying that they are experienced in the work of
 plugging and filling of oil and gas wells and were employed by Valley Steel Products Co.
 and participated in the work of plugging and filling the above well, that said work
 was completed on the 12th day of September 1931, and that the well was plugged
 and filled in the following manner:

DEPTH OF WELL (FEET)	PLUGGING MATERIAL	PLUGGING METHOD	REMARKS
Surface to 10'	Gravel	Hand	Gravel packed to top of well.
10' to 20'	Gravel	Hand	Gravel packed to 20' depth.
20' to 30'	Gravel	Hand	Gravel packed to 30' depth.
30' to 40'	Gravel	Hand	Gravel packed to 40' depth.
40' to 50'	Gravel	Hand	Gravel packed to 50' depth.
50' to 60'	Gravel	Hand	Gravel packed to 60' depth.
60' to 70'	Gravel	Hand	Gravel packed to 70' depth.
70' to 80'	Gravel	Hand	Gravel packed to 80' depth.
80' to 90'	Gravel	Hand	Gravel packed to 90' depth.
90' to 100'	Gravel	Hand	Gravel packed to 100' depth.
100' to 110'	Gravel	Hand	Gravel packed to 110' depth.
110' to 120'	Gravel	Hand	Gravel packed to 120' depth.
120' to 130'	Gravel	Hand	Gravel packed to 130' depth.
130' to 140'	Gravel	Hand	Gravel packed to 140' depth.
140' to 150'	Gravel	Hand	Gravel packed to 150' depth.
150' to 160'	Gravel	Hand	Gravel packed to 160' depth.
160' to 170'	Gravel	Hand	Gravel packed to 170' depth.
170' to 180'	Gravel	Hand	Gravel packed to 180' depth.
180' to 190'	Gravel	Hand	Gravel packed to 190' depth.
190' to 200'	Gravel	Hand	Gravel packed to 200' depth.
200' to 210'	Gravel	Hand	Gravel packed to 210' depth.
210' to 220'	Gravel	Hand	Gravel packed to 220' depth.
220' to 230'	Gravel	Hand	Gravel packed to 230' depth.
230' to 240'	Gravel	Hand	Gravel packed to 240' depth.
240' to 250'	Gravel	Hand	Gravel packed to 250' depth.
250' to 260'	Gravel	Hand	Gravel packed to 260' depth.
260' to 270'	Gravel	Hand	Gravel packed to 270' depth.
270' to 280'	Gravel	Hand	Gravel packed to 280' depth.
280' to 290'	Gravel	Hand	Gravel packed to 290' depth.
290' to 300'	Gravel	Hand	Gravel packed to 300' depth.
300' to 310'	Gravel	Hand	Gravel packed to 310' depth.
310' to 320'	Gravel	Hand	Gravel packed to 320' depth.
320' to 330'	Gravel	Hand	Gravel packed to 330' depth.
330' to 340'	Gravel	Hand	Gravel packed to 340' depth.
340' to 350'	Gravel	Hand	Gravel packed to 350' depth.
350' to 360'	Gravel	Hand	Gravel packed to 360' depth.
360' to 370'	Gravel	Hand	Gravel packed to 370' depth.
370' to 380'	Gravel	Hand	Gravel packed to 380' depth.
380' to 390'	Gravel	Hand	Gravel packed to 390' depth.
390' to 400'	Gravel	Hand	Gravel packed to 400' depth.
400' to 410'	Gravel	Hand	Gravel packed to 410' depth.
410' to 420'	Gravel	Hand	Gravel packed to 420' depth.
420' to 430'	Gravel	Hand	Gravel packed to 430' depth.
430' to 440'	Gravel	Hand	Gravel packed to 440' depth.
440' to 450'	Gravel	Hand	Gravel packed to 450' depth.
450' to 460'	Gravel	Hand	Gravel packed to 460' depth.
460' to 470'	Gravel	Hand	Gravel packed to 470' depth.
470' to 480'	Gravel	Hand	Gravel packed to 480' depth.
480' to 490'	Gravel	Hand	Gravel packed to 490' depth.
490' to 500'	Gravel	Hand	Gravel packed to 500' depth.
500' to 510'	Gravel	Hand	Gravel packed to 510' depth.
510' to 520'	Gravel	Hand	Gravel packed to 520' depth.
520' to 530'	Gravel	Hand	Gravel packed to 530' depth.
530' to 540'	Gravel	Hand	Gravel packed to 540' depth.
540' to 550'	Gravel	Hand	Gravel packed to 550' depth.
550' to 560'	Gravel	Hand	Gravel packed to 560' depth.
560' to 570'	Gravel	Hand	Gravel packed to 570' depth.
570' to 580'	Gravel	Hand	Gravel packed to 580' depth.
580' to 590'	Gravel	Hand	Gravel packed to 590' depth.
590' to 600'	Gravel	Hand	Gravel packed to 600' depth.
600' to 610'	Gravel	Hand	Gravel packed to 610' depth.
610' to 620'	Gravel	Hand	Gravel packed to 620' depth.
620' to 630'	Gravel	Hand	Gravel packed to 630' depth.
630' to 640'	Gravel	Hand	Gravel packed to 640' depth.
640' to 650'	Gravel	Hand	Gravel packed to 650' depth.
650' to 660'	Gravel	Hand	Gravel packed to 660' depth.
660' to 670'	Gravel	Hand	Gravel packed to 670' depth.
670' to 680'	Gravel	Hand	Gravel packed to 680' depth.
680' to 690'	Gravel	Hand	Gravel packed to 690' depth.
690' to 700'	Gravel	Hand	Gravel packed to 700' depth.
700' to 710'	Gravel	Hand	Gravel packed to 710' depth.
710' to 720'	Gravel	Hand	Gravel packed to 720' depth.
720' to 730'	Gravel	Hand	Gravel packed to 730' depth.
730' to 740'	Gravel	Hand	Gravel packed to 740' depth.
740' to 750'	Gravel	Hand	Gravel packed to 750' depth.
750' to 760'	Gravel	Hand	Gravel packed to 760' depth.
760' to 770'	Gravel	Hand	Gravel packed to 770' depth.
770' to 780'	Gravel	Hand	Gravel packed to 780' depth.
780' to 790'	Gravel	Hand	Gravel packed to 790' depth.
790' to 800'	Gravel	Hand	Gravel packed to 800' depth.
800' to 810'	Gravel	Hand	Gravel packed to 810' depth.
810' to 820'	Gravel	Hand	Gravel packed to 820' depth.
820' to 830'	Gravel	Hand	Gravel packed to 830' depth.
830' to 840'	Gravel	Hand	Gravel packed to 840' depth.
840' to 850'	Gravel	Hand	Gravel packed to 850' depth.
850' to 860'	Gravel	Hand	Gravel packed to 860' depth.
860' to 870'	Gravel	Hand	Gravel packed to 870' depth.
870' to 880'	Gravel	Hand	Gravel packed to 880' depth.
880' to 890'	Gravel	Hand	Gravel packed to 890' depth.
890' to 900'	Gravel	Hand	Gravel packed to 900' depth.
900' to 910'	Gravel	Hand	Gravel packed to 910' depth.
910' to 920'	Gravel	Hand	Gravel packed to 920' depth.
920' to 930'	Gravel	Hand	Gravel packed to 930' depth.
930' to 940'	Gravel	Hand	Gravel packed to 940' depth.
940' to 950'	Gravel	Hand	Gravel packed to 950' depth.
950' to 960'	Gravel	Hand	Gravel packed to 960' depth.
960' to 970'	Gravel	Hand	Gravel packed to 970' depth.
970' to 980'	Gravel	Hand	Gravel packed to 980' depth.
980' to 990'	Gravel	Hand	Gravel packed to 990' depth.
990' to 1000'	Gravel	Hand	Gravel packed to 1000' depth.

and that the work of plugging and filling and well was completed on the 12th day of September, 1931.

And further deponents will not

Frederick L. Lane
Robert McMillan

Sworn to and subscribed to before me at _____, West Virginia, this _____ day of _____, 1931.

My commission expires _____
February 2, 1932 _____
Notary Public
Furnish F-202-522

