i	
	LATITUDE 39° 22' 30'
	-
	*
	%, 6, 90°, 18°, 18°, 18°, 18°, 18°, 18°, 18°, 18
	arphi
	\sim
	1
	·O _A
	H. 1
	LONGITUDE
	\Box
	
	l
	•
•	
	7.5 0016 1
	7'5 OGIS topo location
7. =	5' loc 2665 15' loc
	0.50w (calc.)
· · · · · · · · · · · · · · · · · · ·	
	WELL LOCATION MAP
Quad White Target -1/	File No. <u>073 - 0042</u>
Quad WILLOW ISLAND 7/2:	
County PLEASANTS	
District GRANT	

eson His fam, Consisting of K.M. Wishart and others, of St. Mary Will County West Viginia. ast. gre Compitall Bartlett, Hins N. 742 E. 40 P. B.O. Stump. Belson, Heus. 176 acres. W.O. Poplar. D. R. Westbrook JAZ WILLX Poplar. I, the undersigned, here by Certify That This mak is Correct shows all The Importation to The Plast of my Knowledge and belief by The Oil and Gas Section of The Mining Lows of West Virg Seale 30 P. to. 1" Juo Tripleto, Engine Achmowledged tefore me a notary Public For Pleasants County W.Va. HP Engle. Votay Builis.

infin apr 6 1436

My communición

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. Ple 42 Well No. One
K. M. Wishart etal Company of St. Marys West Va.
on the Beegon
containing 251 acres. Location Fa
Grant District, in Pleasants County, West Virgin
The surface of the above tract is owned in fee by Ida D. Beeson, Georgia H. Beeson, and R. E. Palmer of
same parties of
The oil and gas privileges are held under lease by the above named company, and this well is drilled under perm
No. Pleas $\#$ 42 issued by the West Virginia Department of Mines, Oil and Gas Division
August 3,
Elevation of surface at top of well. 840 Spirit
The number of feet of the different sized casings used in the well.
Twenty feet 14 inch size. Wood conductor
60 feet 10 inch size, csg. 900 feet $8\frac{1}{2}$ sized csg
feetsize, csgfeetsized csg
feetsized_csgfeetsized_csg
None packer of size, set at
None packer of size, set at
None in casing perforated atfeet tofeet
None , in casing perforated atfeet tofeet
oal was encountered at 200 feet, thick ness 5 feet inches, and at none
eet; thicknessinches; and atfeet; thicknessinches.
Liners were used as follows: (Give details) None
Sept 6, 1935
Date. Approved M. M. Wishard
By Source.
(TITLE)

~				D	17
OIL	OR	GAS	WELL	771.7	поле

K. M. Wishart etal Company

St. Marys West Va. Address
Well No One FARM Beeson

COMPLETION DATA SHEET No. 2 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depțh	Remarks
Shale Sand Shale Sand Shale Coal Shale Shale Shale Sand Sand Sand	light Cow run light lst sal Dark Dark Black Injun do Black	soft	dry	1 45 50 100 166 200 205 360 750 790 915	45 50 100 166 200 205 360 750 790 915 1510	44 5 50 66 44 5 155 390 40 1 2 5 595	1510	
			· .					
			·		,			

Well was not shot at	feet; well was shot at	feet.
Salt Fresk water at	salt feet; beskystar yst 790	feet
Well was hole.		
Sept. 6, 1935 '	Approved (3)	

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.