

7'5 OG15 topo location

7.5' 10c \_2685 15' 10c \_\_\_\_\_

Cempany \_\_\_\_

Farm \_\_\_\_

Quad WILLOW ISLAND 7/2'

County PLEASANTS

District TEFFERSON

WELL LOCATION MAP

File No. <u>073-0056</u>

Arthur C. Pleasant 46 W .212 la Pairi, con nate to County. 45 Road of Foll No. 1 of Folls of Thile stronged in Jefferson Hand Creek is in Food Co IF 118 ШE 32. CS 378 GPPOTIET CAME Arthir 54.8 SOMON 3,57,8/N S. William I DEE HOCKMAN .25 Ant south of eatton

virginia and correct Imovel of of West **3** F laws riming of A. this r that t the certify of section herely ane

**学**人

nofessional The narlershurg, Registered

Court क्रिक्ट for in and public Votary a No 1935. hefore Novembe Acknowledged 23rd day of the

Trace Indian Vn tar

Pleis-56

## WEST VIRGINIA DEPARTMENT OF MINES

#### OIL AND GAS DIVISION

## PRELIMINARY DATA SHEET NO. 1

File No.	0			Well	No.
6.1 MC	1 King	-	or6. Wille	amo a	202
		-Company of -	Parker	sour	9 W
	e de la companya de l	on the	Vo Bie	C. O	<i>-</i>
containing 260					Far
Since Day/ Six	acres. Location_	on Bul			
Afterion	D	istrict in	and it		Maria Baranga
	ove tract is owned in fee by	0	17	County,	West Virgini
The surface of the ab	ove tract is owned in fee by	C. C.	Belle		
Willaw					
Jeans to	C 115710	Britania (1884) de la como	address, and the	mineral right	are owned b
v-capacit co	6.00	of			
The oil and gas priv	ileges are held under lease t	L 47. 1			
Alra 56	ileges are held under lease l	by the above nam	ed company, and this	well is drille	d under permi
	issued b	y the West Virgi	nia Department of I	fines Oil and	l Carrotte
Dec 13-	•			triies diff and	r res Division
	7	193-4	<b></b> .		
Elevation of surface	at top of well. Love	Kuse	elevation	- 695	Spirit
	· .	•			Barometric.
ie number of feet of the	different sized casings used i	in the well.			• • • • • • • • • • • • • • • • • • • •
10 4		/ -	•		
		_reet		size. W	ood conductor.
fe	et size	. csg. 15-3	•	10 -	
	3126	, csg. 153	feet_	1 (7)	
<b>.</b>		· · · · · · · · · · · · · · · · · · ·	feet		sized csg.
fe	etsize,	csg. N	foot		
fe	etsize,	csg. N	foot	Maria de la compania	
fe	etsize,	csg. N	foot	Military (Maria	sized csg. sized csg.
fe same and the sa	etsize,	csg. N	feet feet		sized csg.
fe	etsize, etpacker of	csg. Wi	feet feet size, set s	t	sized csg.
fe	et size,  packer of packer of	csg. No	feetsize, set a	t	sized csg.
fe	et size,  packer of packer of	csg. No	feetsize, set a	t	sized csg.
TO THE PARTY OF TH	et size,  packer of packer of packer of in casing perforated at	csg. No	feet  size, set a  feet to	t	sized csg.
Te	packer of packer of in casing perforated at in casing perforated at	csg. No	feet  size, set a  size, set to	t	sized csg.
Te de la constant de	packer of packer of in casing perforated at in casing perforated at	csg. No	feet  size, set a  size, set to	t	sized csg.
il was encountered at	packer of packer of in casing perforated at feet,	csg. No	size, set a size, set to feet to inohes, set	tt	sized csg.  sized csg.  feet.
il was encountered at	packer of packer of in casing perforated at feet,	csg. No	size, set a size, set to feet to inohes, set	tt	sized csg.
I was encountered at	packer of packer of in casing perforated at in casing perforated at inches; and at	csg. Wo	size, set a size, set to feet to inohes, set	tt	sized csg.
l was encountered at	packer of packer of in casing perforated at feet,	csg. Wo	size, set a size, set to feet to inohes, set	tt	sized csg.
al was encountered at	packer of packer of in casing perforated at in casing perforated at inches; and at	csg. Wo	size, set a size, set to feet to inohes, set	tt	sized csg.
il was encountered at ; thickness Liners were used as fo	packer of  packer of  packer of  in casing perforated at  feet, the state of the st	csg. No	feet  size, set a  size, set a  feet to  feet to  inohes, a  feet; thickness	t t	sized csg. sized csg. feet. feet. inches.
il was encountered at ; thickness Liners were used as fo	packer of  packer of  packer of  in casing perforated at  feet, the state of the st	csg. No	feet  size, set a  size, set a  feet to  feet to  inohes, a  feet; thickness	t t	sized csg. sized csg. feet. feet. inches.
il was encountered at ; thickness Liners were used as fo	packer of packer of in casing perforated at in casing perforated at inches; and at	csg. No	feet  size, set a  size, set a  feet to  feet to  inohes, a  feet; thickness	t t	sized csg. sized csg. feet. feet. inches.
il was encountered at ; thickness Liners were used as fo	packer of  packer of  packer of  in casing perforated at  feet, the state of the st	csg. No	feet  size, set a  size, set a  feet to  feet to  inohes, a  feet; thickness	t t	sized csg. sized csg. feet. feet. inches.
il was encountered at ; thickness Liners were used as fo	packer of  packer of  packer of  in casing perforated at  feet, the state of the st	csg. No	feet  size, set a  size, set a  feet to  feet to  inohes, a  feet; thickness	t t	sized csg. sized csg. feet. feet.
il was encountered at ; thickness Liners were used as fo	packer of packer of packer of in casing perforated at inches; and at llows: (Give details)	csg. No	feet  size, set a  size, set to  feet to  inohes, a  feet; thickness	t t and at	sized csg.
al was encountered at thickness.  Liners were used as fo	packer of packer of packer of in casing perforated at inches; and at llows: (Give details)	csg. No	feet  size, set a  size, set a  feet to  feet to  inohes, a  feet; thickness	t t and at	sized csg.  sized csg.  feet.  feet.
il was encountered at ; thickness Liners were used as fo	packer of packer of packer of in casing perforated at inches; and at llows: (Give details)  Date Ap	csg. No	feet  size, set a  size, set to  feet to  inohes, a  feet; thickness	t t and at	sized csg.

566 Williams ave Address
Well No. PEEAS - 57

# COMPLETION DATA SHEET No. 2 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depth	Remarks
iale	400,388 30	the state of the second		0	165.	12 4	177	
rock to						/~ Fa	, , ,	153-101
se reck				1,414			2. \- <b>-</b> - <b>-</b> - <b>-</b> - <b>-</b> - <b>-</b> - <b>--</b>	
act slow				177	585	1	3,89	u de la companya de l
				585	405	20	<b>68</b> 5	
A There Saw				405	833	271	833	-
eak Sheli	1				856	23	856	t mgr
zeX Saus	<u>_</u>			833	036			
Maria Santa Cara	Open was to the state of	era tindration de la companya de la	The state of the s	The state of the s		4	otae	depth
			Palatin					8568
			n State in in Historia					
		• • • • • • • • • • • • • • • • • • •						
	;							STATE OF STATE
:			:	}	·			
		. •	• •					
	,							
					·			
and the state of t	n thankon mak	Name to the state of the state						
		हिन्द्रा २ <del>वेड</del> ी गाउँ १,५२१ दिली है । १९४४ <b>ह</b> ि	And the state of t					
						`.		
			•	·				
								•
						-		:
							į	

well was not shot at feet; well was	shot at 505	feet
Salt Fresh water at Salt Water Buttor Seet; fresh water a	at nour	feet.
producing Well was hole. dry	1	
Dry Hoer Approved	moshed	
Date 345672	Owner	

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as wall as any local names commonly used in the district for such strata.

DEPARTMENT OF HIMES 55

Pleas-56.

KK CONTROL OF CONTROL

BILLS, ARTHUR C., NO. 1.

By E. J. McGhee.

Jefferson Dist.

The second control of the second seco

The state of the s

A TO THE WALL SOME AND THE

100

### STATE OF WEST VIRGINIA PEB 0 7 1397 DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

Permitting Office of Oil & Gas

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: A. Bills		Operator Well	No.: #1	
LOCATION: Elevation: District: Latitude: Longitude	Feet S	uadrangle: County South of Deg. West of Deg.	Pleasants Min. Min.	2.685 3720 1.300) 8175 Sec. Sec.
Well Type: OIL	GAS			
Company: DEP - Division #10 McJunkin Ro Nitro WV 25	of Oil & GAs ad 143 2506	Coal Operat or Owner	or	
Agent: James Martin		Coal Operat	or	
Permit Issued:		or Owner		
	<b>A</b> 1	FFIDAVIT		
STATE OF WEST VIRGINIA	١,			
County of Upshur	ss:			
Phillip Pulliam first duly sworn acco in the work of pluggi the above named well and filling the above Gas Inspector repre commenced on the the well was plugged  TYPE  6% gel cement 6% gel cement	operator, as well, and esenting the	ng oil and gas we and participated  Sam Hersman Director, say ay of January in the followin  TO PI 675 8" 452 200 surface	lls and wer in the work that sai, 19_97 g manner: PE REMOVED	e employed by
Description of mo and that the worthe 24 day ofAnd furthur deponents	rk of pluggin January	erground plate with Ang and filling sa	PT # . /	completed on
Sworn and subscribe be of the state of west vinginia state of west v	efore me this August 4, 200 and Gas Inspec	0 0 2	January  Notary Pub	19 97  Action