

New Location
 Drill Deeper
 Abandonment

Company	BENEDUM-TRESS OIL COMPANY	
Address	BENEDUM-TREES BUILDING PITTSBURGH 22, PENNA.	
Farm	LAWRENCE SHIFFLETT	
Tract	Acres	9.61 Ac
Well (Farm) No.	1	Serial No.
Elevation (Spirit Level)	2810	
Quadrangle	DURBIN - SE	
County	POCAHOTAS	District GREEN BANK
Engineer	D. O. Carpenter	
Engineer's Registration No.	765	
File No.	E2-013159	Drawing No.
Date	1-31-59	Scale 1" = 100'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

FILE NO. POCA-13

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

5-0 0

Deep Well

F59



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 6

Quadrangle DURBIN

Permit No. POCA-13

WELL RECORD

Oil or Gas Well DRY
(KIND)

Company BENEDUM-TREES OIL COMPANY
Address PITTSBURGH, PENNSYLVANIA
Farm LAWRENCE SHIFFLETT Acres 9.61
Location (waters) East Fork - Greenbrier River
Well No. 1 Elev. 2810'
District GREEN BANK County POCAHONTAS
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by Lawrence Shiflett
Durbin Address West Virginia
Drilling commenced February 8, 1959
Drilling completed April 5, 1959
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED _____
WELL FRACTURED Yes

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer _____
16			cemented to surface
13	<u>990</u>	<u>990</u>	Size of _____
10	<u>990'</u>	<u>990'</u>	Depth set _____
8 1/4			Perf. top _____
6 3/4			Perf. bottom _____
5 3/4		<u>5160</u>	Perf. top _____
3			Perf. bottom _____
2			
Liners Used			

CASING CEMENTED ~~XXXXXX~~ 5-1/2 No. Ft. 4/13/59 Date
100 sacks cement to 4800 feet


COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
none FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

RESULT AFTER TREATMENT _____

ROCK PRESSURE AFTER TREATMENT _____

Fresh Water _____ Feet Salt Water _____ Feet

Formation	Color	'Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Surface			0	40			
Gravel			63	70			
Gray shale			70	100			
Gray shale			100	129			
Gray Lime and Shale			129	160			
Lime and shale			185	215			
Gray Lime			215	245			
Shaly Lime			245	270		water 623	
Gray Lime			270	309			
Lime and Shale			309	367		water 847	
Lime			367	577			
Lime and Shale			577	931			
Lime			931	952		Water 931 - 940'	
Lime and Shale			952	1347			
Lime			1347	1360			
Lime and shale			1360	1386			
Shale			1386	1425			
Shale & Lime			1425	2205			
Shale			2205	2268			
Shale & Shells			2268	2390			
Shale			2390	2400			
Lime Shale			2400	2560			
Shale and Shells			2560	2690			
Shale and Lime			2690	2780			
Shale and Shells			2780	2935			
Shale			2935	3037			
Shale and Lime			3037	3105			
Shale and Shells			3105	3953			



(over)

(over)

