

New Location...
 Drill Deeper...
 Abandonment...

Company	PLYMOUTH OIL CO.
Address	BENEDUM-TREES BLDG. PITT. 22
Farm	GLEN HERRING
Tract	Acres 101 Lease No. _____
Well (Farm) No.	ONE Serial No. _____
Elevation (Spirit Level)	2087.0
Quadrangle	BRUCETON
County	PRESTON District GRANT
Engineer	Ralph E. Baker
Engineer's Registration No.	441
File No.	2-190-202 Drawing No. 8456
Date	JUNE 29, 1955 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. PRE-71

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 15

Preston

WELL RECORD

Permit No. PRES - 71


Oil or Gas Well Dry
(KIND)

Company Plymouth Oil Company
Address Benedum-Trees Building, Pittsburgh 22, Pa.
Farm Glen Herring Acres 101
Location (waters) _____
Well No. 1 Elev. 2087.
District Grant County Preston
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced August 9, 1955
Drilling completed September 21, 1955
Date Shot not From _____ To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water 400' feet _____ feet
Salt water none feet _____ feet

Casing and Pa. Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			Size of
10			Depth set
8 5/8" - 652'		652'	Perf. top
6 3/8"			Perf. bottom
5 3/16"			Perf. top
3"			Perf. bottom
2"			
Liners Used			

CASING CEMENTED	SIZE	No. Ft.	Date
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES			
_____ FEET	_____ INCHES	_____ FEET	_____ INCHES
_____ FEET	_____ INCHES	_____ FEET	_____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock - limey			433	486			
Lime			486	526			
Lime			526	561			
Sandy Lime			561	594			
Lime - Slate - Sand			594	636			
Sand - Red Rock			636	652			
Limey Sand - Red Rock			652	670			
Limey Sand - Red Rock			670	695			
Sand			695	708			
Sand			708	720			
Sand, yellow			720	735			
Sand, yellow			735	761			
Sand, white - Lime - Broken			761	803			
Sand - Limey			803	841			
Sand			841	886			
Sand			886	925			
Sand			925	969			
Sand			969	1004			
Sand, Slate, Shells			1004	1029			
Sand, Slate, Shells			1029	1080			
Sand, Slate, Shells			1080	1103			
Sand, Slate, Shells			1103	1136			
Sand, Slate, Shells			1136	1166			
Sand			1166	1176			
Sand - Broken Sand			1176	1223			
Broken Sand - Slate and Shells			1223	1279			
Slate and Shells			1279	1347			
Slate and Shells			1347	1431			
Sand Lime - Red Rock			1431	1517			
Slate - Red Rock			1517	1571			
Red Rock			1571	1616			
Red Rock and Lime			1616	1690			
Red Rock			1690	1737			
Red Rock - Sand			1737	1777			
Sand - Red Rock			1777	1814			
Red Rock - Sandy			1814	1862			
Sandy - Slate Shells			1862	1946			
Limey Sand - Sand			1946	1997			
Sand			1997	2052			



Formation	Color	Hard or Soft	Top 13	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand - Slate and Shells			2052	2133			
Slate and Shells			2133	2190			
Slate and Shells			2190	2256			
Slate and Shells			2256	2319			
Slate and Shells			2319	2391			
Slate and Shells			2391	2445			
Slate and Shells			2445	2497			
Sand - Broken			2497	2543			
Limey Sand and Pink Rock			2543	2598			
Sandy Lime			2598	2657			
Sand, Lime, Slate and Shells			2657	2725			
Slate and Shells			2725	2804			
Slate and Shells - Sandy - Lime			2804	2880			
Broken Lime - Slate and Shells			2880	2944			
Slate and Shells			2944	2970			
Lime and Slate and Shells			2970	3000			
Lime			3000	3029			
Lime			3029	3075			
Lime - Slate and Shells			3075	3130			
Slate and Shells			3130	3205			
Slate and Shells			3205	3281			
Slate and Shells - Lime Broken			3281	3330			
Lime			3330	3375			
Lime - Slate and Shells			3375	3439			
Slate and Shells			3439	3517			
Slate and Shells - Lime Cherty			3517	3579			
Lime Cherty			3579	3626			
Lime Cherty			3626	3660			
Lime			3660	3694			
Lime - Cherty			3694	3716			
Lime - Cherty			3716	3768			
Lime - Cherty and Sandy Lime			3768	3872			
Lime			3872	3853			
Lime - Slate and Shells			3853	3905			
Slate and Shells			3905	4000			
		<u>TOTAL DEPTH</u>		<u>4000'</u>			

Date _____, 19__

APPROVED _____, Owner

GLENN HERRING NO. 1 WELL.

1.2 mi. E of 79°35
0.25" S " Penna. Line

Grant District, Preston County, W. Va.
By Plymouth Oil Co., Seneca-Trees Bldg., Pittsburgh, Pa.
Drilled under permit Pres-71; Bruceton Quadrangle.
On 101 acres.
Elevation, 2087' L.
Drilling commenced Aug. 9, 1955; completed Sept. 21, 1955.
Well was not shot.
Fresh water at 400'. No salt water.
8" casing, 652'.
Dry hole. Record to Dept. of Mines stamped Sept. 4, 1956.
Record from Allen Oct. 1, 1956.

	Top.	Bottom.
Red rock, limy	433	486
Lime	486	526
Lime	526	561
Sandy lime	561	594
lime, slate, and sand	594	636
Sandy-red rock	636	652
Limy sand - red rock	652	670
Limy sand - red rock	670	695
Sand	695	708
Sand	708	720
Sand, yellow	720	735
Sand, yellow	735	761
Sand, white, lime, broken	761	803
Sand, limy	803	841
Sand	841	886
Sand	886	925
Sand	925	969
Sand	969	1004
Sand, slate, shells	1004	1029
Sand, slate, shells	1029	1080
Sand, slate, shells	1080	1103
Sand, slate, shells	1103	1136
Sand, slate, shells	1136	1166
Sand	1166	1176
Sand, broken sand	1176	1223
Broken sand - slate and shells	1223	1279
Slate and shells	1279	1347
Slate and shells	1347	1431
Sand lime - red rock	1431	1517
Slate - red rock	1517	1571
Red rock	1571	1616
Red rock and lime	1616	1690
Red rock	1690	1737
Red rock - sand	1737	1777
Sand - red rock	1777	1814
Red rock, sandy	1814	1862
Sandy - slate shells	1862	1946
Limy sand - sand	1946	1997
Sand	1997	2052
Sand - slate and shells	2052	2133
Slate and shells	2133	2190
Slate and shells	2190	2256
Slate and shells	2256	2319
Slate and shells	2319	2391

(OVER)

GLASS HERRING NO. 1 WELL (Continued).

	Top.	Bottom.
Slate and shells	2391	- 2445
Slate and shells	2445	- 2497
Sand - broken	2497	- 2543
Limy sand and pink rock	2543	- 2598
Sandy lime	2598	- 2657
Sand, lime, slate and shells	2657	- 2725
Slate and shells	2725	- 2804
Slate and shells, sandy - lime	2804	- 2880
Broken lime - slate and shells	2880	- 2944
Slate and shells	2944	- 2970
Lime and slate and shells	2970	- 3000
Lime	3000	- 3029
Lime	3029	- 3075
Lime, slate and shells	3075	- 3130
Slate and shells	3130	- 3205
Slate and shells	3205	- 3281
Slate and shells - lime, broken	3281	- 3330
Lime	3330	- 3375
Lime, slate and shells	3375	- 3439
Slate and shells	3439	- 3517
Slate and shells - lime, cherty	3517	- 3579
Lime, cherty	3579	- 3626
Lime, cherty	3626	- 3660
Lime	3660	- 3694
Lime, cherty	3694	- 3716
Lime, cherty	3716	- 3768
Lime, cherty, and sandy lime	3768	- 3872
Lime	3872	- 3853
Lime, slate and shells	3853	- 3905
Slate and shells	3905	- 4000
Total depth		4000

3579

2087

1492