# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:	Lewis, R.L.		Operator Well N								
LOCATION	Elevation: 1984.4'		Quadrangle: Terra Alta, WV								
LOCATION.	District: Portland		County:	Preston							
	Latitude: 9988										
	Longitude: 6891	Feet West of	Deg	Min. <u>50</u>	Sec.						
Well Type: C	OIL GAS X_	_									
Company	Columbia Gas Transm	ission, LLC Coal Op	perator Not open	ated.							
	1700 MacCorkle Avenue S.E.,	P.O. Box 1273 or Own	er								
	Charleston, WV 25325										
	Dund Malana					_					
Agent	Brad Nelson	or Own	er								
Permit Issue	ed Date <u>5/13/202</u>	.1									
AFFIDAVIT											
STATE OF W	EST VIRGINIA,										
County of	SS:					RECEIVED Office of Oil and Gas					
James Amos	and	Steve Simmons		being first duly	sworn according to law of	depose					
and say that th	ney are experienced in t	he work of plugging	and filling oil and g	as wells and were	employed by the above	hamled 27 2021					
well operator,	and participated in the	work of plugging a	nd filling the abov	e well say that s	aid work was commend	ed on WV Department of					
the Isin	day of <sup>July</sup>	, 20 <u>21</u> , and the	well was plugged	and filled in the	collowing manner. Env	vironmental Protection					
TYPE	FROM	ТО	PIPE REM	OVED	LEFT						
Class A Cemen		20'	2-3/8		20", 13-3/8", 7"						
Class A Cemen	t 20'	404'	2-3/8		13-3/8", 7"	See					
Class A Cemen	t 404'	1323'	2-3/8		7"	additional					
Class A Cemen	t 1323'	1514'	2-3/8		9-5/8", 7"	plugging					
Class A Cemen		2100'	2-3/8		7"	data.					
6% Gel	2100'	4000'	2-3/8		7"	uata.					
Class A Cemen	t 4000'	5000'	2-3/8								
Description	of monument: 7" casing	, 4' above ground level,	API number affixed	and that	the work of plugging and	d filling					
	completed on the 2nd	day of August	20 <u>21</u> .								
		Constitution	- / .								
And further	deponents saith not.	Colonia	-, ca	-		HAL SEAL BY PUBLIC					
		(there	June		STATE OF V	MEST VIRGINIA D MCCLUNG					
		ull 6	12/10/1/20	21		T, RAWENSWOOD, WY 28164 ) EXPINES JUNE 10, 2022 )					
Sworn and	subscribe before me th	is the day of	20 vemger	20/1/1/1							
My commission	n avairas: 10/19	2022	NA	S. ME	( Kun						
Wy Commissio	in expires.		Nic	tary Public							
		$\mathcal{H}$	0-1	+)	12/2/2011						
Affidavit revie	wed by the Office of Oil	and Gas: A dy	he 17 h	Titl	e: 12/21/2021	<del>/11</del> /2022					
		_ /	$\cup$		, · OZI	. 1/2022					

#### TA 7415 Additional Plugging Data

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cast Iron	5000′	5002	2-3/8"	7"
Bridge Plug				
6% Gel	5002′	5160′	2-3/8"	7"
Class A Cement	5160′	5252'	2-3/8"	7"
Class A Cement	5252'	5392'	2-3/8"	4-1/2", 7"
Class A Cement	5392'	5717'	2-3/8"	4-1/2"
Class A Cement	5717'	5841'	N/A	4-1/2"
Class A Cement	5841'	5848'	N/A	1" x 18" bailer
		<u> </u>		
	-			
		_		
		:		
	-	-		
				<u> </u>
	<u></u>			

RECEIVED Office of Oil and Gas

DEC 27 2021

## Terra Alta 7415 Prior to P&A

(as of 11/2/2020)

20" @ 20' (no record of cement) No water shows reported 13-3/8" @ 404' by driller in 1963. (cemented with 330 sx cement returned to surface) No CBL ran to-date, but TOC could be near surface based on volumetric calculations. 9-5/8" 32# H-40 csg @ 1323'-1514' (cemented with 100 sx.) Sea Level @ 1984 ft Tully 4635'-4654' Hamilton 4654'-5110' Upper Marcellus 5110'-5120' Marcellus 5120'-5214' Purcell 5214'-5252' Lower Marcellus 5252'-5314' Onondaga 5314'-5334' 7" 23# J-55 csg @ 5392' (cemented with 826 cu ft + 85 gals Cealment) Huntersville Chert 5334'-5600' (gas storage) RECEIVED Office of Oil and Gas DEC 27 2021 Needmore Shale 5610'-5646' Perfs from 5701'-5717'. WV Department of **Environmental Protection** Perfs from 5734'-5746'. Oriskany SS 5646'-5802' (gas storage) 2-3/8" 4.6# J-55 tbg @ 5739' (no packer) 4-1/2" 11.60# J-55 liner @ 5252'-5841' (cemented with 700 gals Cealment) 11/2022 TD 5848'

1" x 18" bailer left in hole at 5830'.

### Terra Alta 7415 Post P&A

