

Minimum Error of Closure - 1 in 200
 Source of Elevation - I. N. 53 W. M. Elev. 763

"I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia."

John Galpin

0.78 S.
 1.09 W.

3 NE. (J-4)

New Location
 Drill Deeper
 Abandonment

Company TEAVEE OIL & GAS
 Address CHARLESTON, W. VA.
 Farm HUBERT SOWERS
 Tract _____ Acres 241 Lease No. _____
 Well (Farm) No. 1 Serial No. 1-77
 Elevation (Spirit Level) 768.7
 Quadrangle ST. ALBANS - NW
 County POTOMAH District SCOTT
 Engineer JOHN GALPIN
 Engineer's Registration No. 875
 File No. _____ Drawing No. _____
 Date 1-20-65 Scale 1" = 600'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. PUT-709

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

No Samples 6-6-191 Deep Well



STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION 16

Rotary [X] Spudder [] Cable Tools [] Storage [] 9-27-65

WELL RECORD

Oil or Gas Well Gas (KIND)


Quadrangle St. Albans Permit No. PUT-709 Company Teavee Oil & Gas, Inc. Address Charleston, West Virginia Farm Hubert Sowers Acres 241 Location (waters) Poplar Fork Well No. TV-77 Elev. 768.7 District Scott County Putnam The surface of tract is owned in fee by Hubert Sowers Address Winfield, W. Va. Mineral rights are owned by Hubert Sowers Address Winfield, W. Va. Drilling commenced January 26, 1965 Drilling completed June 15, 1965 Date Shot Not Shot From To With Open Flow 14/10ths Water in 1 Inch /10ths Merc. in Inch Volume 45,000 in Berkey Dev Shales & Oriskany Cu. Ft. Rock Pressure Not Taken lbs. hrs. Oil bbls., 1st 24 hrs. WELL ACIDIZED WELL FRACTURED

Table with columns: Casing and Tubing, Used in Drilling, Left in Well, Packers. Includes rows for sizes 16, 18, 10, 8 1/4, 7, 5 1/2, 3, 2 and packer details like Kind of Packer Gas Anchor, Size of 2" x 5 1/2", Depth set 4413, Perf. top 4495, Perf. bottom 4507.

CASING CEMENTED SIZE No. Ft. Date COAL WAS ENCOUNTERED AT FEET INCHES FEET INCHES FEET INCHES FEET INCHES

RESULT AFTER TREATMENT ROCK PRESSURE AFTER TREATMENT Fresh Water Feet Salt Water Feet

Table with columns: Formation, Color, Hard or Soft, Top, Bottom, Oil, Gas or Water, Depth, Remarks. Lists geological layers from Surface to Berea with depths and a 'Gas Show' at 2255 feet.



(over)

Deep Well

Formation	Color	Hard or Soft	Top 16	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & Shells			2275	3380			
Brown Shale			3380	3695	Gas Show	3455	
White Slate			3695	4175			
Marcellous			4175	4374			
Corniferous Lime			4374	4442	Gas Show	4444	
Oriskany			4442	4449			
Helderberg			4449	4507			
TOTAL DEPTH							

Date Oct 3, 1962
 APPROVED [Signature] Owner
 By [Signature] (Title)
Geologist