

Latitude 8. 20'

Longitude 81. 55'

M.A. Gillispie



Farmers & Shippers Leaf Tobacco Warehouse Co. of W. Va.

JONAS ARBAUGH

Chas. Zirkle

J.M. Alford

Stk N. side point

N 83° W 600'
Sm. Hy. & Sugar side of point

N 83 1/2° W 1050'
Fence cor below road

S 65 1/2° W 1250'

T.C. Trail

W.E. Woodal

Herman Alford

Glynn Creek
Buck Hollow

4162

N 32 1/2° W 1925'

N 71 1/2° W 1020'

Art. 901

Y. Y. W
2022 Q

New Location
Drill Deeper
Abandonment X

JUN 4 1946

Company UNITED FUEL GAS CO.
 Address CHARLESTON W. VA.
 Name JONAS ARBAUGH
 Tract Area 10[±] Lease No. 30392
 Well (Frac) No. _____ Serial No. 4162
 Production (Gals) per day 500 BAR.
 Coloration ST. ALBANS
 County BUTLER District CURRY
 Engineer's Registration No. 652
 File No. 46-55 Drawing No. _____
 Date MAY 21, 1946 Scale 1" = 660'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. 54-66-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by longer lines, as shown.
- Denotes one inch spaces on border line of original tracing

Curry District, Putnam County, W. Va. 66A
 Holley Oil & Development Co. (No. 10).
 Elevation, 690'.
 Rig commenced July 26, 1906; completed, July 30, 1906.
 Drilling completed Nov. 1, 1906.
 Cost per foot, \$1.25.
 Contractor, Leidecker & Pew.
 10" casing, 21'; 8½", 301'; 6-5/8", 1228' (pulled); 5-3/16", 1595'.
 5" packer, 66' up. 2" tubing. Rock pressure, 550 lbs.

	Top.	Bottom.
Earth and sand	0	22
Slate and sand	22	301
Sand	301	330
Slate	330	580
Sand	580	650
Slate	650	680
Sand	680	715
Slate	715	800
Sand	800	815
Slate and shells	815	835
Sand	835	1328
Lime	1328	1540
Big Injun Sand	1540	1575
Slate	1575	1595
Slate	1595	1640
Lime and sandy shells	1640	1845
Slate	1845	2026
Berea Grit Sand (gas in first 8 feet)	2026	2041
Total depth		2041

Packer set up 66' from bottom 3" tubing below packer, 2" above.
 Volume per 24 hrs., 599,436 cu. ft.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

134

Ab/66-A

WELL RECORD

Permit No. _____

ABANDONMENT

Oil or Gas Well GAS
(KIND)

Company United Fuel Gas Company
Address Charleston, West Virginia
Farm Jonas Arbaugh Acres 152
Location (waters) Clymer Creek
Well No. 4162 Elev. 681' Bar.
District Curry County Putnam
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by F. M. Woodyard
Address Hurricane, W. Va.
Drilling commenced July 30, 1906
Drilling completed September 27, 1906
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume 143,000 Cu. Ft.
Rock Pressure 250 lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>Anchor</u>
18			Size of
10	<u>22</u>	<u>22</u>	<u>3X5-3/16"</u>
8 1/4	<u>301</u>	<u>301</u>	Depth set <u>1972</u>
6 5/8	<u>1328</u>	<u>0</u>	Perf. top _____
5 3/16	<u>1595</u>	<u>1595</u>	Perf. bottom _____
3		<u>2112</u>	Perf. top _____
2			Perf. bottom _____
Liners Used			

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay and Gravel			0	22			
Salt Sand			835	1328			
Big Lime			1328	1540			
Big Injun			1540	1575			
Slate			1575	1640			
Lime and Shells			1640	1845			
Slate			1845	2026			
Berea			2026	2050			
Slate and Shells			2050	2111 1/2			
Total Depth				2111 1/2			

