

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, December 22, 2021 WELL WORK PLUGGING PERMIT Vertical Plugging

DIVERSIFIED PRODUCTION LLC 414 SUMMERS STREET CHARLESTON, WV 25301

Re: Permit approval for BEAVER 109 47-081-01064

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Martin James A Chief

Operator's Well Number:BEAVER 109Farm Name:BEAVER COAL COMPANY, LTDU.S. WELL NUMBER:47-081-01064VerticalPluggingDate Issued:12/22/2021

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified</u> permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01	4708101064 1) Date December 6 , 2021 2) Operator's Well No. Beaver#119 3) API Well No. <u>47-081</u> -01084
DEPARTMENT OF ENVI	EST VIRGINIA RONMENTAL PROTECTION OIL AND GAS
APPLICATION FOR A PERM	AIT TO PLUG AND ABANDON
4) Well Type: Oil/ Gas X _/ Liquid (If "Gas, Production X or Und	d injection/ Waste disposal/ derground storage) Deep/ ShallowX
5) Location: Elevation 2191.62 feet	Watershed Piney Creek
District Town	County Raleigh Quadrangle Crab Orchard
6) Well Operator Address Diversified Production, LLC 414 Summers Street Charleston, WV 25301	7) Designated Agent Jeff Mast Address 31 Hickory Drive Barboursville, WV 25504
8) Oil and Gas Inspector to be notified Name Gary Kennedy Address 66 Old Church Lane Pipestem, WV 25979	9) Plugging Contractor Name Diversified Production, LLC (in-house rig) Address 1951 Pleasantview Ridge Road Ravenswood, WV 26164

10) Work Order: The work order for the manner of plugging this well is as follows:

See Attached

RECEIVED Office of Oil and Gas

DEC 1 5 2021

WV Department of Environmental Protection

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector _

.

Aug Knund Date 12/7/21

Plugging Prognosis

API #: 4708101064 (BEAVER COAL CO LTD BEAVER 119) West Virginia, Raleigh County Lat/Long: 37.73970434, -81.18786093 Nearest ER: Raleigh General Emergency Room - 1710 Harper Rd, Beckley, WV 25801

Casing Schedule

12-3/4" @ 16' 9-5/8 @ 135' (Cemented to surface w/ 60 ft³) 7" @ 677' (Cemented to surface w/ 176 ft³) 4-1/2" @ 2,923' (Cemented to 1,268' w/ 170 ft³) TD: 2,923'

Completion:

Big Lime: 2,749' – 2,754' (11 shots) Maxton: 2,056' – 2,065' (21 shots) Ravencliff: 1,059' – 1,101' (9 shots)

Fresh Water: None Listed Salt Water: 878' Gas Shows: None Listed Oil Shows: None Listed Coal: None Listed Elevation: 2,197'



- 1. Notify Inspector Gary Kennedy @ 304-382-8402, 48 hrs prior to commencing operations.
- 2. Check and record pressures on csg/tbg.
- 3. Check TD w/ wireline.
- 4. Run in to 2,754'. Kill well as needed with 6% bentonite gel and fill rat hole with gel. Pump at least 10 bbls gel. Pump 105' C1A cement plug from 2,754' to 2,649' (Big Lime completion). Tag TOC. Top off as needed.
- 5. TOOH w/ tbg to 2,649'. Pump 6% bentonite gel from 2,649' to 2,197'.
- TOOH w/ tbg to 2,197'. Pump 241' C1A cement plug from 2,197' to 1,956' (Elevation and Maxton completion).
- 7. TOOH w/ tbg to 1,956'. Pump 6% bentonite gel from 1,956' to 1,101'.
- TOOH w/ tbg to 1,101'. Pump 273' C1A cement plug from 1,101' to 828' (Ravencliff and salt water).
- 9. Free point 4.5" csg. Cut and TOOH. Set 100' C1A cement plug across csg cut. 50' in/out of cut. Tag TOC. Top off as needed. Do not omit any plugs listed below. Perforate as needed. DEC 1 5 2021
- 10. Pump 6% bentonite gel from top of csg cut plug to 727'.
- 11. TOOH w/ tbg to 727'. Pump 100' C1A cement plug from 727' to 627' (7" csg shoe).
- 12. TOOH w/ tbg to 627'. Pump 6% bentonite gel from 627' to 185'.
- TOOH w/ tbg to 185'. Pump 100' C1A cement plug from 185' to Surface (9-5/8" csg and Surface plug).
- 14 RECLAIM LOCATION & ERECT PER MONUMENT.

•



WV Department of

Environmental Protection

47081010649

27-Feb-97

-

• ---

WR-35

.

.....

API # 47- 81-01064 State of West Virginia Division of Environmental Protection Section of Oil and Gas

Well Operator's Report of Well Work

Operator Well No.: BEAVER #119 Farm name: BEAVER COAL CO. LTD.

Elevation: 2,197.00 Quadrangle: CRAB ORCHARD LOCATION:

District: TOWN County: RALEIGH Latitude: 3780 Feet South of 37 Deg. 45Min. 0 Sec. Longitude 6200 Feet West of 81 Deg. 10 Min. 0 Sec.

	Company: ENERGY SEARCH, INC. 280 FT.SANDERS, W.BLVD., STE.200 KNOXVILLE, TN 37922-0000	Casing & Tubing		Left in Well	Fill Up	
	Agent: Frank R. Rotunda	Size			· ·	
• • • • • • • • • • • • • • • • • • •	Inspector: RODNEY DILLON Permit Issued: 02/27/97 Well-work Commenced: •3/6/97	12-3/4"	16'	16'	n/a	
	Well work Completed: <u>8/15/98</u> Verbal Plügging Permission granted on:	9-5/8"	135'	135'	60	
	Rotary XXX Cable Rig Total Depth (feet) 3224' Fresh water depths (ft)	Z"	672'	627_'	176	D-
	Salt water depths (ft) .878'	4-1/2"	2923'	2923'	0 170	fice of Oil and Gas
	Is coal being mined in area (Y/N)? Coal Depths (ft):					- C 08 2021
	OPEN FLOW DATA				Enviror	Department of mental Protection
•	Gas: Initial open flow <u>0</u> MCF/d Oil: Initial open flow <u>0</u> Bbl/d Final open flow of taken MCF/d Final open flow not taken Bbl/d Time of open flow between initial and final tests <u>n/a</u> Hours Static rock Pressure <u>510</u> psig (surface pressure) after <u>12</u> Hours					
Second producing formation <u>Ravencliff</u> Pay zone depth (ft) 1059-1101 Gas: Initial open flow 0 <u>MCF/d Oil: Initial open flow 0 Bb1/d</u> Final open flow not taken MCF/d Final open flow <u>not taken</u> Bb1/d Time of open flow between initial and final tests <u>N/a</u> Hours Static rock Pressure <u>25</u> psig (surface pressure) after <u>12</u> Hours						
	NOTE: ON BACK OF THIS FORM PUT THE INTERVALS, FRACTURING OR STIMULATING LOG WHICH IS A SYSTEMATIC DETAILED INCLUDING COAL ENCOUNTERED BY THE WELL FOR: ENERGY S	, PHYSIC GEOLOGIC LBORE.	AL CHANGE, AL RECORD	ETC. 2). OF ALL FO	THE WEL	L.

By:____ Date:_ Agent Frank P 8/21/98 Rotunda - VP Land 1064

4708101064P

.

Beaver Coal #119

.

.

.

. .

Permit # 47 81 01064

÷

.

	Tops From KB	2207'
	Glady Fork	736° – 787'
	Princeton	859' - 885'
	Ravencliff	1056' - 1107'
	Avis LS	1113' - 1143'
	Upper Maxton "A"	1598' - 1602'
	Middle Maxton "C"	1755' – 1762'
•	Lower Maxton "F"	2055' – 2071'
	Little Lime	2158'
	Big Lime	2308' – 2826'
	Weir	3064' - 3103'

•

H2O @ 878'

•

:

ŧ

...

.

.

.

.

..

· . . .

RECEIVED Office of Oil and Gas DEC 08 2021 WV Department of Environmental Protection

47081010648

COMPLETION SUMMARY - BEAVER COAL #119

Cased Hole LTD = 2907'

TOC = 700'

BIG LIME

Perforations: 2749' - 2754' (11 shots)

Treated with 500 gls of 15 % Hcl and 24 bbls of fresh water. ATR = 4 bpm. ATP = 950 psi.

<u>.</u>

ŧ

MAXTON

.

.

. .

Perforations: 2056' - 2065' (21 shots)

۰.

Treated with 500 gls of 15% Hcl, 75 Quality foam consisting of 97 bbls of gelled/treated water + 20000 lbs of 20-40 mesh sand and 170 mcf N2. ATR = 20 bpm. ATP = 1470 psi.

. .

RAVENCLIFF

Perforations: 1059' - 1101' (9 shots)

Treated with 500 gls of 15% Hcl, 75 Quality foam consisting 155 bbls of gelled/treated water + 45000 lbs of 20-40 mesh sand and 193 mcf N2. ATR = 22 bpm. ATP = 1665 psi.

Office of Oil and Gas

WV Department of Environmental Protection

Ξ

- -

WW-4A Revised 6-07 1) Date: December 6, 2021

2) Operator's Well Number Beaver #119

3) API Well No.: 47 -

- 01064

081

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4)	Surface Own	er(s) to be served:	5) (a) Coal Operator	
	(a) Name	Beaver Coal Limited Company	Name	None
	Address	354 Log Cabin Road	Address	
		Beaver, WV 25813		
	(b) Name		(b) Coal Owr	ner(s) with Declaration
	Address		Name	Beaver Coal Limited Company
			Address	354 Log Cabin Road
				Beaver, WV 25813
	(c) Name		Name	
	Address		Address	
6)	Inspector	Gary Kennedy	(c) Coal Less	see with Declaration
	Address	65 Old Church Road	Name	No Declaration
		Pipestern, WV 25979	Address	
	Telephone	304-382-8402		

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

(1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and

(2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

****************		9		
CONTRACTOR OF	OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA	Well Operator By:	Diversified Production, LLC	
	Phyllis A. Copley	Its:	Director Production	
My Ce	144 Willard Circle Hurricane, WV 25526	Address	414 Summers Strret	RECEIVED
My Co	ommission Expires September 16, 2023	4	Charleston, WV 25301	Office of OiLand Gas
		Telephone	304-543-6988	
				DEC 08 2021
Subscribed	and sworn before me thi	s Loth de	ay of Decomber a coply Notary Public	WV Department of Environmental Protection
My Commis	ssion Expires September 1	8, 2023		


Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <u>deprivacyoffice@wy.goy</u>.



4708101064P

Beaver #119 47-081-01064



RECEIVED Office of Oil and Gas

DEC 08 2021

WV Department of Environmental Protection

Operator's Well Number

Beaver #119

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have **FIVE (5) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON FOR EXECUTION BY A CORPORATION.

ETC.		-	5	
Signature	Date 12/10/21	Name Dyane By Becale	Corcoran	Dawy
			managor	Date 12/0/21
		Signature		12/24/2021

WW-4B

API No.	47-081-01064 P
Farm Name	Beaver Coal Company, LTD
Well No.	Beaver # 119

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

WAIVER

The undersigned coal operator ____/ owner ____/ lessee ____/ of the coal under this well location has examined this proposed plugging work order. The undersigned has no objection to the work proposed to be done at this location, provided, the well operator has complied with all applicable requirements of the West Virginia Code and the governing regulations.

Date: 12/10/21

the Corcoran

4708101064

W W-9		API Number 4	7 _ 081 _ 01064	
(5/16)		Operator's Well	No. Beaver#119	
	STATE OF WES DEPARTMENT OF ENVIRON OFFICE OF OI FLUIDS/ CUTTINGS DISPOSA	T VIRGINIA IMENTAL PROTECTION IL AND GAS L & RECLAMATION PLA	N.	
Operator Name_Diversified Production	on, LLC	OP Code 4	94524121	unadulta -
	k (05050004001864)			generali
Will a pit be used? Yes	n 5,000 bbls of water to complete t		/es No	
If so, please describe and	icipated pit waste: Produced flui		20	-
Will a synthetic liner be	used in the pit? Yes No	If so, what ml.?	20	
	od For Treated Pit Wastes:			
Under Reuse Off Si	Application (if selected provide a c ground Injection (UIC Permit Nur (at API Number te Disposal (Supply form WW-9 f (Explain	mber_Twin Branch 47471511		_)
Will closed loop system be used	? If so, describe: N/A			
Drilling medium anticipated for	his well (vertical and horizontal)?	Air, freshwater, oil based,	elc. <u>N/A</u>	
-If oil based, what type	Synthetic, petroleum, etc. N/A			
Additives to be used in drilling m	nedium?N/A			
Drill cuttings disposal method?	Leave in pit, landfill, removed offs	ite, etc. N/A		
-If left in pit and plan to	solidify what medium will be use	d? (cement, lime, sawdust)	N/A	Office of Oil and Gas
-Landfill or offsite nam				
	otice to the Office of Oil and Gas y. The notice shall be provided wit	of any load of drill cuttings hin 24 hours of rejection an	or associated waste rejected d the permittee shall also di	at any
on April 1, 2016, by the Office provisions of the permit are enfo or regulation can lead to enforce 1 certify under penalty application form and all attachm the information, 1 believe that the submitting false information, into Company Official Signature Company Official Signature Company Official Title Directe	of law that I have personally extents thereto and that, based on my he information is true, accurate, a cluding the possibility of fine or im (b) Jeff Mast (c) Jeff Mas	a Department of Environme term or condition of the gen amined and am familiar w inquiry of those individuals and complete. I am aware prisonment.	ental Protection. I understa eral permit and/orother app with the information submit immediately responsible fo that there are significant p STATE Physical State Physical State State Physical State State Physical State State Physical State State Physical State State Physical State State Physical State	olicable law ted on this robtaining
Subscribed and sworn before the sworn be	re me this 6th day of Pufus a. C	S.A.	tary Public	

Proposed Revegetation Treat	tment: Acres Disturbed 1 +	-/- Preveg etation pl	Н
Lime 3	Tons/acre or to correct	t to pH 605	
Fertilizer type	10-20-20 or equiva	lent	
Fertilizer amount_		lbs/acre	
Mulch_2		_Tons/acre	
		Seed Mixtures	
Те	emporary	Perma	anent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alsike Clover	5
Annual Rye	15		

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.


Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Hang Kanned	
Comments:	
Title: Tospectos Date:	12/7/21
Field Reviewed? ()Yes ()No	RECEIVED Office of Oil and G

DEC 1 5 2021

WV Department of Environmental Protection -12/24/2021

A



WW-7			
8-30-06			
West Virginia Department of Er			
Office of Oil an			
WELL LOCATION	FORM: GPS		
_{АРІ:} 47-081-01064	well No.: Beaver #119		
FARM NAME: Beaver Coal Company, LTD.			
RESPONSIBLE PARTY NAME: Diversifie	ed Production LLC		
COUNTY: Raleigh			
QUADRANGLE: Crab Orchard			
SURFACE OWNER: Beaver Coal Limited Co.			
ROYALTY OWNER: Beaver Coal LTD			
UTM GPS NORTHING: 4176951.1			
	GPS ELEVATION: 2191.62		

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

- Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: 1. height above mean sea level (MSL) - meters.
- 2. Accuracy to Datum - 3.05 meters
- Data Collection Method: 3.

Survey grade GPS ____: Post Processed Differential _____

Real-Time Differential _____ X ____ Real-Time Differential _____ X

Real-Time Differential

Letter size copy of the topography map showing the well location. 4. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

Director Production 12/6/21 Title Date Signature

RECEIVED Office of Oil and Gas

DEC 08 2021

WV Department of Environmental Protection



Plugging Vertical Well Work Permit Diversified

1 message

Stansberry, Wade A <wade.a.stansberry@wv.gov> To: "Mast, Jeff" <jmast@dgoc.com>, raleigh@wvassessor.com, "Kennedy, Gary L" <gary.l.kennedy@wv.gov>

Wed, Dec 22, 2021 at 12:31 PM

I have attached a copy of the newly issued well permit numbers:

47-081-01024 47-081-01061 47-081-01064 47-081-01086

These will serve as your copy.

Thank you,

Wade A. Stansberry

Environmental Resource Specialist 3

West Virginia Department of Environmental Protection

Office of Oil & Gas

601 57th St. SE


Charleston, WV 25304

(304) 926-0499 ext. 41115

(304) 926-0452 fax

Wade.A.Stansberry@wv.gov

5 attachments



- 47-081-01061 Copy.pdf 1303K
- ₽ 47-081-01064 Copy.pdf 3203K
- 47-081-01024 Copy.pdf 3210K
- BIR-8 Blank.pdf