

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL
(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)
WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

TO THE DEPARTMENT OF MINES,
Charleston, W. Va.

J.L. McCullough, Heirs
COAL OPERATOR OR COAL OWNER
c/o Gertrude Maple
Male Hill, W. Va.
ADDRESS

Bachelor, Choquill & Ray, Inc.
NAME OF WELL OPERATOR
Stockport, Ohio.
COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

May 15th, 1934
PROPOSED LOCATION

ADDRESS

Clay District

COAL OPERATOR OR COAL OWNER

Ritchie County

ADDRESS

Well No. Nine

J.L. McCullough, heirs Farm

GENTLEMEN:

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

January 5th, 1927, made by L. L. McCullough, et al, to

Delbert Bachelor, and recorded on the 7th day

of April, 1927, in the office of the County Clerk for said County in

Book 53, page 213

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address..... day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

Bachelor Choquill & Ray Inc
WELL OPERATOR
415 Green St
STREET
Parkersburg
CITY OR TOWN
W. Va.
STATE

Address of Well Operator }

*Section 3 If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

MAY 17 1934

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. 204

Well No. 9

Bachelor, Choquill & Ray, Inc. Company, of Stockport, Ohio

on the J. S. McCullough Farm

containing 146 1/2 acres. Location

Clay District, in Ritchie County, West Virginia

The surface of the above tract is owned in fee by J. S. McCullough, heirs.

of Mole Hill, W. Va. address, and the mineral rights are owned by

Bachelor, Choquill & Ray, Inc. of Stockport, Ohio

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. issued by the West Virginia Department of Mines, Oil and Gas Division

193

Elevation of surface at top of well, 837.5 Spirit Barometric.

The number of feet of the different sized casings used in the well.

None feet size. Wood conductor.

54 feet 10" size, csg. sized csg.

170 feet 8" size, csg. sized csg.

1519 feet 5 3/16 size, csg. sized csg.

packer of size, set at

packer of size, set at

, in casing perforated at feet to feet.

, in casing perforated at feet to feet.

Blossom Coal was encountered at 508 feet; thickness inches, and at

feet; thickness inches; and at feet; thickness inches.

Liners were used as follows: (Give details)

Oct. 15, 1934 Date.

Approved Bachelor Choquill & Ray, Owner.

By Delbert Bachelor (TITLE)

OCT 17 1934

Bachelor, Choquill & Ray, Inc. Company
 Stockport Ohio Address

COMPLETION DATA SHEET
 No. 2
 FORMATION RECORD

Well No. 9 RIT-204

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Red Rock				660	830			
1st Sact				1152	1180			
2nd "			Water 5 W.L. on W.L.	1215	1372			Top of collapsed casing 1019'
Rime				1400	1575			
Max on		sand	Oil + gas	1611				
Total Depth							1616 ft.	
<p>On July 4th, 1934 the 5 3/16" casing collapsed near the bottom of the hole. Pulled 5 3/16" casing apart, leaving 500ft in the hole. Have tried diligently to open hole. All Oil, Gas and water was completely shut off by save-in.</p>								

Well was not shot at No Shot feet; well was shot at _____ feet.

Salt water at 1300 feet; salt fresh water at _____ feet.

Well was producing hole.

Date Oct. 15, 1934

Approved Bachelor Choquill & Ray, Inc.
By Delbert Bachelor
 Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

OCT 17 1934

24(8) ✓

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

TO THE DEPARTMENT OF MINES,
Charleston, W. Va.

J. L. Mc Cullough, heirs.

Russell Mc Cullough

COAL OPERATOR OR COAL OWNER

Bearsville, W. Va.

ADDRESS

COAL OPERATOR OR COAL OWNER

ADDRESS

LEASE OR PROPERTY OWNER

ADDRESS

Bachelors, Choquill & Ray, Inc.

NAME OF WELL OPERATOR

Stockport, Ohio.

COMPLETE ADDRESS

October 15th 1934

WELL TO BE ABANDONED

Clay

District

Ritchie

County

Well No. *Nine*

J. L. Mc Cullough Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the

work of plugging and abandoning said well on the *20th* day of *October*, 19*34*,
(which date shall not be less than five days after the day on which this notice so mailed is received, or in
due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging
and filling of said well. You are further notified that whether you are represented or not represented the
undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner
required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this
notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

Bachelors Choquill and Ray Inc
By Delbert Bachelors

Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent en-
gineer, showing the district and county in which the tract of land is located, the name and acreage of same, the
names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey,
and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted
with this notice.

(Over)

144

OCT 17 1934

RIT-144

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

There being 500 ft. of 5 3/16" casing in the hole and the top portion is open for about 12 to 15 ft. it is our intention to pour concrete down hole so as to fill the casing and also any space there may be around it and to fill up the hole to about 20 ft above top of casing.

The top of this cement plug will be 1000 ft below surface elevation.

We will then fill the remaining hole with red mud to the surface and place a suitable marker at the surface.

SAME AS ABOVE TO 173'
Drive wood plug from 173' to 170'
Pull 8" casing and
Completed as stated above.

To the Department of Mines,
Coal Owner or Operator,
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Bachelor Choquill Ray
By: *Robert Bush*
Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 17th day of October, 1934.

DEPARTMENT OF MINES
Oil and Gas Division

By:

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

J.L. McCullough, heirs c/o Russell McCullough

COAL OPERATOR OR OWNER

Bearsville, W. Va.

ADDRESS

COAL OPERATOR OR OWNER

ADDRESS

COAL OPERATOR OR OWNER

ADDRESS

Bachelor, Choquill & Ray, Inc.

NAME OF WELL OPERATOR

Stockport, Ohio.

COMPLETE ADDRESS

May 2

1936

WELL AND LOCATION

CLAY

District

RITCHIE

County

Well No. Nine

J. L. McCullough, heirs Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF RITCHIE

SS:

C. L. Bachelor and C. A. Bachelor being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling oil and gas wells and were employed by Bachelor, Choquill & Ray, Inc., well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

20th day of October, 1934, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged:

There being 500 ft. of 5 3/16" casing in the hole (not removable) poured in concrete to form seal plug, which when poured was 1000 ft. below surface. Then filled hole with red mud to 173 ft.

Drove wooden plug, Pulled 8" casing and continued to fill hole with mud to the top. placing a marker, (see discription below)

Manner in which coal was plugged:

No Coal

Description of monument:

Cement Post 30" X 8" X 8" J. L. M.C.C. No. 9 10/24/34

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 10th day of Oct

1934

And further deponents saith not.

C. L. Bachelor C. A. Bachelor


Sworn to and subscribed before me this 22nd day of May, 1936

W. K. Stegman Notary Public.

My Commission expires:

July 19, 1944

Rit 204-P



WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION
AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL
(REQUIRED BY SECTION 5, ARTICLE 4, CHAPTER 22 OF THE CODE)

COAL OPERATOR OR OWNER: J. I. McCallough, heirs
 ADDRESS: Besseville, W. Va.
 COAL OPERATOR OR OWNER: Bachelor, Goodwill & Co., Inc.
 COMPLETE ADDRESS: Stockport, Ohio
 WELL NO. Mine
 WELL AND LOCATION: J. I. McCallough, heirs Farm
 DISTRICT: CLAY
 COUNTY: WINGFIELD

AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE KEPT BY EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA
COUNTY OF BISHOP

I, C. I. Bachelor, do hereby depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Bachelor, Goodwill & Co., Inc., well operator, and participated in the work of plugging and filling the above well that said work was commenced on the 20th day of October, 1934, and that the well was plugged and filled in the following manner:

Manner in which coal was plugged:
To Coal
The hole (not removable) poured in concrete to form seal plug, which when poured was 1000 ft. below surface. Then filled hole with red mud to 125 ft. Filled 8" casing and continued to fill hole with mud to the top. (see description below)

Manner in which sand was plugged:
There being 500 ft. of 8" casing in the hole (not removable) poured in concrete to form seal plug, which when poured was 1000 ft. below surface. Then filled hole with red mud to 125 ft. Filled 8" casing and continued to fill hole with mud to the top. (see description below)

Description of monument:
Cement Foot 30" x 8" x 8"
J. I. McCallough
No. 3
10/20/34

and that the work of plugging and filling said well was completed on the 20th day of Oct. 1934.
Swoon to and subscribed before me this 20th day of Oct. 1934.
Notary Public

