

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

(REQUIRED BY SECTION 2, CHAPTER 86, ACTS 1929)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS SECTION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

Tom G. Strickler, et al.  
COAL OPERATOR OR COAL OWNER

C. L. Donaldson  
NAME OF WELL OPERATOR

Pennsboro, W. Va.  
ADDRESS

Cairo, W. Va.  
COMPLETE ADDRESS

COAL OPERATOR OR COAL OWNER

Sept. 19, 1934  
PROPOSED LOCATION

ADDRESS

Clay District

COAL OPERATOR OR COAL OWNER

Pitchie County

ADDRESS

Well No. One

Strickler + Dreyheims Farm

GENTLEMEN :

The undersigned well operator is entitled to drill upon the above named farm or tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated.....

July 20, 1934, made by Tom G. Strickler, et al, to

C. L. Donaldson, and recorded on the 23rd day

of July, 1934, in the office of the County Clerk for said County in

Book 62, page 401

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees.

The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Act, if the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten\* days from the receipt of a copy of this notice and accompanying plat by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.

(The next paragraph is to be completed only in Department's copy.)

Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above

named coal operators or coal owners at their above shown respective address..... day..... before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia.

Very truly yours,

C. L. Donaldson  
WELL OPERATOR

Address  
of  
Well Operator }

STREET

Cairo  
CITY OR TOWN

W. Va  
STATE

\*Section 3 . . . . . If no such objections be filed, or be found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL  
WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION

To the Department of Mines  
Washington, W. Va.

C. L. Donaldson  
WELL OPERATOR

Tom E. Strickler et al  
COAL OPERATOR OF COAL FIELD

Coalfield, W. Va.  
COMPLEY - TOWNSHIP

Coalfield, W. Va.  
ALLEGANY

PROPOSED LOCATION

COAL OPERATOR OF COAL FIELD

District

Class

Strickler + Donaldson

The undersigned well operator is entitled to drill upon the above named land in the event of a well for

oil and gas, having the title hereby for as the case may be, under grant of issue dated

July 20 1934

and recorded on the 23rd day

of July 1934

in the office of the County Clerk for said County in

Book 125 page 401

The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Mineral District and County above named, delineated by survey and courses and distances from two permanent points or land marks.

The undersigned coal operator is advised that the proposed location of a well for oil and gas on the above named land is in violation of the provisions of Section 3 of said Act of July 20 1934 and that the undersigned coal operator is entitled to object to the proposed location of a well for oil and gas on the above named land. The undersigned coal operator has no objection to the proposed location of a well for oil and gas on the above named land and has no objection to the proposed location of a well for oil and gas on the above named land.

The next paragraph is to be completed only in the applicant's copy.

Copies of this notice and the enclosed plat were mailed by registered mail or delivered to the above named well operator or coal owners at their above shown residence the address above before on the same day with the meeting or delivery of this copy to the Department of Mines at Charleston West Virginia.

Very truly yours,

*[Signature]*  
WELL OPERATOR

Well Operator

CITY OF OWEN

Section 3 of the Act of July 20 1934 provides that if no such objections be filed or be found by the department of mines within said period of ten days from the receipt of said notice and said plat by the department of mines to said proposed location the department of mines shall forthwith issue to the well operator a drilling permit vesting the right of such oil and gas operations in the well operator and the coal operator to the location or land hereby by the department and that the same be approved and the well operator authorized to proceed to drill at said location.

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. 263 Well No. I.

C.L. Donaldson Company of Cairo, West Virginia

on the Strickler & Drey Hrs; Farm

containing 27 acres. Location U.S. Highway Rout #50 & near Pike P.O

Clay District, in Ritchie County, West Virginia

The surface of the above tract is owned in fee by Tom G. Strickler, Nellie Strickler Scott & B.P. Drey

of Pensboro, West Va. address, and the mineral rights are owned by

Same of \_\_\_\_\_

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. Rit-263 issued by the West Virginia Department of Mines, Oil and Gas Division

October 1st. 1934

Elevation of surface at top of well, 985.6 Spirit Barometric.

The number of feet of the different sized casings used in the well.

15 feet 13 Inch size. Wood conductor.

285 feet 10 inch size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.

1082 feet 8 inch size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.

1726 feet 5 7/16 inch size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.

\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_

\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_

\_\_\_\_\_, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

\_\_\_\_\_, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Coal was encountered at None feet, thickness \_\_\_\_\_ inches, and at \_\_\_\_\_

feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches.

Liners were used as follows: (Give details) None

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Nov. 20 1934

Date.

Approved C.L. Donaldson, Owner.

By \_\_\_\_\_

(TITLE)

NOV 21 1934



C.L. Donaldson Company  
 Cairo, West Va. Address  
 Well No. I RIT 263

COMPLETION DATA SHEET  
 No. 2  
 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Lime Shells	Grey	Sandy	None	860	890	30	890	285' - 10"
" "	"	"	"	973	984	11	984	
Big Duncard	grey	Sand	None	1082	1129	37	1129	1082' - 8 1/4"
Salt Sand								
Series	"	Sand	None	1335	1461	126	1461	
Sandy Lime	"	Sandy Lime	None	1468	1510	42	1510	
Sand	"	Sand	None	1533	1570	37	1570	
Sand	"	Sand	None	1640	1662	22	1662	
Sand (Maxon)	"	Sand	None	1720	1748	28	1748	1726' - 5 3/16"
Big Lime	Black	Sandy Shale	None	1850	1900	50	1850	
Keener Sand	Grey	Fine, Hard	None	1900	1936	50	1936	
Big Injun	White	Solid Sand	None	1936	2056	120	2056	
Shale	Black	no breaks Shells (sand)	None	2056	2086	30	2086	
					Total Depth		2086	

Well was not shot at No shot feet; well was shot at Not shot feet.

Salt None salt None  
 Fresh water at None feet; fresh water at None feet.

Well was dry producing hole.

Dry Hole Nov. 20th. 1934  
 Date

Approved [Signature]  
 Owner

NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

NOV 21 1934

NOTICE OF INTENTION TO PLUG AND ABANDON WELL  
(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

C.L. Donaldson

NAME OF WELL OPERATOR

None

COAL OPERATOR OR COAL OWNER

Cairo, West Va.

COMPLETE ADDRESS

ADDRESS

Nov. 20

34

19

WELL TO BE ABANDONED

COAL OPERATOR OR COAL OWNER

Clay

District

ADDRESS

Ritchie

County

LEASE OR PROPERTY OWNER

Well No. 1

Tom G. Strickler, Nellie Strickler Scott  
& B.P. Drey  
Pensboro, West Va.

ADDRESS

strickler & Drey Hrs.

Farm

Gentlemen:—

The undersigned well operator is about to abandon the above described well and will commence the

As soon as permit is received

work of plugging and abandoning said well on the 28th. day of November, 1934,  
(which date shall not be less than five days after the day on which this notice so mailed is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,



Well Operator.

NOTE: Upon the abandonment of all wells drilled prior to June 1, 1929, a plat prepared by a competent engineer, showing the district and county in which the tract of land is located, the name and acreage of same, the names of the owners of adjacent tracts, and the location of the about to be abandoned well, determined by survey, and the courses and distances of such well from two permanent points or landmarks on said tract, shall be submitted with this notice.

(Over)

NOV 21 1934

RIT-263

11/21/34  
OK  
2-14-35 = RIT-263 Closed

PROPOSED MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WORK ORDER

Well to be plugged and filled as follows:

WORK ORDER SUPPLIED BY THE DEPARTMENT OF MINES:

Bottom of well 2086'

Fill the hole with clay from 2086' to 1880' - 20' above the Keener Sand.  
Drive woodplug from 1880' to 1877'  
Cement from 1877' to 1867' sealing the hole completely

Continue to fill with clay from 1867' to 1729' - 3' below the  
5-7/16" casing.  
Drive wood plug from 1729' to 1726'  
Pull 5-3/16" casing and

SET Z PERMANENT BRIDGE AT 1491' - 30' below the Salt Sand.  
Fill with clay from 1491' to 1315' - 20' above the Salt Sand.  
Drive wood plug 1315' to 1312'

SET A PERMANENT BRIDGE AT 1159' - 30' below the Big Dunkard Sand.  
Fill with clay from 1159' to 1062' - 20' above the Big Dunkard  
Drive wood plug from 1062' to 1059'  
Cement from 1059' to 1049' sealing the hole completely  
~~Fill with clay from 1059' to 1022'~~  
(Pull 8 1/4" casing and ~~fill with clay~~) set at 1082' as the hole is  
filled

Set a permanent bridge at 315'  
Fill with clay from 315' to 288'  
Drive wood plug from 288' to 285'  
PULL 10" casing and  
Fill with clay to the surface  
Erect a marker such as is described in Rule 18, 1931 Regulations.

All be done in a workman-like manner.

To the Department of Mines,  
Coal Owner or Operator,  
Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-currence, the undersigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 22d day of November, 1934.

DEPARTMENT OF MINES  
Oil and Gas Division

By: A. G. Rhinehart

NOTE: This "work order" must be filed in duplicate, one copy for the files of the Department of Mines and the other to be approved or corrected and returned to the well operator as his authority for plugging said well.

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

263-8

COAL OPERATOR OR OWNER, ADDRESS, NAME OF WELL OPERATOR, COMPLETE ADDRESS, WELL AND LOCATION, District, County, Well No., Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA, COUNTY OF Ritchie ss:

J. B. Elder, and being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by C. L. Donaldson et al, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 3rd day of December, 1934, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged:

As per instructions given in attached work order issued by West Virginia Department of Mines

Hole filled with clay from 2086 to 1880, Woodem plug 1880 to 1877, Cement 1887 to 1887, Clay from 1867 to 1729, Wood plug 1729 to 1726, Bridged at 1491, Clay 1491 to 1315, Wood plug 1315 to 1312, Bridged at 1159, Clay 1159 to 1062, Wood plug 1062 to 1059, Cement 1059 to 1049, Bridge 315, Clay 315 to 288, Wood plug 288 to 285, Clay to surface.

Manner in which coal was plugged:

No coal

Description of monument: Concrete slab, height 3 ft., width 12 inches, thickness 6 inches. marked as follows: STRICKLER & DREY HRS. NO 1. Set in concrete when standard rig is removed Rig tstill standing

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 15th day of December, 1934

And further deponents saith not.

J B Elder


Sworn to and subscribed before me this 21st day of January, 1935

My Commission expires:

February 10th, 1935

Notary Public

2-13-35 RIT 263C/lowel





WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
AFFIDAVIT IN TRIPPLICATE TO TIME AND MANNER OF  
PLUGGING AND FILLING WELL  
(Required by Section 2, Article 4, Chapter 22 of the Code)

NAME OF WELL OPERATOR	COAL OPERATOR OR OWNER
COMPLETE ADDRESS	ADDRESS
WELL AND LOCATION	COAL OPERATOR OR OWNER
District	ADDRESS
County	COAL OPERATOR OR OWNER
Well No.	ADDRESS
Field	

AFFIDAVIT TO BE MADE IN TRIPPLICATE, ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA

ss: } County of \_\_\_\_\_

I, \_\_\_\_\_, being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling of oil and gas wells and were employed by \_\_\_\_\_ and participated in the work of plugging and filling the above well that said work was commenced on the

\_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_, and that the well was plugged and filled in the following manner:

Manner in which coal was plugged: \_\_\_\_\_  
a plug was inserted \_\_\_\_\_  
by \_\_\_\_\_  
\_\_\_\_\_

No. \_\_\_\_\_

Description of monument: \_\_\_\_\_  
\_\_\_\_\_

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)  
and that the work of plugging and filling said well was completed on the \_\_\_\_\_ day of \_\_\_\_\_,

19\_\_\_\_

And further deponents say not.

\_\_\_\_\_

and subscribed before me this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_

Notary Public



\_\_\_\_\_