

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Monday, December 14, 2020 WELL WORK PLUGGING PERMIT Vertical Plugging

VIKING INTERNATIONAL RESOURCES CO., INC. 125 PUTNAM STREET MARIETTA, OH 45750

Re: Permit approval for 5 47-085-00575-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: 5 Farm Name: NUTTER, M. B. U.S. WELL NUMBER: 47-085-00575-00-00 Vertical Plugging Date Issued: 12/14/2020

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged within two years of the date of issuance of this permit.

6) 8)	Well Operator Address VIRCO <u>125 Putnam Street</u> MARIETTA, OHIO 45750 Oil and Gas Inspector to be notified Name Michael Goff Address 1723 Auburn Road	7) Designated Agent Will Harless Address 184 Links Way Ripley, WV 25271 9) Plugging Contractor Name Unknown Address
	Address 125 Putnam Street MARIETTA, OHIO 45750 Oil and Gas Inspector to be notified	Address 184 Links Way Ripley, WV 25271 9) Plugging Contractor
	Address 125 Putnam Street MARIETTA, OHIO 45750	Address 184 Links Way Ripley, WV 25271
5)	Address 125 Putnam Street	Address 184 Links Way
5)	Address 125 Putnam Street	
5)		
	District Clay	County Ritchie Quadrangle Pullman
5)	Location: Elevation 1100'GL	Watershed
	(If "Gas, Production or Un	nderground storage) Deep/ Shallow >
)		id injection/ Waste disposal/
	ADDI.TCARTON FOR & DE	RMIT TO PLUG AND ABANDON
	DEPARTMENT OF ENV	WEST VIRGINIA IRONMENTAL PROTECTION 7 OIL AND GAS
		3)API Well No. 47-065 -00575 _
		Well No. Nutter, M.B. #5
	. 2/01	1)Date September 22 , 20 20 2)Operator's
Rev		

10) Work Order: The work order for the manner of plugging this well is as follows: (See Attachment)

> RECEIVED Office of Oil and Gas

47-095 - 00575P

OCT 0 2-2020

WV Department of Environmental Protection

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector Michael A app

Date 9-29-20

47-085-00575P

Plug to Abandon Procedure

Well Name: M.B. Nutter #5 API : 47-085-00575

Well Casing Record:10"- 227 ft. Pulled $8 \frac{1}{4}$ "- 829 ft. Pulled $6 \frac{5}{8}$ "- 1310 ft. Left in well $5 \frac{3}{16}$ "- 506 ft. Left in well (Liner from 1304 ft.- 1810 ft)2" - 1826 ft. ?Top of prafes1306 - 1783

1) MIRU plugging rig and support equipment.

2) Pull sucker rods and tubing if present in well. Check TD with cable tools. Note: If TD is significantly shallower or deeper than reported depth notify WVDEP inspector. RUNP GEL 1810' PLUE MUST BE MINIMUM OF 1810' OF CLASS A CENEW.

3) TIH with tubing and set bottom cement plug from TD - 1700 ft. TOOH with tubing to 1650 ft. Set cement plug from 1650 ft. - 1500 ft.

4) TOOH with tubing to 1350 ft. Pump cement plug from 1350ft – 1250 ft. TOOH with tubing above cement top and WOC. Tag cement top at 1250 ft. Reset plug if needed. **NOTE: 6% gel will be placed in wellbore between all cement plugs**

5) TOOH with tubing. Find free point of intermediate casing and rip/cut casing (estimate free point at 700 ft.- 800 ft.) and pull a few joints of casing.

6) TIH with tubing and set cement plug from 850 ft. – 750 ft. across the casing cut. TOOH with tubing. Pull remaining 6 5/8" casing.

7) TIH with tubing to 200 ft. Set cement plug from 200 ft. – surface. TOOH with tubing. WOC

8) Top off cement if needed and erect monument with ID #

9) RDMO plugging equipment and reclaim to WVDEP requirements.

-085-00575P M.S. Nutter 25 WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION WELL RECORD Permit No. Oil or Gas Well Casing and Tubing Used in Drilling Well Packers Air de B. Nutter tion (waters) Pales Size Well No. Kind of Packer District O The surface of tract is owned Size of Mineral rights are owned by Depth set 3/16 Pert. top. 1.590 4 · · · · Drilling con Deilling completed. Perf. bottom/6/0 Alli 7737Depth Liners Used 506 Perf. top_1760 Date shut. Viloths Water in Perf. bottom 1.280 Open Flow 10ths Mere. BIZÉ Volum CASING CEMENTED No. FT Rock · Pressure 'ÒIL .bbls., 1st 24-brs. COAL WAS ENCOUNTERED AT. INCHES PEET Į, 58 INCHES a Fresh water INCHES. PEET 89 ne. .FEET INCHES Salt water FEET INCHES . . . ۰. ۰. Hard or Soft Oil Gas Depth Found Color Top Bottom Formation Remarks lift Line \$155 140. 9200 inferdand light 8.95 Usla ushte 70 3 rand 1210 white thand 1200 . it seft and 1325 1260 white 1485 me .. . 1475. white . pag 3rd weighted 1500 1560 white 596 talloc 2 3 BEL string 1621 ... Kay Watters fittle lime ufite Poneil come slate Big line utfite Hard Black 1440 261 1661 1664 1726 664 Yferd ail 17682.177 1802 1726 White d' sy d Rotom & Hole 1810b 6 1.114 3.05.01 105 il. n. v Brite 11174 • • 139 CL (D); Cay (Over) . .

WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS SECTION

TO THE DEPARTMENT OF MINZE, Charleston, W. Vs. M.B. Nutter.

> Greehwood. W.Va, Rout

Glon P. McBurney 1201Burkshire Av Pittsburgh, P

June 8 1937

District Ritchie County

390:15! Well No 5 90.

N.B.Nutter. Farm 2...,

The undersigned well operator is entitled to drill upon the show named farm or tract of land for

oil and gas, having fee title thereto, (or as the case may be), under grant or lease dates Nov I936

made by M.B.Nuttor

Glen F.McBurney and recorded on the 2nd day

in the office of the County Clerk for said County in of Dec. 1936


Lease <u>Book 65</u> o, page 594 The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and C unity above named; determined by survey and courses and distances from two permahent points, or land marks.

The undersigned well operator is informed and believes there are no coal operators operating beds of coal beneath said farm or tract of land on which and well'is located, or within 500 feet of the bound-aries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addresses.

coal operators or coal owners (if any) above named as addresses. The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Sect, if the drilling of a well at said proposed location will cause a dangerous condition in or about the proposed location will cause a dangerous condition in a sout the proposed location will cause the drilling of a well at said proposed location will cause a dangerous condition in or about the proposed location will cause a dangerous condition in a sout the proposed location will cause the drilling of a well at said proposed location will cause a dangerous condition in or about the proposed location will cause a dangerous condition in the days from the received by or filed with the Department of Mines within ten days from the received of the proposed location will be furnished to them by the Department of Mines promptly on request and that all such objections are based and indicate the direction and distance the pro-proved location should be moved to overcome same.

ŰV	cst Virginia.			Very	truly yours,			·•
10080	Andon	e e e e e e e e e e e e e e e e e e e	ON H St	anhana		WELL OFERATOR		4
K	קאודה שרן		Pennsb	OFO.W.V.	120	Bucht	il due	
m .	JUN 1937			of Cell Operator	·	ittahu	h	

It no such objections be filed, or be found by the department of mines, selfs: of said notice and plat by the department of mines, to said propose issue to the well operator a drilling permit reciting the filing of such p he coal operators to the location, or found thereto by the department, il operator authorized to proceed to drill at said location. within said Torthwith y the coal operators t well, operator author



47-055-00575P

	ounty: <u>((085))</u> emil #: 00575			~ 3		datat calon vner/C	ypas:	ion (C	heck Pr	Ali) odvetk ratigra	oby	1] Sa	m Holu Mille		Table Desentations Facult Cole Transitions Franch Ruthering Series Uniger Melles Control information Discharges Anno Uncline Series Uncline Series
WV Geologica) & Economic Survey;				1	Well	: c	oun	ty =	85	Perr	nit =	= 00	575		ReportTime: Friday, October 23, 2020 9(02)5
Location Information: <u>View Map</u> API COUNTY PERMIT TAX_DISTRICT QUA 4708500575 Ritchin: 575 Clay Public	AD_75 QUAD_ man Historic	15 LAT.) 39.74	5792	LON_ -80,9	_00 07641	11TM 3083	E 1 04.1 -	7TMN 3440							
Owner Information: API CMP DT SUPFIX STATUS SURF A708500575, 84/1937, Original Loc Completed (M.B.N	ACE_OWNER	WELL	UM T	00_11	UM L	EASE	LEAS	E_NI	IM M	INERA	AL_OV			Y. Gen F	COMPLETION PROP_VO PROP_TRGT_PM TEM_EST_PA
Completion Information: API CMP_DT_SPUD_DT_ELEV_DATUM	FIELD													YPE RIG	GMP MTHO TVD THO NEW FTG KOD & BEF G.
4708500575 84/1837 - 4/ STOO Ground Leve Pay/Show/Water Information: API GMP DT ACTIVITY PRODUCT SE	CTION DEPTH				-	۵.					-		3		nown Natiopenterstands, 1910 .0
API CMP_DT ACTIVITY PRODUCT B = B 4705500575 84/1937 Water Undersom Weiter Water 4708500575 84/1937 Water Undersom Weiter Water 4708500575 84/1937 Type Undersom Weiter Water 4708500575 84/1937 Type Undersom Weiter Water 4708500575 84/1937 Water Undersom Water Water	d and -	CIUP P	m_ju	AP DE	T (H James J (L)	801 160 160	2	5	alt	150	inc	1	J_BEF	Q_APT W	0 0 0
4708500575 8/41937 Par 104 Me	rhisa dacal Masai			-	100	101.00	Maxio Big Im	12	-	1	2	D D			0
	RD YEAR AN	GAS J	IAN	FEB 1	MAR	APR	MAY	JUN	JUL	AUG	SEP 1	OGT	NOV	CM	
4708500575 Ritchie Petroleum Corp., Inc. 4708500575 Ritchie Petroleum Corp., Inc. 4708500575 Ritchie Petroleum Corp., Inc. 4708500575 Ritchie Petroleum Corp., Inc.	1991 1992 1993 1994	a a	0 0	0 0	0	ă	и 0	a o	B Ø	u Q	ö	u a	10 10	0	
4708500575 Nighl Owl Well Service 4708500575 Nighl Owl Well Service 4708500575 Night Owl Well Service	1994 1995 1996	a	D	0	Ď	a	0	0.	a	a	U	8	0	ö	
4708500575 Night Owl Well Service 4708500575 Night Owl Well Service 4708500575 Night Owl Well Service	1997 1998 1999	D 0 0	000	000	000	000	000	00	000	a a	000	0.0	000	0000	
A708500575 Night Owi Well Service 4708500575 Night Owi Well Service 4708500575 Night Owi Well Service 4708500575 Night Owi Well Service	2001 2002 2003 2004	0 10 10 0	0000	0.0.0	0 0 0	0000	0000	aaa	0000	aaa	0.000	0000	0000	000	
4708500575 Viking International Resources Co., Inc. 4708500575 Viking International Resources Co., Inc. 4708500575 Viking International Resources Co., Inc.	2010 2011 2012	16	n 1 T	G a a	1	101	0-1	1 1	0 10 1	1 0	2 1 0	1 2	0 2 0 0	2.0	*
4708500575 Willing Istumational Resources Co., Inc. 4708500575 Willing International Resources Co., Inc. 4708500575 Willing International Resources Co., Inc. 4708500575 Willing International Resources Co., Inc.	2013 2014 2015 2015	0050	aaaa	0000	0000	0000	0000	0000	0000	0000	onop	0000	0 0 0 0	0000	
4708500575 Viking international Resources Co., Inc. 4708500575 Viking international Resources Co., Inc. 4708500575 Viking International Resources Co., Inc.	2017 2018 2019	0 0 0	000	0 0 0	000	000	0 0 0	000	000	0000	D 0 0	000	0 0	0	
Production Oli Information: (Volumes in Bbl) Apr. PRODUCING_OPERATOR P 4700500575 Riddia Potraleum Colp. Inc.	Some oper RD_YEAR AN 1991	ators m N_DIL J	ay h	ave r EB W	AR A	ed N	GL U	nder UN J	OII UL A	00.3	EP C	CTI	0 909	CM	
4708560575 Ritchie Petroleum Corp., Inc. 4708500575 Ritchie Petroleum Corp., Inc. 4708500575 Ritchie Petroleum Corp., Inc.	1992 1993 1994	41	0. 19	â	13	a a 13	10 14	рт 0	0 D	a	0	à	14 14	0	
4706500575 Night Owl Well Survice 4706500575 Night Owl Well Survice 4708500575 Night Owl Well Survice	1994 1995 1995 1997	7246	110	7 1 0	1	i a	0 Q	ag	0	σα	0'	aa	0	7 0 8	
4705500575 Night Cwi Well Service 4708500575 Night Cwi Well Service 4708500575 Night Cwi Well Service 4708500575 Night Cwi Well Service	(998 1999 2001	0 6	anar	001	1000	000	200-	10.0	0 0 1	a a 1	a o o t	001	0 0 1	6	
4706500575 Night Owl Well Service 4708500575 Night Owl Well Service 4702500575 Night Owl Well Service	2002 2003 2004	13 13 18	100	000	100		300	100	0000	7000	100	300	10 48	5 13 0 0	
4708500575 Viking International Resources Co., Inc. 4708500575 Viking International Resources Co., Inc. 4708500575 Viking International Resources Co., Inc. 4708500575 Viking International Resources Co., Inc.	2010 2011 2012 2013	0000	0000	000	0000	0000	0000	0000	000	0000	0000	0000	0000	0	
4708500575 Viking International Resources Co. Inc. 4708500575 Viking International Resources Co. Inc. 4708500575 Viking International Resources Co., Inc.	2014 2015 2016	0 29 0	0	n n	0	0	0. 0	ő	0	0	0 29	0	6.0	0	
4708500875 Viking International Resources Ca., Inc. 4708500575 Viking International Resources Co., Inc. 4708500575 Viking International Resources Ca., Inc.	2017 7018 7019	0	8	0	D D	0	n Q	0	0 D	n D	0	ğ	a g	0 -0	
	RO_YEAR AN	N_NGL -	May	FEB.	MAR	APR	MAY	JUN	ar Oll Jul	AUG	SEP	OCT	NOV	MDC M	
4708500575 Viking International Resources Ca., Inc. 4708500575 Viking International Resources Co., Inc. 4708500575 Viking International Resources Co., Inc. 4708503575 Viking International Resources Co., Inc.	2013 2014 2015 2015	000	000	0,0,0	a o a	DDD	0	0	n D	n D O	0	000	D	0	
4708500575 Whing International Resources Ce. Inc. 4708500575 Whing International Resources Co., Inc.	2018	0	0	Q Q	0 D	D	0	D D	0	D	0	D D	0	0	

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

47-085- 00 575P

1) Date:	September 22, 2020	

			and the second sec	-
2)	Operator's	Well	Number	ò

Nutter, M.B. #5

3) API Well No.: 47 -

- 00575

085

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surfa (a) Na		er(s) to be served: Coastal Lumber Co.	5) (a) (Coal Operator Name	N/A
Addre	ess	5th Street		Address	
		Buckhannon, WV 26201	·		
(b) Na	ame			(b) Coal Own	ner(s) with Declaration
Addre	ess			Name	N/A
				Address	
(c) Na	ame			Name	
Addre	ess			Address	
6) Inspec	tor	Michael Goff		(c) Coal Less	see with Declaration
Addre		1723 Auburn Road		Name	N/A
		Pullman, WV 26421		Address	
Telepł	hone				

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Commonwealth of Pennsylvania - Notary Seal	Well Operator	VIRCO	
Angela L. Knepp, Notary Public Centre County	By:	Bruce Carpenter Bruce	, Con auto RECEIVED
My commission expires January 23, 2022	Its:		al, Health, Safety & Regulatory
Commission number 1281314	Address	125 Putnam Street	0CT 0 1 2020
Member, Pennsylvania Association of Notaries		MARIETTA, OHIO 45750	061 01 2020
	Telephone	740-868-1324	WV Dominiforment of
ubscribed and sworn before me thic	22 1	s Scolamb	
angela 2	Knipp	iy of <u>September</u>	Notary Public
ly Commission Expires		0112312022	

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

WW-4A Revised 6-07

0	U.S. Postal Service [™] CERTIFIED MAIL [®] RE Domestic Mail Only	CEIPT
10 2578	For delivery information, visit our webst Buckhannon 7, WV 26201	te at www.usps.com°. 0325
	Certified Mail Fee \$3.55 \$ \$2.85 Extra Services & Fees (check box, add fee \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	0323 06 8EPostmark 24 Here 70/0
0010	Postage \$0.85 \$ Total Poste \$7.25	09/24/2020
PLD7	s To Coastal Lumb Street and. Coastal Lumb City, State, Buckhannon, W	et 🗸
	PS Form d	lions

.

,

RECEIVED Office of Oil and Gas

OCT 0 1 2020

WV Department of Environmental Protection

47-085-00575P

W	W	-9
(5/	16	6
101	14	2

(5/16)	API Number 47 - 085 _ 00575 Operator's Well No. Nutler, M.B. #5
DEPARTMENT OF OFFN	E OF WEST VIRGINIA ENVIRONMENTAL PROTECTION CE OF OIL AND GAS DISPOSAL & RECLAMATION PLAN
Operator Name_VIRCO	OP Code
Watershed (HUC 10)	Quadrangle Pullman
Do you anticipate using more than 5,000 bbls of water to Will a pit be used? Yes No	complete the proposed well work? Yes No
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?
Proposed Disposal Method For Treated Pit Wast	es:
Land Application (if selected p Underground Injection (UIC) Reuse (at API Number	Permit Number)
Off Site Disposal (Supply form Other (Explain OFF Site	
Will closed loop systembe used? If so, describe: All flow	back materials will be contained in open top pit.
Drilling medium anticipated for this well (vertical and ho	rizontal)? Air, freshwater, oil based, etc. N/A Office of Changes
-If oil based, what type? Synthetic, petroleum, e	tc. N/A OCT 01 2020
Additives to be used in drilling medium? N/A	INVERTICAL EDGU
Drill cuttings disposal method? Leave in pit, landfill, rem	oved offsite, etc. N/A Environmental Protection
-If left in pit and plan to solidify what medium w	
-Landfill or offsite name/permit number? Fluids	will be disposed by contractor/operator at Mud Masters, LLC: See Attachments.

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Bruce Carfatte	
Company Official (Typed Name) Bruce Carpenter	Commonwealth of Pennsylvania - Notary Sea
Company Official Title Senior Manager, Environmental, Health, Safety & Regulatory	Angela L. Knepp. Notary Public Centre County My commission expires January 23, 2022 Commission number 1281314
Subscribed and sworn before me this 22 day of September, 20 3	Member, Pennsylvania Association of Notaries
My commission expires O123/2022	blic

47-085-00575P

Operator's Well No. Nutter, M. B. #5

10%

Lime Two	Tons/acre or t	o correct to pH 6.5		
Fertilizer type 10	-20-20			
ertilizer amount	500	lbs/acre		
viulch 50 Bales	3	2.5 Tons/acre		
		Seed Mixtu	res	
т	emporar y	Seed Mixtu	<u>res</u> Perm	anent
	emporary Ibs/acre	<u>Seed Mixtu</u>		anent Ibs/acre
			Perm	
T Seed Type		0	Perm: Seed Type	lbs/acre

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Clover (Med.Red)

Photocopied section of involved 7.5' topographic sheet.

Comments:	Preseed	4 molch	any	distu	orbed	arca.	5 .
			-				Office of Cil and Ga
							OCT 0 1 2020
_							MV Depertment of Environmental Protection
	INA	Inspecto			9 - 29	0 1	

WW-9- GPP Rev. 5/16 Page <u>l</u> of <u>2</u> API Number 47 - <u>085</u> - <u>00575</u> Operator's Well No. <u>Nutter</u>, M.B. # <u>5</u>

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

Operator Name: VIRCO

Watershed (HUC 10):

Farm Name: Coastal Lumber Co.

1. List the procedures used for the treatment and discharge of fluids. Include a list of all operations that could contaminate the groundwater.

Quad: Pullman

Plug to abandon operations.

2. Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources above.

Containment will be in place around the well. And a portable pit will be used for fluids.

3. List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to the discharge area.

N/A

N/A

Office of Cil and Gas OCT 012020 WV Department of Environmental Provision

4. Summarize all activities at your facility that are already regulated for groundwater protection.

Discuss any existing groundwater quality data for your facility or an adjacent property.

WW-9- GPP Rev. 5/16

2 of 2 Page - 00575 API Number 47 - 085 Operator's Well No. Nutter M.B. #5

N/A

Provide a statement that no waste material will be used for deicing or fill material on the property. 6.

No waste materials will be used for the deicing of area or equipment. And waste materials if any will not be used for material fill on the property.

Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall 7. provide direction on how to prevent groundwater contamination.

Spill protection training given to every employee. Spill kits and containment are on each work site.

Provide provisions and frequency for inspections of all GPP elements and equipment. 8.


Office of <u>Cill and C</u>as

OCT 0 1 2020

WV Department of Environmental Protection

Inspections are done before during operations by designated employees.

Signature: <u>Oncela Knepp</u> Date: <u>09</u>22/2020



Office of Oll and Gas

OCT 0 1 2020

al Freidelion

WW-7	
8-30-06	
E States	
West Virginia Department of	Environmental Protection
Office of Oil	
WELL LOCATIO	
API: 47-085-00575	WELL NO.: 5
FARM NAME: Nutter, M.B.	WELLING
RESPONSIBLE PARTY NAME: VIRCO)
COUNTY: Ritchie	DISTRICT: Clay
QUADRANGLE: Pullman	
SURFACE OWNER: Coastal Lumb	er Co.
ROYALTY OWNER:	
UTM GPS NORTHING: 4344002.000	00
UTM GPS EASTING: 508384.1000	
The Responsible Party named above has chosen	
preparing a new well location plat for a pluggin above well. The Office of Oil and Gas will not a	
the following requirements:	Coordinate Linites motors Altitudes

- Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.
- 2. Accuracy to Datum 3.05 meters
- 3. Data Collection Method:

Survey grade GPS × : Post Processed Differential _

Real-Time Differential X

Mapping Grade GPS ____: Post Processed Differential _____

Real-Time Differential

4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

Brue Constation	Sr. Manager, EHSR	09/22/2020
Signature	Title	Date

11/10/2016

PLUGGING PERMIT CHECKLIST

Plugging Permit

L	12/10/20	
	WW-4B	
	WW-4B signed by inspector	
1	WW-4A	
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT B MAIL	Y REGISTERED OR CERITFIED
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF TH BY REGISTERED OR CERTIFIED MAIL	AT APPLICATION WAS SENT
	WW-9 PAGE 1 (NOTARIZED)	
	WW-9 PAGE 2 with attached drawing of road, location, pit and propo	sed area for land application
/	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied	
~	RECENT MYLAR PLAT OR WW-7	
	WELL RECORDS/COMPLETION REPORT	
L	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED	
	MUST HAVE VALID BOND IN OPERATOR'S NAME	Rec. Dat 10/2/20
	CHECK FOR \$100 IF PIT IS USED	W Department of Environmental Protection

OCL 03 5050

Office of Oil and Gas RECEIVED