



New Location..   
 Drill Deeper.....   
 Abandonment.....

Company ALLEGHENY LAND & MINERAL CO.  
 Address CLARKSBURG, W. VA.  
 Farm C. A. GARRISON  
 Tract \_\_\_\_\_ Acres 14 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 980'  
 Quadrangle HOLBROOK C  
 County RITCHIE District UNION  
 Engineer JOHN W. HAMILTON  
 BY J. F. DEEM  
 Engineer's Registration No. 2274  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date NOV. 17, 1958 Scale 1" = 200'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. RIT-1989

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-6 132

F59



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION / 2

*Quad - Helmsok*

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Permit No. Rit-1989

Company Allegheny Land & Mineral Co.  
Address Clarksburg, W. Va.  
Farm C. A. Garrison Acres 14  
Location (waters) Brushy Fork  
Well No. 1 Elev. 980'  
District Union County Ritchie  
The surface of tract is owned in fee by C. A. Garrison  
Address Auburn, W. Va.  
Mineral rights are owned by Above  
Address \_\_\_\_\_  
Drilling commenced 11-24-58  
Drilling completed 12-31-58  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow 3/10ths Water in 1" Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 27M - fractured 700,000 Cu. Ft.  
Rock Pressure 400 lbs. 24 hrs.  
Oil \_\_\_\_\_ bbls. 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
18			
13			
10	18'	18'	Size of
8 3/4	410		
6 3/4	1040		Depth set
5 3/16			
2 1/2		1947	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 4 1/2" SIZE 325 No. Ft. 11/1/59 Date

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay			0	10			
Red Rock			10	20			
Sand			20	75			
Slate			75	115			
Red Rock			115	150			
Slate & Shells			150	190			
Red Rock			190	235			
Slate & Shells			235	305			
Red Rock			305	315			
White Slate			315	320			
Red Rock			320	385			
White Slate			385	490			
Sand			490	525			
Red Rock			525	585			
Slate, & Shells			585	620			
Red Rock			620	640			
Slate & Shells			640	860			
Red Rock			860	875			
Slate & Shells			875	905			
Dark Slate			905	950			
Slate & Shells			950	1185			
Sand			1185	1215			
Black Slate			1215	1275			
Sand			1275	1325			
Black Slate			1325	1400			
Slate & Shells			1400	1470			
Sand			1470	1550			
Black Slate			1550	1635			
Maxon Sand			1635	1685			
Black Slate			1685	1690			
Lime			1690	1705			
Black Slate			1705	1737			
Lime			1737	1775			
Black Slate			1775	1785			
Big Lime			1785	1865			
Injun Sand			1865	1920			
Black Slate			1920	1947			



