



**west virginia** department of environmental protection

Office of Oil and Gas  
601 57th Street SE  
Charleston, WV 25304  
(304) 926-0450  
(304) 926-0452 fax

Earl Ray Tomblin, Governor  
Randy C. Huffman, Cabinet Secretary  
www.dep.wv.gov

August 31, 2015

**WELL WORK PERMIT**

**Horizontal 6A Well**

This permit, API Well Number: 47-8510233, issued to ANTERO RESOURCES CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: AUBIE UNIT 3H  
Farm Name: WAGGONER, EDDY D

**API Well Number: 47-8510233**

**Permit Type: Horizontal 6A Well**

Date Issued: 08/31/2015

## PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

### CONDITIONS

---

1. Operator shall take additional measures with this permitted activity to avoid communication with offset wells. Such additional measures are described in the attached addendum. This addendum is part of the terms of the well work permit, and includes a description of depth and completed formations of offset wells. Also included is a description of monitoring activities that will take place during fracturing operations of the permitted well work.
1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACOE). Through this permit, you are hereby being advised to consult with USACOE regarding this proposed activity.
2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.

## PERMIT CONDITIONS

6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
9. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to [DEPOOGNotify@wv.gov](mailto:DEPOOGNotify@wv.gov) within 30 days of commencement of drilling.

WW-6B  
(9/13)

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS  
WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Resources Corporation

<u>494488557</u>	<u>Ritchie</u>	<u>Clay</u>	<u>Pennsboro 7.5'</u>
------------------	----------------	-------------	-----------------------

  
Operator ID County District Quadrangle

2) Operator's Well Number: Aubie Unit 3H Well Pad Name: Kelly Pad

3) Farm Name/Surface Owner: Eddy D. Waggoner et al Public Road Access: CR 74

4) Elevation, current ground: 1145' Elevation, proposed post-construction: 1127'

5) Well Type (a) Gas  Oil  Underground Storage

Other \_\_\_\_\_

(b) If Gas Shallow  Deep

Horizontal

6) Existing Pad: Yes or No No

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Associated Pressure(s):  
Marcellus Shale: 6700' TVD, Anticipated Thickness- 75 feet, Associated Pressure- 2800#

8) Proposed Total Vertical Depth: 6700'

9) Formation at Total Vertical Depth: Marcellus Shale

10) Proposed Total Measured Depth: 13,600'

11) Proposed Horizontal Leg Length: 4,574'

12) Approximate Fresh Water Strata Depths: 303', 380'

13) Method to Determine Fresh Water Depths: Offset well records. Depths have been adjusted according to surface elevations.

14) Approximate Saltwater Depths: 533', 1567', 1802'

15) Approximate Coal Seam Depths: None Available

16) Approximate Depth to Possible Void (coal mine, karst, other): None Anticipated

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine? Yes  No

(a) If Yes, provide Mine Info: Name: \_\_\_\_\_  
Depth: \_\_\_\_\_  
Seam: \_\_\_\_\_  
Owner: \_\_\_\_\_

Received  
Office of Oil & Gas  
JUL 24 2015

*7-21-15*  
*David Williams*



WW-6B  
(9/13)

18)

**CASING AND TUBING PROGRAM**

<u>TYPE</u>	<u>Size</u>	<u>New or Used</u>	<u>Grade</u>	<u>Weight per ft. (lb/ft)</u>	<u>FOOTAGE: For Drilling</u>	<u>INTERVALS: Left in Well</u>	<u>CEMENT: Fill-up (Cu. Ft.)</u>
Conductor	20"	New	H-40	94#	40'	40'	CTS, 38 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/48#	435'	435' *see #19	CTS, 604 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2450'	2450'	CTS, 998 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	13,600'	13,600'	3,348 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#		7,100'	
Liners							

<u>TYPE</u>	<u>Size</u>	<u>Wellbore Diameter</u>	<u>Wall Thickness</u>	<u>Burst Pressure</u>	<u>Cement Type</u>	<u>Cement Yield (cu. ft./k)</u>
Conductor	20"	24"	0.438"	1530	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	Class A	1.18
Intermediate						
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12630	Lead-H/POZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11200		
Liners						

**PACKERS**

Kind:	N/A			
Sizes:	N/A			
Depths Set:	N/A			

Received  
Office of Oil & Gas

JUL 24 2015

*[Handwritten Signature]*

WW-6B  
(9/13)

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.  
\*Antero will be air drilling the fresh water string which makes it difficult to determine when freshwater is encountered, therefore we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Max Pressure - 9300 lbs  
Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 20.11 acres

22) Area to be disturbed for well pad only, less access road (acres): 5.57 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers  
Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.  
Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.  
Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.  
Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake  
Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat  
Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51  
Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.  
Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.  
Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.  
Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

Received

Office of Oil & Gas

JUL 24 2015

\*Note: Attach additional sheets as needed.



***Addendum for Antero pads in Ritchie County, WV***

Aubie Unit 3H                      Kelly Pad

The following outlines the process to be undertaken by Antero Resources prior to and during completion process of wells in Ritchie County.

- Investigate all wells within 1320' of new wells - for all identified Marcellus vertical wells and any existing well(s) with an interval that is less than 1500 feet from the deepest formation drilled (including, but not specific to the Alexander formation) to the top of Marcellus:
  - Contact operator of all wells
  - Confirm well status, producing horizon, well completion/stimulation information
  - Discuss plans to stimulate the horizontal Marcellus wells and the plans for monitoring potential impact on shallow wells
  - Make sure all vertical wells (with an interval that is less than 1500 feet from the deepest formation drilled to the top of Marcellus) have adequate wellhead equipment, Including pressure gauges
  - Provide shallow well operator with frac dates and develop plan for monitoring during stimulation
  - If well waters out during frac, shut it in until after stimulation, and install adequate well control equipment prior to swabbing in the impacted shallow well
- Control fracturing parameters during job to limit fracture height growth
  - Limit rate and limit pressures for each segment of fracturing stages

Received  
Office of Oil & Gas  
JUL 24 2015



WW-9  
(2/15)

API Number 47 - 085 -  
Operator's Well No. Aubie Unit 3H

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation OP Code 494488557

Watershed (HUC 10) North Fork Hughes River Quadrangle Pennsboro 7.5'

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes  No

Will a pit be used? Yes  No

If so, please describe anticipated pit waste: No pit will be used at this site (Drilling and Flowback Fluids will be stored in tanks. Cuttings will be tanked and hauled off site.)

Will a synthetic liner be used in the pit? Yes  No  If so, what ml.? N/A

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection ( UIC Permit Number \_\_\_\_\_ )
- Reuse (at API Number Future permitted well locations when applicable. API# will be provided on Form WR-34)
- Off Site Disposal (Supply form WW-9 for disposal location) (Meadowfill Landfill Permit #SWF-1032-98)
- Other (Explain \_\_\_\_\_)

Will closed loop system be used? If so, describe: Yes

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Surface - Air/Freshwater, Intermediate - Dust/Stiff Foam, Production - Water Based Mud

-If oil based, what type? Synthetic, petroleum, etc. N/A

Additives to be used in drilling medium? Please See Attachment

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Stored in tanks, removed offsite and taken to landfill.

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1032-98)


Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature *Cole Kilstrom*

Company Official (Typed Name) Cole Kilstrom  
Company Official Title Environmental & Regulatory Manager



Subscribed and sworn before me this 16<sup>th</sup> day of July, 2015

*Megan C. Darling* Notary Public

My commission expires July 17, 2018



Antero Resources Corporation

Proposed Revegetation Treatment: Acres Disturbed 20.11 acres Prevegetation pH 6.0

Lime 2-4 Tons/acre or to correct to pH 6.5

Fertilizer type Hay or straw or Wood Fiber (will be used where needed)

Fertilizer amount 500 lbs/acre

Mulch 2-3 Tons/acre

Water Containment Pad (2.15) + Water Containment Access Road (1.81) + Drill Pad (5.57) + Material Spoil Area 1 (1.16) + Topsoil Spoil Area 1 (1.95) + Primary Access Road (6.88) + Access Road to Existing Well (0.53) + Primary Access Road Culvert (0.06) = 20.11 Acres

Seed Mixtures

Temporary		Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre
Tall Fescue	45	Tall Fescue	45
Perennial Rye Grass	20	Perennial Rye Grass	20
*or type of grass seed requested by surface owner		*or type of grass seed requested by surface owner	

Attach:

Drawing(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided)

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: [Signature]

Comments: proceed & mulch all out area no less than 2 tons per acre maintain all pH's during operation

Received  
Office of Oil & Gas

Title: oil & gas inspector

Date: 7-21-15 JUL 24 2015

Field Reviewed? (  ) Yes (  ) No

***Form WW-9 Additives Attachment*****SURFACE INTERVAL**

1. Fresh Water
2. Soap –Foamer AC
3. Air

**INTERMEDIATE INTERVAL*****STIFF FOAM RECIPE:***

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 ( 11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard ( 9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

**PRODUCTION INTERVAL**

1. Alpha 1655  
Salt Inhibitor
2. Mil-Carb  
Calcium Carbonate
3. Cottonseed Hulls  
Cellulose-Cottonseed Pellets – LCM
4. Mil-Seal  
Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM
5. Clay-Trol  
Amine Acid Complex – Shale Stabilizer
6. Xan-Plex  
Viscosifier For Water Based Muds
7. Mil-Pac (All Grades)  
Sodium Carboxymethylcellulose – Filtration Control Agent
8. New Drill  
Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer
9. Caustic Soda  
Sodium Hydroxide – Alkalinity Control
10. Mil-Lime  
Calcium Hydroxide – Lime
11. LD-9  
Polyether Polyol – Drilling Fluid Defoamer
12. Mil Mica  
Hydro-Biotite Mica – LCM

Received  
Office of Oil & Gas  
JUL 24 2015

*JML*

09/04/2015

13. Escaid 110  
Drilling Fluid Solvent – Aliphatic Hydrocarbon
14. Ligo  
Highly Oxidized Leonardite – Filtration Control Agent
15. Super Sweep  
Polypropylene – Hole Cleaning Agent
16. Sulfatrol K  
Drilling Fluid Additive – Sulfonated Asphalt Residuum
17. Sodium Chloride, Anhydrous  
Inorganic Salt
18. D-D  
Drilling Detergent – Surfactant
19. Terra-Rate  
Organic Surfactant Blend
20. W.O. Defoam  
Alcohol-Based Defoamer
21. Perma-Lose HT  
Fluid Loss Reducer For Water-Based Muds
22. Xan-Plex D  
Polysaccharide Polymer – Drilling Fluid Viscosifier
23. Walnut Shells  
Ground Cellulosic Material – Ground Walnut Shells – LCM
24. Mil-Graphite  
Natural Graphite – LCM
25. Mil Bar  
Barite – Weighting Agent
26. X-Cide 102  
Biocide
27. Soda Ash  
Sodium Carbonate – Alkalinity Control Agent
28. Clay Trol  
Amine Acid complex – Shale Stabilizer
29. Sulfatrol  
Sulfonated Asphalt – Shale Control Additive
30. Xanvis  
Viscosifier For Water-Based Muds
31. Milstarch  
Starch – Fluid Loss Reducer For Water Based Muds
32. Mil-Lube  
Drilling Fluid Lubricant

Received  
Office of Oil & Gas  
JUL 24 2015





# Well Site Safety Plan

## Antero Resources

**Well Name:** Aubie Unit 1H, Aubie Unit 2H, Aubie Unit 3H, Aubie Unit 4H, Duchene Unit 1H, Duchene Unit 2H, Duchene Unit 3H, Duchene Unit 4H

**Pad Location:** KELLY PAD  
Ritchie County/ Clay District

**GPS Coordinates:** Lat 39°18'51.21"/Long 80°57'44.88" (NAD83)

### Driving Directions:


From Clarksburg:

Travel approximately 25 miles west on US-50 W. Turn right onto WV-18 N. Go 0.6 miles then turn left onto Davis St/Old US 50 W. Go 0.4 miles and take 2<sup>nd</sup> right onto WV-18 N/Sistersville Pike. Go 12.2 miles. Sharp left onto WV-74 S. Go 8.3 miles, access road will be on your right.

**EMERGENCY (24 HOUR) CONTACT 1-800-878-1373**

Received  
Office of Oil & Gas  
JUL 24 2015





**Antero Resources Corporation**

Appalachian Basin

Aubie Unit 3H

Ritchie County

Quadrangle: Pennsboro

Watershed: South Fork Hughes River

District: Clay

Date: 8-27-14

09/04/2015

*Drawn  
7-21-15*



LATITUDE 39°20'00" | 1,275'


9,495' TO BOTTOM HOLE

LATITUDE 39°20'00"

LONGITUDE 80°55'00"

6,949'

LONGITUDE 80°57'30"



Antero Resources Corporation  
Well No. Aubie Unit 3H

EDDY D. WAGGONER ET AL.  
D.B. 246 PG. 409  
T.M. 13 PAR. 19  
107.39 AC ±

EDDY D. WAGGONER ET AL.  
D.B. 286 PG. 543  
T.M. 13 PAR. 21  
09.93 AC ±

EDDY D. WAGGONER ET AL.  
D.B. 256 PG. 543  
T.M. 13 PAR. 20  
42 AC ±

STEPHEN D. JACKSON  
D.B. 307 PG. 590  
T.M. 14 PAR. 09  
53.811 AC ±

MARY MAXINE WELCH LEASE  
LANDING POINT  
N:300427  
E:1587982

M.H. JONES ET UX LEASE  
RANDY BARNES ET AL.  
D.B. 84 PG. 235  
T.M. 14 PAR. 25  
66.95 AC ±

KENNETH H. JACKSON JR. ET AL.  
D.B. 302 PG. 314  
T.M. 20 PAR. 31.1  
20.687 AC ±

J.M. WILSON ET UX LEASE  
LINDA C. DEWBERRY TRUST  
D.B. 303 PG. 571  
T.M. 19 PAR. 49  
151 AC ±

MARY K. SLEVIN ET AL.  
D.B. 308 PG. 615  
T.M. 20 PAR. 18.1  
141.6 AC ±

RONALD L. LYNCH ET AL.  
D.B. 256 PG. 759  
T.M. 20 PAR. 18  
140 AC ±

ERIC M. BUCHWALD  
D.B. 289 PG. 185  
T.M. 20 PAR. 02  
52 AC ±


NOTES:  
WELL 3H TOP HOLE INFORMATION:  
N: 299,938ft E: 1,586,123ft  
LAT: 39°18'51.32" LON: 80°57'46.22"  
BOTTOM HOLE INFORMATION:  
N: 296,161ft E: 1,589,633ft  
LAT: 39°18'14.55" LON: 80°57'00.79"  
WEST VIRGINIA COORDINATE SYSTEM OF 1927 NORTH ZONE. ZONE WAS DERIVED FROM MEASUREMENTS TAKEN WITH TRIMBLE GEOXT SUBMETER MAPPING GRADE GPS UNIT. PLAT ORIENTATION, CORNER, AND WELL REFERENCE TIE LINES ARE BASED ON GRID NORTH.

(NAD) 83 (UTM) ZONE 17 COORDS:  
WELL 3H TOP HOLE INFORMATION:  
N: 4,351,660m E: 503,218m  
BOTTOM HOLE INFORMATION:  
N: 4,350,527m E: 504,307m


JOB # 14-105WA  
DRAWING # AUBIE3HRSHORTY  
SCALE 1" = 1000'  
MINIMUM DEGREE OF ACCURACY SUBMETER  
PROVEN SOURCE OF ELEV. SUBMETER MAPPING GRADE GPS

LEGEND  
- - - Surface Owner Boundary Lines +/-  
- - - Interior Surface Tracts +/-  
- - - Existing Fence  
⊕ Found monument, as noted

THOMAS SUMMERS P.S. 2109  
DATE 07/13/15  
OPERATOR'S WELL# AUBIE UNIT #3H




LINE	BEARING	DISTANCE
L1	N 03°22' E	1289.74'
L2	N 18°02' E	1231.60'
L3	N 52°14' E	1853.98'
L4	N 58°08' E	1771.83'
L5	N 61°09' E	1970.65'
L6	S 55°50' E	1258.49'
L7	S 01°45' E	1178.89'
L8	S 06°14' W	1292.95'
L9	S 36°19' W	1725.37'



I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE RULES ISSUED AND PERSCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.



STATE OF WEST VIRGINIA, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS  
WILLOW LAND SURVEYING PLLC  
220 MASONIC AVE. PENNSBORO WEST VIRGINIA 26415



STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVISION OF OIL AND GAS

API WELL # 47 - 085 -10233 HUA

WELL TYPE: OIL GAS  LIQUID INJECTION WASTE DISPOSAL (IF "GAS") PRODUCTION  STORAGE DEEP SHALLOW

LOCATION: ELEVATION 1,145' ORIGINAL -1,127' PROPOSED WATERSHED NORTH FORK HUGHES RIVER QUADRANGLE PENNSBORO 7.5' DISTRICT CLAY COUNTY RITCHIE

SURFACE OWNER EDDY D. WAGGONER ET AL ACREAGE 59.93 ACRES +/-

OIL & GAS ROYALTY OWNER BETTY JOHNSON; MARY MAXINE WELCH; M.H. JONES ET UX; MABLE HEFLIN ET AL

LEASE ACREAGE 130 AC±; 163 AC±; 200 AC±; 164 AC±

PROPOSED WORK: DRILL  CONVERT DRILL DEEPER REDRILL FRACTURE OR STIMULATE

PLUG OFF OLD FORMATION PERFORATE NEW FORMATION  OTHER PHYSICAL CHANGE IN WELL (SPECIFY) PLUG & ABANDON CLEAN OUT & REPLUG

TARGET FORMATION MARCELLUS ESTIMATED DEPTH 6,700' TVD 13,600' MD

WELL OPERATOR ANTERO RESOURCES CORP. DESIGNATED AGENT CT CORPORATION SYSTEM-DIANNA STAMPER

ADDRESS 1615 WYNKOOP STREET ADDRESS 5400 D BIG TYLER ROAD

FORM WW-6 DENVER, CO 80202 CHARLESTON, WV 25313

09/04/2015

COUNTY NAME

PERMIT

NOTE: NO OCCUPIED DWELLINGS OR BUILDINGS TWO THOUSAND FIVE HUNDRED (2,500) SQUARE FEET OR LARGER USED TO HOUSE OR SHELTER DAIRY CATTLE OR POULTRY HUSBANDRY ARE LOCATED WITHIN SIX HUNDRED TWENTY-FIVE (625) FEET OF THE CENTER OF THE WELL PAD.



WW-6A1

Operator's Well Number Aubie Unit 3H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE  
Chapter 22, Article 6A, Section 5(a)(5)  
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
<b><u>Betty Johnson Lease</u></b>			
Betty Johnson	Key Oil Company	1/8	0233/0947
Key Oil Company	Antero Resources Appalachian Corporation	Assignment	0253/0758
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
<b><u>Mary Maxine Welch Lease</u></b>			
Mary M. Welch	Kepeco, Inc.	1/8	0163/0131
Kepeco, Inc.	J.Makowski Associates, Inc.	Assignment	0176/0092
J. Makowski Associates, Inc.	J & J Enterprise, Inc.	Assignment	0178/0666
J & J Enterprise, Inc.	Eastern American Energy Corporation	Confirmatory Deed	DB 0231/0732
Eastern American Energy Corporation	Seneca-Upshur Petroleum, Inc.	Assignment	0243/0839
Seneca-Upshur Petroleum, Inc.	Antero Resources Appalachian Corporation	Assignment	0258/0987
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
<b><u>M.H. Jones, et ux Lease</u></b>			
M.H. Jones, et ux	P.G. McKeon	1/8	0032/0025
P.G. McKeon	Carnegie Natural Gas	Assignment	0041/0357
Carnegie Natural Gas	Carnegie Production Company	Assignment	0228/0859
Carnegie Production Company	EQT Production Company	Certificate of Registration of Trade Name	Exhibit 2
EQT Production Company	Antero Resources Corporation	*Partial Assignment	0282/0175

**Received**  
**Office of Oil & Gas**  
**JUL 24 2015**

\*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

09/04/2015  
\*\*CONTINUED ON NEXT PAGE\*\*

WW-6A1  
(5/13)

Operator's Well No. Aubie Unit 3H

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE  
Chapter 22, Article 6A, Section 5(a)(5)  
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
<b>Mable Heflin, et al Lease</b>				
	Mable Heflin, et al	Anthen Oil & Gas	1/8	0097/0397
	Anthen Oil & Gas	Fred C. Stone & Floyd W. Stone	Assignment	0201/0693
	Fred C. Stone & Floyd W. Stone	Johnson Enterprises	Assignment	0201/0720
	Johnson Enterprises	Clay M. & Deryl L. Perkins	Assignment	0231/0443
	Clay M. & Deryl L. Perkins	Perkins Production Co., LLC	Assignment	0232/0213
	Perkins Production Co., LLC.	Antero Resources Appalachian Corporation	Assignment	0264/1045
	Antero Resources Appalachian Corp.	Antero Resources Corporation	Name Change	Exhibit 1

\*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

**Acknowledgement of Possible Permitting/Approval  
In Addition to the Office of Oil and Gas**

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

JUL 24 2015  
Office of Oil & Gas

Well Operator: Antero Resources Corporation  
By: Ward McNeilly  
Its: VP Reserves Planning & Midstream

**FORM WW-6A1  
EXHIBIT 1**

**FILED**

**JUN 10 2013**

Natalie E. Tennant,  
Secretary of State  
1900 Kanawha Blvd E  
Bldg 1, Suite 157-K  
Charleston, WV 25305



Penney Barker, Manager  
Corporations Division  
Tel: (304)558-8000  
Fax: (304)558-8381  
Website: [www.wvsos.com](http://www.wvsos.com)  
E-mail: [business@wvsos.com](mailto:business@wvsos.com)

**APPLICATION FOR  
AMENDED CERTIFICATE  
OF AUTHORITY**

Office Hours: Monday - Friday  
8:30 a.m. - 5:00 p.m. ET

**FILE ONE ORIGINAL**  
(Two if you want a filed  
stamped copy returned to you)  
**FEE: \$25.00**

\*\*\*\* In accordance with the provisions of the West Virginia Code, the undersigned corporation hereby \*\*\*\*  
applies for an Amended Certificate of Authority and submits the following statement:

- 1. Name under which the corporation was authorized to transact business in WV: Antero Resources Appalachian Corporation
- 2. Date Certificate of Authority was issued in West Virginia: 6/25/2008
- 3. Corporate name has been changed to: Antero Resources Corporation  
(Attach one Certified Copy of Name Change as filed in home State of incorporation.)
- 4. Name the corporation elects to use in WV: Antero Resources Corporation  
(due to home state name not being available)
- 5. Other amendments:  
(attach additional pages if necessary)

6. Name and phone number of contact person. (This is optional; however, if there is a problem with the filing, listing a contact person and phone number may avoid having to return or reject the document.)

Alvyn A. Schopp (303) 367-7310  
Contact Name Phone Number

7. Signature Information (See below \*Important Legal Notice Regarding Signature):

Print Name of Signer: Alvyn A. Schopp Title/Capacity: Authorized Person

Signature: [Handwritten Signature] Date: June 10, 2013

Received  
Office of Oil & Gas  
JUN 10 2013

\*Important Legal Notice Regarding Signature: Per West Virginia Code §31D-1-129. Penalty for signing false document. Any person who signs a document he or she knows is false in any material respect and knows that the document is to be delivered to the secretary of state for filing is guilty of a misdemeanor and, upon conviction thereof, shall be fined not more than one thousand dollars or confined in the county or regional jail not more than one year, or both.



# State of West Virginia



## Certificate

*I, Natalie E. Tennant, Secretary of State of the  
State of West Virginia, hereby certify that*

**EQT PRODUCTION COMPANY**

has filed a "Certificate of Registration of Trade Name" in my office according to the provisions of Chapter 47 of the West Virginia Code and was found to conform to law.

Therefore, I hereby issue this

### CERTIFICATE OF REGISTRATION OF TRADE NAME

authorizing it to transact business in West Virginia under the assumed name of

**CARNEGIE PRODUCTION COMPANY**



*Given under my hand and the  
Great Seal of the State of  
West Virginia on this day of  
April 9, 2009*

*Natalie E. Tennant*

Secretary of State

Received



Antero Resources  
1615 Wynkoop Street  
Denver, CO 80202  
Office 303.357.7310  
Fax 303.357.7315

March 30, 2015

West Virginia Department of Environmental Protection  
Chief, Office of Oil and Gas  
Attn: Mr. James Martin  
601 57<sup>th</sup> Street SE  
Charleston, WV 25304

RE: Aubie Unit 3H  
Quadrangle: Pennsboro 7.5'  
Ritchie County/Clay District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Aubie Unit 3H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Aubie Unit 3H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

  
Spencer Booth  
Senior Landman

Received  
Office of Oil & Gas  
JUL 24 2015

09/04/2015

**STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS  
NOTICE CERTIFICATION**

Date of Notice Certification: 07/17/2015

API No. 47- 085 - \_\_\_\_\_  
Operator's Well No. Aubie Unit 3H  
Well Pad Name: Kelly Pad

**Notice has been given:**

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State: <u>West Virginia</u>	UTM NAD 83	Easting: <u>503,218m</u>
County: <u>Ritchie</u>		Northing: <u>4,351,660m</u>
District: <u>Clay</u>	Public Road Access: <u>CR 74</u>	
Quadrangle: <u>Pennsboro 7.5'</u>	Generally used farm name: <u>Eddy D. Waggoner et al</u>	
Watershed: <u>North Fork Hughes River</u>		

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

<p>Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:</p> <p><b>*PLEASE CHECK ALL THAT APPLY</b></p> <p><input type="checkbox"/> 1. NOTICE OF SEISMIC ACTIVITY or <input checked="" type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED</p> <p><input checked="" type="checkbox"/> 2. NOTICE OF ENTRY FOR PLAT SURVEY or <input type="checkbox"/> NO PLAT SURVEY WAS CONDUCTED</p> <p><input type="checkbox"/> 3. NOTICE OF INTENT TO DRILL or <input checked="" type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or</p> <p style="padding-left: 40px;"><input type="checkbox"/> WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)</p> <p><input checked="" type="checkbox"/> 4. NOTICE OF PLANNED OPERATION</p> <p><input checked="" type="checkbox"/> 5. PUBLIC NOTICE</p> <p><input checked="" type="checkbox"/> 6. NOTICE OF APPLICATION</p>	<p><b>OOG OFFICE USE ONLY</b></p> <p><input checked="" type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><input checked="" type="checkbox"/> RECEIVED</p> <p><b>Received Office of Oil &amp; Gas</b></p>
--	--

**JUL 24 2015**

**Required Attachments:**

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.



**Certification of Notice is hereby given:**

THEREFORE, I Ward McNeilly, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	<u>Antero Resources Corporation</u>	Address:	<u>1615 Wynkoop Street</u>
By:	<u>Ward McNeilly</u> <i>[Signature]</i>		<u>Denver, CO 80202</u>
Its:	<u>VP Reserves Planning &amp; Midstream</u>	Facsimile:	<u>303-357-7315</u>
Telephone:	<u>303-357-7310</u>	Email:	<u>asteele@anteroresources.com</u>



Subscribed and sworn before me this 17<sup>th</sup> day of July, 2015.  
Megan C. Darling Notary Public  
 My Commission Expires July 17, 2018

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at [deprivacyofficer@wv.gov](mailto:deprivacyofficer@wv.gov).

Received  
Office of Oil & Gas  
JUL 24 2015

WW-6A  
(9-13)

API NO. 47- 085 -  
OPERATOR WELL NO. Aubie Unit 3H  
Well Pad Name: Kelly Pad

**STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS  
NOTICE OF APPLICATION**

**Notice Time Requirement:** notice shall be provided no later than the **filing date of permit application.**

**Date of Notice:** 07/17/2015 **Date Permit Application Filed:** 07/17/2015

**Notice of:**

- PERMIT FOR ANY WELL WORK
- CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

**Delivery method pursuant to West Virginia Code § 22-6A-10(b)**

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice  WSSP Notice  E&S Plan Notice  Well Plat Notice is hereby provided to:

SURFACE OWNER(s)  
 Name: Eddy D. & Kelly D. Waggoner  
 Address: 326 Poplar Lick Lane  
Pennsboro, WV 26415

Name: \_\_\_\_\_  
 Address: \_\_\_\_\_

SURFACE OWNER(s) (Road and/or Other Disturbance)  
 Name: David W. Lahue  
 Address: 2276 Mountain Drive  
Pennsboro, WV 26415

Name: \_\_\_\_\_  
 Address: \_\_\_\_\_

SURFACE OWNER(s) (Impoundments or Pits)  
 Name: \_\_\_\_\_  
 Address: \_\_\_\_\_

COAL OWNER OR LESSEE  
 Name: NO DECLARATIONS ON RECORD WITH COUNTY  
 Address: \_\_\_\_\_

COAL OPERATOR  
 Name: \_\_\_\_\_  
 Address: \_\_\_\_\_

WATER PURVEYOR(s)/OWNER(s) OF WATER WELL, SPRING OR OTHER WATER SUPPLY SOURCE  
 Name: PLEASE SEE ATTACHMENT  
 Address: \_\_\_\_\_

OPERATOR OF ANY NATURAL GAS STORAGE FIELD  
 Name: \_\_\_\_\_  
 Address: \_\_\_\_\_

\*Please attach additional forms if necessary

Office of Oil & Gas  
 JUL 24 2015

**WW-6A Notice of Application Attachment:****Water Source Owners:**

**Owner:** Eddy D. Waggoner & Kelly D. Waggoner  
(3 water wells within 1,500 feet)

**Address:** 326 Poplar Lick Lane  
Pennsboro, WV 26415

**Owner:** Hayward G. Thomas et al

**Address:** 303 Poplar Lick Lane  
Pennsboro, WV 26415

**Owner:** Lisa D. Robinson

**Address:** 2194 Mountain Drive  
Pennsboro, WV 26415

**\*Please note there are 4 additional water sources shown on the attached map, but they are located greater than 1,500' from the subject pad location.**

Received  
Office of Oil & Gas  
JUL 24 2015

09/04/2015



WW-6A  
(8-13)

API NO. 47- 085 -  
OPERATOR WELL NO. Auble Unit 3H  
Well Pad Name: Kelly Pad

**Notice is hereby given:**

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

**This Notice Shall Include:**

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting [www.dep.wv.gov/oil-and-gas/pages/default.aspx](http://www.dep.wv.gov/oil-and-gas/pages/default.aspx).

**Well Location Restrictions**

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A variance, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

Recovered  
Office of Oil & Gas  
July 24, 2015

09/04/2015

WW-6A  
(8-13)

API NO. 47-085 -  
OPERATOR WELL NO. Aubie Unit 3H  
Well Pad Name: Kelly Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

**Water Well Testing:**

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

**Water Testing Laboratories:**

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

**Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:**

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing required water service until authorized to do so by the secretary or a court of competent jurisdiction.

**Written Comment:**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas  
Department of Environmental Protection  
601 57<sup>th</sup> St. SE  
Charleston, WV 25304  
(304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. **NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.**

Received  
Office of Oil & Gas

JUL 24 2015

09/04/2015

**Time Limits and Methods for Filing Comments.**

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

**Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

**Permit Denial or Condition**

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Received  
Office of Oil & Gas  
JUL 24 2015



WW-6A  
(8-13)

API NO. 47-085 -  
OPERATOR WELL NO. Aubie Unit 3H  
Well Pad Name: Kelly Pad

**Notice is hereby given by:**


Well Operator: Antero Resources Corporation  
Telephone: (303) 357-7310  
Email: asteelle@anteroresources.com



Address: 1615 Wynkoop Street  
Denver, CO 80202  
Facsimile: 303-357-7315

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at [deprivacyofficer@ovv.gov](mailto:deprivacyofficer@ovv.gov).




Subscribed and sworn before me this 17<sup>th</sup> day of July 2015.

Megan C. Darling Notary Public

My Commission Expires July 17, 2018

Received  
Office of Oil & Gas  
JUL 24 2015

# KELLY PAD ANTERO RESOURCES CORPORATION



WELL	SURFACE OWNER	ADDRESS	WELL LATITUDE	WELL LONGITUDE
W1	EDDY D. WAGGONER ET AL	326 POPLAR LICK LN PENNSBORO, WV 26415	39° 19' 03.66"	80° 57' 44.79"
W2	HAYWARD G. THOMAS ET AL	303 Poplar Lick Lane, Pennsboro, WV 26415	39° 19' 02.56"	80° 57' 40.88"
W3	REX D. HUFFORD ET AL	90 POPLAR LICK LN PENNSBORO, WV 26415	39° 19' 02.38"	80° 57' 27.08"
W4	KENNETH G. DRAIN ET AL	57 POPLAR LICK LN, PENNSBORO, WV 26415	39° 19' 00.41"	80° 57' 26.54"
W5	JACK C. HARPER ET AL	2775 MOUNTAIN DR, PENNSBORO, WV 26415	39° 19' 00.60"	80° 57' 23.72"
W6	EDDY D. WAGGONER ET AL	326 POPLAR LICK LN PENNSBORO, WV 26415	39° 18' 44.11"	80° 57' 32.10"
W7	EDDY D. WAGGONER ET AL	326 POPLAR LICK LN PENNSBORO, WV 26415	39° 18' 39.28"	80° 57' 44.78"
W8	LISA D. ROBINSON	2194 Mountain Drive, Pennsboro, WV 26415	39° 18' 38.20"	80° 57' 47.01"
W9	EDDY D. WAGGONER ET AL	326 POPLAR LICK LN PENNSBORO, WV 26415	39° 18' 37.02"	80° 57' 58.20"

<b>WILLOW LAND SURVEYING, PLLC</b> P.O. BOX 17, PENNSBORO, WV 26415 (304) 659-1717	TOPO SECTION(S) OF : PENNSBORO 7.5' QUAD.  JOB #: 14-006WA	SCALE : 1-INCH = 1000 FEET 
DATE: 08/15/14	DRAWN BY: D.L.P.	FILE: KELLYPADWATERMAP

09/04/2015



**STATE OF WEST VIRGINIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS**  
**NOTICE OF ENTRY FOR PLAT SURVEY**

**Notice Time Requirement:** Notice shall be provided at least **SEVEN (7)** days but no more than **FORTY-FIVE (45)** days prior to entry

**Date of Notice:** 11/14/2012      **Date of Planned Entry:** 11/26/2012

**Delivery method pursuant to West Virginia Code § 22-6A-10a**

- PERSONAL SERVICE     
  REGISTERED MAIL     
  METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

**Notice is hereby provided to:**

SURFACE OWNER(s)

Name: Eddy D. & Kelly D. Waggoner  
Address: 326 Poplar Lick Ln  
Pennsboro, WV 26415

Name: \_\_\_\_\_  
Address: \_\_\_\_\_

Name: \_\_\_\_\_  
Address: \_\_\_\_\_

COAL OWNER OR LESSEE

Name: NO DECLARATIONS ON RECORD WITH COUNTY  
Address: \_\_\_\_\_

MINERAL OWNER(s)

Name: PLEASE SEE ATTACHMENT  
Address: \_\_\_\_\_

\*please attach additional forms if necessary

**Notice is hereby given:**

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State: <u>West Virginia</u>	Approx. Latitude & Longitude: <u>39.314639, -80.964720</u>
County: <u>Ritchie</u>	Public Road Access: <u>CR 74/9</u>
District: <u>Clay</u>	Watershed: <u>North Fork Hughes River</u>
Quadrangle: <u>Pennsboro 7.5'</u>	Generally used farm name: <u>Waggoner, Eddy D. &amp; Kelly D.</u>

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting [www.dep.wv.gov/oil-and-gas/pages/default.aspx](http://www.dep.wv.gov/oil-and-gas/pages/default.aspx).

**Notice is hereby given by:**

Well Operator: Antero Resources Corporation  
Telephone: (303) 357- 7310  
Email: asteele@anteroresources.com

Address: 1615 Wynkoop Street  
Denver, CO 80202  
Facsimile: (303) 357-7315

Received  
Office of Oil & Gas  
JUL 24 2015

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at [depprivacyofficer@wv.gov](mailto:depprivacyofficer@wv.gov).



**CERTIFIED MAIL RECEIPT**  
**AUBIE UNIT 3H**  
**(KELLY PAD)**  
**WW-6A3 NOTICE OF ENTRY FOR PLAT SURVEY**  
**TO SURFACE OWNER**

**U.S. Postal Service™**  
**CERTIFIED MAIL™ RECEIPT**  
*(Domestic Mail Only; No Insurance Coverage Provided)*

For delivery information visit our website at [www.usps.com](http://www.usps.com)

Postage	\$	<b>.45</b>
Certified Fee		<b>2.95</b>
Return Receipt Fee (Endorsement Required)		<b>2.25</b>
Restricted Delivery Fee (Endorsement Required)		
<b>Total Postage &amp; Fees</b>	<b>\$</b>	<b>5.75</b>

Eddy D. & Kelly D. Waggoner  
326 Poplar Lick Ln  
Pensboro, WV 26415

Postmark Here  
NOV 14 2012  
MT. CLAIR - WV

95 Form 3800 August 2006 See Reverse for Instructions

7012 1640 0001 6939 3632

Received  
Office of Oil & Gas  
JUL 24 2015

**WW-6A3 Notice of Entry for Plat Survey Attachment:****Mineral Owners:**

**Owner:** Eddy D. & Kelly D. Waggoner ✓  
**Address:** 326 Poplar Lick Ln  
Pennsboro, WV 26415

**Owner:** Ivanleen Alyce Forren ✓  
**Address:** 2335 Pecan Orchard Dr.  
League City, TX 77573

**Owner:** Janice Kay Linville ✓  
**Address:** c/o John Linville  
379 McDougal Dr.  
Pennsboro, WV 26415

**Owner:** Vicki Lynn Robinson ✓  
**Address:** 44 Walnut Way  
Kenna, WV 25248

**Owner:** Donna Jean Krutilla ✓  
**Address:** 6082 Vista Tr  
Southside, AL 35907

**Owner:** Lisa Michelle McDonnell ✓  
(Lisa Michelle Motes)  
**Address:** 5981 Willows Bridge Loop  
Ellenton, FL 34222

**Owner:** Ronald Wayne Meredith ✓  
**Address:** 101 Birch St.  
Shinnston, WV 26431

Received  
Office of Oil & Gas  
JUL 24 2015

09/04/2015

WW-6A5  
(1/12)

**STATE OF WEST VIRGINIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS**  
**NOTICE OF PLANNED OPERATION**

**Notice Time Requirement:** notice shall be provided no later than the **filing date of permit application.**

**Date of Notice:** 07/17/2015      **Date Permit Application Filed:** 07/17/2015

**Delivery method pursuant to West Virginia Code § 22-6A-16(c)**

CERTIFIED MAIL       HAND  
RETURN RECEIPT REQUESTED      DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

**Notice is hereby provided to the SURFACE OWNER(s)**

(at the address listed in the records of the sheriff at the time of notice):

Name: Eddy D. & Kelly D. Waggoner

Address: 326 Poplar Lick Ln

Pennsboro, WV 25415

Name: \_\_\_\_\_

Address: \_\_\_\_\_

**Notice is hereby given:**

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State: <u>West Virginia</u>	UTM NAD 83 Easting: <u>503,218m</u>
County: <u>Ritchie</u>	UTM NAD 83 Northing: <u>4,351,660m</u>
District: <u>Clay</u>	Public Road Access: <u>CR 74</u>
Quadrangle: <u>Pennsboro 7.5'</u>	Generally used farm name: <u>Eddy D. Waggoner et al</u>
Watershed: <u>North Fork Hughes River</u>	

**This Notice Shall Include:**

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1) A copy of this code section; (2) The information required to be provided by **W. Va. Code § 22-6A-10(b)** to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting [www.dep.wv.gov/oil-and-gas/pages/default.aspx](http://www.dep.wv.gov/oil-and-gas/pages/default.aspx).

Well Operator: Antero Resources Corporation

Telephone: (303) 357-7310

Email: asteelle@anteroresources.com

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at [depprivacyofficer@wv.gov](mailto:depprivacyofficer@wv.gov).

Received  
Office of Oil & Gas  
JUL 24 2015

09/04/2015





WEST VIRGINIA DEPARTMENT OF TRANSPORTATION  
**Division of Highways**

1900 Kanawha Boulevard East • Building Five • Room 110  
 Charleston, West Virginia 25305-0430 • (304) 558-3505

Earl Ray Tomblin  
 Governor

Paul A. Mattox, Jr., P. E.  
 Secretary of Transportation/  
 Commissioner of Highways

December 5, 2014

James A. Martin, Chief  
 Office of Oil and Gas  
 Department of Environmental Protection  
 601 57<sup>th</sup> Street, SE  
 Charleston, WV 25304

Subject: DOH Permit for the Kelly Pad, Ritchie County  
 Aubie Unit 3H Well site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #03-2013-0677 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off of WV Route 74 in Ritchie County.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

*Gary K. Clayton*

Gary K. Clayton, P.E.  
 Regional Maintenance Engineer  
 Central Office O&G Coordinator


Received  
 Office of Oil & Gas  
 JUL 24 2015

Cc: Ashlie Steele  
 Antero Resources Corporation  
 CH, OM, D-3  
 File

**List of Anticipated Additives Used for Fracturing or  
Stimulating Well**

<b>Additives</b>	<b>Chemical Abstract Service Number (CAS #)</b>
Fresh Water	7732-18-5
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
Ammonium Persulfate	7727-54-0
Anionic copolymer	proprietary
Anionic polymer	proprietary
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9
Cellulase enzyme	(Proprietary)
Demulsifier Base	(Proprietary)
Ethoxylated alcohol blend	Mixture
Ethoxylated Nonylphenol	68412-54-4
Ethoxylated oleylamine	26635-93-8
Ethylene Glycol	107-21-1
Glycol Ethers	111-76-2
guar gum	9000-30-0
Hydrogen Chloride	7647-01-0
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
Isopropyl alcohol	67-63-0
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2
Microparticle	proprietary
Petroleum Distillates (BTEX Below Detect)	64742-47-8
Polyacrylamide	57-55-6
Propargyl Alcohol	107-19-7
Propylene Glycol	57-55-6
Quartz	14808-60-7
Sillica, crystalline quartz	7631-86-9
Sodium Chloride	7647-14-5
Sodium Hydroxide	1310-73-2
Sugar	57-50-1
Surfactant	68439-51-0
Suspending agent (solid)	14808-60-7
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7

Received  
Office of Oil & Gas  
JUL 24 2015



NO.	REVISION	BY	DATE
1	CORP. ADDRESS & WELL CONFIG.	KLF	06-12-14
2	LOD REVISION	KLF	08-25-14
3	DEP COMMENTS	KLF	10-31-14


**KLEINFELDER**  
 Bright People. Right Solutions.  
 230 EXECUTIVE DRIVE, SUITE 122  
 CRANBERRY TOWNSHIP, PA 16066  
 PH. 724-772-7072 FAX. 724-772-7079  
 www.kleinfelder.com

ACAD. FILE: SITE PLAN  
 PROJ. NO. 138961

**KELLY WELL & W.C. PAD  
 SITE PLAN**

ANTERO RESOURCES CORPORATION  
 KELLY WELL & WATER CONTAINMENT PAD  
 PENNSBORO DISTRICT  
 WEST VIRGINIA  
 RITCHIE COUNTY

**APPROVED  
 WVDEP OOG**  
*[Signature]*  
 12/5/2014



**ISSUED FOR CONSTRUCTION**

DESIGNED BY: KR  
 MODIFIED BY: RAP  
 CHECKED BY: JBC  
 DATE: 04-09-2014  
 SCALE:



ORIGINAL SCALE IN INCHES FOR REDUCED PLANS

0 0.5 1.0 1.5 2.0

CONSTRUCTION

7 of 21 sheets

09/04/2015

50' VERTICAL FEET OR LESS IF SOILS CONDITIONS WARRANT ADDITIONAL SLIP PRECAUTIONS.

PAD SUMPS SHALL BE PUMPED TO ON-SITE HOLDING/STORAGE TANKS AND SUBSEQUENTLY REMOVED FROM SITE BY AN

ATE THE 10-YEAR STORM EVENT. A 10-YEAR STORM EVENT RAINFALL INTENSITY OF 6.45 IN/HR WAS USED FOR STORM SEWER AND  
 RVER FOR PENNSBORO, WV.

ON PAGE 16 FOR SPACING REQUIREMENTS. ROCK CHECK DAMS WILL BE INSTALLED DURING CONSTRUCTION AS EROSION CONTROL  
 N IS COMPLETE.

NO OFFSITE EROSION & SEDIMENTATION RUNOFF.

POINTS AS IDENTIFIED IN THE FIELD.

*[Handwritten signature]*  
 7-21-15

PL07ED: 31 Oct 2014, 10:35am, RP/rtk



470851023

09/04/2015



**PROJECT CONTACTS**

**PROJECT OWNER**  
**ANTERO RESOURCES**  
 1675 WYNKOP STREET  
 DENVER, CO 80202

**CONTACT: ANTONY SMITH**  
 FIELD ENGINEER  
 304.869.3406 OFFICE  
 304.673.6196 CELL

**CONTACT: ELIJAH GONER**  
 ENVIRONMENTAL  
 SUPERVISOR  
 304.422.3442 EXT 311  
 OFFICE

**CONTACT: JOSH WANKAMAK**  
 ENGINEER  
 617.294.1593

**CONTACT: MARION KUNZLER**  
 CONSTRUCTION  
 SUPERVISOR  
 405.227.6344

**LOCATION SURVEYOR**

**TRIPLE H ENTERPRISES**  
 CONTACT: DANIEL ROJICE, PLS  
 WEST VIRGINIA, WV 26465  
 304.873.3380

**ENGINEER OF RECORD**  
**KLEINFELDER EAST, INC.**  
 CONTACT: JEFFERY B. CRISP, PE  
 3600 GATEWAY CENTER BUILDING, SUITE 200  
 MONROEVILLE, NC 27356  
 919.253.4144 FAX

**ENVIRONMENTAL/ DELINEATION BOUNDARY**

**BLUE COUNTY ENGINEERING**  
 CONTACT: JAMES W. HARRIS  
 1182 N. PARKWAY ROAD  
 JARVIS, WV 26426  
 304.919.3400 OFFICE  
 803.243.9000 CELL

**TOPO SURVEYOR**  
**BLUE COUNTY ENGINEERING**  
 CONTACT: JAMES W. HARRIS  
 1182 N. PARKWAY ROAD  
 JARVIS, WV 26426  
 304.919.3400 OFFICE  
 803.243.9000 CELL

**SITE LOCATIONS**

DESCRIPTION	NAD 83 W/ NORTH ZONE 1	UTM ZONE 17 (METERS)
	LATITUDE	LONGITUDE
CENTER OF WATER CONTAINMENT PAD	39° 18' 53.21"	-80° 57' 44.68"
CENTER OF WELL PAD	39° 18' 52.66"	-80° 57' 51.26"
CENTER OF WATER CONTAINMENT PAD	39° 18' 52.66"	-80° 57' 51.26"
CENTER OF WELL PAD	39° 18' 52.66"	-80° 57' 51.26"
TOTAL		2,472

**FLOODPLAIN CONDITIONS**

DO SITE CONSTRUCTION ACTIVITIES TAKE PLACE WITHIN FLOODPLAIN	NO
PERMIT REQUIRED FROM COUNTY FLOODPLAIN COMMISSION	N/A
HIGHWAY STUDY COMPLETED	N/A
FLOODPLAIN SHOWN ON DRAWINGS	N/A
FIRM MAP NUMBER FOR SITE	2480601015C & 248030115C
AREA(S) OF CONSTRUCTION IN FLOODPLAIN	0.00

**811**  
 Call Before You Dig  
 1-800-4-A-SHIELD  
 1-800-4-2743  
 www.811.org  
 WEST VIRGINIA  
 FEDERAL AND STATE  
 REGULATIONS REQUIRE THE  
 IDENTIFICATION OF ALL  
 UTILITIES BEFORE ANY  
 CONSTRUCTION OF  
 VARIOUS TYPES OF  
 UTILITIES IS THE LAW.



**DESIGN CERTIFICATION**  
 THE DRAWING, CONSTRUCTION NOTES, AND REFERENCE DRAWINGS ATTACHED HEREIN HAVE BEEN PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS 35-1.

**MA-09 PERMIT**  
 THE DRAWING, CONSTRUCTION NOTES, AND REFERENCE DRAWINGS ATTACHED HEREIN OBTAIN AN ENVIRONMENTAL PERMIT FROM THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, DIVISION OF HIGHWAYS, PRIOR TO THE COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

**KELLY WELL & WATER CONTAINMENT PAD  
 SITE DESIGN & CONSTRUCTION PLAN,  
 EROSION & SEDIMENT CONTROL PLANS**  
 ANTERO RESOURCES CORPORATION

**APPROVED**  
**WV DEP OOG**  
 12/5/2014

**AP# 8510161**  
**API# 8510162**  
**Antero**  
 AP# 8510168



**WELL HEAD LAYOUT**

WELL NAME	NAD 83 W/ NORTH ZONE 1	UTM ZONE 17 (METERS)
	NORTHING	EASTING
ALBIE UNIT 1H	298644.55	1545693.22
ALBIE UNIT 2H	298646.16	1545672.54
ALBIE UNIT 3H	298670.76	1545481.87
ALBIE UNIT 4H	298672.37	1545470.52
DUCHENE UNIT 1H	298671.56	1545470.65
DUCHENE UNIT 2H	298661.20	1545719.17
DUCHENE UNIT 3H	298661.20	1545719.17
DUCHENE UNIT 4H	298661.20	1545719.17

**WELL HEAD LAYOUT**

WELL NAME	NAD 27 W/ NORTH ZONE 1	UTM ZONE 17 (METERS)
	NORTHING	EASTING
ALBIE UNIT 1H	298632.97	1548104.53
ALBIE UNIT 2H	298634.47	1548113.24
ALBIE UNIT 3H	298637.35	1548122.72
ALBIE UNIT 4H	298641.23	1548132.22
DUCHENE UNIT 1H	298645.14	1548141.71
DUCHENE UNIT 2H	298649.03	1548151.21
DUCHENE UNIT 3H	298651.93	1548160.70
DUCHENE UNIT 4H	298655.82	1548170.20

**SHEET INDEX**

PAGE NO.	DESCRIPTION
1	COVER PAGE AND LOCATION MAP
2	SCHEDULE OF QUANTITIES
3	NOTES
4	EXISTING CONDITIONS
5	OVERALL PLAN
6-7	SITE PLAN
8	WELL PAD CROSS SECTION & PROFILE
9	WATER CONTAINMENT PAD CROSS SECTION & PROFILE
10-11	PERMANENT ACCESS ROAD CROSS SECTION & PROFILE
12	ACCESS ROAD TO CROSS SECTION & PROFILE
13	ACCESS ROAD TO EROSION, WELLS CROSS SECTION & PROFILE
14-19	DETAILS
21-20	REGULATORY PLAN

**WELL LOCATION RESTRICTIONS**

WELL PAD IS TO COMPLY WITH WELL LOCATION RESTRICTIONS OF WV CODE 20-2-2. THE PAD COMPANY WITH THE FOLLOWING RESTRICTIONS SHALL BE ENFORCED: THE WELL PAD SHALL BE LOCATED AT LEAST 100 FEET FROM ANY OCCURRED DOWNDRAUGHT OR DAMN DEVIATED FROM THE CENTER OF THE USED FOR FERTILITY OR DRAINAGE MEASURED FROM THE CENTER OF THE STREAMS, NATURAL OR ARTIFICIAL LAKE, POND OR RESERVOIR. 500 FEET FROM EDGE OF OBSTACLE TO NATURALLY REPRODUCING SUPPLY. 100 FEET OF SURFACE ON GROUND WATER TAKE TO A PUBLIC WATER SUPPLY.

**ISSUED FOR CONSTRUCTION**

**ANTERO RESOURCES CORPORATION**  
**KELLY WELL & WATER CONTAINMENT PAD**  
 PENNSBORO DISTRICT  
 RITCHIE COUNTY WEST VIRGINIA

**KLEINFELDER**  
 Bright People. Right Solutions.  
 210 EXECUTIVE DRIVE, SUITE 122  
 CHARLOTTE, NORTH CAROLINA 28203  
 PH 724-772-7072 FAX 724-772-7070

**DESIGNED BY: KRY**  
**CHECKED BY: JSC**  
**DATE: 04/01/14**  
**SCALE: AS SHOWN**


**CONSTRUCTION**  
 1 of 21 sheets

NO.	REVISION	BY	DATE
1	CORP. ADDRESS & WELL CONFIG.	KLF	06-12-14
2	LOG REVISION	KLF	08-25-14
3	DEP COMMENTS	KLF	10-31-14
4	-	-	-
5	-	-	-



09/04/2015

ACCESS ROAD CROSS-DIMENSIONS	Q TOTAL	SCLOPE (%)	SIZE	LENGTH (ft)	UPPER MATERIAL	LOWER MATERIAL
Pipe 1	5.00x20	4.85	0.0133	150.00	1500.00	1500.00
Pipe 2	7.00x20	3.1	0.0090	150.00	1350.00	1350.00
Pipe 3	7.00x12	3.3	0.0090	40.00	360.00	360.00
Pipe 4	7.00x12	2.3	0.0028	25.00	225.00	225.00
Pipe 5	7.00x12	2.02	0.0027	55.00	495.00	495.00
Pipe 6	7.00x12	1.81	0.0024	55.00	495.00	495.00



### LEGEND

Symbol	Description
(Line with dashes)	PROPOSED 24" WATER CONTAINMENT PAD
(Line with dots)	EXISTING 24" WATER CONTAINMENT PAD
(Line with long dashes)	PROPOSED 18" WATER CONTAINMENT PAD
(Line with short dashes)	EXISTING 18" WATER CONTAINMENT PAD
(Line with circles)	PROPOSED 12" WATER CONTAINMENT PAD
(Line with triangles)	EXISTING 12" WATER CONTAINMENT PAD
(Line with squares)	PROPOSED 6" WATER CONTAINMENT PAD
(Line with diamonds)	EXISTING 6" WATER CONTAINMENT PAD
(Line with crosses)	PROPOSED 3" WATER CONTAINMENT PAD
(Line with stars)	EXISTING 3" WATER CONTAINMENT PAD
(Line with pluses)	PROPOSED 1.5" WATER CONTAINMENT PAD
(Line with asterisks)	EXISTING 1.5" WATER CONTAINMENT PAD
(Line with hash)	PROPOSED 0.75" WATER CONTAINMENT PAD
(Line with percent)	EXISTING 0.75" WATER CONTAINMENT PAD
(Line with ampersand)	PROPOSED 0.375" WATER CONTAINMENT PAD
(Line with at)	EXISTING 0.375" WATER CONTAINMENT PAD

- ### NOTES
1. THE GRADES SHOWN REPRESENT THE PROPOSED GRADES.
  2. PERMANENT SHALL BE AS NOTED ON THE PLAN AND IN THE STORM DRAINAGE COMPUTATION TABLE.
  3. CUT AND FILL SLOPES SHALL BE AT 2:1 UNLESS NOTED OTHERWISE.
  4. FILL SHALL BE FRACTIONATED LOTS AND BE COMPACTED TO 95% STANDARD PROCTOR.
  5. PREVENTATIVE MEASURES SHALL BE INSTALLED ON ALL SLOPES AT INTERVALS OF 50' VERTICAL FEET OR LESS PER LOCAL CONSTRUCTION REGULATION, BUT NOT LESS THAN 100'.
  6. ALL FILL SLOPES SHALL BE THE CENTERLINE OF THE DRAINAGE CHANNEL.
  7. POSITIVE FLOW FROM THE DAM TO THE DRAINAGE CHANNEL SHALL BE MAINTAINED THROUGHOUT THE LIFE OF THE DAM AND SUFFICIENTLY REMOVED FROM THE SITE BY AN APPROPRIATE CONSTRUCTION.
  8. ALL DRAINAGE CHANNELS SHALL BE DESIGNED TO ACCOMMODATE THE 10-YEAR FLOOD FLOW FROM THE DAM AND SUFFICIENTLY REMOVED FROM THE SITE BY AN APPROPRIATE CONSTRUCTION.
  9. SEE DETAIL SHEET 13 FOR THE DRAINAGE CHANNEL AND DESIGN.
  10. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE DESIGN AND CONSTRUCTION CHECKS AND THE DESIGN AND CONSTRUCTION CHECKS.
  11. ALL THE WORK SHALL BE IN ACCORDANCE WITH THE DESIGN AND CONSTRUCTION CHECKS AND THE DESIGN AND CONSTRUCTION CHECKS.
  12. IN-TERRAIN PLACEMENT SHALL BE IN ACCORDANCE WITH THE DESIGN AND CONSTRUCTION CHECKS AND THE DESIGN AND CONSTRUCTION CHECKS.
  13. INSTALL SIGNAGE TO INDICATE THE LOCATION OF THE DAM AND SUFFICIENTLY REMOVED FROM THE SITE BY AN APPROPRIATE CONSTRUCTION.

**UTILITIES WITHIN PROPOSED GRADING TO BE RELOCATED. SEE UTILITY EXHIBIT.**

**APPROVED**  
**WV DEP OOG**  
*[Signature]*  
12/5/2014

**ISSUED FOR CONSTRUCTION**

DESIGNED BY: [Name]  
DRAWN BY: [Name]  
CHECKED BY: [Name]  
DATE: 08/20/14  
SCALE: AS SHOWN  
SHEET NO. 7 OF 31

**KELLY WELL & W.C. PAD SITE PLAN**

ANTERO RESOURCES CORPORATION  
KELLY WELL & WATER CONTAINMENT PAD  
PENNSBORO DISTRICT  
RITCHIE COUNTY WEST VIRGINIA

**KLEINFELDER**  
Bright People. Right Solutions.  
210 EXECUTIVE DRIVE, SUITE 122  
CLARKSBURY, VIRGINIA 24086  
PH: 724-727-7072 FAX: 724-772-7079  
www.kleinfelder.com  
PROJECT NO. 138661

NO.	REVISION	BY	DATE
1	CORP. ADDRESS & WELL CONFIG.	KLF	06-12-14
2	LOD REVISION	KLF	08-25-14
3	DEP COMMENTS	KLF	10-31-14
4	-	-	-
5	-	-	-