

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Thursday, June 30, 2022 WELL WORK PLUGGING PERMIT Horizontal 6A Plugging

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET DENVER, CO 80202

Re: Permit approval for BLANCHE UNIT 2H 47-085-10272-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief Operator's Well Number: BLANCHE UNIT 2H Farm Name: HAYMOND, ANNIE B U.S. WELL NUMBER: 47-085-10272-00-00 Horizontal 6A Plugging Date Issued:

Promoting a healthy environment.



PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

4708510272 P	4	7	0	8	5	1	0	2	7	2	P
--------------	---	---	---	---	---	---	---	---	---	---	---

WW-4] Rev.	B 2/01	1) Date May 10 , 20 22 2) Operator's Well No. Blanche Unit 2H 3) API Well No. <u>47</u> -065 - 10272
	DEPARTMENT OF ENVI	EST VIRGINIA RONMENTAL PROTECTION OIL AND GAS
	APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas X/ Liquid (If "Gas, Production or Und	derground storage) Deep/ ShallowX
5)	Location: Elevation 970'	
	District Clay	County Ritchie Quadrangle Pennsboro 7.5
6)	Well Operator Antero Resources Corporation Address 1615 Wynkoop Street Denver, CO 80202	7) Designated Agent CT Corporation System - Dianna Stamper Address 5400 D Big Tyler Road Charleston, WV 25313
8)	Oil and Gas Inspector to be notified Name Doug Newlon Address 601 57th Street SE	9)Plugging Contractor Name N/A - Antero will plug well Address
	Charleston, WV 25304	

10) Work Order: The work order for the manner of plugging this well is as follows: *Please See Attached Work Order

RECEIVED Office of Oil and Gas

MAY 3 1 2022

WV Department of Environmental Protection

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector JK Sign For SM Date 6/30/22

4708510272P

Blanche Unit 2H Ritchie County, WV API #47-085-10272



Antero Resources 1615 Wynkoop St. Denver, CO 80202 Office: 303.357.7310 Fax: 303.357.7315

Objective: Plug and Abandon Conductor

Well Design:

20" OD Conductor, ID 19.124" @ 40' (24" hole) – Cemented to Surface

Oil and Gas Zones: 1. N/A

Procedure:

- 1. Notify WV DEP 24 hours prior to commencing work.
- 2. Hold JSA Pre Job Meeting.
- 3. MIRU cement services. Mix and pump Class A cement plug to surface.

a. 40' conductor- approximately 70 sacks @ yield of 1.15 ft3/sk

4. Install Monument Marker with API #47-085-10272

JIK sign for 5M 6/29/22

4708510272P

Page ____ of ____

WR-35 Rev. 8/23/13

State of West Virginia Department of Environmental Protection - Office of Oil and Gas Well Operator's Report of Well Work

API <u>47</u> -085_	10272	County Ritchie	Dist	_{rict} Clay	
Quad Pennsboro 7.5'		Pad Name Eddy F	Pad Fiel	d/Pool Name	
Farm name Annie B. H	aymond, et al		We	Il Number Blan	iche Unit 2H
Operator (as registered w	ith the OOG)	Antero Resources (Corporation		
Address 1615 Wynkod	op Street	City Denv	/er	State CO	Zip_80202
As Drilled location NA To Landing Point of	op hole No	Attach an as-drilled rthing <u>4,353,858m</u> rthing		506,903m	
Botto		rthing			
Elevation (ft) 970'	GL	Type of Well	New 🗆 Existing	Type of Report	□Interim B Final
Permit Type 🛛 Devia	ated 🗆 Hori	zontal 🛛 Horizonta	al 6A 🛛 Vertical	Depth Type	🗆 Deep 📱 Shallow
Type of Operation □ Co	onvert 🗆 Dee	pen 🛔 Drill 🗖 🛛	Plug Back 🛛 🗆 Redrilling	g 🗆 Rework	Stimulate
Well Type	osal 🗆 CBM	∎ Gas ∎ Oil □ Seco	ondary Recovery	on Mining 🗆 Sto	orage 🗆 Other
Type of Completion	Single 🗆 Multir	le Fluids Produc	ed ⊓Brine ∎Gas ⊓	NGL Oil	□ Other
Drilled with \Box Cable					
Drilling Media Surface Production hole □ Air Mud Type(s) and Additi	🏝 Mud 🛛 🛛 F	□ Mud □Fresh Wate resh Water □ Brine	er Intermediate hole	🛢 Air 🗆 Mud	□ Fresh Water □ Brine
Air - Foam & 4% KC					
Mud - Polymer		·····	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
Date permit issued1	2/21/2015	Date drilling comm	enced9/6/2016	Date drilling of	ceased 9/6/2016
Date completion activitie			Date completion activitie	es ceased	
Verbal plugging (Y/N)	N/A Da	e permission granted	N/A	Granted by	N/A
Please note: Operator is	required to subm	uit a plugging applicat	tion within 5 days of verba	al permission to p	lug
Freshwater depth(s) ft			Open mine(s) (Y/N) depth	18	N
Salt water depth(s) ft	653', 2		Void(s) encountered (Y/N) depths	N
Coal depth(s) ft	1056		Cavern(s) encountered (Y	/N) depths	<u>N</u>
Is coal being mined in ar	ea (Y/N)	N			Reviewed by:

Page ____ of ____

WR-35 Rev. 8/23/13

API 47-085	10272	Farm name_	nnie B. Hayr	nond, et al	Well	number_Blan	iche Unit 2H	
CASING STRINGS	Hole Size	Casing Size I	Nev Depth Us	v or Grade sed wt/ft		Basket Depth(s)	Did cement circulate (Y/ N) * Provide details below*	
Conductor	24"	20"	40' N	lew 94#	/J-55	N/A	Y	
Surface	17-1/2"	13-3/8"	N	lew 48#	/H-40	N/A	Y	
Coal								
Intermediate 1	12-1/4"	9-5/8"	N	lew 36#	/J-55	N/A	Y	
Intermediate 2								
Intermediate 3								
Production	8-3/4"/8-1/2"	5-1/2"	N	lew 20#/	'P-110	N/A	Y	
Tubing		2-3/8"		4.7#	ŧ/N-80			
Packer type and de	epth set	N/A	·····	••••••••••••••••••••••••••••••••••••••				
Comment Details								
CEMENT DATA	Class/Type of Cement		Slurry wt (ppg)	Yield (ft ³ /sks)	Volume (<u>ft ³</u>)	Cemen Top (Ml		
Conductor	Class A	100 sx	15.6	1.18	Cu. Ft.	0'	8 Hrs.	
Surface	Class A	SX	15.6	1.18	Cu. Ft.	0'	8 Hrs.	
Coal								
Intermediate 1	Class A	SX	15.6	1.18	Cu. Ft.	0'	8 Hrs.	
Intermediate 2								
Intermediate 3								
Production	Class H	sx (Lead), sx (Tail)	13.5 (Lead), 15.2 (Tail)	1.44 (Lead), 1.80 (Tail)	Cu. Ft.	~500' into Intermed	liate Casing 8 Hrs.	
Tubing								
Drillers TD (ft Deepest forma Plug back pro Kick off depth	tion penetrated cedure <u>N/A</u>	1		ggers TD (ft) g back to (ft)	<u>.</u>			
Kick off depth (ft) Check all wireline logs run □ caliper □ density □ deviated/directional □ induction □ neutron □ resistivity □ gamma ray □ temperature □sonic								
Well cored	Well cored □ Yes ■ No Conventional Sidewall Were cuttings collected □ Yes ■ No							
DESCRIBE THE CENTRALIZER PLACEMENT USED FOR EACH CASING STRING								
WAS WELL COMPLETED AS SHOT HOLE Yes No DETAILS								
WAS WELL COMPLETED OPEN HOLE? Yes No DETAILS								
WERE TRACERS USED Ves No TYPE OF TRACER(S) USED VA								

WR-35 Rev. 8/23/13

4708510272 P

Well number_Blanche Unit 2H

Page ____ of ____

API 47- 085 - 10272 Farm name Annie B. Haymond, et al

PERFORATION RECORD

Stage No.	Perforation date	Perforated from MD ft.	Perforated to MD ft.	Number of Perforations	Formation(s)
			SEE ATTACH	ED EXHIBIT	1
					· · · · · · · · · · · · · · · · · · ·

Please insert additional pages as applicable.

STIMULATION INFORMATION PER STAGE

Complete a separate record for each stimulation stage.

Stage No.	Stimulations Date	Ave Pump Rate (BPM)	Ave Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen/other (units)
	-							
			SEE	ATTACHED	EXHIBIT 2			
					1			

Please insert additional pages as applicable.

Page ____ of ____

WR-35 Rev. 8/23/13							
API 47-		10272					

API 47- 085	_ 10272		Farm	name_An	nie B.	Haymo	nd, e	et al	Weil	number	Bland	che Unit 2H	
PRODUCING	FORMAT	ION(S)	! . ·	DEPTHS	-	_ TVD	. <u></u>		MD				
			·										
Please insert ad	lditional pa	ages as	applicable.										
GAS TEST	🗆 Build u	p 🗆 I	Drawdown	🛢 Open	Flow		оп	L TEST	E Flow 1	🗆 Pump			
SHUT-IN PRE	SSURE	Surfac	ce	psi	Botto	m Hole_	_	psi	DURA	TION O	F TES	ST	hrs
OPEN FLOW	Gas		Oil d						GAS I od 🗆 Estin			BY ifice 🗆 Pik	ot
LITHOLOGY/ FORMATION	TOP DEPTH I NAME 1	N FT	BOTTOM DEPTH IN FT TVD	TO DEPTH MI	IN FT	BOTTO DEPTH IN MD						D QUANTITY INE, OIL, GAS,	
	0			0									
				SEE /	TTA	CHED	EXH	HIBIT 3]				
	ļ												
				+									
	_												
											6		
	<u> </u>												
Please insert ad	ditional p	ages as	applicable.			L		<u>I</u>					
Drilling Contra	actor Front	tier Drilli	ng LLC										
Address 562 Sp	ring Run Ro	ad			City	Pennsbor	o		State	WV	Zip	26415	
Logging Comp	0011												
Logging Comp Address					Citv				State		Zip	•	
					•						F		
Cementing Cor Address 1036 E	ast Main Str	reet		ə, LLU	City	Bridgepor	t		State	wv	Zip	26330	
					-								
Stimulating Co Address									State		Zin	۱ <u> </u>	
Please insert ad					2.03					. <u></u>	~^P		
Commentant 1 1	Mellon S	tanton						T -1- 1	303-353	7.7310			
Completed by Signature M(т	itle Po	ermitting Ma	anage	r	one303-357	Date 5	/10/202	2	
Brunnala ta th	a det	-		^		, , , , , , , , , , , , , , , , , , ,		<u>.</u>					
Submittal of Hy	ydraulic Fi	racturin	g Chemical	Disclosu	re Info	rmation	A	ttach cop	y of FRAC	FOCUS	Regis	try	

WW-4A Revised 6-07

1)	Date:	5/10/2022
2)	Operator's	Well Number
	che Unit 2H	

085 3) API Well No.: 47 -

10272

4708510272 P

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4)	Surface Own	er(s) to be served:	5) (a) Coal Operator	
Ċ	(a) Name	PLEASE SEE ATTACHMENT	Name	
	Address	5.000 million and a second	Address	
	(b) Name	PLEASE SEE ATTACHMENT	(b) Coal Own	er(s) with Declaration
	Address		Name	
			Address	
	(c) Name	PLEASE SEE ATTACHMENT	Name	
	Address		Address	
6)	Inspector	Doug Newton	(c) Coal Less	ee with Declaration
0)	Address	601 57th Street SE	Name	
		Charleston, WV 25304	Address	
	Telephone	304 575-0109		

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

(1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and

The plat (surveyor's map) showing the well location on Form WW-6. (2)

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	Well Operator	Antero Resources Corporation
	By:	Diana Hoff Diana O. Hold
DIANE BLAIR	Its:	Senior VP of Operations
NOTARY PUBLIC	Address	1615 Wynkoop Street
STATE OF COLOBADO		Denver, CO 80202
NOTARY ID 19994011871 MY COMMISSION EXPIRES 27-Apr-2024	Telephone	303-357-7310
Subscribed and sworn before me th	is_18_ de	ay of <u>May 2027</u> Notary Public

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at deportveryofficer?wv.gov.

Eddy Pad Surface Owner

Tax Parcel ID: Owner: Address: 3-14-5 Norma C. Landrum 365 Burton Run Road Pennsboro, WV 26415

4708510272P

Cut on dotted line.

Instructions

-*-

- 1. Each Click-N-Ship® label is unique. Labels are to be used as printed and used only once. DO NOT PHOTO COPY OR ALTER LABEL.
- 2. Place your label so it does not wrap around the edge of the package.
- 3. Adhere your label to the package. A self-adhesive label is recommended. If tape or glue is used, DO NOT TAPE OVER BARCODE. Be sure all edges are secure.
- 4. To mail your package with PC Postage®, you may schedule a Package Pickup online, hand to your letter carrier, take to a Post Office™, or drop in a USPS collection box.
- 5. Mail your package on the "Ship Date" you selected when creating this label.

Click-N-Ship® Label Record



UNITED STATES Thank you for shipping with the United States Postal Service! Check the status of your shipment on the USPS Tracking® page at usps.com

SURFACE OWNER WAIVER

4708510272 P

Operator's Well Number

Blanche Unit 2H

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have **FIVE (5)** DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;

Signature

- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON FOR EXECUTION BY A CORPORATION, ETC.

 Date	Name	
	By	
	Its	Date

Signature

Date

WW-4B

API No. 47-085-10272

Farm Name Eddy

Well No. Blanche Unit 2H

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

WAIVER

The undersigned coal operator ____/ owner ____/ lessee ____/ of the coal under this well location has examined this proposed plugging work order. The undersigned has no objection to the work proposed to be done at this location, provided, the well operator has complied with all applicable requirements of the West Virginia Code and the governing regulations.

Date: _____

Ву:_____

Its _____

WW-9	
(5/16)	API Number 47 - 085 - 10272
	Operator's Well No Blanche Unit 2H
STATE OF WEST VIRGINI DEPARTMENT OF ENVIRONMENTAL OFFICE OF OIL AND GAS FLUIDS/ CUTTINGS DISPOSAL & RECLAI	PROTECTION
Operator Name Antero Resources Corporation	OP Code 494507062
Watershed (HUC 10) North Fork Hughes River Quadrangle	Pennsboro 7.5
Do you anticipate using more than 5,000 bbls of water to complete the proposed Will a pit be used? Yes No	well work? Yes No 🗸
If so, please describe anticipated pit waste:	
	so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a completed for Underground Injection (UIC Permit Number *UIC Per Reuse (at API Number Future permitted well locations when app Off Site Disposal (Supply form WW-9 for disposal lo Other (Explain	mit # will be provided on Form WR-34) olicable. API# will be provided on Form WR-34)
Will closed loop systembe used? If so, describe: Yes, fluids stored in tanks, cutti	ngs removed off site and taken to landfill.
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwat	ter, oil based, etc.
-If oil based, what type? Synthetic, petroleum, etc	
Additives to be used in drilling medium?	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc	
-If left in pit and plan to solidify what medium will be used? (cement, li	me, sawdust)
-Landfill or offsite name/permit number?	
Demittee shall provide written notice to the Office of Oil and Cas of any land of	

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

1 certify that 1 understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Gretchen Kohler

Company Official (Typed Name) Gretchen Kohler

Company Official Title Director of Environmental & Regulatory Compliance

Subscribed and sworn before	e me this 18 day of May	, 20 22
0	iameBloin 0	Notary Public
My commission expires	27 Apr 202.4	STATE OF COLORADO NOTARY ID 19994011871 MY COMMISSION EXPIRES 27-Apr-2024

4708510272

Operator's Well No.__ Blanche Unit 2H

|--|


Proposed Revegetation Treatment	: Acres Disturbed 15.24	Preveg etatio	on pH
Lime 2-3	Tons/acre or to correct to pH	6.5	
Fertilizer type			
Fertilizer amount 500	1t	os/acre	
Mulch 2-3	Tons/	acre	
	See	d Mixtures	
Tempo	rary	Pe	rmanent
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Crownvetch	10-15
Field Bromegrass	40	Tall Fescue	30
Please reference Table IV-3 on page 7	of the Well #1 Plugging Plan	Please reference Table IV-4A on	page 7 of the Well #1 Plugging Plan
*or type of grass seed	requested by surface	e owner	

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by:	tephen milloy			
Comments:	¥			
ing a familie and a second				
Title: OILEGAD .	Inspector	 Date: 5-26-	22	
Field Reviewed?	()Yes)No		



vv vv-/	
8-30-06	
West Virginia Department of Env	vironmental Protection
Office of Oil and	l Gas
WELL LOCATION F	ORM: GPS
_{АРІ:} 47-085-10272	WELL NO .: Blanche 2H
FARM NAME: Eddy	
RESPONSIBLE PARTY NAME: Antero Re	esources Corporation
	ISTRICT: Clay
QUADRANGLE: Pennsboro	
SURFACE OWNER: Annie B. Haymond	(Life) & Eddy F. Landrum
ROYALTY OWNER:	•
UTM GPS NORTHING: 4353858.95 m	
utm gps easting: 506903.60 m	GPS ELEVATION: 970.7 ft

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

- 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) meters.
- 2. Accuracy to Datum 3.05 meters
- 3. Data Collection Method:

11012 0

Survey grade GPS X____: Post Processed Differential _____

Real-Time Differential X

Mapping Grade GPS X__: Post Processed Differential

Real-Time Differential X

4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

Permitting Manager _ 5/10/22 Title Date mature

SM 5/26/22



Stansberry, Wade A <wade.a.stansberry@wv.gov>

Plugging Vertical Well Work Permits (API: 47-085-10234, 10242, 10272)

1 message

Stansberry, Wade A <wade.a.stansberry@wv.gov>

Thu, Jun 30, 2022 at 2:07 PM

To: Mallory Stanton <mstanton@anteroresources.com>, Dani DeVito <ddevito@shalepro.com>, Diane Blair <dblair@anteroresources.com>, dhoff@anteroresources.com, mpalmer@anteroresources.com, Arlene Mossor <amossor@wvassessor.com>, Stephen E McCoy <stephen.e.mccoy@wv.gov>, James P Kennedy <james.p.kennedy@wv.gov>

I have attached a copy of the newly issued well permit numbers:

47-085-10234 - MOGAR UNIT 1H 47-085-10242 - MOGAR UNIT 2H 47-085-10272 - BLANCHE UNIT 2H

These will serve as your copy.

Thank you,

Wade A. Stansberry

Environmental Resource Specialist 3

West Virginia Department of Environmental Protection

Office of Oil & Gas

601 57th St. SE

Charleston, WV 25304

(304) 926-0499 ext. 41115

(304) 926-0452 fax

Wade.A.Stansberry@wv.gov

3 attachments

₱ 47-085-10242 - Copy.pdf 4957K

₱ 47-085-10272 - Copy.pdf 5072K

2 47-085-10234 - Copy.pdf 7060K