

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Friday, April 27, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Re: Permit approval for RAY UNIT 1H 47-085-10346-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A	Martin
Chief	Galla -

Operator's Well Number: Farm Name: U.S. WELL NUMBER: Horizontal 6A Date Issued: 4/27/2018 RAY UNIT 1H DAVID L. WEEKLEY REVOCA 47-085-10346-00-00

Promoting a healthy environment.

PERMIT CONDITIONS 4708510346

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:

PERMIT CONDITIONS 4708510346

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

.

WW-6B (04/15)

API NO. 47-085

OPERATOR WELL NO. Rey Unit 1H Well Pad Name: Weekley Trust Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Antero F	Resources Corpo	ra 494507062	085 - Ritchie Clay	Pennsboro 7.5'
an a free of de la constant		Operator ID	County Distric	ct Quadrangle
2) Operator's Well Number:	Ray Unit 1H	Well F	ad Name: Weekley Tru	st Pad
3) Farm Name/Surface Own	er: David Weekley L. Rev	ocable Trust Public R	oad Access: CR-2/5	
4) Elevation, current ground	~1265'	Elevation, propose	d post-construction: 123	35'
5) Well Type (a) Gas 2 Other _	C Oil	Un	derground Storage	
	Shallow X Horizontal X	Deep		- Michael A. 2-6-18
6) Existing Pad: Yes or No	No			1-118
7) Proposed Target Formatio Marcellus Shale: 6800' TVE	D, Anticipated Thick			s).
8) Proposed Total Vertical D	epth: 6800' TVD			
9) Formation at Total Vertica	al Depth: Marcell	us		
10) Proposed Total Measured	d Depth: 16700'	MD		
1) Proposed Horizontal Leg	Length: 7445'			
12) Approximate Fresh Wate	er Strata Depths:	Offset well records.	Depths have been adjusted ac	cording to surface elevations.
13) Method to Determine Fre	sh Water Depths:	338', 375'		
4) Approximate Saltwater D	Depths: 1728', 175	53'		
5) Approximate Coal Seam	Depths: 887'			
16) Approximate Depth to Po	ossible Void (coal 1	nine, karst, other):	None Anticipated	
17) Does Proposed well locat directly overlying or adjacent			No X	
(a) If Yes, provide Mine Inf	o: Name:			RECEIVED Office of Oil and G
	Depth:			FEB 0 9 2018
	Seam:			
	Owner:			WV Department of Environmental Protect

API NO. 47- 085 -OPERATOR WELL NO. Ray Unit 1H Well Pad Name: Weekley Trust Pad

WW-6B (04/15)

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	<u>New</u> <u>or</u> <u>Used</u>	Grade	<u>Weight per ft.</u> (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	80'	80'	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	425' *see #19	425' *see #19	CTS, 590 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500'	2500'	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	23#	16700'	16700'	4185 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners							

TYPE	Size (in)	Wellbore Diameter (in)	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	1000	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12,630	2500	Leas-HIPO2 & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners		in the second					

PACKERS

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	RECEIVED Office of Oil and Gas

FEB 09 2018

WV Department of Environmental Protection

Page 2 of 3

04/27/2018

WW-6B (10/14)

API NO. 47- 085

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 32.87 acres

22) Area to be disturbed for well pad only, less access road (acres): 8.15 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake

Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51

Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.


Office of Oil and Gas

FEB 0 9 2018

*Note: Attach additional sheets as needed.

Page 3 of 3

04/27/2018tion



PETRA 1/22/2018 4 55:17 PM

UWI (APINum)	Well Name	Weil Number	Operator	Hist Oper	P	TD Approximate Distance to Well
47085069220000	7085069220000 BISHOP OLEY J ETAL	JK-912	ALLIANCE PETR CORP	J & J ENTERPRISES	5995	355
47095013050000	D GREGG MILDRED	Ţ	SCHULTZ RUN GAS	COASTAL CORP THE	5016	339

ELEV_GR	TD (SSTVD)	Perforated Interval (shallowest, deepest)	Perforated Formations	Producible Formation(s) not perf'd
1000	-4995	-4995 4529-5757	Weir, Riley, Benson, Rhinestreet	Greenbrier, Bradford
830	-4186	1186 1903-4756	Greenbrier, Bradford, Riley, Benson Weir	Weir

4708510346 RAY UNIT 1H (WEEKLEY TRUST PAD) - AREA OF REVIEW 35-8-5.11 PAGE 2

> RECEIVED Office of Oil and Gas

FEB 5 2018

WV Department of Environmental Protection

04/27/2018

WW-9 (2/15)

API Number 47 - 085 -
Operator's Well No. Ray Link 1H
STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation	OP Code 494507062
Watershed (HUC 10) North Fork Hughes River	Quadrangle Pennsboro 7.5'
Do you anticipate using more than 5,000 bbls of water to com Will a pit be used? Yes No	plete the proposed well work? Yes No
If so, please describe anticipated pit waste:No pt will be	e caed at this site (Drilling and Flowback Fluids will be stored in tanks, Cuttings will be tanked and hauled off site.)
Will a synthetic liner be used in the pit? Yes	e cased at this site (Drilling and Flowback Fluids will be stored in tenks, Cuttings will be tanked and hauled off site.)
Proposed Disposal Method For Treated Pit Wastes:	2-0
Land Application	
 Underground Injection (UIC Perm 	nit Number *UIC Permit # will be provided on Form WR-34)
	ted well locations when applicable. API# will be provided on Form WR-34)
Off Site Disposal (Supply form W Other (Explain	W-9 for disposal location) (Meadowfill Landfill Permit #SWF-1032-98) Northwestern Landfill Permit #SWF-1025/ WV0109410
Will closed loop system be used? If so, describe: Yes	
Drilling medium anticipated for this well (vertical and horizon	ntal)? Air, freshwater, oil based, etc.
-If oil based, what type? Synthetic, petroleum, etc	
Additives to be used in drilling medium? Please See Attachme	nt
Drill cuttings disposal method? Leave in pit, landfill, remove	d offsite, etc. Stored in tanks, removed offsite and taken to landfill
-If left in pit and plan to solidify what medium will b	e used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? Meadowfil	Landfill (Permit #SWF-1032-98)
	Gas of any load of drill cuttings or associated waste rejected at any d within 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the West V provisions of the permit are enforceable by law. Violations law or regulation can lead to enforcement action. I certify under penalty of law that I have personal application form and all attachments thereto and that, bas	
Company Official Signature	KARA QUACKENBUSH STATE OF COUBLIC
Company Official (Typed Name) Shawn Donovan	MAQUACKENBUSH STATE OF COLOLIC MY COMMANS OF COLOLIC
Company Official Title Environmental Specialist III	COMMANSION EXPLANADO
Subscribed and sworn before me this 2nd day of day of	Impact of the state of the
My commission expires JULY 21, 2018	HEB 09 2018

WV Department of Environ

Form WW-9

Operator's Well No. Ray Unit 1H

Antero Resources Corporation

Proposed Revegetation Treatment: Acres Disturbed 32.87 acres Prevegetation pH Lime 2-4 Tons/acre or to correct to pH 6.5 Fertilizer type Hay or straw or Wood Fiber (will be used where needed) Fertilizer amount 500 lbs/acre Mulch 2-3 Tons/acre Access Road "A" -749 (2.72 acres) + Access Road "B" -2486' (10.67 acres) + Well Pad (8.15 acres) + Water Containment Pad (3.70 acres) + Excess/Topsoil Material Stockpiles (7.63 acres) = 32.87 Acres Temporary Permanent lbs/acre Seed Type lbs/acre Seed Type

Annual Ryegrass 40	Crownvetch	10-15
Field Bromegrass 40	Tall Fescue	30
Gee attached Table IV-3 for additional seed type (Weekley Trust Pad Design Page 25)	Soc attached Table IV-4A for additional aced by	pe Weekley Trust Pad Design Page 25)
*or type of grass seed requested by surface owner	*or type of grass seed reque	ested by surface owner

Attach:

Drawing(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided)

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Michael May	
Comments:	
Title: 0:14 Gas Inspector Date: 2-6-18 Field Reviewed? (V)Yes ()No	
Field Reviewed? () Yes () No	RECEIVED Office of Oil and Ga
	FE3 0 9 2018

WV Department of Enviro0427/2040

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1	•	Alpha 1655	

Salt Inhibitor

- 2. Mil-Carb Calcium Carbonate
- 3. Cottonseed Hulls

Cellulose-Cottonseed Pellets – LCM

4. Mil-Seal

```
Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM
```

5. Clay-Trol

Amine Acid Complex – Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion - Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide – Alkalinity Control

10. Mil-Lime

Calcium Hydroxide – Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica – LCM

RECEIVED Office of Oil and Gas

FEB 5 2018

13. Escaid 110
Drilling Fluild Solvent – Aliphatic Hydrocarbon
14. Ligco
Highly Oxidized Leonardite – Filteration Control Agent
15. Super Sweep
Polypropylene – Hole Cleaning Agent
16. Sulfatrol K
Drilling Fluid Additive – Sulfonated Asphalt Residuum
17. Sodium Chloride, Anhydrous
Inorganic Salt
18. D-D
Drilling Detergent – Surfactant
19. Terra-Rate
Organic Surfactant Blend
20. W.O. Defoam
Alcohol-Based Defoamer
21. Perma-Lose HT
Fluid Loss Reducer For Water-Based Muds
22. Xan-Plex D
Polysaccharide Polymer – Drilling Fluid Viscosifier
23. Walnut Shells
Ground Cellulosic Material – Ground Walnut Shells – LCM
24. Mil-Graphite
Natural Graphite – LCM
25. Mil Bar
Barite – Weighting Agent
26. X-Cide 102
Biocide
27. Soda Ash
Sodium Carbonate – Alkalinity Control Agent
28. Clay Trol
Amine Acid complex – Shale Stabilizer
29. Sulfatrol
Sulfonated Asphalt – Shale Control Additive
30. Xanvis
Viscosifier For Water-Based Muds
31. Milstarch
Starch – Fluid Loss Reducer For Water Based Muds
32. Mil-Lube
Drilling Fluid Lubricant

RECEIVED Office of Cil and Gas

FEB 5 2018



911 Address 142 Jones Rd Pennsboro, WV 26415

Well Site Safety Plan

Antero Resources

Well Name: Ray Unit 1H-3H, Swartzmiller Unit 1H-3H, Cingmars 1H-4H, Goliad Unit 1H-2H Michael Dor

Pad Location: Weekley Trust Pad Ritchie County/Clay District

GPS Coordinates:

Entrance - Lat 39°22'0.8292"/Long -80°54'54.8022" (NAD83) Pad Center - Lat 39°22'18.2244"/Long -80°55'25.0998" (NAD83)

Driving Directions:

From the intersection of I79 and HWY 50: Travel west on US-50 for 28.7 miles. Turn right onto WV-18 N and head towards West Union. Turn Left onto Davis St/Old U.S. 50 W and continue for 0.4 miles. Turn right onto WV-18N/Sistersville Pike for 12.2 miles. Turn Left onto WV-74 S for 3.7 miles. Turn right onto Stull Hill Rd for 0.4 miles. Turn left onto Co Rd 2/5 for 0.1 miles. The access road will be on your right.


Alternate Route:


From the intersection of U.S. 50 E and WV-74 N/Pullman Rd: Travel north and turn left onto E Myles Ave/Old U.S. 50 E for 0.6 miles. Turn Right onto Grey St (0.2 miles), left onto E Penn Ave (0.1 miles), right onto 1st St (446 ft) and continue onto WV-74N/Mountain Dr for 7.2 miles. Turn left onto Stull Hill Rd for 0.4 miles. Turn left onto Co Rd 2/5 for 0.1 miles. The access road will be on your right.

RECEIVED EMERGENCY (24 HOUR) CONTACT 1-800-878-11 3 I and Gas

-E9 0 9 2018







Operator's Well Number Ray Unit 1H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
David L. Weekley Revocable Trust Lease			
David L. Weekley Revocable Trust	Antero Resources Corporation	1/8+	0295/0030
Leota M. Doak Lease			
Leota M. Doak	Antero Resources Corporation	1/8 +	0258/1005
<u>Brian Keith Jones Lease (3-3-4)</u>			
Brian Keith Jones	Antero Resources Corporation	1/8+	0303/0899
Brian Keith Jones Lease (3-3-3)			
Brian Keith Jones	Antero Resources Corporation	1/8+	0303/0899
<u>Gary Michael Der, et ux</u>			
Gary Michael Der, et ux	Antero Resources Corporation	1/8+	0302/0788
Joe-Dom Inc. Lease (3-1-7)			
Joe Dom, Inc. Dominic Domino, President	Gene Stalnaker, Inc.	1/8	0160/0672
Gene Stalnaker, Inc.	Angus Energy, Inc.	Assignment	0212/0137
Angus Energy, Inc.	Stalnaker Energy Corporation	Name Change	Exhibit 2
Stalnaker Energy Corporation	Antero Resources Appalachian Corporation	Assignment	0258/0084
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Raymond Cecil Darnell Leaes			
Raymond Cecil Darnell	Antero Resources Corporation	1/8	0305/0292
Joe-Dom Inc. Lease			
Joe Dom, Inc. Dominic Domino, President	Gene Stalnaker, Inc.	1/8	0160/0672
Gene Stalnaker, Inc.	Angus Energy, Inc.	Assignment	0212/0137
Angus Energy, Inc.	Stalnaker Energy Corporation	Name Change	Exhibit 2
Stalnaker Energy Corporation	Antero Resources Appalachian Corporation	Assignment	0258/0084
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

WW-6A1 (5/13) Operator's Well No. Ray Unit 1H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

	Richard L. Barnard	Antero Resources Corporation	1/8+	0442/0067
Richard Hall Barnard Lease				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Lease Name or				

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- · WV Division of Water and Waste Management
- · WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Antero Resources Corporation		
By:	Kevin Kilstrom		
Its:	Senior VP of Production		

Page 1 of

RECEIVED Office of Cil and Gas

FEB 5 2018

FORM WW-6A1
EXHIBIT 1

ILED

JUN 1 0 2013

Natalio E. Tannant. Secretary of State 1900 Kanawha Bivd E Bidg 1, Sufie 157-K Charleston, WV 25305

FILE ONE ORIGINAL (Two if you want a filed stamped copy returned to you) FEEI \$25.00



APPLICATION FOR AMENDED CERTIFICATE OF AUTHORITY

IN THE OFFICE OF Corporations Division ECRETARY OF STATE Tel: (304)558-8000 Fax: (304)558-8381 Website: www.wysos.com E-mail: business@wysos.com

> Office Hours: Monday - Friday 8:30 a.m. - 5:00 p.m. ET

Penney Barker, Manager

**** In accordance with the provisions of the West Virginia Code, the undersigned corporation hereby **** applies for an Amended Certificate of Authority and submits the following statement:

- Name under which the corporation was authorized to transact business in WV:
- Date Certificate of Authority was issued in West Virginia:
- Corporate name has been changed to: (Attach one <u>Certified Copy of Name Change</u> as filed in home State of incorporation.)
- Name the corporation elects to use in WV: (due to home state name not being available)
- Other amendments: (attach additional pages if necessary)

Antero Resources Appalachian Corporation

6/26/2008

Antero Resources Corporation .

Antero Resources Corporation

 Name and phone number of contact person. (This is optional, however, if there is a problem with the filing, listing a contact person and phone number may avoid having to return or reject the document.)

Alvyn A. Schopp	1.4.1.4.1.1.	(303) 357-7310
Contact Name		Phone Number

7. Signsture information (See below *Iunortant Legal Notice Reparding Signature):

Title/Capacity: Authorized Person Print Name of Signer: Abyn A. Schop June 10, 2013 Signature: Date: .

*Important Level Notice Reserviting Standards: For West Virginia Code 5310-1-129. Penalty for signing false document. Any person who signs a document has or she knows is false in any material respect and knows that the document is to be delivered to the secretary of state for filing is guilty of a misdomeaner and, upon conviction thereaf, shall be false not more than one thousand dollars or confined in the country or regional jall not more than one year, or both.

Form CF-4

listand by the Office of the Secretary of Sinte

Ravised 4/15

WV012 - 0416/2011 Webies Klaver Online

:03

Ser.

Office of Ol and

FEB

WV Department of Environmental Protection

and Gas

2018



J. Hen Hechter, Secretary of State of the State of Thest Tirginia. hereby certify that

originals of the Attents of Attendment in the Art det of Income sales, in

AND SERVER BUY DR

are files many office, agains and vertiles, a required on the providence of Chapter Schulerer. Section 31 of the West Surprise Condensation devices a constrained on the section of the

CHRIGHEATE OF MENDAGING TO THE MEDDALE AND THE OWNERS AND

changing the name of the other waters to

FORM WW-6A1

EXHIBIT 2. PAGE 1

ALTERATE MERGER PRODUCTION AND ADDRESS OF A

and I among a merceducter a constant reaction to the formation of the reaction of the second to the



Sun & under my to ad and the Good . Lent of the Alat. at That Toppan on the

day is in all all

RECEIVED Office of Oil and Gas

FEB 5 2018

2/1/2018

Г

WV SOS - Business and Licensing - Corporations - Online Data Services

Туре	Address	FORM WW-6A1
Local Office Address	220 WEST MAIN STREET GLENVILLE, WV, 26351	EXHIBIT 2, PAGE 2
Mailing Address	PO BOX 178 GLENVILLE, WV, 26351 USA	
Notice of Process Address	RON STALNAKER PO BOX 178 GLENVILLE, WV, 26351	
Principal Office Address	220 WEST MAIN STREET GLENVILLE, WV, 26351 USA	
Туре	Address	

Officers		
Туре	Name/Address	
Incorporator	GENE STALNAKER PO BOX 178 GLENVILLE, WV, 26351	
President	RON STALNAKER 391 RUFFED GROUSE DR BRIDGEPORT, WV, 26330	
Secretary	GINA STALNAKER 391 RUFFED GROUSE DR BRIDGEPORT, WV, 26330	
Туре	Name/Address	

Date	Amendment	
4/20/1998	CHANGE OF NAME FROM ANGUS ENERGY INC. TO STALNAR FROM Gas ENERGY CORPORATION	
Date	Amendment	

WV Department of Environmental Protection

٦

Annual Reports	
Date filed	
4/20/2016	
2/20/2017	
4/9/2015	
4/21/2014	
2/20/2013	
5/3/2012	

http://apps.sos.wv.gov/business/corporations/organization.aspx?org=140106#content



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

February 2, 2018

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Ray Unit 1H Quadrangle: Pennsboro 7.5° Ritchie County/Clay District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Ray Unit 1H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Ray Unit 1H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely

Thomas Kuhn Senior Landman

RECEIVED Office of Oil and Gas

FEB 5 2018

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

Date of Notice Certification: 02/01/2018

API No. 47- 085	-
Operator's Well No.	Ray Unit 1H
Well Pad Name: W	eekley Trust Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	UTM NAD 83 Easting:	506549m
County:	Ritchie	Northing:	4358021m
District:	Clay	Public Road Access:	CR 2/5
Quadrangle:	Pennsboro 7.5'	Generally used farm name:	David L. Weekley Revocable Trust
Watershed:	North Fork Hughes River	-	

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:	OOG OFFICE USE
*PLEASE CHECK ALL THAT APPLY	ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or ■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/ NOT REQUIRED
□ 2. NOTICE OF ENTRY FOR PLAT SURVEY or ■ NO PLAT SURVEY WAS CONDUCTED	
3. NOTICE OF INTENT TO DRILL or NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or	RECEIVED/ NOT REQUIRED
U WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	RECEIVED
4. NOTICE OF PLANNED OPERATION	Office of Oil and Gas E RECEIVED FEB 5 2018
5. PUBLIC NOTICE	RECEIVED Environmental Protection
6. NOTICE OF APPLICATION	RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

WW-6AC (1/12)

Certification of Notice is hereby given:

THEREFORE, I Kevin Kilstrom

, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	Antero Resources Corporation	Address:	1615 Wynkoop Street Denver, CO 80202	
By:	Kevin Kilstrom	00		
Its:	Senior VP of Production	Facsimile:	303-357-7315	
Telephone:	303-357-7310	Email:	kquackenbush@anteroresources.com	
	NOTARY PUBLIC STATE OF COLORADO	Subscribed and swo References My Commission E:	orn before me this 1 St day of <u>FeV</u> <u>WWKWWMS</u> xpires <u>TMIY_21,2018</u>	DVMANy 2.018 Notary Public

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office of Oil and Gas

FEB 5 2018

API NO. 47-085 -OPERATOR WELL NO. Ray Unit 1H Well Pad Name: Weekley Trust Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 2/2/2018 Date Permit Application Filed: 2/2/2018

Notice of:

\checkmark	PERMIT FOR ANY	CERTIFICATE OF APPROVAL FOR THE
	WELL WORK	CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

PERSONAL	REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s)	COAL OWNER OR LESSEE Name: NO DECLARATIONS ON RECORD WITH COUNTY	E (07) 713 (mar)
Address: 16191 Elisworth Road	Address:	 FifeCEIVED FifeE of Out and Gas
Berlin Center, OH 44401	and the second sec	
Name:	COAL OPERATOR	FEB 5 2018
Address:	Name: NO DECLARATIONS ON RECORD WITH COUNTY	
	Address:	w. Dep
SURFACE OWNER(s) (Road and/or Other Disturbance)		
Name: David L. Weekley Revocable Trust	☑ WATER PURVEYOR(s)/OWNER(s) OF WATER WELL	
Address: 16191 Ellsworth Road	SPRING OR OTHER WATER SUPPLY SOURCE *PLE	ACTO CHONOL HONTERT THEY IN
Berlin Center, OH 44401	Name: NONE IDENTIFIED WITHIN 1500' LOC.	ED GREATER THAN 1500' FROM THE
Name:	Address: SUBJ	ECT PAD LOCATION
Address:		
the second is a second second second	OPERATOR OF ANY NATURAL GAS STOI	RAGE FIELD
□ SURFACE OWNER(s) (Impoundments or Pits)	Name:	
Name:	Address:	
Address:		
	*Please attach additional forms if necessary	

RECEIVED Office of Oil and Gas 4708510346 API NO. 47- 085

FEB 5 2018

OPERATOR WELL NO. Ray Unit 1H Well Pad Name: Weekley Trust Pad

Notice is hereby given:

WV Department of Environmental Protection

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

4708510346 APINO. 47- 085

OPERATOR WELL NO. Ray Unit 1H Well Pad Name: Weekley Trust Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty Back of the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at: FEB 5 2018

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV · 25304 (304) 926-0450

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

4708510346

API NO. 47- 085 -

OPERATOR WELL NO. Ray Unit 1H Well Pad Name: Weekley Trust Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <u>http://www.dep.wv.gov/oil-and-gas/Horizontal-</u>

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Oil and Gas

FEB 5 2018



Notice is hereby given by:

elephone: (303) 3	357-7310	Redultions
-------------------	----------	------------

Address: 1	1615 Wynkoop Street	
D	enver, CO 80202	
Facsimile:	303-357-7315	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

KARA	QUACKENBUSH
NO	TARY PUBLIC
CTATE	ART PUBLIC
DIALE	OF COLORADO
NUTAR	VID 201440000
MY COMMISSIC	ON EXPIRES JULY 21, 2018

Subscribed and sworn before me this 2nd day of Fe	bman 2018
Subscribed and sworn before me this 2nd day of Fe	Notary Public
My Commission Expires JULY 21, 2018	

RECEIVED Office of Oil and Gas

FEB 5 2018

Operator Well No. Ray Unit 1H Multiple Wells on Weekley Trust Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application. Date of Notice: 01/08/2018 Date Permit Application Filed: 02/02/2018

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

□ HAND	CERTIFIED MAIL
DELIVER	RETURN RECEIPT REQUESTEI

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name:	David L. Weekley, Revocable Trust UTA	Name:
Address:	16191 Ellsworth Rd.	Address:
	Berlin Center, OH 44401	

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:		506577.50m (Approximate Pad Center)
County:	Ritchie			4358031.88m (Approximate Pad Center)
District:	Clay			CR-2/5
Quadrangle:	Pennsboro 7.5'			David Weekley Revocable Trust
Watershed:	North Fork Hughes River			

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Notice is hereby given by:

Well Operator:	Antero Resources Corporation	Authorized Representative:	Kara Quackenbush						
Address:	1615 Wynkoop St.	Address:	1615 Wynkoop St.						
	Denver, CO 80202		Denver, CO 80202 Office of Oil and Gas						
Telephone:	303-357-7233	Telephone:	303-357-7233						
Email:	kquackenbush@anteroresources.com	, Email:	kquackenbush@anteroresources.com 5 2018						
Facsimile:	303-357-7315	Facsimile:	303-357-7315						
			Binvironmental Protection						

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE OF PLANNED OPERATION**

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 02/02/2018 Date Permit Application Filed: 02/02/2018

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL	HAND
RETURN RECEIPT REQUESTED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at/the time of notice):

Name:	David L. Weekley Revocable Trust	Name:	
Address:	16191 Ellsworth Road	Addres	5:
	Berlin Center, OH 44401		

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia		Easting:	506549m					
County:	Ritchie	UTM NAD 83	Northing:	4358021m					
District:	Clay	Public Road Ac	cess:	CR 2/5					
Quadrangle:	Pennsboro 7.5'	Generally used t	farm name:	David L. Weekley Revocable Trust					
Watershed:	North Fork Hughes River								

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-andgas/pages/default.aspx.

Well Operator:	Antero Resources Corporation	Address:	1615 Wynkoop Street	BECEIVED
Telephone:	(303) 357-7310		Denver, CO 80202	Office of Oil and Gas
Email:	kquackenbush@anteroresources.com	Facsimile:	303-357-7315	FFB-5-2018

Oil and Gas Privacy Notice:

WV Department of The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as pation with the state of the state duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Jim Justice Governor Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

January 30, 2018

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Weekly Trust Pad, Ritchie County Ray Unit 1H Well site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #03-2014-0551 which has been issued to Antero Resources Corporation for access to the State Road for a site located off of Ritchie County Route 2/5 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Dary K. Clayton

Gary K. Clayton, P.E. Regional Maintenance Engineer Central Office O&G Coordinator RECEIVED Office of Oil and Gas

FEB 5 2018

WV Department of Environmental Protection

Cc: Kara Quickenbush Antero Resources Corporation CH, OM, D-3 File

List of Anticipated Additives Used for Fracturing 8r⁵ 1 0 3 4 6 Stimulating Well

Additives	Chemical Abstract Service Number (CAS #)	
Fresh Water	7732-18-5	
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1	
Ammonium Persulfate	7727-54-0	
Anionic copolymer	Proprietary	
Anionic polymer	Proprietary	
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9	
Cellulase enzyme	Proprietary	
Demulsifier Base	Proprietary	
Ethoxylated alcohol blend	Mixture	
Ethoxylated Nonylphenol	68412-54-4	
Ethoxylated oleylamine	26635-93-8	
Ethylene Glycol	107-21-1	
Glycol Ethers	111-76-2	
Guar gum	9000-30-0	
Hydrogen Chloride	7647-01-0	
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8	
Isopropyl alcohol	67-63-0	
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2	
Microparticle	Proprietary	
Petroleum Distillates (BTEX Below Detect)	64742-47-8	
Polyacrylamide	57-55-6	
Propargyl Alcohol	107-19-7	
Propylene Glycol	57-55-6	
Quartz	14808-60-7	
Sillica, crystalline quartz	7631-86-9	
Sodium Chloride	7647-14-5	
Sodium Hydroxide	1310-73-2	
Sugar	57-50-1	
Surfactant	68439-51-0	
Suspending agent (solid)	14808-60-7	
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7	
Solvent Naphtha, petroleum, heavy aliph	64742-96-7	
Soybean Oil, Me ester	67784-80-9	
Copolymer of Maleic and Acrylic Acid	52255-49-9	
DETA phosphonate	15827-60-8	
Hexamthylene Triamine Penta	34690-00-1	
Phosphino Carboxylic acid polymer	71050-62-9	
Hexamethylene Diamine Tetra	23605-75-5 Office of	CEIVED f Oil and Gas
2-Propenoic acid, polymer with 2 propenamide	9003-06-9	
Hexamethylene diamine penta (methylene phosphonic acid)	23605-74-5	5 2018
Diethylene Glycol	111-46-6 WV Der	artment of
Methenamine	100-97-0 Envirorma	partment of Intal Protection
Polyethylene polyamine	68603-67-8	
Coco amine	61791-14-8	
2-Propyn-1-olcompound with methyloxirane	38172-91-7	

470 00 G -0 CN -5

APPROVED WEEKLEY TRUST WELL SITE DESIGN & PAL CONS 20

EROSION & SEDIMENT CLAY DISTRICT, RITCHIE COL

CABIN RUN-NORTH FORK HUGH USGS 7.5 MIDDLEBOURNE & PE

Same.

CENTROID OF PAD LATUTUDE: 39.371729 LONGITUDE: N 4358031.88 E 506577.50

(UTM ZONE 17 METERS)

LOCATION COORDINATES ACCESS ROAD ENTRANCE LATITUDE: 39.366697 LONGITUDE: N 4357496.20 E 507302.94

: -80.915223 (NAD 83) (UTM ZONE 17 METERS)

CENTER OF TANK

ATITUDE: 39.569138 4 3457744.83 E 5

38 LONGITUDE: 507175.49

(UTM ZONE 17 METERS)

WVDEP OOG

3/15/2017

GENERAL DESCRIPTION THE ACCESS ROAD(S), WATER CONTAINMENT PAD, AND WELL PAD THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS ARE BEING CONSTRUCTED TO AID Ę,

08

12 A

FLOODPLAIN NOTE THE PROPOSED SITE IS LOCATED WITHIN FEMA FLOOD ZONE "X" PER FEMA FLOOD MAP #54085C0125C

MISS UTILITY STATEMENT ANTERO RESOURCES CORFORATION WILL NOTIFY MISS UTILITY OF WEST VIRGINIA FOR UTILITIES FRUOR TO THIS FORECT DESIGN, TICKET #1421955455. IN ADDITION, MISS CONTACTED BY THE CONTRACTOR PRIOR TO THE STAFT OF CONSTRUCTION FOR THIS R THE LOCATING OF S UTILITY WILL BE S PROJECT.

ENTRANCE PERMIT ANTERO RESOURCES CORFORMION WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MM-108) FROM THE WEST VERCING DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

ENVIRONMENTAL NOTES WERE PERFORMED IN JUNE, 2012, & REEVALUATED MAY, 2016 & STREAM AND WETAND DELINGATIONS WERE PERFORMED IN JUNE, 2012, & REEVALUATED MAY, 2016 & SEPTEMBER, 2015 BY ALSTAR ECCLORY, LLC TO REVIEW THE STRE FOR WATERS AND WETANDS THAT ARE MOST LIKELY WITHIN THE RECLUATORY DELYIEW OF THE U.S. ARAY CORPS OF ENCINERS (USACE) ANU/OR THE WEST VIRCINIA DEPARTMENT OF EXVIRONMENTAL FROTECTION (WDEP) THE OCTOBER 16, 2015 STREAM & WETAND DELINEATION, THE MAP DOES NOT, IN ANY WAY, REFERENT A JUNESDICTIONAL & REFLAND AND AND LIMITS OF WATERS AND WETLANDS WHICH MAY BE RECLUATED BY THE USACE OR THE WYDEP.

GEOTECHNICAL. NOTE

A SUBSURFACE INVESTIGATION OF THE PROPOSED SITE WAS PERFORMED BY PENNSYLVANIA SOL & ROCK. INC. BETWEEN AUGUST 13, 2014 & SEPTEMBER 06, 2014. THE REPORT PREPARED BY PENNSYLVANIA SOLL & ROCK, INC. DATED SEPTEMBER 22, 2014. REVISED NOVEMBER 10, 2016, REFLACTS THE RESULTS OF THE SUBSURFACE INVESTIGATION, THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THE REPORT WERE USED IN THE PREPARATION, THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THE REPORT WERE USED IN THE PREPARATION, THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THE REPORT WERE USED IN THE PREPARATION, SOLL & ROCK, INC. FOR ADDITIONAL INFORMATION, AS NEEDED

PROJECT CONTACTS

OPERATOR: ANTERO RESOURCES CORPORATION 555 WHITE OAXS BLVD. BRIDGEDORT, WV 26330 PHONE: (304) 842-4100 FAX: (304) 842-4102

ENGINEER/SURVEYOR: NAVITUS ENGINEERING, INC. CYNUS SKUNN: PE - PROJECT MANAGER/ENGINEER OFFICE: (886) 662-4185 CELL: (540) 886-6747

RENEE HECKEL - LAND AGENT CELL: (304) 614-7053

JON MCEVERS - OPERATIONS SUPERINTENDENT OFFICE (303) 357-6799 CELL: (303) 808-2423 ELI WAGONER - ENVIRONMENTAL ENGINEER OFFICE: (304) 842-4068 CELL: (304) 476-9770

ENVIRONMENTAL: ALISTAR ECOLOGY, LLC RYAN L. WARD - ENVIRO

AARON KUNZLER - CONSTRUCTION SUPERVISOR CELL: (405) 227-8344

ROBERT B. WIRKS - FIELD OFFICE: (304) 842-4100 (

CELL: (304) 627-7405

GEOTECHNICAL: DENNSYLVANA SOL & ROCK, INC. DENNSYLVANA SOL & ROCK, INC. CHRISTOPHER W. SAMOS-PROJECT ENCINEER OFFICE: (412) 372-4000 CELL: (412) 569-0662

CHARLES E. COMPTON, III - SURVEYING COORDINATOR CELL: (304) 719-6449

RESTRICTIONS NOTES: 1. THERE ARE NO PERENNIAL STREAMS, LAKES, PONDS, OR RESERVOIRS WITHIN 100 FEET OF THE WELL PAD AND LOD. THERE IS A WETLAND ADJACENT TO ACCESS ROAD "A" THAT WILL REMAIN UNDISTURBED.

THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL PAD AND LOD

20

ω THERE ARE NO WELL PAD AND GROUNDWATER INTAKE OR PUBLIC LOD. WATER SUPPLY FACILITIES WITHIN 1000 FEET OF THE

* THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FEET OF THE WELL(S) BEING DRULED.

Ç, THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 625 FEET OF THE CENTER OF THE WELL PAD

, co, FEET OF THE

THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 2,500 SQUARE FEET WITHIN 825 CENTER OF THE WELL PAD.

REPRODUCTION NOTE 2

THESE PLANS WERE IN REPRODUCTIONS IN GRAY PAPER. HALF SCALE DRAWINGS ARE NOT HE USED FOR COLOR MAY RESULT IN A PLOTTED ON ON IL XI7" ((ANSI B) PAPER NNX

A LOSS OF

ALLSTAR ECOLOGY, LLC RYAN L. WARD - ENVIRONMENTAL SCIENTIST OFFICE: (866) 213-2566 CELL: (304) 592-7477

DESIGN CERTIFICATION THE DRAWINGS. CONSTRUCTION NOTES AND REFERENCE DIAGRAMS ATTACHED HERETO HAVE BEEN PREPARED IN ACCORDANCE WITH THE WEST VIRGINIA CODE OF STATE RULES. DIVISION OF ENVIRONMENTAL PROFECTION. OFFICE OF OIL AND GAS CRS 35-B.

(NOT TO SCALE)







0

2000 20

RUC CONTROL A FER TION D D AN, SN TAINMENT PAD

TY, WEST VIRGINIA S RIVER WATERSHED

VSBORO QUAD MAPS



WEST VIRGINIA STATE PLANE COORDINATE SYSTEM NORTH ZONE, NAD83 ELEVATION BASED ON NAVD88 ESTABLISHED BY SURVEY GRADE GPS & OPUS POST-PROCESSING

SHEET INDEX

- COVER SHEET CONSTRUCTION AND E&S CONTROL NOTES LEGEND
- 20 1 2 5 1 1 1 2 5 1 1 2 5 1 2
- MATERIAL QUANTITIES
 MATERIAL QUANTITIES
 STORM DRAINAGE COMPUTATIONS
 EXSTING CONDITIONS, STRUCTURES & FEATURES
 EXSTING CONDITIONS, STRUCTURES & PLAN
 EXEL, PAD & WATER CONTAINMENT PAD PLAN
 ACCESS ROAD PLAN
 ACCESS ROAD & CULVERT PROFILES
 ACCESS ROAD & CULVERT PROFILES
 ACCESS ROAD & SECTIONS
 ACCESS
 ACCESS ROAD & SECTIONS
 ACCESS
 ACCESS
- ER CONTAINMENT PAD SECTIONS
- MATER CONTAINMENT PAD
- RECLAMATION PLAN LAMATION PLAN DECHNICAL DETAILS

27 -28 -CE500

30.22	Total Wooded Acres Disturbed
32.87	Total Affected Area
7.83	Excess/Topsoil Material Stockpiles
3.70	Water Containment Pad
8.15	Well Pad
10.67	Access Road "B" (2,486')
2.72	Access Road "A" (749")
wid L. Week	Impacts to David L. Weekley, Trustee of the David L. Weekley Revocable Trust UTA TM 3-10
	Total Site
E AREA (AC	WEEKLEY TRUST LIMITS OF DISTURBANCE AREA (AC)

Unit 2H	Ray	Unit 1H	Ray	Proposed Well Name			-				
E 1597412.28	N 320629.32	E 1597402.38	N 320627.84	WW North	Total Woode	Total A	Excess/Topsoil Material Stockpiles	Water Co	W	Access Ro	Access R
E 1597412.28 E 1565971.21	N 320663.64	E 1565951.32	N 320562.18	WV North	Total Wooded Acres Disturbed	Total Affected Area	Material Stoc	Water Containment Pad	Well Pad	Access Road "B" (2,486")	Access Road "A" (749")
E 506552.28	N 4358021.44	E 506549.28	N 4358020 94	UTM (METERS) Zone 17	bed		kpiles				
LONG -80-55-26, 1546	LAT 30-22-17 8875	LONG -80-55-26 2802	LAT 39-22-17.8714	Zone 17 NAD 83 Lat 8 Long	30.22	32.87	7.83	3.70	8.15	10.67	2.72

_	Excess/Topsoil Material Stockpiles	Material Stoc	kpiles	7.63
	Total Af	Total Affected Area		32.87
	Total Wooder	Total Wooded Acres Disturbed	bed	30.22
posed I Name	WV North	WV North	UTM (METERS) Zone 17	Zone 17 NAD 83 Lat & Long
Ray	N 320627.84	N 320662.16	N 4358020 94	LAT 39-22-17.8714
nit 1H	E 1597402.38	E 1565961.32	E 506549.28	LONG -80-55-26 2802
Ray	N 320629.32	N 320663.64	N 4358021.44	LAT 39-22-17 8875
nit 2H	E 1597412.28	E 1565971.21	E 506552.28	LONG -80-55-26, 1546
Ray	N 320630.79	N 320665 11	N 4358021 94	LAT 39-22-17 9037
nit 3H	E 1597422.17	E 1565981.10	E 506555,29	LONG -80-55-26 0290
tzmiller	N 320632.26	N 320666.59	N 4358022.44	LAT 39-22-17.9198
nit 1H	E 1597432.06	E 1565930 99	E 505558.29	LONG -80-55-25 9033
rtzmiller	N 320533.74	N 320568.05	N 4050022 94	LAT 39-22-17 9359
nit 2H	E 1597441.95	E 1586000.68	E 506561.30	LONG -80-55-25 7777
Contraction of the local division of the loc				

WVDOH COUNTY ROAD MAP

Unit 2H	Goliad	Unit 1H	Gollad	Unit 4H	Cinquars	Unit 3H	Cinqmars	Unit 2H	Cinqmars	Unit 1H	Cinqmars	Unit 3H	Swartzmiller	Unit 2H	Swartzmiller	Unit 1H	Swartzmiller	Unit 3H	Ray	Unit 2H	Ray	Unit 1H	Ray	Wall Name	Proposed
 E 1597511.18	N 320644.06	E 1597501.29	N 320642 59	E 1597491.40	N 320541.11	E 1597481,51	N 320539.64	E 1597471.62	N 320638.16	E 1597461.73	N 320536.69	E 1507451.84	N 320835.21	E 1597441.95	N 320633.74	E 1597432.06	N 320632.26	E 1597422.17	N 320630.79	E 1597412.28	N 320629.32	E 1597402.38	N 320627.84	NAD 27	WW NORTH
E 1500070.12	N 320578.35	E 1505060.23	N 320576.91	E 1588050.33	N 320975.44	E 1585040.44	N 320573.95	E 1566030 55	N 320572.49	E 1566020.66	N 320571.01	E 1586010.77	N 320569.54	E 1500000.68	N 320068.06	E 1565930 99	N 320666.59	E 1565981.10	N 320665 11	E 1565971.21	N 320663.64	E 1565951.32	N 320562.16	NAD 83	MV North
E 506582.34	N 4353025.44	E 506579,33	N 4058025.94	E 506576.33	N 4050025.44	E 506573.32	N 4058024.94	E 506570.31	N 4358024.44	E 505567.31	N 4358023 94	E 506564,30	N 4358023.44	E 506561.30	N 4050022 94	E 505558.29	N 4358022.44	E 506555.29	N 4358021.94	E 506552.28	N 4358021.44	E 506549,28	N 4358020 94	Zone 17	UTM (METERS)
LONG -80-55-24.8982	LAT 39-22-18.0485	LONG 40-55-25.0239	LAT 39-22-18.0327	LONG -00-55-25 1495	LAT 39-22-18.0165	LONG -80-55-25 2751	LAT 39-22-18 0004	LONG -80-55-25 4008	LAT 30-22-17.9843	LONG -80-55-25 5264	LAT 39-22-17 9682	LONG -80-55-25 8520	LAT 39-22-17.9520	LONG 40-55-25 7777	LAT 39-22-17 9359	LONG 480-55-25 9033	LAT 39-22-17.9198	LONG -80-55-26.0290	LAT 39-22-17 9037	LONG -80-55-26.1546	LAT 39-22-17 8875	LONG 40-55-26 2802	LAT 39-22-17.8714	and the second s	UTM (METERS) NAU 03 Lat & Long

ERCO maile



Offic

MISS Utility of West Virginia 1-800-245-4848 West Virginia State Law (Section XIV: Chapter 24-C) Requires that you call two business days before you dig in the state of West Virginia.

XIV: Chapter 24-C) that you call two ys before you dig i of West Virginia. S THE LAW!!

in

Environ

RHUPPIEL Profection

NV VV

DEplartmentown

/2015

IT'S

S000

5000

Nell Pad Elev

COVER SHEET WEEKLEY TRUST WELL PAD & WATER CONTAINMENT PAD CLAY DISTRICT RITCHIE COUNTY, WEST VIRGINIA



DATE REVISION 2/16/2015 UPDATED PER SURFACE CONFIG 09/14/2016 UPDATED PER SURFACE CONFIG 01/18/2017 REVISED FOR CONSTRUCTION 02/16/2017 REVISED PER DEP COMMENTS



