



 west virginia department of environmental protection

Office of Oil and Gas
 601 57th Street, S.E.
 Charleston, WV 25304
 (304) 926-0450
 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary
www.dep.wv.gov

Friday, February 1, 2019
 WELL WORK PERMIT
 Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION
 1615 WYNKOOP STREET

DENVER, CO 80202

Re: Permit approval for GENNY UNIT 2H
 47-085-10383-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.

James A. Martin
 Chief

Operator's Well Number: GENNY UNIT 2H
 Farm Name: TERRY LEE RICHARDS
 U.S. WELL NUMBER: 47-085-10383-00-00
 Horizontal 6A New Drill
 Date Issued: 2/1/2019

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

OPERATOR: Antero Resources Corporation

PAD NAME: Lynn Camp Pad WELL: Genny Unit 2H

PAD BUILT: YES NO DATE REVIEWED: _____ INT. _____

REVIEWED BY (APPLICANT): Karin Cox

CONTACT PHONE: (303) 357-6820 EMAIL: kcox@anteroresources.com

APPLICANT SIGNATURE: 

CHECKLIST FOR FILING A PERMIT HORIZONTAL 6A WELL

Please include these required elements in the Horizontal Well 6A applications, in order listed below. Do not use staples.

| First Well | Subsequent Well |
|--------------------------------------|--|
| \$10,150.00 <input type="checkbox"/> | \$5,150.00 <input checked="" type="checkbox"/> |

- Fees
- Checklist / Cover letter
- WW-6B Notice of Application
- Cement Additives
- Well Bore Schematic
- WW-9 Fluids/Cuttings Disposal and Reclamation Plan
- Site Safety Plan
- Water Management Plan
- Topographic Map w/water purveyors, showing access road
- Mylar Plat (Signed and sealed) (Surface Owner matches WW-6A)
- WW-6A1 Lease Information
- Road Crossing Letter
- WW-PN Application Notice by Publication
- Public Notice (dated copy of advertisement or affidavit of publication)

RECEIVED
Office of Oil and Gas

NOV 19 2018

WV Department of
Environmental Protection

Field Approved

RECEIVED
Office of Oil and Gas

NOV 19 2018

WV Department of
Environmental Protection

Field Approved

Field Approved

DWWM Approval

*CK# 193334
Amnt \$ 5150^w
Date 11/7/18*

- WW-6AC Notice Certifications, notarized
- WW-6A Notice of Application notarized w/ any attachments
- Topographic Map with labeled surrounding water wells
- Certified Mail receipts for WW-6A
- ~~NA~~ WW-6A3 Notice of Entry for Plat Survey
- ~~NA~~ Certified Mail receipts for WW-6A3
- WW-6A4 Notice of Intent to Drill
- Certified Mail receipts for WW-6A4
- WW-6A5 Notice of Planned Operation
- Certified Mail receipts for WW-6A5
- WW-6RW Well Location Restriction Waiver
- WW-6AW Voluntary Statement of No Objection
 - Waiver for Surface Owner at Wellhead
 - Waiver for Surface Owner for Roads or other Disturbances
 - Waiver for Coal Owner, Operator or Lessee
 - Waiver for surface owner for Impoundment or Pit
 - Waiver for Surface Owner or Water Purveyor within 1500 feet of Center of Pad
 - Waiver for Natural gas Storage Field Operator
- Road Bonding Agreement / DOH Certification
- Frac Additives List of Chemical Names & CAS #s
- Site Construction, Reclamation, Erosion & Sediment Control Plans Field Approved
- Copy of To Scale Plans
- Inspector packet mailed to inspector (Plat, Topographic Map, WW-6B, WW-9, All Plans)
- Bond (\$250,000)
- Operator is registered with the SOS

RECEIVED
Office of Oil and Gas
NOV 19 2018
WV Department of
Environmental Protection

___ Workers Compensation / Unemployment Insurance account is OK

___ Professional Engineer/Company has COA

___ Check for Mine Data at proposed coordinates

___ Check for Floodplain Data at proposed coordinates

___ IMP-1A Associated Pit or Impoundment

WW-6A7 Well Restrictions Form w/ Signature

___ At Least 100 Feet from Pad and LOD (including any E&S Control Feature) to any Perennial Stream, Lake, Pond, Reservoir or Wetland

___ DEP Waiver and Permit Conditions

___ At Least 300 Feet from Pad and LOD (including any E&S Control Feature) to any Naturally Producing Trout Stream

___ DEP Waiver and Permit Conditions

___ At Least 1000 Feet from Pad and LOD (including any E&S Control Feature) to any Groundwater Intake or Public Water Supply

___ DEP Waiver and Permit Conditions

___ At Least 250 Feet from an Existing Water Well or Developed Spring to Well Being Drilled

___ Surface Owner Waiver and Recorded with County Clerk, OR

___ DEP Variance and Permit Conditions

___ At Least 625 Feet from an Occupied Dwelling Structure to the Center of the Pad

___ Surface Owner Waiver and Recorded with County Clerk, OR

___ DEP Variance and Permit Conditions

___ At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Feet to the Center of the Pad

___ Surface Owner Waiver and Recorded with County Clerk, OR

___ DEP Variance and Permit Conditions

RECEIVED
Office of Oil and Gas
NOV 19 2018
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

I, _____, hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form WW-6A and attachments consisting of pages one (1) through _____, including the erosion and sediment control plan, if required, and the well plat, all for proposed well work on the tract of land as follows:


| | | | |
|-------------|--------------------------------|---------------------------|---------------------------|
| State: | <u>West Virginia</u> | UTM NAD 83 Easting: | <u>504744m</u> |
| County: | <u>Ritchie</u> | Northing: | <u>4340529m</u> |
| District: | <u>Clay</u> | Public Road Access: | <u>Buzzard Run</u> |
| Quadrangle: | <u>Pullman 7.5'</u> | Generally used farm name: | <u>Terry Lee Richards</u> |
| Watershed: | <u>North Fork Hughes River</u> | | |

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

| | |
|---|--|
| <p>*Please check the box that applies</p> <p><input type="checkbox"/> SURFACE OWNER</p> <p><input type="checkbox"/> SURFACE OWNER (Road and/or Other Disturbance)</p> <p><input type="checkbox"/> SURFACE OWNER (Impoundments/Pits)</p> <p><input type="checkbox"/> COAL OWNER OR LESSEE</p> <p><input type="checkbox"/> COAL OPERATOR</p> <p><input type="checkbox"/> WATER PURVEYOR</p> <p><input type="checkbox"/> OPERATOR OF ANY NATURAL GAS STORAGE FIELD</p> | <p>FOR EXECUTION BY A NATURAL PERSON</p> <p>Signature: _____</p> <p>Print Name: _____</p> <p>Date: _____</p> <p>FOR EXECUTION BY A CORPORATION, ETC.</p> <p>Company: <u>RECEIVED</u></p> <p>Office of Oil and Gas</p> <p>By: _____</p> <p>Its: <u>NOV 19 2018</u></p> <p>Signature: _____</p> <p>Date: _____</p> <p>Department of Environmental Protection</p> |
|---|--|

Oil and Gas Privacy Notice:
 The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

02/08/2019



RECEIVED
 Office of Oil and Gas
 NOV 19 2018
 WV Dept. of Environmental Protection

Antero Resources Corporation

Genny Unit 2H - AOR

0 1,000 2,000
 FEET

WELL SYMBOLS
 Gas Well
 Oil Well

October 31, 2018

GENNY UNIT 2H (LYNN CAMP PAD) - AREA OF REVIEW 35-8-5.11 PAGE 2

| UWI (API#) | Well Name | Well Number | Operator | Historical Operator | TD | Perforated Interval (shallowest, deepest) | Perforated Formation(s) | Produible Formation(s) not perf'd |
|----------------|--------------------|-------------|-----------------------|----------------------|--------|---|---|---|
| 4708504810000 | WEIRLEY DALE ET AL | 1 | ABARTA O&G CO INC | CHASE PETROLEUM CO | 5,300' | 3220 - 4359 | Udev, Lower Huron | Benson, Alexander, Weir, Warren, Speechley, Baltown, Bradford, Riley, Elk |
| 47085066870000 | TAYLOR RAY REP | 1A | ALLSTATE ENERGY | TOWNER DRILLING | 5,136' | 3052 - 5045 | Warren, Riley | Benson, Alexander, Weir, Speechley, Baltown, Bradford, Elk |
| 47085043870000 | CARR LENA R HEIRS | H-803 | BONNETTS PROD COMPANY | HAUGHT G L & SONS | 5,995' | 5392 - 5904 | Lower Huron, Rhinestreet, Sonyea | Benson, Alexander, Weir, Warren, Speechley, Baltown, Bradford, Riley, Elk |
| 47085068350000 | TAYLOR E R HEIRS | 4 | BONNETTS PROD COMPANY | FRENCH CREEK DEV | 5,112' | 4289 - 4317 | Kenner, Big Injun, Weir, Udev, Riley | Benson, Alexander, Warren, Speechley, Baltown, Bradford, Elk |
| 47085078460000 | LAMM IRA | 1 | ENERGY CORP OF AMER | EASTERN AMERICAN ENE | 5,240' | 3300 - 5068 | Warren, Baltown, Riley, Benson, Alexander | Big Injun, Weir, Bradford, Elk |

RECEIVED
Office of Oil and Gas
NOV 19 2018
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Resources Corpora

| | | | |
|------------------|----------------------|-------------|---------------------|
| <u>494507062</u> | <u>085 - Ritchie</u> | <u>Clay</u> | <u>Pullman 7.5'</u> |
|------------------|----------------------|-------------|---------------------|

Operator ID County District Quadrangle

2) Operator's Well Number: Genny Unit 2H Well Pad Name: Lynn Camp Pad

3) Farm Name/Surface Owner: Terry Lee Richards Public Road Access: Buzzard Run

4) Elevation, current ground: 1162' Elevation, proposed post-construction: 1149'

5) Well Type (a) Gas Oil Underground Storage

Other

(b) If Gas Shallow Deep

Horizontal

Michael Gaff
12-26-18

6) Existing Pad: Yes or No No

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s):
Marcellus Shale: 6800' TVD, Anticipated Thickness- 50 feet, Associated Pressure- 3000#

8) Proposed Total Vertical Depth: 6800' TVD

9) Formation at Total Vertical Depth: Marcellus

10) Proposed Total Measured Depth: 24700' MD

11) Proposed Horizontal Leg Length: 14645'

12) Approximate Fresh Water Strata Depths: 89', 216', 222', 459'

13) Method to Determine Fresh Water Depths: Offset well records. Depths have been adjusted according to surface elevations.

14) Approximate Saltwater Depths: 1221', 1247'

15) Approximate Coal Seam Depths: 210', 694', 784'

16) Approximate Depth to Possible Void (coal mine, karst, other): None Anticipated

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine? Yes No

(a) If Yes, provide Mine Info: Name: _____
Depth: _____
Seam: _____
Owner: _____

RECEIVED
Office of Oil and Gas
DEC 7 2018
WV Department of
Environmental Protection

WW-6B
(04/15)

02/08/2019

API NO. 47- 085

OPERATOR WELL NO. Genny Unit 2H

Well Pad Name: Lynn Camp Pad

18)

CASING AND TUBING PROGRAM

| TYPE | Size (in) | New or Used | Grade | Weight per ft. (lb/ft) | FOOTAGE: For Drilling (ft) | INTERVALS: Left in Well (ft) | CEMENT: Fill-up (Cu. Ft.)/CTS |
|--------------|-----------|-------------|-----------|------------------------|----------------------------|------------------------------|-------------------------------|
| Conductor | 20" | New | H-40 | 94# | 80' | 80' | CTS, 77 Cu. Ft. |
| Fresh Water | 13-3/8" | New | J-55/H-40 | 54.5#/48# | 510' *see #19 | 510' *see #19 | CTS, 708 Cu. Ft. |
| Coal | 9-5/8" | New | J-55 | 36# | 2500' | 2500' | CTS, 1018 Cu. Ft. |
| Intermediate | | | | | | | |
| Production | 5-1/2" | New | P-110 | 20# | 24700' | 24700' | 6384 Cu. Ft. |
| Tubing | 2-3/8" | New | N-80 | 4.7# | | 7100' | |
| Liners | | | | | | | |

| TYPE | Size (in) | Wellbore Diameter (in) | Wall Thickness (in) | Burst Pressure (psi) | Anticipated Max. Internal Pressure (psi) | Cement Type | Cement Yield (cu. ft./k) |
|--------------|-----------|------------------------|---------------------|----------------------|--|----------------------|--------------------------|
| Conductor | 20" | 24" | 0.438" | 1530 | 50 | Class A | 1.18 |
| Fresh Water | 13-3/8" | 17-1/2" | 0.38"/0.33" | 2730/1730 | 1000 | Class A | 1.18 |
| Coal | 9-5/8" | 12-1/4" | 0.352" | 3520 | 1500 | Class A | 1.18 |
| Intermediate | | | | | | | |
| Production | 5-1/2" | 8-3/4" & 8-1/2" | 0.361" | 12,630 | 2500 | Lead-HIPOZ & Tai - H | H/POZ-1.44 & H-1.8 |
| Tubing | 2-3/8" | 4.778" | 0.19" | 11,200 | | | |
| Liners | | | | | | | |

PACKERS

| | | | | |
|-------------|-----|--|--|--|
| Kind: | N/A | | | |
| Sizes: | N/A | | | |
| Depths Set: | N/A | | | |

RECEIVED
Office of Oil and Gas
DEC 7 2018
WV Department of
Environmental Protection

MAG
12-11-18

WW-6B
(10/14)

API NO. 47-085

OPERATOR WELL NO. Genny Unit 2H

Well Pad Name: Lynn Camp Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs

Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 26.07 Acres

22) Area to be disturbed for well pad only, less access road (acres): 6.86 Acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake

Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51

Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.

RECEIVED
Office of Oil and Gas
DEC 7 2018

WV Department of
Environmental Protection

Antero Resources Corporation

Proposed Revegetation Treatment: Acres Disturbed 26.07 Acres Prevegetation pH _____

Lime 2-4 Tons/acre or to correct to pH 6.5

Fertilizer type Hay or straw or Wood Fiber (will be used where needed)

Fertilizer amount 500 lbs/acre

Mulch 2-3 Tons/acre

Road A (5.47 acres) + Road B (1.12 acres) + Road C (0.55 acres) + Well Pad "A" (6.86 acres) + Water Containment Pad (4.88 acres) + Excess/Topsoil Material Stockpiles (7.19 acres) = 26.07 Total Affected Acres

Seed Mixtures

Temporary

Permanent

| Seed Type | lbs/acre |
|------------------|----------|
| Annual Ryegrass | 40 |
| Field Bromegrass | 40 |

| Seed Type | lbs/acre |
|-------------|----------|
| Crownvetch | 10-15 |
| Tall Fescue | 30 |

See attached Table IV-3 for additional seed type (Lynn Camp Pad Design Page 29)

See attached Table IV-4A for additional seed type (Lynn Camp Pad Design Page 29)

*or type of grass seed requested by surface owner

*or type of grass seed requested by surface owner

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Michael Doff

Comments: _____

RECEIVED
Office of Oil and Gas

DEC 7 2018

WV Department of
Environmental Protection

Title: Oil & Gas Inspector Date: 12-21-18

Field Reviewed? () Yes () No

Form WW-9 Additives Attachment

SURFACE INTERVAL

1. Fresh Water
2. Soap –Foamer AC
3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655
Salt Inhibitor
2. Mil-Carb
Calcium Carbonate
3. Cottonseed Hulls
Cellulose-Cottonseed Pellets – LCM
4. Mil-Seal
Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM
5. Clay-Trol
Amine Acid Complex – Shale Stabilizer
6. Xan-Plex
Viscosifier For Water Based Muds
7. Mil-Pac (All Grades)
Sodium Carboxymethylcellulose – Filtration Control Agent
8. New Drill
Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer
9. Caustic Soda
Sodium Hydroxide – Alkalinity Control
10. Mil-Lime
Calcium Hydroxide – Lime
11. LD-9
Polyether Polyol – Drilling Fluid Defoamer
12. Mil Mica
Hydro-Biotite Mica – LCM

RECEIVED
 Office of Oil and Gas
NOV 19 2018
 WV Department of
 Environmental Protection

13. Escaid 110
Drilling Fluid Solvent – Aliphatic Hydrocarbon
14. Ligco
Highly Oxidized Leonardite – Filtration Control Agent
15. Super Sweep
Polypropylene – Hole Cleaning Agent
16. Sulfatrol K
Drilling Fluid Additive – Sulfonated Asphalt Residuum
17. Sodium Chloride, Anhydrous
Inorganic Salt
18. D-D
Drilling Detergent – Surfactant
19. Terra-Rate
Organic Surfactant Blend
20. W.O. Defoam
Alcohol-Based Defoamer
21. Perma-Lose HT
Fluid Loss Reducer For Water-Based Muds
22. Xan-Plex D
Polysaccharide Polymer – Drilling Fluid Viscosifier
23. Walnut Shells
Ground Cellulosic Material – Ground Walnut Shells – LCM
24. Mil-Graphite
Natural Graphite – LCM
25. Mil Bar
Barite – Weighting Agent
26. X-Cide 102
Biocide
27. Soda Ash
Sodium Carbonate – Alkalinity Control Agent
28. Clay Trol
Amine Acid complex – Shale Stabilizer
29. Sulfatrol
Sulfonated Asphalt – Shale Control Additive
30. Xanvis
Viscosifier For Water-Based Muds
31. Milstarch
Starch – Fluid Loss Reducer For Water Based Muds
32. Mil-Lube
Drilling Fluid Lubricant

RECEIVED
Office of Oil and Gas
NOV 19 2018
WV Department of
Environmental Protection



911 Address
292 Buzzard Run Rd.
Pennsboro, WV 26415

Well Site Safety Plan

Antero Resources

Well Name: Buzzard Run Unit 1H-3H, Riggs Unit 1H-2H,
 Genny Unit 1H-2H, Sugar Run Unit 4H-5H

Pad Location: LYNN CAMP PAD
 Ritchie County/Clay District

Michael Gaff

12-4-18

GPS Coordinates:

Entrance - Lat 39°12'58.2438"/Long -80°56'58.5522" (NAD83)

Pad Center - Lat 39°12'50.3202"/Long -80°56'42.144" (NAD83)

Driving Directions:

From Clarksburg: Travel approximately 25 miles west on US-50 W. Turn right onto WV-18 N. go 0.6 miles. Turn left onto Davis St/Old US 50 W. go 0.4 miles. Take 2nd right onto WV-18 N/Sistersville Pike. Go 12.2 miles. Sharp left onto WV-74 S. Go 8.3 miles, access road will be on your right.

Alternate Route:

From Pennsboro: Head east on E. Myles Ave / Old US 50 W (.7 mi). Turn right onto WV-74 S/Pullman Rd (5.9 mi). Turn left onto Buzzard Run (.3 mi). Pad access road will be right.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373

RECEIVED
 Office of Oil and Gas
 DEC 7 2018
 WV Department of
 Environmental Protection

LATITUDE 39°15'00"

8,091'



2,557' TO BOTTOM HOLE

LATITUDE 39°17'30"

Antero Resources Corporation Well No. Genny Unit 2H

NOTE

NO OCCUPIED DWELLINGS OR BUILDINGS TWO THOUSAND FIVE HUNDRED (2,500) SQUARE FEET OR LARGER USED TO HOUSE OR SHELTER DAIRY CATTLE OR POULTRY HUSBANDRY ARE LOCATED WITHIN SIX HUNDRED TWENTY-FIVE (625) FEET OF THE CENTER OF THE WELL PAD.



(NAD) 27 (UTM) ZONE 17 COORDS:
WELL 2H TOP HOLE INFORMATION:
N: 14,239,839ft E: 1,655,932ft
POINT OF ENTRY INFORMATION:
N: 14,239,429ft E: 1,654,398ft
BOTTOM HOLE INFORMATION:
N: 14,253,280ft E: 1,649,657ft

02/08/2019

LONGITUDE 80°57'30"

14,860' TO BOTTOM HOLE

13,133'


LONGITUDE 80°55'00"

WV NORTH ZONE
GRID NORTH

NOTES:

WELL 2H TOP HOLE INFORMATION:
N: 263,326ft E: 1,590,519ft
LAT: 39°12'50.20" LON: 80°56'42.80"
BOTTOM HOLE INFORMATION:
N: 276,376ft E: 1,584,466ft
LAT: 39°15'03.13" LON: 80°58'02.50"
WEST VIRGINIA COORDINATE SYSTEM OF 1927 NORTH ZONE. ZONE WAS DERIVED FROM MEASUREMENTS TAKEN WITH TRIMBLE GEOXT SUBMETER MAPPING GRADE GPS UNIT. PLAT ORIENTATION, CORNER, AND WELL REFERENCE TIE LINES ARE BASED ON GRID NORTH.

(NAD) 83 (UTM) ZONE 17 COORDS:
WELL 2H TOP HOLE INFORMATION:
N: 4,340,529m E: 504,744m
BOTTOM HOLE INFORMATION:
N: 4,344,626m E: 502,831m



| Clay District - Ritchie County | |
|--------------------------------|-------------------------|
| 30-15 | Joseph Wilson |
| 30-26 | Joseph Wilson |
| 30-26.2 | Joseph Wilson |
| 30-27 | Joseph Wilson |
| 30-39 | Suzie Perkins |
| 30-40 | Suzie Perkins |
| 30-41 | Ray Taylor |
| 30-42 | Joseph Wilson |
| 35-04 | E L F LLC |
| 35-05 | E L F LLC |
| 35-01 | Emmagene Collins |
| 35-02 | E L F LLC |
| 35-11 | Kevin Baker |
| 35-11.1 | Kevin Baker |
| 35-11.2 | Kevin Baker |
| 35-12 | E L F LLC |
| 35-22 | Kevin Baker |
| 35-25 | Lyle Friesland |
| 35-26 | Donald McCray |
| 35-27 | Kevin Hensley |
| 35-28 | Bryan Taylor |
| 35-35 | H. L. Jones |
| 35-36 | H. L. Jones |
| 35-37 | W. B. Hogue |
| 35-41 | Howard Hornish |
| 35-46 | Gregory Dodd |
| 35-46.1 | Duane Riggs |
| 35-47 | James Wilson |
| 35-25 | EQM Gatherings OPCO LLC |
| 36-25.1 | EQM Gatherings OPCO LLC |
| 39-06 | Duane Riggs |
| 39-09 | Howard Hornish |
| 40-01 | Michael Sammons |
| 40-02 | Scott Williams |
| 40-03 | Tommy Partlathwait |
| 40-07 | James Masters |
| 40-08 | Terry Lee Richards |
| 40-09 | Terry Lee Richards |
| 40-11 | Terry Skinner |
| 40-12 | Tommy Partlathwait |
| 40-13 | Tommy Partlathwait |
| 40-14 | Duane Riggs |

I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE RULES ISSUED AND PERSCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.




STATE OF WEST VIRGINIA, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

WILLOW LAND SURVEYING PLLC
220 MASONIC AVE. PENNSBORO
WEST VIRGINIA 26415

JOB # 16-033WA
DRAWING # GENNY2HR1
SCALE 1" = 2000'
MINIMUM DEGREE OF ACCURACY SUBMETER
PROVEN SOURCE OF ELEV. SUBMETER MAPPING GRADE GPS
STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVISION OF OIL AND GAS


LEGEND
----- Surface Owner Boundary Lines +/-
----- Interior Surface Tracts +/-
----- Existing Fence
⊕ Found monument, as noted
Thomas Summers
THOMAS SUMMERS P.S. 2109
DATE 11/13/18
OPERATOR'S WELL# GENNY UNIT #2H



WELL TYPE: OIL ___ GAS LIQUID INJECTION ___ WASTE DISPOSAL ___ 47 - 085 - 10383
 (IF "GAS") PRODUCTION STORAGE ___ DEEP ___ SHALLOW
 LOCATION: ELEVATION 1,162' ORIGINAL - 1,140' PROPOSED WATERSHED NORTH FORK HUGHES RIVER QUADRANGLE PULLMAN 7.5' (SHL) PENNSBORO 7.5' (BHL)
 SURFACE OWNER TERRY LEE RICHARDS ACREAGE 60 ACRES +/- DISTRICT CLAY COUNTY RITCHIE
 OIL & GAS ROYALTY OWNER LORETTA K. CLARK BARE ET AL; MILES H. LAMM ET UX; IRA J. LAMM ET AL; LEASE ACREAGE 60 AC±; 44 AC±; 38 AC±;
 STEPHEN LENTZ SR. ET UX; DONALD LEA ET AL; THOMAS G. BEE ET UX; ALMARINE HOGUE; MARY HOLLAND ET VIR; 7.35 AC±; 40.625 AC±; 63.19 AC±; 90 AC±; 220 AC±;
 GROVER C. TAYLOR ET AL; LENA R. CARR ET AL; C. A. WILSON ET AL; DALE WEEKELY ET AL 577 AC±; 163 AC±; 178 AC±; 140 AC±
 PROPOSED WORK: DRILL CONVERT ___ DRILL DEEPER ___ REDRILL ___ FRACTURE OR STIMULATE
 PLUG OFF OLD FORMATION ___ PERFORATE NEW FORMATION OTHER PHYSICAL CHANGE IN WELL
 (SPECIFY) PLUG & ABANDON CLEAN OUT & REPLUG
 TARGET FORMATION MARCELLUS ESTIMATED DEPTH 6,800' TYD 24,700' MD
 WELL OPERATOR ANTERO RESOURCES CORP. DESIGNATED AGENT DIANNA STAMPER - CT CORPORATION SYSTEM
 ADDRESS 1615 WYNKOOP ST. ADDRESS 5400 D BIG TYLER ROAD
 DENVER, CO 80202 CHARLESTON, WV 25313

COUNTY NAME

PERMIT



Antero Resources Corporation
Appalachian Basin
Lynn Camp Pad
Richie County

Quadrangle: Pullman
Watershed: North Fork Hughes River
District: Clay
Date: 1-28-2019

WW-6A1
(5/13)

Operator's Well No. Genny Unit 2H

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

| Lease Name or Number | Grantor, Lessor, etc. | Grantee, Lessee, etc. | Royalty | Book/Page |
|---|-----------------------|--|--------------------|------------------|
| Dale Weekely et al Lease | | | | |
| Dale Weekely et al | | Joseph E. Wilson | 1/8 | 0128/0334 |
| Joseph E. Wilson | | Alton Skinner | Assignment | 0130/0490 |
| Alton Skinner | | Crystal G. Skinner and Desari S. Garrett | Conveyed | 0216/0391 |
| Crystal G. Skinner and Desari S. Garrett | | DC Petroleum, Inc. | Assignment | 0218/0250 |
| DC Petroleum, Inc. | | Antero Resources Appalachian Corporation | Assignment | 0254/0133 |
| Antero Resources Appalachian Corporation | | Antero Resources Corporation | Name Change | Exhibit 1 |

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:


- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

RECEIVED
Office of Oil and Gas

NOV 19 2018

WV Department of
Environmental Protection

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation
 By: Kevin Kilstrom 
 Its: Senior Vice President - Production

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

| Grantor, lessor, etc. | Grantee, lessee, etc. | Royalty | Book/Page |
|---|--|-----------------------|-----------|
| <u>Loretta K. Clark Bare et al Lease</u> | | | |
| Loretta K. Clark Bare et al | Canbe Exploration Company | 1/8 | 0146/0788 |
| Canbe Exploration Company | Oil Development Company | Assignment | 0153/0716 |
| Oil Development Company | Alan Gable Oil Development Energy Trust, et al | Assignment | 0207/0623 |
| Alan Gable Oil Development Energy Trust, et al | Gassearch Corporation, et al | Assignment | 0207/0628 |
| Gassearch Corporation, et al | Linn Energy Holdings, LLC | Assignment | 0239/0118 |
| Linn Energy Holdings, LLC | XTO Energy, Inc. | Assignment | 0246/0814 |
| XTO Energy, Inc. | Antero Resources Corporation | Assignment | 0295/0836 |
| <u>Miles H. Lamm et ux Lease</u> | | | |
| Miles H. Lamm et ux | David J. Sheldon, D/B/A S&S, Inc. | 1/8 | 0133/0366 |
| David J. Sheldon, D/B/A S&S, Inc. | J & J Enterprises, Inc. | Assignment | 0134/0316 |
| J & J Enterprises, Inc. | Eastern American Energy Corporation | Assignment | 0231/0732 |
| Eastern American Energy Corporation | Energy Corporation of America | Assignment | 0250/0393 |
| Energy Corporation of America | Antero Resources Appalachian Corporation | Assignment | 0257/0377 |
| Antero Resources Appalachian Corporation | Antero Resources Corporation | Name Change | Exhibit 1 |
| <u>Ira J Lamm, et al Lease</u> | | | |
| Ira J Lamm, et al | Eastern American Energy Corporation | 1/8 | 0201/0378 |
| Eastern American Energy Corporation | Energy Corporation of America | Certificate of Merger | 0006/0450 |
| Energy Corporation of America | Antero Resources Appalachian Corporation | Assignment | 0257/0397 |
| Antero Resources Appalachian Corporation | Antero Resources Corporation | Name Change | Exhibit 1 |
| <u>Stephen Lentz Sr. et ux Lease</u> | | | |
| Stephen Lentz Sr. et ux | Antero Resources Corporation | 1/8+ | 0300/0584 |
| <u>Donald Lea et al Lease</u> | | | |
| Donald Lea et al | Antero Resources Corporation | 1/8+ | 0308/0739 |
| <u>Thomas G. Bee et ux Lease</u> | | | |
| Thomas G. Bee et ux | Eastern American Energy Corporation | 1/8 | 0218/0001 |
| Eastern American Energy Corporation | Energy Corporation of America | Assignment | 0306/0836 |
| Energy Corporation of America | Antero Resources Appalachian Corporation | Assignment | 0257/0377 |
| Antero Resources Appalachian Corporation | Antero Resources Corporation | Name Change | Exhibit 1 |
| <u>Almarine Hogue Lease</u> | | | |
| Almarine Hogue | T.F. Daly | 1/8 | 0032/0006 |
| T.F. Daly | Carnegie Natural Gas Company | Conveyed | 0059/0444 |
| Carnegie Natural Gas Company | Carnegie Production Company | Assignment | 0228/0859 |
| Carnegie Production Company | Equitable Production Company | Conveyed | 0032/0006 |
| Equitable Production Company | EQT Production Company | Name Change | 0006/0443 |
| EQT Production Company | Antero Resources Corporation | Assignment | 0277/0836 |

RECEIVED
Office of Oil and Gas
NOV 19 2018
WV Department of
Environmental Protection

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

Operator's Well Number Genny Unit 2H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

| Grantor, lessor, etc. | Grantee, lessee, etc. | Royalty | Book/Page |
|---|--|--------------------|------------------|
| <u>Mary Holland et vir Lease</u> | | | |
| Mary Holland et vir | Eastern American Energy Corporation | 1/8 | 0204/0061 |
| Eastern American Energy Corporation | Energy Corporation of America | Merged | 0250/0393 |
| Energy Corporation of America | Antero Resources Appalachian Corporation | Assignment | 0257/0377 |
| Antero Resources Appalachian Corporation | Antero Resources Corporation | Name Change | Exhibit 1 |
| <u>Grover C. Taylor et al Lease</u> | | | |
| Grover C. Taylor et al | G.L. Dudley, Jr. | 1/8 | 0079/0304 |
| G.L. Dudley, Jr. | The Central Company, Inc. | Assignment | 0080/0280 |
| The Central Company, Inc. | Chester A. Huff | Assignment | 0081/0499 |
| Chester A. Huff | Sarah Jackson Doyle | Assignment | 0082/0423 |
| Sarah Jackson Doyle | Anna M. Cunningham | Assignment | 0113/0072 |
| Anna M. Cunningham | French Creek Development, Inc. | Assignment | 0151/0134 |
| French Creek Development, Inc. | Comco Energy, Inc. | Assignment | 0181/0040 |
| Comco Energy, Inc. | Oil Investments, Ltd. | Assignment | 0189/0130 |
| Oil Investments, Ltd. | Trans-Capital Investment Group, Inc. | Assignment | 0197/0643 |
| Trans-Capital Investment Group, Inc. | P&D Resources, Inc. | Assignment | 0231/0329 |
| P&D Resources, Inc. | Shanley Oil Company | Assignment | 0254/0353 |
| Shanley Oil Company | DWD Resources, LLC | Assignment | 0255/0077 |
| DWD Resources, LLC | Whittle Corporation | Assignment | 0255/0079 |
| Whittle Corporation | Antero Resources Appalachian Corporation | Partial Assignment | 0255/0257 |
| Antero Resources Appalachian Corporation | Antero Resources Corporation | Name Change | Exhibit 1 |
| <u>Mark Taylor et al Lease</u> | | | |
| Mark Taylor et al | J.F. Maxwell | 1/8 | 0075/0509 |
| J.F. Maxwell | W.J. Waters | Assignment | 0078/0054 |
| W.J. Waters | C.O. Travis | Assignment | 0080/0056 |
| C.O. Travis | Boyd Wright | Assignment | 0080/0058 |
| Boyd Wright | David A. Harrison | Assignment | 0090/0350 |
| David A. Harrison | Helen F. Young | Assignment | 0098/0264 |
| Helen F. Young | The Union National Bank of Pittsburgh | Assignment | 0122/0029 |
| The Union National Bank of Pittsburgh | Ray Rex Taylor, et al | Assignment | 0126/0260 |
| Ray Rex Taylor, et al | Warren H. Haught | Agreement | 0127/0402 |
| Warren H. Haught | Smithville United Methodist Church | Assignment | 01540/584 |
| Smithville United Methodist Church | Mid Oil, Inc | Assignment | 0190/0757 |
| Mid Oil, Inc | Antero Resources Appalachian Corporation | Assignment | 0262/0192 |
| Antero Resources Appalachian Corporation | Antero Resources Corporation | Name Change | Exhibit 1 |

RECEIVED
Office of Oil and Gas

NOV 19 2018

WV Department of
Environmental Protection

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

Operator's Well Number Genny Unit 2H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

| Grantor, lessor, etc. | Grantee, lessee, etc. | Royalty | Book/Page |
|---|---|-------------|-----------|
| <u>Lena R. Carr et al Lease</u> | | | |
| Lena R. Carr et al | F. E. Pritchard | 1/8 | 0075/0107 |
| F. E. Pritchard | Maud G. Pritchard | Assignment | 0006/0244 |
| Maud G. Pritchard | C.B. Wright | Assignment | 0089/0537 |
| C. B. Wright | David A. Harrison | Assignment | 0090/0350 |
| David A. Harrison | David M. Harrison and Elizabeth K. Harrison | Assignment | 0098/0264 |
| David M. Harrison and Elizabeth K. Harrison | Willard H. McCloy, et al | Assignment | 0126/0260 |
| Willard H. McCloy, et al | Warren H. Haught | Agreement | 0127/0402 |
| Warren H. Haught | Smithville United Methodist Church | Assignment | 0154/0584 |
| Smithville United Methodist Church | Mid Oil, Inc | Assignment | 0190/0757 |
| Mid Oil, Inc | Antero Resources Appalachian Corporation | Assignment | 0262/0192 |
| Antero Resources Appalachian Corporation | Antero Resources Corporation | Name Change | Exhibit 1 |
| <u>C.A. Wilson et al Lease</u> | | | |
| C. A. Wilson et al | F. E. Pritchard | 1/8 | 0075/0103 |
| F. E. Pritchard | Maud G. Pritchard | Assignment | 0006/0244 |
| Maud G. Pritchard | C.B. Wright | Assignment | 0089/0537 |
| C. B. Wright | David A. Harrison | Assignment | 0090/0350 |
| David A. Harrison | David M. Harrison and Elizabeth K. Harrison | Assignment | 0098/0264 |
| David M. Harrison and Elizabeth K. Harrison | Willard H. McCloy, et al | Assignment | 0126/0260 |
| Willard H. McCloy, et al | Warren H. Haught | Agreement | 0127/0402 |
| Warren H. Haught | Smithville United Methodist Church | Assignment | 0154/0584 |
| Smithville United Methodist Church | Mid Oil, Inc | Assignment | 0190/0757 |
| Mid Oil, Inc | Antero Resources Appalachian Corporation | Assignment | 0262/0192 |
| Antero Resources Appalachian Corporation | Antero Resources Corporation | Name Change | Exhibit 1 |

RECEIVED
Office of Oil and Gas

NOV 19 2018

WV Department of
Environmental Protection

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

FORM WW-6A1
EXHIBIT 1

FILED

JUN 10 2013

Natalie E. Tennant
Secretary of State
1900 Kanawha Blvd E
Bldg 1, Suite 157-K
Charleston, WV 25305



Penney Barker, Manager
Corporations Division
Tel: (304)558-8000
Fax: (304)558-8381
Website: www.wvsos.com
E-mail: business@wvsos.com

APPLICATION FOR
AMENDED CERTIFICATE
OF AUTHORITY

Office Hours: Monday - Friday
8:30 a.m. - 5:00 p.m. ET

FILE ONE ORIGINAL
(Two if you want a filed
stamped copy returned to you)
FEE: \$25.00

**** In accordance with the provisions of the West Virginia Code, the undersigned corporation hereby ****
applies for an Amended Certificate of Authority and submits the following statement:

- 1. Name under which the corporation was authorized to transact business in WV: Antero Resources Appalachian Corporation
- 2. Date Certificate of Authority was issued in West Virginia: 6/25/2008
- 3. Corporate name has been changed to: Antero Resources Corporation
(Attach one Certified Copy of Name Change as filed in home State of Incorporation.)
- 4. Name the corporation elects to use in WV: Antero Resources Corporation
(due to home state name not being available)
- 5. Other amendments: _____
(attach additional pages if necessary)

6. Name and phone number of contact person. (This is optional, however, if there is a problem with the filing, listing a contact person and phone number may avoid having to return or reject the document.)

Alvyn A. Schopp (303) 367-7310
Contact Name Phone Number

7. Signature information (See below **Important Legal Notice Regarding Signature**):

Print Name of Signer: Alvyn A. Schopp Title/Capacity: Authorized Person
Signature: [Handwritten Signature] Date: June 10, 2013

RECEIVED
Office of Oil and Gas
NOV 19 2018
WV Department of Environmental Protection

Important Legal Notice Regarding Signature For West Virginia Code §31D-1-129. Penalty for signing false document. Any person who signs a document he or she knows is false in any material respect and knows that the document is to be delivered to the secretary of state for filing is guilty of a misdemeanor and, upon conviction thereof, shall be fined not more than one thousand dollars or confined in the county or regional jail not more than one year, or both.

02/08/2019



Antero Resources
1615 Wynkoop Street
Denver, CO 80202
Office 303.357.7310
Fax 303.357.7315

November 2, 2018

West Virginia Department of Environmental Protection
Chief, Office of Oil and Gas
Attn: Mr. James Martin
601 57th Street SE
Charleston, WV 25304

RE: Genny Unit 2H
Quadrangle: Pullman 7.5'
Ritchie County/Clay District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Genny Unit 2H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas from all leases through which the Genny Unit 2H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

A handwritten signature in blue ink, appearing to read "Tyler Adams", is written over the word "Sincerely,".

Tyler Adams
Landman

RECEIVED
Office of Oil and Gas

NOV 19 2018

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE CERTIFICATION

Date of Notice Certification: 11/14/2018

API No. 47- 085 - 10383

Operator's Well No. Genny Unit 2H

Well Pad Name: Lynn Camp Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

| | | |
|---|---|---------------------------|
| State: <u>West Virginia</u> | UTM NAD 83 | Easting: <u>504744m</u> |
| County: <u>Ritchie</u> | | Northing: <u>4340529m</u> |
| District: <u>Clay</u> | Public Road Access: <u>Buzzard Run</u> | |
| Quadrangle: <u>Pullman 7.5'</u> | Generally used farm name: <u>Terry Lee Richards</u> | |
| Watershed: <u>North Fork Hughes River</u> | | |

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

| | |
|--|---|
| <p>Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:</p> <p>*PLEASE CHECK ALL THAT APPLY</p> <p><input type="checkbox"/> 1. NOTICE OF SEISMIC ACTIVITY or <input checked="" type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED</p> <p><input type="checkbox"/> 2. NOTICE OF ENTRY FOR PLAT SURVEY or <input checked="" type="checkbox"/> NO PLAT SURVEY WAS CONDUCTED</p> <p><input checked="" type="checkbox"/> 3. NOTICE OF INTENT TO DRILL or <input type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or</p> <p style="padding-left: 100px;"><input type="checkbox"/> WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)</p> <p><input checked="" type="checkbox"/> 4. NOTICE OF PLANNED OPERATION</p> <p><input checked="" type="checkbox"/> 5. PUBLIC NOTICE</p> <p><input checked="" type="checkbox"/> 6. NOTICE OF APPLICATION</p> | <p>OOG OFFICE USE ONLY</p> <p><input type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input type="checkbox"/> RECEIVED</p> <p><input type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input type="checkbox"/> RECEIVED</p> <p><input type="checkbox"/> RECEIVED</p> <p><input type="checkbox"/> RECEIVED</p> |
|--|---|

RECEIVED
Office of Oil and Gas
NOV 19 2018


WV Department of
Environmental Protection


Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Certification of Notice is hereby given:

THEREFORE, I Kevin Kilstrom, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

| | | | |
|----------------|---|------------|---------------------------------|
| Well Operator: | <u>Antero Resources Corporation</u> | Address: | <u>1615 Wynkoop Street</u> |
| By: | <u>Kevin Kilstrom</u>  | | <u>Denver, CO 80202</u> |
| Its: | <u>Sr Vice President - Production</u> | Facsimile: | <u>303-357-7315</u> |
| Telephone: | <u>303-357-7310</u> | Email: | <u>kcox@anteroresources.com</u> |



Subscribed and sworn before me this 14 day of Nov 2018.

 Notary Public

My Commission Expires 3/29/2022

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

NOV 19 2018

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the **filing date of permit application.**

Date of Notice: 11/15/2018 **Date Permit Application Filed:** 11/15/2018

Notice of:

- PERMIT FOR ANY WELL WORK
- CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s)
Name: PLEASE SEE ATTACHMENT
Address: _____

Name: _____
Address: _____

SURFACE OWNER(s) (Road and/or Other Disturbance)
Name: PLEASE SEE ATTACHMENT
Address: _____

Name: _____
Address: _____

SURFACE OWNER(s) (Impoundments or Pits)
Name: _____
Address: _____

COAL OWNER OR LESSEE
Name: NO DECLARATIONS ON RECORD WITH COUNTY
Address: _____

COAL OPERATOR
Name: NO DECLARATIONS ON RECORD WITH COUNTY
Address: _____

WATER PURVEYOR(s)/OWNER(s) OF WATER WELL,
_SPRING OR OTHER WATER SUPPLY SOURCE
Name: PLEASE SEE ATTACHMENT
Address: _____

OPERATOR OF ANY NATURAL GAS STORAGE FIELD
Name: _____
Address: _____

*Please attach additional forms if necessary

RECEIVED
Office of Oil and Gas

NOV 19 2018

WV Department of
Environmental Protection

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

RECEIVED
Office of Oil and Gas
NOV 19 2018

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WV Department of
Environmental Protection

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. **NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.**

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas

NOV 19 2018

WV Department of
Environmental Protection

WW-6A
(8-13)

API NO. 47-085 - 10383 **02/08/2019**
OPERATOR WELL NO. Genny Unit 2H
Well Pad Name: Lynn Camp Pad


Notice is hereby given by:

Well Operator: Antero Resources Corporation
Telephone: (303) 357-7310
Email: kcox@anteroresources.com

Address: 1615 Wynkoop Street
Denver, CO 80202
Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



Subscribed and sworn before me this 15 day of Nov, 2018.

[Signature] Notary Public

My Commission Expires 3/29/2022

RECEIVED
Office of Oil and Gas
NOV 19 2018
WV Department of
Environmental Protection

WW-6A Notice of Application Attachment (LYNN CAMP PAD):**List of Surface Owner(s) with Proposed Disturbance associated with Lynn Camp Well Pad:**

WELL PAD – These owners were notified of all well work permit applications, and have executed signed Surface Use Agreements with Antero Resources Corporation.

TM 40 PCL 7.1

Owner: Terry Lee and Stella F Richards /
Address: 1092 Little Beason Road
 Pennsboro, WV 26415

TM 40 PCL 9, TM 40 PCL 8

Owner: Terry Lee Richards /
Address: 1092 Little Beason Road
 Pennsboro, WV 26415

ROAD AND/OR OTHER DISTURBANCE – All owners have executed signed Surface Use and/or Road Agreements with Antero Resources Corporation. However, they were only notified if their tracts were overlying the oil and gas leasehold being developed by the proposed well work.

TM 40 PCL 7.1

Owner: Terry Lee and Stella F Richards /
Address: 1092 Little Beason Road
 Pennsboro, WV 26415

TM 40 PCL 9

Owner: Terry Lee Richards /
Address: 1092 Little Beason Road
 Pennsboro, WV 26415

TM 40 PCL 3

Owner: Tommy Postlethwait /
 c/o David Stephens
Address: 3120 NE 8th Place
 Ocala, FL 34470

RECEIVED
 Office of Oil and Gas

NOV 19 2018


WV Department of
 Environmental Protection

WATER SOURCE OWNERS**(W1) 1 Water Source – 1327'**

Owner: Terry Lee Richards
Address: 1092 Little Beason Road
 Pennsboro, WV 26415

*/Please note there is 1 additional water source shown on the attached map, but it is located greater than 1500' from the subject pad location.

**LYNN CAMP PAD
ANTERO RESOURCES
CORPORATION**



| WELL | WELL SURFACE OWNER | ADDRESS | WELL LATITUDE | WELL LONGITUDE |
|------|--------------------|--|---------------|----------------|
| W1 | TERRY L. RICHARDS | 1092 LITTLE BEASON RD, PENNSBORO WV, 26415 | 39°12'57.41" | 80°56'56.59" |
| W2 | TOMMY POSTLETHWAIT | 3120 NE 8th Place, Ocala, FL 34470 | 39°12'57.50" | 80°57'00.63" |

| | | |
|--|--|---|
| WILLOW LAND SURVEYING, PLLC P.O. BOX 17, PENNSBORO, WV 26415 (304) 659-1717 | TOPO SECTION(S) OF : PULLMAN 7.5' QUAD. | SCALE : 1-INCH = 1000-FEET 0' 1000' 2000' 3000' |
| | JOB #: 12-063WA | |
| DATE: 07/09/15 | DRAWN BY: T.B.S. | FILE: LYNNCAMPADWATERMAP |

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least **TEN (10)** days prior to filing a permit application.

Date of Notice: 06/26/2018

Date Permit Application Filed: 11/15/2018

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND DELIVERY CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner; *Provided, however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name: Terry Lee & Stella F. Richards (TM 3-40-7.1)
Address: 1092 Little Beason Road
Pennsboro, WV 26415

Name: Terry Lee Richards (TM: 3-40-9; 3-40-8)
Address: 1092 Little Beason Road
Pennsboro, WV 26415

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

| | | | | |
|-------------|--------------------------------|---------------------------|-----------------------------|-----------------|
| State: | <u>West Virginia</u> | UTM NAD 83 | Easting: | <u>504744m</u> |
| County: | <u>Ritchie</u> | | Northing: | <u>4340529m</u> |
| District: | <u>Clay</u> | Public Road Access: | <u>CR 7/5 (Buzzard Run)</u> | |
| Quadrangle: | <u>Pullman 7.5'</u> | Generally used farm name: | <u>Terry Lee Richards</u> | |
| Watershed: | <u>North Fork Hughes River</u> | | | |

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: Antero Resources Appalachian Corporation
Address: 1615 Wynkoop St.
Denver, CO 80202
Telephone: 303-357-7310
Email: kcox@anteroresources.com
Facsimile: 303-357-7315

Authorized Representative: Karin Cox
Address: 1615 Wynkoop St.
Denver, CO 80202
Telephone: 303-357-6820
Email: kcox@anteroresources.com
Facsimile: 303-357-7315

RECEIVED
Office of Oil and Gas
NOV 19 2018

WV Department of
Environmental Protection

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

02/08/2019



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110
Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E.
Secretary of Transportation/
Commissioner of Highways

June 28, 2018

Jill M. Newman
Deputy Commissioner

James A. Martin, Chief
Office of Oil and Gas
Department of Environmental Protection
601 57th Street, SE
Charleston, WV 25304

Subject: DOH Permit for the Lynn Camp Pad, Ritchie County
Genny 2H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #03-2018-0346 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off of Ritchie County route 7/5 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.
Regional Maintenance Engineer
Central Office O&G Coordinator

RECEIVED
Office of Oil and Gas
NOV 19 2018
WV Department of
Environmental Protection

Cc: Karin Cox
Antero Resources Corporation
CH, OM, D-3
File

List of Anticipated Additives Used for Fracturing or Stimulating Well

02/08/2019

| Additives | Chemical Abstract Service Number (CAS #) |
|--|--|
| Fresh Water | 7732-18-5 |
| 2 Phosphobutane 1,2,4 tricarboxylic acid | 37971-36-1 |
| Ammonium Persulfate | 7727-54-0 |
| Anionic copolymer | Proprietary |
| Anionic polymer | Proprietary |
| BTEX Free Hydrotreated Heavy Naphtha | 64742-48-9 |
| Cellulase enzyme | Proprietary |
| Demulsifier Base | Proprietary |
| Ethoxylated alcohol blend | Mixture |
| Ethoxylated Nonylphenol | 68412-54-4 |
| Ethoxylated oleylamine | 26635-93-8 |
| Ethylene Glycol | 107-21-1 |
| Glycol Ethers | 111-76-2 |
| Guar gum | 9000-30-0 |
| Hydrogen Chloride | 7647-01-0 |
| Hydrotreated light distillates, non-aromatic, BTEX free | 64742-47-8 |
| Isopropyl alcohol | 67-63-0 |
| liquid, 2,2-dibromo-3-nitrilopropionamide | 10222-01-2 |
| Microparticle | Proprietary |
| Petroleum Distillates (BTEX Below Detect) | 64742-47-8 |
| Polyacrylamide | 57-55-6 |
| Propargyl Alcohol | 107-19-7 |
| Propylene Glycol | 57-55-6 |
| Quartz | 14808-60-7 |
| Sillica, crystalline quartz | 7631-86-9 |
| Sodium Chloride | 7647-14-5 |
| Sodium Hydroxide | 1310-73-2 |
| Sugar | 57-50-1 |
| Surfactant | 68439-51-0 |
| Suspending agent (solid) | 14808-60-7 |
| Tar bases, quinoline derivs, benzyl chloride-quaternized | 72480-70-7 |
| Solvent Naphtha, petroleum, heavy aliph | 64742-96-7 |
| Soybean Oil, Me ester | 67784-80-9 |
| Copolymer of Maleic and Acrylic Acid | 52255-49-9 |
| DETA phosphonate | 15827-60-8 |
| Hexamethylene Triamine Penta | 34690-00-1 |
| Phosphino Carboxylic acid polymer | 71050-62-9 |
| Hexamethylene Diamine Tetra | 23605-75-5 |
| 2-Propenoic acid, polymer with 2 propenamide | 9003-06-9 |
| Hexamethylene diamine penta (methylene phosphonic acid) | 23605-74-5 |
| Diethylene Glycol | 111-46-6 |
| Methenamine | 100-97-0 |
| Polyethylene polyamine | 68603-67-8 |
| Coco amine | 61791-14-8 |
| 2-Propyn-1-olcompound with methyloxirane | 38172-91-7 |

RECEIVED
Office of Oil and Gas
NOV 19 2018
WV Department of
Environmental Protection

LYNN CAMP WELL PAD & WATER CONTAINMENT PAD

SITE DESIGN & CONSTRUCTION PLAN, EROSION & SEDIMENT CONTROL PLANS

CLAY DISTRICT, RITCHIE COUNTY, WEST VIRGINIA
BUNNELL RUN-NORTH FORK HUGHES RIVER WATERSHED
USGS 7.5 PULLMAN QUAD MAP

LOCATION COORDINATES:

ACCESS ROAD ENTRANCE
LATITUDE: 39.216179 LONGITUDE: -80.949590 (NAD 83)
LONGITUDE: -80.949789 (NAD 27)
N 4340787.77 E 504351.10 (UTM ZONE 17 METERS)

CENTER OF WATER CONTAINMENT PAD
LATITUDE: 39.216197 LONGITUDE: -80.948465 (NAD 83)
LONGITUDE: -80.948207 (NAD 27)
N 4340745.76 E 504350.53 (UTM ZONE 17 METERS)

CENTROID OF WELL PAD
LATITUDE: 39.215983 LONGITUDE: -80.946933 (NAD 83)
LONGITUDE: -80.946207 (NAD 27)
N 4340624.42 E 504344.90 (UTM ZONE 17 METERS)

**APPROVED
MODIFICATION
WYDF 008**

11/20/2018

GENERAL DESCRIPTION:

THE ACCESS ROAD(S), WATER CONTAINMENT PAD AND WELL PAD ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS.

FLOODPLAIN NOTES:

THE PROPOSED SITE IS LOCATED IN FLOOD ZONE "X" PER FEMA MAP NUMBER #5406CC200C.

MISS UTILITY STATEMENT:

ANTERO RESOURCES CORPORATION WILL NOTIFY MISS UTILITY OF WEST VIRGINIA FOR THE LOCATING OF UTILITIES PRIOR TO THIS PROJECT DESIGN, TICKET #406607341. IN ADDITION, MISS UTILITY WILL BE CONTACTED BY THE CONTRACTOR PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT.

ENTRANCE PERMIT:

ANTERO RESOURCES CORPORATION WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MM-109) FROM THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

ENVIRONMENTAL NOTES:

STREAM AND WETLAND DELINEATIONS WERE PERFORMED IN MARCH AND APRIL, 2014, MAY, 2015, MAY, 2016, AND AUGUST 2016 BY SWCA ENVIRONMENTAL CONSULTANTS, INC. TO REVIEW THE SITE FOR WATERS AND WETLANDS THAT ARE MOST LIKELY WITHIN THE REGULATORY JURISDICTION OF THE U.S. ARMY CORPS OF ENGINEERS (USACE) AND/OR THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WVDEP). THE AUGUST 3, 2016 DELINEATION MAP WAS PREPARED BY SWCA ENVIRONMENTAL CONSULTANTS, INC. AND SUMMARIZES THE RESULTS OF THE FIELD DELINEATION. THE MAP DOES NOT IN ANY WAY REPRESENT A JURISDICTIONAL DETERMINATION OF THE LANDWARD LIMITS OF WATERS AND WETLANDS WHICH MAY BE REGULATED BY THE USACE OR THE WVDEP. IT IS STRONGLY RECOMMENDED THAT THE AFORESAID AGENCIES BE CONSULTED IN AN EFFORT TO GAIN FURTHER CLARIFICATION OF THE DELINEATION RESULTS OF THIS EXHIBIT PRIOR TO ENGAGING CONSTRUCTION ON THE PROPERTY DESCRIBED HEREIN. THE DEVELOPER SHALL OBTAIN THE APPROPRIATE PERMITS FROM THE FEDERAL AND/OR STATE REGULATORY AGENCIES PRIOR TO ANY PROPOSED IMPACTS TO WATERS OF THE U.S., INCLUDING WETLAND FILLS AND STREAM CROSSINGS.

GEOTECHNICAL NOTES:

THE PROPOSED ACCESS ROAD CUT SLOPE (1.5:1) SHALL BE FIELD VERIFIED BY A CERTIFIED GEOTECHNICAL ENGINEER TO INSURE THE PROPOSED SLOPES ARE ADEQUATE PRIOR TO CONSTRUCTION. ACCESS ROAD CONSTRUCTION SHALL BE MONITORED BY A REPRESENTATIVE OF THE GEOTECHNICAL ENGINEER OR PROJECT DESIGN ENGINEER DURING CONSTRUCTION.

A SUBSURFACE INVESTIGATION OF THE PROPOSED SITE WAS PERFORMED BY PENNSYLVANIA SOIL & ROCK, INC. ON JUNE 18-21, 2016. THE REPORT PREPARED BY PENNSYLVANIA SOIL & ROCK, INC. DATED JULY 15, 2016 REFLECTS THE RESULTS OF THE SUBSURFACE INVESTIGATION. THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS REPORT WERE USED IN THE PREPARATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACE INVESTIGATION REPORT BY PENNSYLVANIA SOIL & ROCK, INC. FOR ADDITIONAL INFORMATION, AS NEEDED.

PROJECT CONTACTS:

OPERATOR:
ANTERO RESOURCES CORPORATION
533 WHITE OAKS BLVD
BRIDGEPORT, WV 26330
PHONE: (304) 962-4100
FAX: (304) 842-4102

ENGINEER/SURVEYOR:
SAVITIS ENGINEERING, INC.
CYNUS S. KUMAR, P.E. - PROJECT
MANAGER/ENGINEER
OFFICE: (888) 860-4185 CELL: (540) 696-5747
OFFICE: (303) 357-6799 CELL: (303) 808-2428

ENVIRONMENTAL:
SWCA ENVIRONMENTAL CONSULTANTS, INC.
IVAN J. MALDONADO - ENVIRONMENTAL SPECIALIST
OFFICE: (412) 639-1601 CELL: (570) 778-5769

ENVIRONMENTAL ENGINEER:
PENNSYLVANIA SOIL & ROCK, INC.
CHRISTOPHER W. REEDER - PROJECT ENGINEER
OFFICE: (412) 312-4000 CELL: (412) 565-0862

PROJECT CONTACTS:
CHARLES E. COMPTON, III - SURVEYING
COORDINATOR
CELL: (304) 719-4449

RICHARD LYLES - LAND AGENT
CELL: (770) 376-0833

ENVIRONMENTAL ENGINEER:
ZLI WAGONER - ENVIRONMENTAL ENGINEER
OFFICE: (304) 842-4088 CELL: (304) 476-9776

OPERATIONS SUPERINTENDENT:
JON MCEVEY - OPERATIONS SUPERINTENDENT
OFFICE: (303) 357-6799 CELL: (303) 808-2428

CONSTRUCTION SUPERVISOR:
AARON KUNZLER - CONSTRUCTION SUPERVISOR
CELL: (405) 227-8344


PILED ENGINEER:
BRIAN REYNOLDS - PILED ENGINEER
OFFICE: (304) 842-4206 CELL: (304) 841-3095

RESTRICTIONS NOTES:

- THERE ARE NO PERENNIAL STREAMS, LAKES, PONDS, OR RESERVOIRS WITHIN 100 FEET OF THE WELL PADS AND LWD. THERE ARE WETLAND IMPACTS THAT WILL NEED TO BE PERMITTED BY THE APPROPRIATE AGENCIES.
- THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL PADS AND LWD.
- THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY FACILITIES WITHIN 1000 FEET OF THE WELL PADS AND LWD.
- THERE ARE NO EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FEET OF THE WELLS(S) BEING DRILLED.
- THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 625 FEET OF THE CENTER OF THE WELL PADS.
- THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 2,500 SQUARE FEET WITHIN 625 FEET OF THE CENTER OF THE WELL PADS.



WEST VIRGINIA STATE PLANE COORDINATE SYSTEM
NORTH ZONE, NAD83
ESTABLISHED BY SURVEY GRADE GPS & OPUS
POST-PROCESSING



(NOT TO SCALE)

DESIGN CERTIFICATION:
THE DRAWINGS, CONSTRUCTION NOTES, AND REFERENCE DIAGRAMS ATTACHED HERETO HAVE BEEN PREPARED IN ACCORDANCE WITH THE WEST VIRGINIA CODE OF STATE RULES, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CHS 35-8.

MISS (Utility of West Virginia
1-800-245-4848
West Virginia State Law
(Section XIV, Chapter 24-C)
Requires that you call two
business days before you dig in
the state of West Virginia.
IT'S THE LAW!

REPRODUCTION NOTE
THESE PLANS WERE CREATED TO BE PLOTTED ON 22"x34" (ANSI B) PAPER. HALF SCALE DRAWINGS ARE ON 11"x17" (ANSI B) PAPER.
THESE PLANS WERE CREATED FOR COLOR PLOTTING AND ANY REPRODUCTIONS IN GRAY SCALE OR COLOR MAY RESULT IN A LOSS OF INFORMATION AND SHOULD NOT BE USED FOR CONSTRUCTION PURPOSES.

SHEET INDEX:

- COVER SHEET
- CONSTRUCTION AND E&S CONTROL NOTES
- LEGEND
- MATERIAL QUANTITIES
- EXISTING CONDITIONS
- EXISTING STRUCTURES & FEATURES
- OVERALL PLAN SHEET INDEX & VOLUMES
- ACCESS ROAD PLAN
- WATER CONTAINMENT PAD PLAN
- WELL PAD PLAN
- WELL PAD GRADING PLAN
- ACCESS ROAD PROFILES
- ACCESS ROAD SECTIONS
- WELL PAD & WATER CONTAINMENT PAD SECTIONS
- WELL PAD SECTIONS
- STOCKPILE SECTIONS
- STREAM CROSSING "A" DETAILS
- STREAM CROSSING "B" DETAILS
- CONSTRUCTION DETAILS
- ACCESS ROAD RECLAMATION PLAN
- WATER CONTAINMENT PAD RECLAMATION PLAN
- WELL PAD RECLAMATION PLAN
- GE5000-GE5600 - GEOTECHNICAL DETAILS

LYNN CAMP LIMITS OF DISTURBANCE AREA (AD)

| Access Road | Total | Modified | Total |
|---------------------------------------|--------------|-------------|--------------|
| Access Road "A" (1.626) | 5.38 | 0.09 | 5.47 |
| Access Road "B" (240) | 1.12 | 0.00 | 1.12 |
| Access Road "C" (253) | 0.55 | 0.00 | 0.55 |
| Well Pad "A" | 6.66 | 0.00 | 6.66 |
| Water Containment Pad | 6.54 | 1.66 | 4.88 |
| Excavated/Topsoil Material Stockpiles | 3.03 | 4.16 | 7.19 |
| Total Affected Area | 23.48 | 2.69 | 26.67 |
| Total Wooded Acres Disturbed | 9.19 | 1.42 | 10.61 |

Impacts to Terry Lee Richards & Stevie F. Richards (L) TM 40-7-1

| Access Road | Total | Modified | Total |
|---------------------------------------|--------------|-------------|--------------|
| Access Road "A" (1.626) | 6.21 | 0.09 | 6.44 |
| Access Road "B" (180) | 0.35 | 0.00 | 0.21 |
| Access Road "C" (23) | 0.58 | 0.00 | 0.58 |
| Well Pad "A" | 2.60 | 0.00 | 2.60 |
| Water Containment Pad | 0.26 | -0.25 | 0.01 |
| Excavated/Topsoil Material Stockpiles | 2.99 | 1.29 | 4.28 |
| Total Affected Area | 11.79 | 1.13 | 12.92 |
| Total Wooded Acres Disturbed | 2.29 | 2.19 | 0.39 |

Impacts to Terry Lee Richards TM 40-08

| Access Road | Total | Modified | Total |
|---------------------------------------|-------------|-------------|--------------|
| Access Road "B" (250) | 0.91 | 0.00 | 0.91 |
| Access Road "C" (240) | 0.47 | 0.00 | 0.47 |
| Well Pad "A" | 3.66 | 0.00 | 3.66 |
| Water Containment Pad | 1.15 | -0.64 | 2.14 |
| Excavated/Topsoil Material Stockpiles | 0.04 | 2.67 | 2.81 |
| Total Affected Area | 7.65 | 2.83 | 10.39 |
| Total Wooded Acres Disturbed | 1.44 | 0.06 | 1.50 |

LYNN CAMP INTERMITTENT STREAM IMPACT (LINEAR FEET)

| Stream and Impact Cause | Permanent Impacts | | | | Total Impact (LF) |
|-------------------------|-------------------|--------------------------------|-----------------------------|-------------------------|-------------------|
| | Culvert #/ft (LF) | Inlets/Outlets Structures (LF) | Cofferdam/E&S Controls (LF) | Distance to L.O.D. (LF) | |
| Stream 11 (R) A | 84 | 23 | 35 | 71 | 142 |

LYNN CAMP WETLAND IMPACT (SQUARE FEET)

| Wetland and Impact Cause | FBI (SF) | Total Impact (SF) | Total Impact (AC) |
|--------------------------|----------|-------------------|-------------------|
| W/LX/WDI (R) B | 1,141 | 1,141 | 0.03 |

LYNN CAMP PERENNIAL STREAM IMPACT (LINEAR FEET)

| Stream and Impact Cause | Permanent Impacts | | | | Total Impact (LF) |
|-------------------------|-------------------|--------------------------------|-----------------------------|-------------------------|-------------------|
| | Culvert #/ft (LF) | Inlets/Outlets Structures (LF) | Cofferdam/E&S Controls (LF) | Distance to L.O.D. (LF) | |
| Stream 20 (R) A | 0 | 0 | 18 | 44 | 108 |

LYNN CAMP EPHEMERAL STREAM IMPACT (LINEAR FEET)

| Stream and Impact Cause | Permanent Impacts | | | | Total Impact (LF) |
|-------------------------|-------------------|--------------------------------|-----------------------------|-------------------------|-------------------|
| | Culvert #/ft (LF) | Inlets/Outlets Structures (LF) | Cofferdam/E&S Controls (LF) | Distance to L.O.D. (LF) | |
| Stream 8 (R) B | 0 | 0 | 0 | 80 | 0 |
| Stream 9 (R) B | 0 | 0 | 0 | 17 | 0 |
| Stream 12 (R) A | 26 | 0 | 13 | 29 | 39 |
| Stream 13 (R) A | 0 | 27 | 14 | 6 | 41 |
| Stream 14 (R) A | 0 | 0 | 0 | 34 | 0 |
| Stream 15 (R) A | 0 | 2 | 13 | 9 | 15 |
| Stream 16 (R) A | 21 | 0 | 13 | 4 | 34 |
| Stream 17 (R) A | 125 | 0 | 10 | 10 | 135 |

| Proposed Well Name | W/H/MD | R/W | UTM | NAD 83 | UTM | NAD 83 | Lat & Long |
|---------------------|--------------------------|--------------------------|--------------------------|------------------|---------------------|--------|------------|
| Sugar Run Unit 1H | N 202278.91 E 1160500.73 | N 203913.03 E 1161002.78 | N 4340754.48 E 504739.29 | JT 39-12-50 0178 | JT 39-12-50 02 3703 | | |
| Sugar Run Unit 2H | N 202270.76 E 1160495.89 | N 203905.89 E 1160495.89 | N 4340691.98 E 504737.96 | JT 39-12-49 0187 | JT 39-12-49 02 4429 | | |
| Riggs Unit 1H | N 203551.55 E 1203865.65 | N 203585.65 E 1204006.16 | N 4340906.78 E 504748.99 | JT 39-13-52 7400 | JT 39-13-52 01 0885 | | |
| Riggs Unit 2H | N 203538.18 E 1150004.15 | N 207313.07 E 1150002.90 | N 4340332.90 E 504749.06 | JT 39-13-50 0152 | JT 39-13-50 02 0878 | | |
| Genny Unit 1H | N 190226.83 E 1150026.96 | N 190226.96 E 1150026.96 | N 4340256.00 E 504737.96 | JT 39-12-01 4066 | JT 39-12-01 4066 | | |
| Genny Unit 2H | N 190055.18 E 1150007.60 | N 190055.18 E 1150007.60 | N 4340256.00 E 504737.96 | JT 39-12-01 4066 | JT 39-12-01 4066 | | |
| Genny Unit 3H | N 209313.82 E 1203347.52 | N 209313.82 E 1203347.52 | N 4340256.00 E 504737.96 | JT 39-12-01 4066 | JT 39-12-01 4066 | | |
| Genny Unit 4H | N 190425.08 E 1150026.96 | N 190425.08 E 1150026.96 | N 4340256.00 E 504737.96 | JT 39-12-01 4066 | JT 39-12-01 4066 | | |
| Buzzard Run Unit 1H | N 203200.24 E 1160500.73 | N 203200.24 E 1160500.73 | N 4340511.21 E 504739.29 | JT 39-13-02 2384 | JT 39-13-02 2384 | | |
| Buzzard Run Unit 2H | N 203258.56 E 1160500.73 | N 203258.56 E 1160500.73 | N 4340511.21 E 504739.29 | JT 39-13-02 2384 | JT 39-13-02 2384 | | |
| Buzzard Run Unit 3H | N 203258.56 E 1160500.73 | N 203258.56 E 1160500.73 | N 4340511.21 E 504739.29 | JT 39-13-02 2384 | JT 39-13-02 2384 | | |
| Buzzard Run Unit 4H | N 203258.56 E 1160500.73 | N 203258.56 E 1160500.73 | N 4340511.21 E 504739.29 | JT 39-13-02 2384 | JT 39-13-02 2384 | | |
| Well Pad Elev. | 3,100.0 | | | | | | |

NAVITUS
ENERGY ENGINEERING


Telephone: (888) 882-4185 | www.NavitusEng.com

| REVISION | DATE | REVISION |
|---------------------------------|------------|---------------------------------|
| REVISED PER DOTTCH | 07/16/2018 | REVISED WATER CONTAINMENT PAD |
| REVISED PER DOTS OF DISTURBANCE | 09/12/2018 | REVISED PER DOTS OF DISTURBANCE |
| REVISED PER E&S | 05/12/2018 | REVISED PER E&S |
| REVISED FOR SUBMIT/CONGR | 10/09/2018 | REVISED FOR SUBMIT/CONGR |
| REVISED PER LWD | 10/17/2018 | REVISED PER LWD |
| REVISED WELL COORDINATES | 10/23/2018 | REVISED WELL COORDINATES |



THIS DOCUMENT WAS PREPARED FOR ANTERO RESOURCES CORPORATION

LYNN CAMP
WELL PAD & WATER CONTAINMENT PAD
CLAY DISTRICT
RITCHIE COUNTY, WEST VIRGINIA




DATE: 06/13/2018
SCALE: AS SHOWN
SHEET 1 OF 32

WATER CONTAINMENT PAD PLAN

**APPROVED
MODIFICATION
WVDEP OIG**

VBS 11/20/2018



| DATE | REVISION |
|------------|-----------------------------------|
| 07/18/2018 | REVISED PER DISTRICT |
| 08/14/2018 | REVISED WATER CONTAINMENT PAD |
| 09/05/2018 | REVISED PER LIMITS OF DISTURBANCE |
| 09/13/2018 | REVISED PER PAGE |
| 09/20/2018 | REVISED PER SURFACE "DUNE" |
| 10/17/2018 | REVISED PER LOT MODIFICATION |
| 10/22/2018 | REVISED WELL COORDINATES |




THIS DOCUMENT WAS PREPARED FOR:
ANTERO RESOURCES CORPORATION

WATER CONTAINMENT PAD PLAN
LYNN CAMP
WELL PAD & WATER CONTAINMENT PAD
CLAY DISTRICT
BUTCHER COUNTY, WEST VIRGINIA



DATE: 06/13/2018
SCALE: 1" = 50'
SHEET 11 OF 32



WELL PAD PLAN

**APPROVED
MODIFICATION
WYDEP DOG**
WDS 11/20/2018

MATCHLINE "A"
SEE SHEET 11

NAVITUS
ENERGY ENGINEERING

| DATE | REVISION |
|------------|-----------------------------------|
| 07/16/2008 | REVISED PER CDDTWH |
| 08/14/2008 | REVISED WATER CONTAINMENT (AW) |
| 09/16/2008 | REVISED PER LIMITS OF DISTURBANCE |
| 09/16/2008 | REVISED PER EAS |
| 11/02/2008 | REVISED PER SURFACE CONFIG. |
| 10/17/2008 | REVISED PER LIGHT MODIFICATION |
| 10/22/2008 | REVISED WELL COORDINATES |



THIS DOCUMENT
WAS PREPARED FOR
ANTERO RESOURCES
CORPORATION

WELL PAD PLAN
LYNN CAMP
WELL PAD & WATER CONTAINMENT PAD
CLAY DISTRICT
RITCHIE COUNTY, WEST VIRGINIA



DATE: 06/15/2018
SCALE: 1" = 50'
SHEET: 12 OF 32