

87:03153

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: M. J. Snodgrass Operator Well No.: # 20

LOCATION: Elevation: 946' Quadrangle: Tariff - Otter 15'  
 District: Smithfield County: Roane  
 Latitude: 99 40 Feet South of 38 Deg. 45 Min. 00 Sec.  
 Longitude: 149 85 Feet West of 81 Deg. 10 Min. 00 Sec.

Well Type: OIL  GAS  Injection Nothing 4279837.40  
Easting 482585.80

Company Triad Hunter Coal Operator NO COAL  
5669 Wallback Rd. or Owner  
Wallback WV. 25285

Coal Operator \_\_\_\_\_  
 or Owner \_\_\_\_\_

Agent Tim Keaton  
 Permit Issued Date 4/8/2013

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Roane ss:

Rick Duckworth and Robert Stewart being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 8 day of Aug., 2013 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2014'	1814'	960' of 5 1/2"	951' of 5 1/2"
Cement	1000'	900'		
Cement	100'	0		
Gel between all plugs				

Description of monument 7' pipe with API numbers and that the work of plugging and filling said well was completed on the 26 day of Augu, 2013


And further deponents saith not.

Rick Duckworth  
Robert Stewart

Sworn and subscribe before me this 26 day of September, 2013

My commission expires: April 12, 2021

Patricia Summers  
Notary Public



Affidavit reviewed by the Office of Oil and Gas:

[Signature]

Title: Inspector

Did not witness all plugs 11/01/2013

OCT 23 2013

Department of Environmental Protection