

State of West Virginia
Department of Environmental Protection - Office of Oil and Gas
Well Operator's Report of Well Work

API 47-087-04761 County ROANE District SMITHFIELD
Quad LOONEYVILLE 7.5' Pad Name SMITH, ELKANAH Field/Pool Name CLOVER
Farm name CHADWELL, RONALD & BRENDA Well Number 121
Operator (as registered with the OOG) H.G. ENERGY LLC
Address 5260 DuPONT ROAD City PARKERSBURG State WV Zip 26101

As Drilled location NAD 83/UTM Attach an as-drilled plat, profile view, and deviation survey
Top hole Northing 4,284,292 M Easting 474,946 M
Landing Point of Curve Northing _____ Easting _____
Bottom Hole Northing _____ Easting _____

Elevation (ft) 1,148' GL Type of Well New Existing Type of Report Interim Final
Permit Type Deviated Horizontal Horizontal 6A Vertical Depth Type Deep Shallow
Type of Operation Convert Deepen Drill Plug Back Redrilling Rework Stimulate
Well Type Brine Disposal CBM Gas Oil Secondary Recovery Solution Mining Storage Other _____
Type of Completion Single Multiple Fluids Produced Brine Gas NGL Oil Other _____
Drilled with Cable Rotary

Drilling Media Surface hole Air Mud Fresh Water Intermediate hole Air Mud Fresh Water Brine
Production hole Air Mud Fresh Water Brine
Mud Type(s) and Additive(s)
N/A

Date permit issued 2/13/15 Date drilling commenced 7/30/15 Date drilling ceased 8/5/15
Date completion activities began 8/11/15 Date completion activities ceased 8/13/15
Verbal plugging (Y/N) N Date permission granted _____ Granted by _____

Please note: Operator is required to submit a plugging application within 5 days of verbal permission to plug

Freshwater depth(s) ft None Open mine(s) (Y/N) depths None
Salt water depth(s) ft 1775' Void(s) encountered (Y/N) depths None
Coal depth(s) ft None Cavern(s) encountered (Y/N) depths None
Is coal being mined in area (Y/N) N

RECEIVED
Office of Oil and Gas
Reviewed by
AUG 20 2015
WV Department of Environmental Protection
10/23/2015

API 47-087 - 04761 Farm name CHADWELL, RONALD & BRENDA Well number 121

CASING STRINGS	Hole Size	Casing Size	Depth	New or Used	Grade wt/ft	Basket Depth(s)	Did cement circulate (Y/N) * Provide details below*
Conductor	12 1/4"	11 5/8"	30'	Used	LS		Sand In
Surface	8 3/4"	7"	558'	New	LS	64'	Y
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	6 1/4"	4 1/2"	2332.15'	New	J-55		Y
Tubing							
Packer type and depth set							

Comment Details Circulated Est. 50 sks to surface on 7" surface cement job. Circulated Est. 10 sks to surface on 4 1/2" cement job.

CEMENT DATA	Class/Type of Cement	Number of Sacks	Slurry wt (ppg)	Yield (ft ³ /sks)	Volume (ft ³)	Cement Top (MD)	WOC (hrs)
Conductor							
Surface	Reg Neat	130	15.6	1.18	154	Surface	8
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	50:50 Pozmix	85/125	13.2/14.2	1.64/1.27	139/186	28'	8
Tubing							

Drillers TD (ft) 2360' Loggers TD (ft) 2360'
 Deepest formation penetrated Big Injun Plug back to (ft) N/A
 Plug back procedure N/A

Kick off depth (ft) _____

Check all wireline logs run caliper density deviated/directional induction
 neutron resistivity gamma ray temperature sonic

Well cored Yes No Conventional Sidewall Were cuttings collected Yes No

DESCRIBE THE CENTRALIZER PLACEMENT USED FOR EACH CASING STRING _____

8 Centralizers every 88 from bottom on 4 1/2", Centralizer placed mid string on 7"

WAS WELL COMPLETED AS SHOT HOLE Yes No DETAILS _____

WAS WELL COMPLETED OPEN HOLE? Yes No DETAILS _____

WERE TRACERS USED Yes No TYPE OF TRACER(S) USED _____

RECEIVED
Office of Oil and Gas
AUG 20 2015
10/23/2015
WV Department of
Environmental Protection

API 47- 087 - 04761 Farm name CHADWELL, RONALD & BRENDA Well number 121

<u>PRODUCING FORMATION(S)</u>	<u>DEPTHS</u>	
<u>Big Injun</u>	<u>2180'- 2200'</u>	<u>TVD</u> _____ <u>MD</u> _____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Please insert additional pages as applicable.

GAS TEST Build up Drawdown Open Flow OIL TEST Flow Pump

SHUT-IN PRESSURE Surface _____ psi Bottom Hole _____ psi DURATION OF TEST _____ hrs

OPEN FLOW Gas _____ mcfpd Oil _____ bpd NGL _____ bpd Water _____ bpd GAS MEASURED BY Estimated Orifice Pilot

<u>LITHOLOGY/ FORMATION</u>	<u>TOP DEPTH IN FT NAME TVD</u>	<u>BOTTOM DEPTH IN FT TVD</u>	<u>TOP DEPTH IN FT MD</u>	<u>BOTTOM DEPTH IN FT MD</u>	<u>DESCRIBE ROCK TYPE AND RECORD QUANTITY AND TYPE OF FLUID (FRESHWATER, BRINE, OIL, GAS, H₂S, ETC)</u>
Sand/Shale	0	1572	0		
Sand	1572	1598			
Shale	1598	1692			
Sand	1692	1880			
Shale	1880	1894			
Sand	1894	1980			
Little Lime	1980	2118			
Pencil Cave	2118	2030			
Big Lime	2030	2150			
Keener	2150	2180			
Big Injun	2180	2200			
Shale	2200	2360			
TD	2360				

Please insert additional pages as applicable.

Drilling Contractor Decker Drilling
Address 11565 State Route 676 City Vincent State OH Zip 45784

Logging Company Weatherford International
Address 777 North River Avenue City Weston State WV Zip 26452

Cementing Company Universal Services
Address Hall Rd City Buckhannon State WV Zip 26201

Stimulating Company Producers Service Corp.
Address 109 South Graham Street City Zanesville State OH Zip 43701

Please insert additional pages as applicable.

Completed by Roger Heldman Telephone 304-420-1107
Signature *Roger Heldman* Title Operations Manager Date 8/17/13

Submittal of Hydraulic Fracturing Chemical Disclosure Information

Attach copy of FRACFOCUS Registry
Office of Oil and Gas
Department of Environmental Protection
10/23/2015

87.04761

Prepared for:
H G Energy



Prepared by:
Producers Service Corp
Brian Pierce
109 S. Graham St.
Zanesville, OH 43702
740-454-6253

INVOICE #:	18842
WELL NAME:	E. Smith #121
STATE & COUNTY:	Roane Co. WV
TOWNSHIP/FIELD:	Clover
DATE of SERVICE:	8/13/2015
CUSTOMER PO#	

Description	Notes	Amount	Units	Unit Cost	Total Cost
FLUID PUMP CHARGE 0-3000 PSI MIN CHARGE 4 HRS		1	EA		
BLENDER CHARGE 0-10 BPM		1	EA		
MILEAGE CHARGE PER UNIT ONE WAY	2 Units @ 150 Miles	100	MI		
IC ACID 15%		250	GAL		
PRO HIB II		0.5	GAL		
ACID DELIVERY		2	HR		
PRO CLA LOK (KCL SUBSTITUTE)		15	GAL		
PRO NE-21		5	GAL		
PRO GEL 4		150	LB		
BUFFER I		50	LB		
BUFFER II		50	LB		
PRO CLA LOK (KCL SUBSTITUTE)		15	GAL		
AP BREAKER		15	LB		
BXL-A		10	GAL		
BXL-10C		10	GAL		
SAND 20/40 OTTAWA		25	CWT		
SAND DELIVERY / TON MILES		100	TMILE		
BIO CLEAR 750		1	LB		
DATA VAN		1	STAGE		

Customer Approval: _____

RECEIVED
Office of Oil and Gas
AUG 20 2015
WV Department of
Environmental Protection

10/23/2015