

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, April 11, 2022 WELL WORK PERMIT Vertical / Re-Work

HG ENERGY, LLC 5260 DUPONT ROAD PARKERSBURG, WV 26101

Re: Permit approval for E. SMITH 118

47-087-04762-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: E. SMITH 118

Farm Name: FISHER, FREDDIE ET AL

U.S. WELL NUMBER: 47-087-04762-00-00

Vertical Re-Work Date Issued: 4/11/2022

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code §22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- Pursuant to 35 CSR 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR 4-19.1.c, if the operator is unable to sample and analyze any water well or spring with one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

FORM WW-3 (B) 1/12



1)	Date:	01/07/202	2				
2)	Operator	's Well N	Vo.	Elka	nah Smith 118	3.	
	API Wel		47		Roane	4	04762
			State		County		Permit
4)	UIC Pen	mit No.	28087	onno	SAP		

STATE OF WEST VIRGINIA NOTICE OF LIQUID INJECTION OR WASTE DISPOSAL WELL WORK PERMIT APPLICATION FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

) LOCATION:											
A CALL CONTRACTOR	District	Smithfie	ld		Co	unty Roane			gle Looneyville 7.8	5'	
7) WELL OPERA						8) DESIGNA'	TED AGE	NT Diane W	nite		
		60 Dupont I					Addres	5260 Dup	ocnt Road		
177		arkersburg, V	WV 26101			Parkersburg, WV 26101					
9) OIL & GAS IN				ED		10) DRILLIN	G CONTR	ACTOR			
Name Joe Ta			-	/		Name					
The second second	laylick Road		107			Address					
	WV 25271	()								
12) GEOLOGIC 13) Estimated De 14) Approximate 15) Approximate 16) Is coal being 17) Virgin reserv 18) Estimated res	pth of Cor water stra coal seam mined in tooir pressur- servoir frace	FORMA npleted V ta depths depths: he area? re in targe	Vell, (or a NA Yes	ohysical of g Injun actual depesh NA on 1250	change in v	well (specify)		Feet (top)	Feet	eet (bottom)	
bactericides, and c	PROPOSI IDENTIFI other chemical FANY)	CATION s as needed Cartridge filte	OF MA to maintain	PERATI TERIAL water qualit	S TO BE I y and improve	all recovery.	CLUDING	ADDITIVE	nole pressure S Fresh water, P	2400 psi roduced water,	
20) DETAILED bactericides, and o 21) FILTERS (IF 22) SPECIFICA	PROPOSI IDENTIFI other chemical FANY) _C FIONS FO	CATION s as needed Cartridge filte PR CATH	OF MA' to maintain ers ODIC PF	PERATI TERIAL water qualit	S TO BE I y and improve	NJECTED, INC	CLUDING	ADDITIVE			
20) DETAILED hacterioides, and or 21) FILTERS (IF 22) SPECIFICATES (23) CASING AND	PROPOSI IDENTIFI other chemical FANY) _C FIONS FO	CATION s as needed cartridge filte PROGRAM	OF MA' to maintain ars ODIC PF	PERATI TERIAL water qualit	S TO BE I y and improve	NJECTED, INC	CLUDING ROSION C	ADDITIVE ONTROL	Fresh water, P	roduced water,	
20) DETAILED	PROPOSI IDENTIFI other chemical FANY) _C FIONS FO	CATION s as needed cartridge filte PROGRAM	OF MA' to maintain ers ODIC PF	PERATI TERIAL water qualit	S TO BE I y and improve	NJECTED, INC	ROSION C	ADDITIVE ONTROL CEMENT FILL -UP	Fresh water, P	roduced water,	
20) DETAILED hactericides, and c 21) FILTERS (IF 22) SPECIFICA 23) CASING AND CASING OR	PROPOSI IDENTIFI ther chemical FANY) C FIONS FO	CATION s as needed Cartridge filte PROGRAI SP	OF MA' to maintain urs ODIC PF	PERATI TERIAL water qualit ROTECT	S TO BE I y and improve	NJECTED, INC oil recovery. OTHER CORI	CLUDING ROSION C TERVALS	ONTROL CEMENT FILL -UP OR SACKS	Fresh water, P	roduced water,	
20) DETAILED hactericides, and control of the hactericides, and co	PROPOSI IDENTIFI ther chemical FANY) C FIONS FO	CATION s as needed Cartridge filte R CATH PROGRAI SP Grade	OF MA' to maintain rs ODIC PF M ECIFICAT Weight	PERATI TERIAL water qualit ROTECT	S TO BE I y and improve TON AND Used	OTHER CORI	CLUDING ROSION C TERVALS Left In Well	ADDITIVE ONTROL CEMENT FILL -UP	PACK		
20) DETAILED hactericides, and control of the property of the	PROPOSI IDENTIFI ther chemical FANY) C FIONS FO	CATION s as needed Cartridge filte PROGRAI SP	OF MA to maintain rs ODIC PF M ECIFICAT Weight per ft.	PERATI TERIAL water qualit ROTECT	S TO BE I y and improve	OTHER CORI	CLUDING ROSION C TERVALS Left In Well 30'	ONTROL CEMENT FILL -UP OR SACKS (CU. FT.)	PACK	ERSRECEIVED	
20) DETAILED hactericides, and co 21) FILTERS (IF 22) SPECIFICA 23) CASING AND CASING OR TUBING TYPE Conductor Fresh Water	PROPOSI IDENTIFI ther chemical FANY) C FIONS FO TUBING	CATION s as needed Cartridge filte R CATH PROGRAI SP Grade	OF MA' to maintain rs ODIC PF M ECIFICAT Weight per ft.	PERATI TERIAL water qualit ROTECT	S TO BE I y and improve TON AND Used	OTHER CORI	CLUDING ROSION C TERVALS Left In Well	ONTROL CEMENT FILL -UP OR SACKS	PACK Kinds	ERSRECEIVED	
20) DETAILED hactericides, and co 21) FILTERS (IF 22) SPECIFICA 23) CASING AND CASING OR TUBING TYPE Conductor Fresh Water Coal	PROPOSI IDENTIFI ther chemical FANY) C FIONS FO TUBING I Size	CATION s as needed Cartridge filte R CATH PROGRAI SP Grade	OF MA to maintain rs ODIC PF M ECIFICAT Weight per ft.	PERATI FERIAL water qualit ROTECT HONS New	S TO BE I y and improve TON AND Used	OTHER CORI	CLUDING ROSION C TERVALS Left In Well 30'	ONTROL CEMENT FILL -UP OR SACKS (CU. FT.)	PACK Kinds Fees	ERSRECEIVED	
20) DETAILED hactericides, and color of the	PROPOSI IDENTIFI ther chemical FANY) _C FIONS FO TUBING D Size	CATION s as needed Cartridge filte R CATH PROGRAM SP Grade LS LS	OF MA to maintain us ODIC PF M ECIFICAT Weight per ft. NA 17	PERATI FERIAL water qualit ROTECT IONS New	S TO BE I y and improve TON AND Used	POTAGE IN For Drilling 30' 507'	TERVALS Left In Well 30' 507'	ONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACK Kinds Fens Sizes 2 3/8*	ERSRECEIVELDIFFICE of Oil an	
20) DETAILED hactericides, and color of the	PROPOSI IDENTIFI ther chemical FANY) C FIONS FO TUBING I Size	CATION s as needed Cartridge filte R CATH PROGRAI SP Grade	OF MA to maintain rs ODIC PF M ECIFICAT Weight per ft.	PERATI FERIAL water qualit ROTECT HONS New	S TO BE I y and improve TON AND Used	POTAGE IN For Drilling 30' 507' 2513'	TERVALS Left In Well 30' 507'	ONTROL CEMENT FILL -UP OR SACKS (CU. FT.)	PACK Kinds Fees Sizes 2 3/8* Depths set	ERSRECEIVED	
20) DETAILED hactericides, and colored to the color	PROPOSI IDENTIFI ther chemical FANY) _C FIONS FO TUBING D Size	CATION s as needed Cartridge filte R CATH PROGRAM SP Grade LS LS	OF MA to maintain us ODIC PF M ECIFICAT Weight per ft. NA 17	PERATI FERIAL water qualit ROTECT IONS New	S TO BE I y and improve TON AND Used	POTAGE IN For Drilling 30' 507'	TERVALS Left In Well 30' 507'	ONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACK Kinds Fees Sizes 2 3/8" Depths set	ERSRECEIVED	
20) DETAILED hactericides, and colored to the color	PROPOSI IDENTIFI Inther chemical FANY) _C FIONS FO TUBING) Size	CATION s as needed Cartridge filte R CATH PROGRAI SP Grade LS LS J-55	OF MA to maintain us ODIC PF M ECIFICAT Weight per ft. NA 17	PERATI FERIAL water qualit ROTECT IONS New	S TO BE I y and improve TON AND Used	POTAGE IN For Drilling 30' 507' 2513'	TERVALS Left In Well 30' 507'	ONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACK Kinds Sizes 2 3/8" Depths set 240 Perforations	ERSRECEIVED Diffice of Oil an FEB 1 4 2	
20) DETAILED hactericides, and colored to the color	PROPOSI IDENTIFI Inther chemical FANY) _C FIONS FO TUBING) Size	CATION s as needed Cartridge filte R CATH PROGRAI SP Grade LS LS J-55	OF MA to maintain us ODIC PF M ECIFICAT Weight per ft. NA 17	PERATI FERIAL water qualit ROTECT IONS New	S TO BE I y and improve TON AND Used	POTAGE IN For Drilling 30' 507' 2513'	TERVALS Left In Well 30' 507'	ONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACK Kinds Field Sizes 2 3/8" Depths set 240 Perforations Top	ERSRECEIVE Diffice of Oil an FEB 1 4 2	
20) DETAILED bactericides, and c 21) FILTERS (IF 22) SPECIFICA 23) CASING AND CASING OR	PROPOSI IDENTIFI Inther chemical FANY) _C FIONS FO TUBING) Size	CATION s as needed Cartridge filte R CATH PROGRAI SP Grade LS LS J-55	OF MA to maintain us ODIC PF M ECIFICAT Weight per ft. NA 17	PERATI FERIAL water qualit ROTECT IONS New	S TO BE I y and improve TON AND Used	POTAGE IN For Drilling 30' 507' 2513'	TERVALS Left In Well 30' 507'	ONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACK Kinds Sizes 2 3/8" Depths set 240 Perforations	ERSRECEIVED Diffice of Oil an FEB 1 4 2	
20) DETAILED hactericides, and colored to the color	PROPOSI IDENTIFI Inther chemical FANY) _C FIONS FO TUBING) Size	CATION s as needed Cartridge filte R CATH PROGRAI SP Grade LS LS J-55	OF MA to maintain us ODIC PF M ECIFICAT Weight per ft. NA 17	PERATI FERIAL water qualit ROTECT IONS New	S TO BE I y and improve TON AND Used	POTAGE IN For Drilling 30' 507' 2513'	TERVALS Left In Well 30' 507'	ONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACK Kinds Field Sizes 2 3/8" Depths set 240 Perforations Top	ERSRECEIVE Office of Oil ar FEB 1 4 2	
20) DETAILED hactericides, and colored to the color	PROPOSI IDENTIFI Inther chemical FANY) COMMON TUBING I Size	CATION s as needed Cartridge filte PROGRAI SP Grade LS LS J-55 J-55	OF MA to maintain us ODIC PF M ECIFICAT Weight per ft. NA 17 10.5 4.6	PERATI TERIAL water qualit ROTECT IONS New x	S TO BE I y and improve TON AND Used x	POTAGE IN FOR Drilling 30' 507' 2513' 2405'	CLUDING ROSION C TERVALS Left In Well 30' 507' 2513' 2405'	ONTROL CEMENT FILL -UP OR SACKS (CU. FT.) CTS	PACK Kinds Fresh water, P PACK Sizes 2 3/8" Depths set 240 Perforations Top 2352'	ERSRECEIVE Office of Oil ar FEB 1 4 2	

WR-35 Rev. 8/23/13 Page 1 of 4

State of West Virginia Department of Environmental Protection - Office of Oil and Gas Well Operator's Report of Well Work

API 47 - 087 _ 04762	County ROANE	RECEIVED	trict SMITHFIE	ELD	
API <u>47</u> - 087 - 04762 Quad LOONEYVILLE 7.5'	Pad Name ELKANAH	SMITH Eig	ld/Pool Name	CLOVER	
Parm name FISHER, FREDDIE ET A			ell Number 118		
Farm name_FISHER, FREEDILE ETT	H.G. ENERGY I.C.	W	en Number		-
Operator (as registered with the OOG) Address 5260 DuPONT ROAD	City PARKER	RSBURG	State WV	Zip	26101
As Drilled location NAD 83/UTM Top hole No Landing Point of Curve No Bottom Hole No Elevation (ft) 1,064' GL Permit Type Deviated □ Hore	Attach an as-drilled plat, orthing 4,284,841 M orthing 4,284,660 M Type of Well New izontal	, profile view, and de Easting Easting Easting The Existing The Upper Control of the Control of	475,137 M Type of Repor Depth Type Grant Rework	t □Interim □ Deep □ Stimuli	■Final ■ Shallow
Orilled with □ Cable ■ Rotary Orilling Media Surface hole ■ Air Production hole ■ Air □ Mud □ I Mud Type(s) and Additive(s)	□ Mud ■Fresh Water			□ Other _	
Drilled with □ Cable ■ Rotary Drilling Media Surface hole ■ Air Production hole ■ Air □ Mud □ I Mud Type(s) and Additive(s)	□ Mud ■Fresh Water			□ Other _	
Drilled with □ Cable ■ Rotary Drilling Media Surface hole ■ Air Production hole ■ Air □ Mud □ I Mud Type(s) and Additive(s) N/A	□ Mud ■Fresh Water	Intermediate hole		□ Other _	Water □ Brine
Orilled with □ Cable ■ Rotary Orilling Media Surface hole ■ Air Production hole ■ Air □ Mud □ I Mud Type(s) and Additive(s) N/A Date permit issued 2/13/15	□ Mud ■Fresh Water Fresh Water ■ Brine Date drilling commence	Intermediate hole	e ■ Air □ Mu	Other_d Fresh	Water □ Brine
Drilled with □ Cable ■ Rotary Drilling Media Surface hole ■ Air Production hole ■ Air □ Mud □ I Mud Type(s) and Additive(s) N/A Date permit issued 2/13/15 Date completion activities began	□ Mud ■Fresh Water Fresh Water ■ Brine Date drilling commence	Intermediate hold d 8/20/15 te completion activiti	e ■ Air □ Mu	Other_d Fresh g ceased_ 9/3/15	Water □ Brine
Drilled with □ Cable ■ Rotary Drilling Media Surface hole ■ Air Production hole ■ Air □ Mud □ H Mud Type(s) and Additive(s) N/A Date permit issued 2/13/15 Date completion activities began Verbal plugging (Y/N) N Da	□ Mud ■Fresh Water Fresh Water ■ Brine Date drilling commence 8/31/15 Date permission granted	Intermediate hold d 8/20/15 te completion activiti	Date drilling	Other_d Fresh	Water Brine 8/27/15 RECEIVED Office of Oil and FER 1 4 70
Orilled with □ Cable ■ Rotary Orilling Media Surface hole ■ Air Production hole ■ Air □ Mud □ I Mud Type(s) and Additive(s) N/A Date permit issued 2/13/15 Date completion activities began Verbal plugging (Y/N) N Please note: Operator is required to sub-	□ Mud ■Fresh Water Fresh Water ■ Brine Date drilling commence 8/31/15 Dat ate permission granted	Intermediate hold d 8/20/15 te completion activiti	Date drilling Caranted by Date permission to	Other_d Fresh	Water □ Brine 8/27/15 RECEIVED Office of Oil and
Drilled with □ Cable ■ Rotary Drilling Media Surface hole ■ Air Production hole ■ Air □ Mud □ H Mud Type(s) and Additive(s) N/A Date permit issued 2/13/15 Date completion activities began Verbal plugging (Y/N) N Date Please note: Operator is required to subsection.	Date drilling commence 8/31/15 Date permission granted mit a plugging application whome	Intermediate hold d 8/20/15 te completion activiti within 5 days of verb	Date drilling ies ceased Granted by oal permission to	Other _ d	Water Brine 8/27/15 RECEIVED Office of Oil and FEB 1 4
Date completion activities began Verbal plugging (Y/N) N Date completion activities began Verbal plugging (Y/N) N Date complete began Please note: Operator is required to sub Freshwater depth(s) ft	Date drilling commence 8/31/15 Date permission granted mit a plugging application whone None Oper 80' Voice	Intermediate hold d 8/20/15 te completion activiti within 5 days of verb	Date drilling Date drilling ies ceased Granted by oal permission to ths N) depths	o Other _ d	Water Brine 8/27/15 RECEIVED Office of Oil and FEB 1 4

50/

D-0.300.0-0-0-

Page 2 of 4

WR-35

Rev. 8/23/13 Farm name FISHER, FREDDIE ET AL Well number_118 04762 API 47-087 Did cement circulate (Y/N) Basket New or Grade Hole Casing CASING * Provide details below* Depth(s) Depth Used wt/ft STRINGS Size Size Sand In Used LS Conductor 11 5/8" 30' 12 1/4" Y 64 New LS Surface 507 8 3/4" 7" Coal Intermediate 1 Intermediate 2 Intermediate 3 Y Production 2513.9 New J-55 4 1/2" 6 1/4" Tubing Packer type and depth set Circulated Est. 50 sks to surface on 7" surface cement job. Circulated Est. 35 sks to surface on 4 1/2" cement job. Comment Details Cement WOC Volume Number Slurry Yield Class/Type CEMENT : Top (MD) (hrs) (ft 2) (ft 3/sks) of Sacks wt (ppg) DATA of Cement Conductor 8 154 Surface Surface 15.6 1.18 Reg Neat 130 Coal Intermediate 1 Intermediate 2 Intermediate 3 378 8 Production 100/125 13.2/14.2 1.64/1.27 164/186 50:50 Pozmix Tubing Drillers TD (ft) 2570' Loggers TD (ft) 2536 Plug back to (ft) N/A Deepest formation penetrated Big Injun Plug back procedure N/A Kick off depth (ft) 600' ■ deviated/directional **≜** induction acaliper = ■ density Check all wireline logs run **≜** temperature □sonic neutron **■** resistivity B gamma ray Were cuttings collected ■ Yes □ No Conventional Sidewall Well cored | Yes | No DESCRIBE THE CENTRALIZER PLACEMENT USED FOR EACH CASING STRING 20 Centralizers every 68 from bottom on 4 1/2", Centralizer placed mid string on 7" 138 WAS WELL COMPLETED AS SHOT HOLE □ Yes 🖪 No DETAILS □ Yes ■ No WAS WELL COMPLETED OPEN HOLE? DETAILS artment of

TYPE OF TRACER(S) USED

WERE TRACERS USED I Yes | No



Page 3 of 4

WR-35 Rev. 8/23/13

API 47- 087 - 04762

Farm name FISHER, FREDDIE ET AL

Well number 118

PERFORATION RECORD

Perforation date	Perforated from MD ft.	Perforated to MD ft.	Number of Perforations	Formation(s)
	2352'	2362'	40	Big Injun
-				
				34
	Perforation date 8/31/15	Perforation date MD ft.	Perforation date MD ft. MD ft.	Perforation date MD ft. MD ft. Perforations

Please insert additional pages as applicable.

STIMULATION INFORMATION PER STAGE

Complete a separate record for each stimulation stage.

Stage No.	Stimulations Date	Ave Pump Rate (BPM)	Ave Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen/other (units)
1	9/3/15	5	1245	1984	513	2,500	148	
				3				
	7							
								Office of C
							ii.	FEB 14 LL
						*		Environmental Pro

Please insert additional pages as applicable.

JOZ

Page 4 of 4

WR-35 Rev. 8/23/13 Farm name_FISHER, FREDDIE ET AL Well number 118 API 47- 087 _ 04762 DEPTHS PRODUCING FORMATION(S) 2102'- 2119' 2340'- 2366' MD TVD Big Injun Please insert additional pages as applicable. OIL TEST DFlow DPump □ Build up □ Drawdown □ Open Flow GAS TEST DURATION OF TEST Bottom Hole psi psi SHUT-IN PRESSURE Surface GAS MEASURED BY Water Oil NGL OPEN FLOW Gas □ Estimated □ Orifice bpd bpd bpd BOTTOM TOP LITHOLOGY/ TOP BOTTOM DESCRIBE ROCK TYPE AND RECORD QUANTITYAND DEPTH IN FT DEPTH IN FT DEPTH IN FT FORMATION DEPTH IN FT TYPE OF FLUID (FRESHWATER, BRINE, OIL, GAS, H2S, ETC) MD MD NAME TVD TVD 1607 1563 Sand/Shale 0 0 1636 1607 1563 1588 Sand 1674 1636 1622 Shale 1588 1854 1764 1674 Sand 1622 1780 1854 1876 1764 Shale 1876 2093 1920 1780 Sand 2120 2093 1920 1944 Little Lime 2120 2130 Pencil Cave 1944 1952 2130 2302 1952 2073 Big Lime 2340 2102 2302 2073 Keener Drilled directional S 45.4° E a distance of 751' 2340 2366 2102 2119 Big Injun 2264 2366 2570 2119 Shale 2264 2570 TD Please insert additional pages as applicable. Drilling Contractor Decker Drilling Zip 45784 OH Address 11565 State Route 676 Vincent State City Logging Company Weatherford International Zip 26452 WV Address 777 North River Avenue Weston State City Cementing Company Universal Services Zip 26201 Address 14 Sewer Plant Rd Buckhannon WV State City Stimulating Company Producers Service Corp. Zip 43701 Office of State OH Address 109 South Graham Street City 7anesville Please insert additional pages as applicable. FEF 1 4 2022 Telephone 304-420-1107 Completed by Roge Heldman upartment of Title Operations Manager Date 9/30/15 Submittal of Hydraulic Fracturing Chemical Disclosure Information Attach copy of FRACFOCUS Registry

04/15/2022

FORM WW-3 (A) 1/12

the possibility of fine and imprisonment.



 Date: Operator 	January		Elkans	ah Smith 118		
3) API Well		47	Linaria	087	4	04762
-,		State		County		Permit
4) UIC Perm	iit No.	2R08	700005.	AP		

STATE OF WEST VIRGINIA NOTICE OF LIQUID INJECTION OF WASTE DISPOSAL WELL WORK PERMIT APPLICATION

) Surface Ow	ner(S) To Be Served	7) (a) Coal Operator
(a) Name	Freddie Fisher et al.	Name
Address	114 Colt Ridge Road	Address
	Spencer, WV 25276	The second of the second
(b) Name		7) (b) Coal Owner(S) With Declaration Of Record
Address	11	Name NA
		Address
335		Name
(c) Name	-	Address
Address	_	Address
5) Inspector	Joe Taylor	7) (c) Coal Lessee with Declaration Of Record
Address	1478 Claylick Road	Name NA
Mulicos	Ripley, WV 25271	Address
Telephone	304-380-7469	
(1) The App parties in	lication For A Liquid Injection volved in the drilling or other w	Il location on Form WW-6; and
(1) The App parties in (2) The plat ((3) The Cons plan for c	lication For A Liquid Injection volved in the drilling or other was (surveyor's map) showing the wastruction and Reclamation Plan crosion and sediment control and	or Waste Disposal Well Work Permit on Form WW-3(B), which sets out the rk; all location on Form WW-6; and on Form WW-9 (unless the well work is only to plug a well), which sets out the for reclamation for the site and access road.
(1) The App parties in (2) The plat (3) The Consplan for C	lication For A Liquid Injection volved in the drilling or other work (surveyor's map) showing the watruction and Reclamation Plan erosion and sediment control and approposed for the first injection	or Waste Disposal Well Work Permit on Form WW-3(B), which sets out the rk; Ill location on Form WW-6; and In Form WW-9 (unless the well work is only to plug a well), which sets out the for reclamation for the site and access road. In or waste disposal is
(1) The App parties in (2) The plat (3) The Conplan for Control THE REASO	lication For A Liquid Injection volved in the drilling or other we (surveyor's map) showing the westruction and Reclamation Planerosion and sediment control and a proposed for the first injection which are SUMMARIZED TO WHICH ARE SUMMARIZED ATION [(FORM WW-3(B)]]	or Waste Disposal Well Work Permit on Form WW-3(B), which sets out the rk; all location on Form WW-6; and on Form WW-9 (unless the well work is only to plug a well), which sets out the for reclamation for the site and access road.

Well Operator HG Energy, LLC "I certify under penalty of law that I have personally examined and Address 5260 Dupont Road am familiar with the information submitted in this document and all ant of Parkersburg, WV 26101 attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that By: Diane White the information is true, accurate and complete. I am aware that there Its: Agent are significant penalties for submitting false information, including Diane White

Signature:

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only
For delivery information, visit our website at www.usps.com.
Certified Mell Fee
S Extra Services & Fees (checkfloor, and the as appropriate)
Extra Services & Company
Return Receipt (electronic) Certified Mail Restricted Solivery \$
Certified Mail Restricted Solivery Adult Signature Restricted Delivery Adult Signature Restricted Delivery s JAN 1 9 2022
Return Receipt (electronic Return Receipt (electronic Certified Mail Restricted pelivery Adult Signature Restricted Delivery Adult Signature Restricted Delivery Total Postage and Fees E 5 1/6
1 5
Total Postage and Fees E5 1/8
Sent To Freddie Fishe 26101 at
Sent To Freddie Fishe 26101 at Street and Apt. No., or PO Box No.
Spencer Williams
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instruction.

Office of Oil and Gas

FEB 1 4 2022

WV Department of Environment of Envi



HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax

January 7, 2022

Freddie Fisher et al. 114 Colt Ridge Road Spencer, WV 25276

RE:

Elkanah Smith No. 118

Smithfield District, Roane County

West Virginia

Dear Landowner:

Enclosed are copies of various application papers that we have filed with the West Virginia Department of Environmental Protection (WVDEP), Office of Oil and Gas. A well work permit is being requested for the above-referenced well.

Pursuant to WV Code Chapter 22B, Article 6, you are receiving copies of this correspondence because the well or other anticipated disturbance is located on your surface property. Your rights as a landowner are detailed in the enclosed permit application papers.

No action on your part is required. If you have any questions or comments regarding this application, you may call this office at (304) 420-1119.

Very truly yours,

Diane White

Diane C. White

Enclosures

Office of OT Gas

FEB 1 4 . J22

WV noncentent of Environmental Protection

WW-2A / 3A Surface Waiver

SURFACE OWNER WAIVER

HG Energy, LLC
Elkanah Smith 118

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW2-A / 3A

The well operator named on page WW-2A / 3A is applying for a permit from the State to do oil or gas well work. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIFTEN (15) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

<u>List of Water Testing Laboratories</u>. The Office maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Chief to obtain a copy.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application for a Well Work Permit on Form WW2-A / 3A, and attachments consisting of pages 1 through ____ including a work order on Form WW-2B / 3A, a survey plat, and a soil and erosion plan, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

FOR EXECUTION BY A NATUR	AL PERSON	FOR EXECU	TION BY A CORPORATION, ETC.
	Date	Company Name	Office of Oil and Gas
Signature	Date	By .	FEB 1 4 7022
		Its	Date
04762		A	Environmental rotection
Print Name	TO	Signatur	re Date

WW-9 (2/15)

API Number 47 -	87 .	. 04762
Operator's	Well No.	Elkanah Smith 118

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTING	GS DISPOSAL & RECLAMATION PLAN
Operator Name HG Energy, LLC	OP Code 494497948
Watershed (HUC 10) Laurel Fork	Quadrangle Looneyville 7.5'
Do you anticipate using more than 5,000 bbls of water Will a pit be used? Yes No No If so, please describe anticipated pit waste:	to complete the proposed well work? Yes No V
Will a synthetic liner be used in the pit? Yes	
Proposed Disposal Method For Treated Pit W	
Land Application	
Reuse (at API Number	IC Permit Number)
Off Site Disposal (Supply)	form WW-9 for disposal location) inticipated, should there be any fluids they'll be hauled for disposal
Will closed loop system be used? If so, describe: No	
Drilling medium anticipated for this well (vertical and	horizontal)? Air, freshwater, oil based, etc. NA
-If oil based, what type? Synthetic, petroleur	n, etc. NA
Additives to be used in drilling medium? NA	the state of the s
Drill cuttings disposal method? Leave in pit, landfill,	removed offsite, etc. NA
	m will be used? (cement, lime, sawdust) NA
-Landfill or offsite name/permit number? NA	
Permittee shall provide written notice to the Office of West Virginia solid waste facility. The notice shall be where it was properly disposed.	Oil and Gas of any load of drill cuttings or associated waste rejected at any provided within 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the provisions of the permit are enforceable by law. Violaw or regulation can lead to enforcement action. I certify under penalty of law that I have papplication form and all attachments thereto and the obtaining the information, I believe that the information penalties for submitting false information, including the	Office of Ch.
Company Official Signature Diane W	te 550
Company Official (Typed Name) Diane White	PD 1 FEB 1 4 2022
Company Official Title Agent	Environmental Protection
Subscribed and sworn before me this 7th	day of January , 20 22
My commission expires 7/31/2022	Notary Public OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC CASSIDY & BOARBAND 5301 13 MAJe Visithe, W 2610 My Commission Expires, bitle 31 20

Operator's Well No. Elkanah Smith 118

Proposed Revegetation Treat	tment: Acres Dist	urbed 0.1	Prevegetation j	H
Lime 3			pH 6.5	
Fertilizer type10)-20-20		-	,
Fertilizer amount_		500	lbs/acre	
Mulch_Straw		2Tor	ns/acre	
		<u>s</u>	Seed Mixtures	
Temporary			Permanent	
Seed Type	lbs/acre		Seed Type	lbs/acre
Tall Fescue	40	L.	Tall Fescue	40
Ladino Clover	5		Ladino Clover	5
Attach: Drawing(s) of road, location provided)	n, pit and proposed	area for land	application (unless engineered plans	including this info have bee
Attach: Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by:	n, pit and proposed	area for land		including this info have bee
Attach: Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by:	n, pit and proposed	area for land		including this info have bee
Attach: Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by:	n, pit and proposed	area for land		including this info have bee
Attach: Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by:	n, pit and proposed	area for land		including this info have bee
Attach: Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by:	n, pit and proposed	area for land		including this info have bee
Attach: Drawing(s) of road, location provided) Photocopied section of invo Plan Approved by:	n, pit and proposed	area for land		including this info have bee
** Sediment Control Attach: Drawing(s) of road, location provided) Photocopied section of invol Plan Approved by: Comments:	n, pit and proposed	area for land		


SSW

0 ~ H


0 ~

00 0

H



42.33" 42 Drilled Latitude = 38° AS





HG Energy, LLC 5260 Dupont Road Parkersburg, WV 26101 (304) 420-1100 - Office (304) 863-3172 - Fax

January 7, 2022

Mr. Jeff McLaughlin WVDEP Division of Oil & Gas 601 57th Street Charleston, West Virginia 25304

RE:

Elkanah Smith No. 118 (API 47-087-04762)

Smithfield District, Roane County

West Virginia

Dear Mr. McLaughlin:

Enclosed are Forms WW-3A, WW-3B, WW-9, mylar of plat, reclamation plan, topo map and copies of the certified mailing receipts for a permit to stimulate an injection well. Also enclosed is our check in the amount of \$550.00 to cover the associated permit fees.

Should you have any questions or need further information please call me at 304-420-1119.

Very truly yours,

Diane White

Diane C. White

Enclosures

cc:

rake secon

Joe Taylor - Inspector

Freddie Fisher et al.- Certified

RECEIVED Office of Oil and Gas

FEB 1 4 2022

WV Department of Environmental Protection



Stansberry, Wade A <wade.a.stansberry@wv.gov>

Re-Work Vertical Well Work Permit (API: 47-087-04762 & 04782)

1 message

Stansberry, Wade A <wade.a.stansberry@wv.gov>

Mon, Apr 11, 2022 at 1:30 PM

To: Diane White , Emily Westfall , "Taylor, Joseph D" <joseph.d.taylor@wv.gov">, Emily Westfall@wvassessor.com, "Taylor, Joseph D" <joseph.d.taylor@wv.gov

I have attached a copy of the newly issued well permit number. This will serve as your copy.

47-087-04762 - E. SMITH 118 47-087-04782 - J. H. STARR 107

If you have any questions, then please contact us here at the Office of Oil and Gas.

Thank you,

Wade A. Stansberry

Environmental Resource Specialist 3

West Virginia Department of Environmental Protection

Office of Oil & Gas

601 57th St. SE


Charleston, WV 25304


(304) 926-0499 ext. 41115

(304) 926-0452 fax

Wade.A.Stansberry@wv.gov

4 attachments







IR-26 Blank.pdf 169K