



Abds. - C-1848 & C-1849

Company	Hope Constr. & Ref. Co.
Address	Clarksburg, W.Va.
Farm	Nicola & Co.
Tract	Acres 401 Lease No.
Well (Farm) No.	Serial No. C-1848
	C-1849
Elevation (Spirit Level)	921, 846
Quadrangle	Spencer
County	Roane District Spencer
Engineer	W.M. Bowers
Engineer's Registration No.	900
File No.	Drawing No.
Date	Apr. 6, 1938 Scale 1"=80 Poles

STATE OF WEST VIRGINIA  
 Department of Mines  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

File No. ROA-182A & 183A  
 187A

Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

Denotes one inch spaces on border line of original tracing.

Spencer District, Roane County, W. Va.

By Hope Construction & Refining Co., Clarksburg, W. Va.

On 401 acres, on Lee Run.

Elevation, 846' L.

Surface owned by John Nutter, Triplett, W. Va.

Drilling commenced 1-18-1909; completed, 3-22-1909.

Shot 4-19-1917, in Berea Sand.

No fresh water recorded; salt water at 1670'.

10" casing, 455' (pulled); 8 $\frac{1}{2}$ " , 1162' (pulled); 6 $\frac{5}{8}$ " , 1833';

2" tubing, 2371'.

Casing not cemented.

No coal was encountered.

*Roa-187-A*

Oil well. Abandonment reported to Dept. of Mines May 10, 1938.

Record to RCT from Mrs. Griffith May 27, 1938.

	Top.	Bottom.
First Cow Run Sand	400	412
Second Cow Run Sand	984	1020
Sand	1162	1244
First Salt Sand (water, 1670')	1590	1715
Maxton Sand	1760	1770
Big Lime	1820	1945
Big Injun Sand	1945	1970
Berea Sand (oil, 2351-2367')	2357?	2369
Total depth		2381

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

183

WELL RECORD

Permit No. 183-A

Oil or Gas Well Oil  
(Kind)

Company Hope Construction & Refining Company  
 Address Clarksburg, W. Va.,  
 Farm Nicola & Company 1/2 Acres 401  
 Location (waters) Lees Run  
 Well No. 1849 Elev. 846  
 District Spencer County Roane  
 The surface of tract is owned in fee by John Nutter  
 Address Triplett, W. Va.,  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced 1-18-1909  
 Drilling completed 3-22-1909  
 Date shot 4-19-1917 Depth of shot In Berea  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water None recorded feet \_\_\_\_\_ feet  
 Salt water 1670 feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	455	Pulled	Size of
8 1/4	1162	Pulled	
6 5/8	1833	1833	Depth set
5 3/16			
3			Perf. top
2	2371	2371	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. FT. \_\_\_\_\_ Date \_\_\_\_\_  
Not cemented  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
No coal  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
First Cow Run sand			400	412			
Second Cow Run sand			984	1020			
<del>Third Cow Run sand</del>			1162	1244			
First salt sand			1590	1715	water	1670	
Maxon sand			1760	1770			
Big Lime			1820	1945			
Big Injun sand			1945	1970			
Berea sand			2357	2569	oil	2351-2367	
Total depth			2581				



