

Surf. B.M. Rhodes, Gay, W.Va.  
 Coal, if any belongs to  
 B.M. Rhodes.

New Location...   
 Drill Deeper.....   
 Abandonment.....

Map 50 S 45 W 51

Company South Penn Natural Gas Co.  
 Address Parkersburg, W.Va.  
 Farm E. J. Harris  
 Tract \_\_\_\_\_ Acres 25± Lease No. 70759-1/2-25±  
 Well (Farm) No. 4 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 779.37 ground  
 Quadrangle Ripley  
 County Roane District Curtis  
 Engineer A. Hillert  
 Engineer's Registration No. 2534  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Dec. 10, 1958 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. ROA-1048-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

671

*Paul H. Hefley*

WELL RECORD

Permit No. Rec-1048-A

Oil or Gas Well \_\_\_\_\_ (KIND)

Company SOUTH PENN NATURAL GAS COMPANY  
 Address P. O. Box 1280, Parkersburg, W. Va.  
 Farm H. J. Harris Acres 25  
 Location (waters) Left Fork of Elk Fork  
 Well No. \_\_\_\_\_ Elev. 779.37  
 District Curtis County Roane  
 The surface of tract is owned in fee by H. H. Rhodes  
 Address Gay, W. Va.  
 Mineral rights are owned by Orla Swerly, et al.  
 Address Spencer, W. Va.  
 Drilling commenced Oct. 3, 1919  
 Drilling completed Oct. 23, 1919  
 Date Shot 6-21-26 From Berea Sand To \_\_\_\_\_  
 With 40 lbs.  
 Open Flow 4 /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			<u>Anchor Packer</u>
10	<u>965'</u>	<u>965'</u>	Size of _____
8 1/4	<u>1175'</u>	<u>1175'</u>	<u>2 1/8 x 7/8 x 16"</u>
6 3/4	<u>1974'</u>	<u>1974'</u>	Depth set <u>2001'</u>
5 3/16			
3			Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____


CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 545' FEET \_\_\_\_\_ INCHES

\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				11			
Water Well				90			
Pittsburgh Sand			315	400			
Slate			400	488			
Pittsburgh Sand			488	527			
Slate			527	545			
Coal - ?			545	560			
Lime & Slate			560	790			
Little Dunkard			790	825			
Slate			825	960			
Big Dunkard			960	1035			
Gas Sand			1104	1130			
Slate & Shells			1130	1514			
Salt Sand			1514	1579			
Total Depth				1579	Gas Oil	1534 1570-1579	
<b>DRILLING DEEPER COMPLETED - JUNE 19, 1926</b>							
Commenced Drilling at				1579			
Salt Sand			1579	1795			
Big Lime			1795	1891			
Big Injun			1891	1934			
Break			1934	1936			
Squaw Sand			1936	2065			
Slate & Shells			2065	2331			
Berea			2331	2345			
TOTAL DEPTH				2388	Gas	2334-2337	



N.F. 809

AUG 2 1961

