



New Location
 Drill Deeper
 Abandonment

-5 1941

4.38 S
 0.11 W
 0.11 W
 4.45

Company PITTSBURGH & W.VA. GAS CO.
 Address CLARKSBURG, W.VA.
 Farm JOHN H. RILEY
 Tract _____ Acres 30 Lease No. 21846
 Well (Farm) No. ONE Serial No. 6079
 Elevation (Spirit Level) 1235' VA.
 Quadrangle FAIRMONT S.W. 2-2
 County TAYLOR District BOOTHS CREEK
 Engineer Paul W. Cunningham
 Engineer's Registration No. _____
 File No. V-99. P-1. Drawing No. _____
 Date JUNE 25, 1941 Scale 1" = 300'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. TAY-8A

Rosemont 7.5' quad.
 + Denotes location of well on United States Topographic Maps, scale 1 to 62,500. latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

18

Ab 8-A
Permit No. 8-A

WELL RECORD

Oil or Gas Well GAS
(KIND)

Well Purchased from Connet Oil & Gas Co.

Company Pittsburgh & West Va Gas Company.
 Address Clarksburg, West Va.
 Farm John H. Riley Acres 30
 Location (waters) Tr. 2/1, 2-1-3
 Well No. 6979 Elev. 1235
 District Booths Creek County Taylor
 The surface of tract is owned in fee by S.A. Singleton
R.F.D. #3 Address Bridgeport, W.Va.
 Mineral rights are owned by Howard W. Riley
R.F.D. #3 Address Bridgeport, W.Va.
 Drilling commenced _____
 Drilling completed August 8, 1914
 Date shot _____ Depth of shot 2132-54
 Open Flow /10ths Water in _____ Inch
 /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			<u>Hook Ball Packers</u>
10	<u>342'</u>	<u>342'</u>	Size of <u>6-5/8" X</u>
8 1/4	<u>676'</u>	<u>676'</u>	<u>3-3/16"</u>
6 3/8	<u>1110'</u>	<u>1110'</u>	Depth set. <u>210'</u>
5 3/16	<u>210'</u>	<u>210'</u>	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Un-recorded Sand			0	25			
Un-recorded Sand			25	675	Water	465'	
Un-recorded Sand			675	875			
Un-recorded Sand			875	935			
Un-recorded Big Lime			935	1035			
Un-recorded Big Limestone			1035	1145			
Un-recorded Sand			1145	1235			
Un-recorded Sand			1235	1615	Sh. Gas	1605'	
Un-recorded Sand			1615	1670			
Un-recorded Fifth Sand			1670	2040			
Un-recorded Sand			2040	2085			
Un-recorded Sand			2085	2150	Gas	2132-59'	
Un-recorded Sand			2150	2197			
Un-recorded Sand			2197	2206			
Total Depth				2206			

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

MEET RECORD

Date June 24, 1941., 194

APPROVED _____
 BY J. D. Reighly _____
 (Title) _____

FITTING & OIL & GAS COMPANY, Owner

Record of Well No. 6079 Located on John H. Piley Farm _____ 1935
Booths Creek District Taylor County _____ State _____
 Division A District No. _____ Drilled under well Order _____
 Rig built by _____ Began _____ 19 _____ Completed _____ 19 _____
 Well drilled by _____ Began _____ 19 _____ Completed Aug 8 1934
 Depth of Well 2204 feet Size of Hole _____ Producing Gas
Well purchased from Conoco Oil & Gas Company. June 1-1935.

CASED WITH			REMARKS
AMOUNT	SIZE	KIND	
<u>242'</u>	<u>10"</u>	<u>Casing</u>	
<u>676'</u>	<u>8 1/4"</u>	<u>"</u>	
<u>1110'</u>	<u>6 5/8"</u>	<u>"</u>	
<u>710' (210')</u>	<u>5 7/16"</u>	<u>"</u>	<u>5-7/16 x 1-5/8" HWP</u>

GOAL VEINS _____

FORMATIONS					
FORMATION	COLOR	OPEN OR CLOSE HARD OR SOFT	TOP	BOTTOM	REMARKS GAS-OIL-WATER (THICKNESS OF PAY)
<u>Sand</u>			<u>25</u>	<u>675</u>	<u>Water 465</u>
<u>"</u>			<u>875</u>	<u>935</u>	
<u>Big Limestone</u>			<u>1025</u>	<u>1145</u>	
<u>Big Limestone</u>			<u>1145</u>	<u>1235</u>	
<u>Sand (Broken)</u>			<u>1675</u>	<u>1670</u>	
<u>"</u>			<u>1675</u>	<u>1860</u>	<u>Gas 1685 (L.S.)</u>
<u>Light Sand</u>			<u>2040</u>	<u>2085</u>	
<u>Sand</u>			<u>2057</u>	<u>2197</u>	<u>Gas 2107-2137</u>

(110) Bridgeport - Priddy town

FIRST PRESSURE TEST IN _____ CASING

REMARKS

30 Sec. _____ lbs.

1 Min. _____ "

2 " _____ "

5 " _____ "

10 " _____ "

15 " _____ "

30 " _____ "

Rock Pressure _____ " in

Taken _____ 19 _____

By _____

*Shot with 40 gts in
Bayard sand*

WELL TUBED AND PACKED _____ 19 _____

VIZ: *2204' of 3" Tubing
Packer at 2065
11-11*

FIRST PRESSURE TEST IN _____ TUBING

REMARKS

30 Sec. _____ lbs.

1 Min. _____ "

2 " _____ "

5 " _____ "

10 " _____ "

15 " _____ "

30 " _____ "

Rock Pressure _____ " in

Taken _____ 19 _____

By _____

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES: