

K& E CO., N. Y.

9



STATE OF WEST VIRGINIA


## DEPARTMENT OF MINES


Elev. 1231

To\_

\_Inch

Inch \_\_Cu. Ft.





Location (waters)\_

Well No. 7552

With\_

Open Flow

Rock Pressure\_\_\_

Company Hope Natural Gas Company.

District Booths Creek County Taylor

The surface of tract is owned in fee by\_\_\_

Drilling commenced May 12, 1927

Drilling completed June 4, 1927

/10ths Water in\_\_

\_\_/10ths Merc. in\_\_\_\_

Date Shot\_\_\_\_\_From\_\_

Mineral rights are owned by\_\_\_

Address 445 West Main St. Clarksburg, W. Va. Farm J.H.Murray Acres 25

\_\_\_\_Address\_\_

\_Address\_\_

Oil or Gas Well Used in Drilling Left in Well Casing and Packers Tubing Size Kind of Packer\_ 16 13\_\_\_\_ 184 Pulled Size of\_ 10\_\_\_\_ 640 Pulled 81/4 Depth set\_\_\_ 1195 1195 6 %\_\_\_ 5 3/16\_\_ Perf. top\_\_\_ Perf. bottom\_ Perf. top\_\_\_\_ Liners Used\_ Perf. bottom\_\_\_ CASING CEMENTED\_ SIZE\_ Date BELOW FEET INCHES COAL WAS ENCOUNTERED AT\_

Oil			_bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED A	T FEET	INCHES
Fresh water 373		feet	feet	FEET	INCHE	SFEET	TINCHES
Salt water_none		feet	feet	FEET	INCHE	SFEE7	INCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Little Big Dur Gas san			230 280 340	275 330 428	water	373	
First S Second Maxon			520 597 1030	591 663 1075	**		
Little Big Lin	ne		1162 1175	1167 1248			
Big In;	un		1248		gas	1261	
Total				1281			
Portoation	100 May 1222 30 May 100 May 10	UN 1949 I VIGNA EN OF HIMS OF	3,85	Engloss	OH, CAS	Penns Fenns	

(Over) EP 14 1949

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks	
e <sup>6</sup> - 1 - 1 - 1 - 1 - 1								
		mkion j						
		501378/4						
				1				
							,	
Total				TSET	202	Tros		
			7378	1248				
LATERAL PROPERTY OF THE PARTY O			3705	1167				
Distrop Stropped			70% 70%	77.12 903 907				
igtor (			. 570	100		212		
HAR DON GIRS AND			280 280	295 330 488	water	999		
tricere			500	200				
Cornection and		Hand or Bott	Tup.	Bottom	Off, Gas ar Water	Depth Found	Remarks	
Fresh water 2		foet	fact	LEE	E BACH	LEE LEE	INCRES	
Mack Pressure			hre, hole, tot 24 bre,	COAL WAS I	Aconsansion	P.L. P.R.R.	MICHES	
Voltage			CR LE			RUTOM	,	
Cher Plow		•	Indi	CARNO CER	ensen e	MOT No. 1	Tiete	
Date Shet	, Yveu	3.0		Pions Rive-		Po.	A bostone	
Drilling comments		, 1927	- ( )			Per Per	L bettom	
Mineral rights ar	named by	e-introse.		R 1949	1195	1195 De	gp asc	
The suctate of tr		fee by		84	erio	Pilies	th net	
Well in		Comp. 2503	100 TOST	W.	ISY			
Farm d.H. Location (Waters)			1 55	2126		Mile	I of Packer	
address 445		ir. Claskabe		Impat	Daniese Daniese	AGE IN IN	Packers	
Company Bopd		e conbant.		Cataly and	1047	176 10	(altra)	
Percent No.			MEFF	SECONI	)	Sid or Gas W	919	
							•	
					DateJ	une 28, 1949	•, 19	

MATHEWS PRINTING AND LITHOGRAPHING CO

APPROVED Hope Natural Gas Company., Owner

By General Superintendent

General Superintendent

By The Company of the Company of

Form H 1 Well No District	24-3M-12	2-26 552 Bo	Rease oth	No.	The sk	PE.R	AT	J. A.	1/97/	una	Y Ja	rulor	Distr	(25A)	State	Acres. 25		
											(	/						
Drilling Rig Con	Comm	nenced				· · · · · · · · · · · · · · · · · · ·				Drilling (Drilling ) If H. N. G. C	g Comple g Contra co. Tools, Strice	eted	6-4	-27				
FORMATION		Open o Hard o	r Close r Soft	тс	P	вотт	ом	Ster Measi	el Line urements	Water Fou Depth	ind	Oil Found Bepth		Found pth		REMARKS		
Native Coa	.1																	
Pittsburgh					50	4.	75											
Little Dunl Big Dunka				2	30	3	75											
Gas Sand	ru																	
First Salt					20	5	91											
Second Sal	t			5	97	60	63											
Third Salt				10	30	10	75											
Maxon Little Lime				10	30	10	/3											
Pencil Cave																		
Big Lime				11,	75	124	48											
Keener				15	75								, -	11				
Big Injun				12	48								12	2-61				
Squaw																•		
Berea																		
Gantz																		
Fifty Foot																		
Thirty Foo																		
Gordon Str Gordon	ау																	
Fourth																		
Fifth																		
						15	01											
Total Dept	Total Depth  Charged to Well Put in Well			/28/		Left in Weil			Transferred Refere Completing		at Well	Steel Li						
SIZE	Fee			Feet	In.	Feet In.		Feet In.		-	Before Completing Feet In.		Not in Use Feet in.		In. If more than hole, give re-	two strings of casing are left in asons for leaving additional strings		
13" Csg.																		
10" "																		
81/4" "																		
65%" " " 5-3-" " " " " " " " " " " " " " " " " " "																		
Tbg.																		
"																		
								P	ACKE	R REC	ORD							
SIZE	KIND Amount Anchor Amount Above Ancho								Above Ancho	REMARKS								
						SHOOT	ING	REC	CORD (	If shot befo	ore or upon	completion	of well)		-			
DATE	Qua	rts	Top of Shell	Botto of Sh		Diameter		Sand	TEST Reading	BEFORE	SHOT	TEST Reading	AFTER	SHOT	Test Taken After Shot No. Hours	By Whom Shot		
										NG RE				Marie Control				
Top Pit Bottom Mr	tsburg Pittsb	h Coal.	oal				T Botto	op Cer m Cen	menting.			Cos	Amour Amount a al Compa	sand Us any on g	nt Used	oal was cemented		
											Approve	d				Foreman		